






Curves



Miscellaneous



Butt:



Round:



Square:



Miter:





















Round:



Bevel:




Simple alignment

Left Top:		(0 degrees)		(0 degrees)
Left Bottom:		(0 degrees)		(45 degrees)
Left Middle:		(0 degrees)		(90 degrees)
Right Top:		(0 degrees)		(135 degrees)
Right Bottom:		(0 degrees)		(180 degrees)
Right Middle:		(0 degrees)		(225 degrees)
Center Top:		(0 degrees)		(270 degrees)
Center Bottom:		(0 degrees)		(315 degrees)
Center Middle:		(0 degrees)		(360 degrees)

NOTE: showText(...) methods return the actual bounding box of the text shown.

NOTE: The rotation parameter can be freely defined as a floating point value.

Block line alignment



Block line space

Demonstrating how to set the block line space. Line space can be expressed either as an absolute value (in user-space units) or as a relative one (floating-point ratio); in the latter case the base value is represented by the current font's line height (so that, for example, 2 means "a line space that's twice as the line height").

0:

Demonstrating how to set the block line space. Line space can be expressed either as an absolute value (in user-space units) or as a relative one (floating-point ratio); in the latter case the base value is represented by the current font's line height (so that, for example, 2 means "a line space that's twice as the line height").

0,5:

Demonstrating how to set the block line space. Line space can be expressed either as an absolute value (in user-space units) or as a relative one (floating-point ratio); in the latter case the base value is represented by the current font's line height (so that, for example, 2 means "a line space that's twice as the line height").

1:

Demonstrating how to set the block line space. Line space can be expressed either as an absolute value (in user-space units) or as a relative one (floating-point ratio); in the latter case the base value is represented by the current font's line height (so that, for example, 2 means "a line space that's twice as the line height").

1,5:

Demonstrating how to set the block line space. Line space can be expressed either as an absolute value (in user-space units) or as a relative one (floating-point ratio); in the latter case the base value is represented by the current font's line height (so that, for example, 2 means "a line space that's twice as the line height").

2:

Unspaced block

[illegible][illegible]