

Clean ecological data collected from quadrats with quadcleanR

CHEAT SHEET & PACKAGE BY DOMINIQUE MAUCIERI



Clean


data			labelset		
from	to		name1	name2	name3
name1	new1				
name2	new2				
name3	new3				

↓
new1 new2 new3

change_names(data, labelset, from, to) Using a new data frame of labels, change column names in one function. Helpful if column names are shorthands or contain spaces and characters that are not supported in column names in R.

```
change_names(data, labelset, "from", "to")
```

data	
col1	col2
a	one
b	two
a	three
b	two
a	one



col1	col2
a	1
b	2
a	3
b	2
a	1

change_values(data, column, from, to) Using two vectors, change the values in one column to a new set of values. Helpful if you need to change many values at once, like updating changes to site names or taxonomy.

```
change_values(data, "col2", c("one", "two", "three"), c("1", "2", "3"))
```

data	
col1	col2
a	1_1
b	1_2
a	2_2
b	1_2
a	2_1



col1	col2
b	1_2
a	2_2
b	1_2
a	2_1

keep_rm(data, values, select, keep = TRUE, drop_levels = TRUE, exact = TRUE, colname) Using a character, or part of character select rows or columns of the data frame to either keep or remove. A more customizable way to subset your data as you can keep or remove based on partial matches, or cells containing select characters.

```
keep_rm(data, "_1", select = "row", keep = FALSE, drop_levels = TRUE, exact = FALSE, "col2")
```

data	
col1	col2
one.jpg	
two.jpg	
three.jpg	
four.jpg	
five.jpg	



col1	col2
one	
two	
three	
four	
five	

rm_chr(data, rm, full_selection = TRUE, cols) Parts of characters can be removed based on a vector of removal characters. When working with images, this can be helpful to remove extra characters from image IDs, or anywhere else where you want to remove specific characters from your data.

```
rm_chr(data, rm = ".jpg", full_selection = FALSE, cols = "col1")
```

data		
col1	col2	col3
4	7	5
0	6	4




col1_2	col3
11	5
6	4

sum_cols(data, from, to) Select columns and attach a vector of their new names, then columns with matching names will have each row summed. This is helpful to simplify your data quickly, like simplifying at a higher taxonomic group.

```
sum_cols(data, from = c("col1", "col2", "col3"), to = c("col1_2", "col1_2", "col3"))
```

Assess

data		
Year	Site	Quadrat
2017	1	1
2017	1	2
2017	1	3
2017	2	1
2017	2	2
2018	1	1
2018	1	2
2018	2	1
2018	2	2



sample_size(data, dim_1, dim_2, count) Specify which columns to use to produce a table with sample sizes. Helpful to visualize number of samples in your data.

```
sample_size(data, dim_1 = "Year", dim_2 = "Site", count = "Quadrat")
```

Add

data		add	
ID	count	ID	Temp
2017	5	2019	12
2019	2	2018	14
2017	5	2017	17
2018	1		

ID	Avg_Temp	count
2017	17	5
2019	12	2
2017	17	5
2018	14	1

add_data(data, add, cols, data_id, add_id, number = FALSE) Using key identifying columns, add additional columns to an existing data frame. Helpful for adding environmental or taxonomic data to your quadrat data

```
add_data(data, add, cols = "Temp", data_id = "ID", add_id = "Avg_Temp", number = 2)
```

Process

data		
ID	SP1	SP2
2017	4	5
2019	0	2
2017	4	5
2018	9	1

Year	Row	Column
2017	100	37
2017	34	100
2017	88	28
2017	93	25
2017	78	16
2018	45	100
2018	100	2
2018	27	73
2018	93	03

ID	SP1	SP2	Blurry	Unclear
2017	4	5	7	3
2019	0	2	3	5
2017	4	5	1	4
2018	9	1	6	3

