Hybrid

Tuesday, November 3 2026 - 10:00 AM Mountain Daylight Time

Vultr: Agent Rush Hackathon


Build AI agents that do real work — safely sandboxed on Vultr.

🌎 Hybrid Hackathon | 💻 Online Build: 3–8 November 2026 | On-site Phase: 8 November 2026

📍 **On-site Venue: Pierpont Place**
163 W Pierpont Ave, Salt Lake City, UT 84101, USA

✨ Please note that travel and accommodation are not covered.

Enrolled



About Challenge Technology & Access Prizes Judging Criteria Event Schedule Community & Social Channels Speakers, Mentors & Judges Submissions Teams

LABLAB × VULTR

VULTR: AGENT RUSH HACKATHON

Build AI agents that do real work — safely sandboxed on Vultr.

ONLINE PHASE	ON-SITE · SALT LAKE CITY, UT	PRIZES & GIVEAWAYS
3 – 8 November, 2026	8 November, 2026	Up to $15,000 $14,000 in competition prizes + onsite raffle

ONSITE VENUE · SALT LAKE CITY, UTAH
Pierpont Place
163 W Pierpont Ave, Salt Lake City, UT 84101
View on Google Maps

🎁 ONSITE RAFFLE Join us in **Salt Lake City** for a chance to win a **PlayStation 5**, **Apple AirPods 5**, or a **Razer gaming mouse**!

Build a web-based agent that performs real work — writing and running code, or operating a real browser — with every action contained inside a sandbox running on Vultr.

Your system acts as a centralized control layer: it plans a task, dispatches it to an isolated execution environment, and returns verifiable output. Projects should demonstrate multi-step agentic workflows, real executed results rather than described ones, and a production-style web application — all running on Vultr infrastructure.

Containment-first is required. An agent that only chats is a demo; an agent that executes safely is a product.

Every participant gets **$200 in free Vultr credits** to build on.

✦ BONUS OPPORTUNITY · VULTR COMMUNITY

Your next big opportunity starts with your build.

You put in the work. Now give it a bigger stage. **Showcase your project on Vultr Community** and make it discoverable to developers across the Vultr ecosystem. **Don't let your build stop at submission day.**

01 · REQUIRED FOR JUDGING
Submit on lablab.ai
Your official hackathon entry must be submitted on lablab.ai to be eligible for judging and competition prizes.

02 · OPTIONAL EXTRA EXPOSURE
Share on Vultr Community
Give your project an additional home where Vultr's developer community can discover your work.

Showcase on Vultr Community

Sharing on Vultr Community is optional and does not replace the required lablab.ai submission for judging. Exposure is not guaranteed.

CHALLENGE

Choose your Agent Rush challenge

Choose one path and build a production-style web application on Vultr. Start with the overview below, then open the challenge details for the execution patterns, use cases, safety focus and submission expectations provided by Vultr.

01

Blast Radius Zero

Build a web-based agent that performs real work — writing and running code or operating a real browser — while every action stays inside an isolated sandbox running on Vultr.

Best for: code execution, browser automation, autonomous agents, sandboxing, verification and safety.

- ✓ Vultr VM backend
- ✓ Web app on Vultr
- ✓ Serverless Inference
- ✓ Isolated sandbox

Core idea: containment-first. The system should plan, dispatch and verify real executed work — not just describe what it would do.

02

Powering the Future of Work

Build and deploy an enterprise-focused AI solution that coordinates realistic multi-step workflows and improves how teams operate day to day.

Best for: sales ops, finance, HR, customer support, procurement, workflow automation and enterprise AI.

- ✓ Vultr VM backend
- ✓ Web app on Vultr

Core idea: build a real platform or operational workflow, not a one-off demo. Serverless Inference is optional for agentic or reasoning workflows.

CHALLENGE PLAYBOOKS

01 · Blast Radius Zero — full challenge details

What Vultr is looking for

Your application should use Vultr as the central control layer, dispatch real work into isolated execution environments, and return verifiable output.

Build against one or both execution patterns

Pattern A · Sandboxed code execution

User asks → model writes code → code runs inside a container → real output returns → model explains the result. Errors can be fed back for retries.

Pattern B · Sandboxed browser use

User gives a goal → model plans → Playwright runs in a container → screenshots return → a vision model verifies → human approval before final actions.

Example directions

CSV Analyst · Prove-It Code Reviewer · Chart Anything · File Fixer · Self-Healing Runner · Comparison Shopper · Form Filler · Site QA Sweep · Research with Receipts · Page Watcher

Containment focus

- **Process isolation:** execution never touches the host or app runtime.
- **Secret hygiene:** no API keys or credentials inside the sandbox.
- **Resource limits:** apply time and memory caps to every run.
- **Lifecycle discipline:** reset or destroy the environment after each task.

Submission expectations

- ✓ GitHub repository with setup and documentation
- ✓ Vultr VM backend deployment
- ✓ Public demo URL
- ✓ Recorded demo video
- ✓ Clear architecture and use-case explanation
- ✓ One containment moment shown in the video

02 · Future of Work — full challenge details

What Vultr is looking for

Build an enterprise-focused solution with multi-step agentic or rule-based workflows, realistic future-of-work use cases and a production-style web application running on Vultr.

Focus areas

- **Sales Operations:** qualify leads, research prospects, update CRM, draft outreach and follow up.
- **Finance & Accounting:** process invoices, reconcile transactions, flag anomalies and manage payment follow-ups.
- **HR & Recruitment:** screen candidates, schedule interviews, coordinate onboarding and track employee workflows.
- **Customer Support:** resolve tickets across systems, investigate issues, take actions and escalate when human input is needed.
- **Procurement:** monitor purchasing needs, compare vendors, request quotes, track orders and follow up on delays.

Product expectations

- Accessible through a public web browser.
- A real product-style experience with clear user flows.
- Vultr as the central backend powering planning, workflows and operations.
- Platform thinking rather than a one-off local demo.

Submission expectations

- ✓ GitHub repository with setup and documentation
- ✓ Vultr VM backend deployment
- ✓ Public demo URL
- ✓ Recorded demo video
- ✓ Clear architecture and use-case explanation

Technology requirements are explained separately below the Challenge section. Challenge 1 requires Vultr Serverless Inference and isolated sandbox execution. Challenge 2 requires a Vultr VM backend and web deployment; Serverless Inference is optional, and Vultr GPUs are not available for this event.

TECHNOLOGY & ACCESS

Build on Vultr

Start with the technology you'll use, then use the resources below to get set up. Credit access instructions come next, followed by the video guides and walkthroughs in one place.

TECHNOLOGY YOU'LL USE

Vultr Cloud Compute

Both challenges require a Vultr VM backend, and the web application must be deployed on Vultr. Vultr should be the central system of control and orchestration, not just static hosting.

`CORE · BOTH CHALLENGES`

Vultr Serverless Inference

OpenAI-compatible inference at `https://api.vultrinference.com/v1`. Required for Challenge 1 agent LLM calls and optional for Challenge 2.

`REQUIRED C1 · OPTIONAL C2`

Agent sandboxing

Challenge 1 requires isolated execution. Docker is strongly recommended, with OpenSandbox, gVisor, E2B Sandboxes and Microsandbox listed as example approaches.

`CHALLENGE 1`

Vultr API & app acceleration

Challenge 1 may use the Vultr API for throwaway instances. Challenge 2 teams can use deployment helpers such as Supabase on Vultr and Coolify on Vultr.

`OPTIONAL / RECOMMENDED`

Important: Vultr GPUs are not available for this event. Challenge 1 must use Vultr Serverless Inference for agent LLM calls; for Challenge 2, Serverless Inference is optional.

RESOURCES

Core Vultr

`vultr.com` `Serverless Inference docs` `Live model list` `Vultr API`

Agent sandboxing

`Sandboxing guide` `OpenSandbox` `gVisor` `E2B` `Microsandbox`

App deployment

`Supabase on Vultr` `Coolify on Vultr`

ACCESS & CREDITS

Claim your hackathon credits

Each participant receives **$200 in free Vultr credits** to build and experiment with Vultr services during the hackathon.

`$200 IN HACKATHON CREDITS`

$200

FREE VULTR CREDITS PER PARTICIPANT

Claim Your $200 Vultr Credits

Before you begin Use a valid email address that has **not previously been associated with a Vultr account**.

`01`

Create your Vultr account

- Open the Vultr Registration Page.
- Enter a valid active email address and create a strong password.
- Review and accept the Terms of Service and Privacy Policy.
- Click **Create Free Account**.

`Open Vultr Registration Page`

`02`

Verify your email address

- Check your inbox for the verification email from Vultr.
- Click **Verify Your E-mail**.
- Once verified, you'll be redirected to the Vultr Console.

`03`

Apply the hackathon gift code

- Open the hackathon promotion page in Billing.
- Locate **Gift Code**.
- Enter your hackathon gift code.
- Click **Apply Gift Code**.

`Open Hackathon Promotion Page`

`04`

Confirm credits & keep your deployments

- After successful redemption, your account should show **$200.00 in Remaining Credit**.
- Your hackathon credits and account access remain active throughout the event.
- To continue using deployments afterward, add a payment method in Billing.

What can the credits be used for? Vultr Compute Instances, Managed Databases, Kubernetes clusters, and other Vultr services during the hackathon.

VIDEO GUIDES & WALKTHROUGHS

Follow along with Vultr


Use these practical walkthroughs for claiming your hackathon credits and deploying applications with the Vultr resources provided for Agent Rush.

`CREDITS WALKTHROUGH`

Claim your Vultr hackathon credits

Follow the credit redemption process step by step, from account setup through applying the hackathon gift code.

Speaker: Sanskriti Harmukh · Junior Developer Relations @ Vultr



DEPLOYMENT GUIDE

Deploy with Supabase on Vultr

Watch the Vultr walkthrough for deploying a Next.js application with the Supabase Marketplace App.

Speaker: Sanskriti Harmukh · Junior Developer Relations @ Vultr




DEPLOYMENT GUIDE

Deploy with Coolify on Vultr

Watch the Vultr walkthrough for deploying an application with the Coolify Marketplace App.

Speaker: Sanskriti Harmukh · Junior Developer Relations @ Vultr



PRIZES

Up to $15,000 in Prizes. More Ways to Win.

Compete for $14,000 in cash and Vultr credits, plus a chance to win exclusive tech prizes at our onsite raffle.

$9,000 CASH PRIZES

$5,000 VULTR CREDITS

+ Up to $1,000 in onsite raffle prizes

1ST PLACE

CASH PRIZE
$5,000
+ $3,000 in Vultr credits

2ND PLACE

CASH PRIZE
$3,000
+ $1,000 in Vultr credits

3RD PLACE

CASH PRIZE
$1,000
+ $1,000 in Vultr credits

Bonus: Onsite Raffle Giveaway

3 INDIVIDUAL WINNERS

Join us in person for a chance to win! Three onsite attendees will each win one of these prizes.



PlayStation 5 Standard



Apple AirPods 5 with Wireless Charging Case



Razer DeathAdder V3 HyperSpeed

Please note: participation in lablab.ai hackathons is voluntary. Prizes and opportunities depend on eligibility, availability and third-party sponsors. Hackathon rules, prizes and terms may change or be canceled at our discretion. Submissions must be original and MIT-compliant. Prize distribution may take up to 90 days. **Full details.**

GUIDELINES

Guidelines

HOW TO PARTICIPATE

The hackathon takes place online on the LabLab platform and the LabLab Discord server. Please register for both in order to participate. To join, click the Enroll button at the bottom of the page and read the Hackathon Guidelines, the Getting Started Guide, and the LabLab Hackathon Rule Book.

Everyone is welcome to participate, regardless of previous AI or coding experience.

Before the kickoff, browse the AI Tech and tutorials pages to read up on the available technologies and get a head start on your project.

TEAMS

Teams consist of 1–6 people. If you don't have a team, don't worry. You can connect with other participants from all over the world on the dashboard or on the Discord server, where you can also find teammates and bounce around ideas.

WHAT TO SUBMIT

🗒️ **Basic information**

- Project title
- Short description
- Long description
- Technology & category tags

📸 **Cover image and presentation**

- Cover image
- Video presentation
- Slide presentation

🖥️ **App hosting and repository**

- Public GitHub repository
- Demo application platform
- Application URL

VULTR-SPECIFIC DOCUMENTATION

⚡ **Show how you used Vultr**

- In your public GitHub README, explain the Vultr services and infrastructure used.
- Document your backend/deployment architecture and how Vultr powers the solution.
- Explain the agent's use case and how it executes real tasks.
- Challenge 1: demonstrate at least one containment moment in your demo video, as described in the challenge brief.

The Vultr integration explanation belongs in your README; no separate Vultr architecture report is needed.

Important: Submit on LabLab for judging. Your official project submission must be completed on LabLab to be considered for hackathon judging and prizes.

Bonus visibility: You can also showcase your project on Vultr Community to reach more developers. This is optional and does not replace your LabLab submission.

JUDGING CRITERIA

Application of Technology
How effectively the chosen model(s) are integrated into the solution.

Presentation
The clarity and effectiveness of the project presentation.

Business Value
The impact and practical value, considering how well it fits into business areas.

Originality
The uniqueness and creativity of the solution, highlighting approaches and ability to demonstrate behaviors.

Event Schedule

Nov 3 10:00 AM Mountain Daylight Time
Hackathon Kick-off

Nov 3 11:00 AM Mountain Daylight Time
Discord Q&A session

Nov 8 10:00 AM Mountain Daylight Time
Doors open
On-site

Nov 8 10:30 AM Mountain Daylight Time
Welcoming remarks
On-site

Nov 8 5:00 PM Mountain Daylight Time
End of Submissions!

Nov 8 7:00 PM Mountain Daylight Time
Door close
On-site

COMMUNITY

Community & social channels


Stay connected with the teams behind the hackathon and follow along for updates, highlights and future opportunities.


Vultr
Website · Docs · API

lablab.ai
X · LinkedIn · Instagram · YouTube · Twitch · Discord · Website

NativelyAI
Website · LinkedIn · Discord

Speakers, Mentors & Judges






Emmanuel Iriarte
CTO of NativelyAI

natively.ai

Vasu Raj Jain
Senior Software Engineer @Amazon Ads

amazon

Victor Martins
Software Engineer & Founder

Hiyr

Shaktesh Pandey
AI Engineer | GenAI Systems | RAG Architect | LLMOps

Community Delhi



Ansh Bilimoria
Senior Software Engineer, Meta



Udit Gupta
Principal Engineer - Cloud and Network Security, Palo Alto Networks



Urvi Bhanushali
Software Engineer



Harshit Gupta
Management Consultant, McKinsey & Company



Arjun Gopichander Ravichander
Software Engineer, Walmart Inc.

Walmart Global Tech



Niranjan Yadla
Senior Applied Scientist, Amazon

amazon



Anil Mandloi
Senior Software Engineer – American Express



Ali Amjad
Founder



Amit Gupta
Staff Software Engineer, Sagesure

concentrix




Ashish Garg
Principal Product Manager, Walmart



Antoine Balliet
Context & AI Engineer

gorgias



Mahati Kumar
Senior Staff Software Engineer, Technical Lead, at Meta



Bhargavi Vepuri
Director, Technology Lead at Prudential Financial



Mohamed Ally Iddi
Senior Software Engineer, Meta



Alejandro Soumah
Founder, Itô Markets

Itô | MARKETS



Anish Gupta
Product Manager at Microsoft



Haris Jalal
SWE AI

ORACLE



Shweta Chauhan
Software Development Engineer II, Amazon Robotics | IEEE Senior Member

amazon



Sachidananda Singh
Senior Engineering Manager, Hims & Hers Health

hims



Suresh Kumar Gunasekaran
Senior Software Engineer



Subhasis Kundu



Nalini Garg



Muhammad Inaamullah



Nilesh

Senior Principal Solution Architect

Compunnel Inc.

Associate Vice President

Deloitte.

fablab.ai

SIEMENS
Ingenuity for life

Head of Engineering, Monocle Intelligence



Parminder Singh
Sr. Technical Program Manager, Amazon Ads

amazon



Kirankumar Bhusanurmath
Product Manager / Technical Marketing Engineer

DELL Technologies



Swapnil Kale
Vice President – Senior Manager of Software Engineering, JPMorganChase

JPMorganChase



Kyrylo Kovalevskyi
Lead Software Engineer

LLOYDS

Submitted concepts, prototypes and pitches

Submissions from the teams participating in the Vultr: Agent Rush Hackathon event and making it to the end 👊




FirstRun

Find out what that command really does, before you run it

RakyatBiasa

VULTR




ProofBox

Containment-first agent execution platform on Vultr Cloud Compute & Serverless Inference that runs...

Only One

VULTR AI/ML API




Autonomous Database...

An autonomous optimization agent built to dynamically identify, isolate, and safely sandbox...

Sanesh_PHP_Enterprise_Solo

VULTR rest api OpenAI +1




Blast Radius Zero: Sandboxe...

Repair messy CSVs with Vultr Serverless Inference, execute generated scripts in disposable Docker...

NightMoose

VULTR




SheetSafe AI - Privacy-First...

SheetSafe AI helps teams analyze CSV files with live Vultr Serverless Inference. It turns natural-language...

Team Titan

VULTR AI/ML API




REVERSA - The Self-Healing...

AI can execute workflows. But who fixes the damage when they fail? REVERSA is the self-healing control...

TOSKAMAN

VULTR



MissionControl AI: Data...

AI agents that find, fix and double-check a nonprofit's data problems and draft funder reports, while a...

The Merge Conflicts

VULTR AI/ML API Anthropic Claude +1




ForensiSafe — Air-Gapped...

ForensiSafe is an AI decontamination vault for journalists. It detonates hostile documents & URLs in...

vultr-hack

VULTR Vercel Llama 3.1




SafeHands: Blast Radius Zer...


Say a task in plain English. A model on Vultr Serverless Inference writes the robot program, it run...

SafeHands

Claude Code VULTR









Quarantine Package: test np...

Type an npm package and version. An agent on Vultr runs it in a hardened, traced, network-sinkholed...

Contained Agents

VULTR



Cascade

Cascade is an autonomous multi-agent platform that handles B2B client onboarding from deal close to...

agent coder

VULTR Gemini AI




Earshot: Two AI Agents, One...

Earshot sends a sighted and a blind AI agent through the same checkout in Vultr sandboxes, names the...

SoloRun

VULTR Claude Code



PHANToM GRID :: Vultr...

PHANToM GRID delivers an ASIL-D autonomous agent gateway on Vultr Cloud, featuring throwaway Docke...

PHANTOM GRID

AI/ML API AgentOps OpenAI +1



ShelfReady — Verify Before...

ShelfReady rehearses supplier CSV changes in a locked-down Vultr sandbox, verifies real...

Virage

VULTR Claude Code Codex +2



Cage - Containment-First...

Cage is a self-hosted, containment-first control plane for coding agents: every tool call is mediated, every...

Cage

VULTR AgentOps Generative Agents +1




Pack Lead Scraper

PackLead Agent automates business research and lead generation using AI agents. It discovers...

Team PackLead

AI/ML API Claude Code Github Copilot +1



LinkOps Data Lab

LinkOps Data Lab turns a CSV question into a reviewable Python plan, then runs the analysis insid...

LinkOps

VULTR




ZipCheck

ZipCheck helps teams catch Windows filename conflicts in ZIP archives before sharing them. Upload...

Gurren Lagann

Codex VULTR Gemini AI +1




verify

Coding agents don't get to say done. They prove it. verify tests every change in a throwaway sandbox o...

Verify

VULTR Claude Code




Latch

Latch helps teams compare supplier offers using evidence captured in an isolated browser, checked...

Mantissa

VULTR Qwen3



Ashproof: one throwaway...

For the security reviewer who has to approve an AI agent. Each task runs in a throwaway Vultr VM with...

Ashproof

VULTR



Docs Runner: Execute Docs,...

Docs Runner executes public quickstarts in disposable gVisor sandboxes on Vultr, reports failures from...

DriedSandwich

VULTR




ClearToPay: vendor checks...

ClearToPay checks a new vendor against OFAC sanctions, SAM.gov exclusions and the state busine...

ClearToPay

VULTR Qwen3



PatchGuard AIRLOCK

PatchGuard AIRLOCK is an autonomous self-healing runner. Using Vultr Serverless Inference and gVisor...

Suyogs1

VULTR

Load more submissions

24 of 93

Teams: Vultr: Agent Rush Hackathon

Check out the roster and find teams to join











Champion

RepoSurgeon: Autonomous AI Code Doctor that diagnoses, isolates, and...



Aryan Gorde

Building something Creative



X90

I'm a Full-Stack Software Engineer from Indonesia, currently expanding...



Khem Chhetri

Good to go. We are build for this

View all teams

LAB LAB

Unlocking state-of-the-art artificial intelligence and building with the world's talent

Other group brands:

LINKS

- AI Tech
- AI Hackathons
- AI Tutorials
- AI Applications
- NativelyAI
- AI Articles
- Leaderboard
- Writers

LABLAB

- Brand
- Hackathon Guidelines
- Terms of Use
- Code of Conduct
- Privacy Policy
- Security

GET IN TOUCH

- Discord
- Sponsor
- Cooperation
- Contribute
- Send email

© 2026 Natively AI Inc. All rights reserved.

Approved
2660

Team Dashboard

Submit Project

Help