

Final Project: AI-Based Web Application Development and Deployment



Estimated Time: 1 hour 45 minutes

Scenario

You have been hired as a software engineer by an e-commerce company to create an AI-based web app that performs analytics on customer feedback for their signature products. To accomplish this requirement, you will create an Emotion Detection system that processes feedback provided by the customer in text format and deciphers the associated emotion expressed.

Introduction

In this final project, you will be assessed on the knowledge gained on all aspects of app creation and its web deployment throughout this course and we use the embeddable Watson AI libraries to create an emotion detection application.

Emotion detection extends the concept of sentiment analysis by extracting the finer emotions, like joy, sadness, anger, and so on, from statements rather than the simple polarity that sentiment analysis provides. This makes emotion detection a very important branch of study and businesses use such systems widely for their AI based recommendation systems, automated chat bots, and so on.

Project guidelines

For the completion of this project, you'll have to complete the following 8 tasks, based on the knowledge you have gained through the course.

Note: This platform is not persistent. It is recommended that you keep a copy of your code on your local machines and save changes from time to time. In case you revisit the lab, you will need to recreate the files in this lab environment, using the saved copies from your machines.

Tasks and objectives:

- Task 1: Fork and Clone the project repository
- Task 2: Create an emotion detection application using Watson NLP library
- Task 3: Format the output of the application
- Task 4: Package the application
- Task 5: Run Unit tests on your application
- Task 6: Deploy as web application using Flask
- Task 7: Incorporate Error handling
- Task 8: Run static code analysis

Let's get started!

Note

1. Please ensure that all updates and changes made during each task are properly completed and saved before proceeding to the next steps.
2. As mentioned in the “*Final Project Overview*”, you can submit your project deliverables through either Option 1: AI-Graded Submission and Evaluation or Option 2: Peer-Graded Submission and Evaluation.
3. **For Option 1: AI-Graded Submission and Evaluation:**
Submission requires:
 - **GitHub repository URL** under **Task 1** and **Task 4 (Activity 1)**.

- **Code snippets** under **Tasks 2 to 8** for **Activity 1**, and under **Task 7** for **Activities 1 and 2** (excluding Task 4).
- **Terminal outputs** under **Tasks 2 to 4** and **Task 8** for **Activity 2**.
- **Screenshots** under **Task 6** for **Activity 2** and **Task 7** for **Activity 3**.

4. For Option 2: Peer-Graded Submission and Evaluation:

- Submission requires **screenshots** for all activities under **Tasks 1 to 8**.

Please run this lab in the Skills Network Theia Lab environment itself, not in your local IDE (like VS Code). The API used here is hosted on the Skills Network platform and is only accessible within the Theia Lab.

Task 1: Fork and Clone the project repository

The GitHub repository of the project is available on the URL mentioned below.

As a first step you need to Fork this repository, click the Fork button at the top-right corner of the repository page.

<https://github.com/ibm-developer-skills-network/oaqjp-final-project-emb-ai.git>

You can find instructions on how to fork the repository by visiting exercise 2 in this [Hands-on Lab: Get familiar with Git Commands](#).

Note: Ensure your forked repository is Public. This action will create a copy of the forked repository within your GitHub account.

1. Open a new Terminal and make the directory `final_project` using `mkdir` command.
2. Clone this forked GitHub repository using the Cloud IDE terminal to your project to a folder named `final_project`.
You can find instructions on how to get the clone URL of the repository by visiting exercise 3 in this [Hands-on Lab: Get familiar with Git Commands](#).
3. After the cloning is complete, use the terminal to change the current directory `final_project`.
4. Go to your forked repository and open the `README.md` and add the project name in the file as `Final project`. Ensure you use this exact name as this is required for the AI-graded submission.

5. Assessment:

For Option 1 - AI Graded Submission and Evaluation: Copy and save the public GitHub repository URL of the `README.md` file, which contains the project name `Final project` for the Final project submission and Evaluation

For Option 2 -Peer-Graded Submission and Evaluation: Take the **screenshot** of your folder structure and save it as `1_folder_structure.png` for Peer Assignment.

Task 2: Create an emotion detection application using the Watson NLP library

The Watson NLP libraries are embedded. Therefore, there is no need of importing them to your code. You only need to send a post request to the correct function in the library and receive the output.

1. For this project, you'll use the **Emotion Predict** function of the Watson NLP Library. For accessing this function, the URL, the headers, and the input json format is as follows.

URL: `'https://sn-watson-emotion.labs.skills.network/v1/watson.runtime.nlp.v1/NlpService/EmotionPredict'`
 Headers: `{"grpc-metadata-mm-model-id": "emotion_aggregated-workflow_lang_en_stock"}`

```
Input json: { "raw_document": { "text": text_to_analyze } }
```

Note that the `text_to_analyze` is being used as a variable that holds the actual written text that needs to be analysed.

2. Create a file named `emotion_detection.py` in `final_project` folder.
3. In the `emotion_detection.py` file, write the function to run emotion detection using the appropriate Emotion Detection function. Name this function `emotion_detector`.

Note: Assume that the text to be analysed is passed to the function as an argument and is stored in the variable `text_to_analyze`. The value being returned must be the `text` attribute of the response object as received from the Emotion Detection function.

4. Assessment:

For Option 1 - AI Graded Submission and Evaluation: Copy and paste code from the `emotion_detection.py` file that shows the application function in a text file and save it as `2a_emotion_detection` for the Final project submission and evaluation.

For Option 2 -Peer-Graded Submission and Evaluation: Take a **screenshot** of the code you write and save it as `2a_emotion_detection.png` for Peer Assignment.

5. The application should now be importable using Python shell. Open a `python3` shell.
6. Import the application.
7. After you successfully import the application, test your application with the text: **“I love this new technology.”**

8. Assessment:

For Option 1 - AI Graded Submission and Evaluation: Copy and paste terminal output showing that the application was imported and tested without errors in a text file and save it as `2b_application_creation` for the Final project submission and evaluation.

For Option 2 -Peer-Graded Submission and Evaluation: Take a **screenshot** of the terminal with all three steps included in it along with the final output. Name this file `2b_application_creation.png` for Peer Assignment.

Note: In case the python shell shows an error `ModuleNotFoundError: No module named 'requests'`, you may install the `requests` library to your IDE using the following command on the terminal.

```
python3 -m pip install requests
```

Optional:

At any point of time if you want to push your code to your forked GitHub repository, you can do so by following the instructions provided in this [link](#).

Task 3: Format the output of the application

1. Convert the response text into a dictionary using the `json` library functions.

Note the content formatting in this dictionary.

2. Extract the required set of emotions, including anger, disgust, fear, joy and sadness, along with their scores.
3. Write the code logic to find the dominant emotion, which is the emotion with the highest score.
4. Then, modify the `emotion_detector` function to return the following output format.

```
{
'anger': anger_score,
'disgust': disgust_score,
'fear': fear_score,
'joy': joy_score,
'sadness': sadness_score,
'dominant_emotion': '<name of the dominant emotion>'
}
```

5. Assessment:

For Option 1 - AI Graded Submission and Evaluation: Copy and paste code from the `emotion_detection.py` file showing that the modified `emotion_detector` function returns the correct output format in a text file and save it as `3a_output_formatting` for the Final project submission and evaluation.

For Option 2 -Peer-Graded Submission and Evaluation: Take a **screenshot** of the modified function code and save it as `3a_output_formatting.png` for Peer Assignment.

6. Test the application in the python3 shell again, with the statement **I am so happy I am doing this**.
7. Verify that the response received has the dominant emotion is **joy**.

8. Assessment:

For Option 1 - AI Graded Submission and Evaluation: Copy and paste the terminal output showing that the output format is accurate in a text file and save it as `3b_formatted_output_test` for the Final project submission and evaluation.

For Option 2 -Peer-Graded Submission and Evaluation: Take a **screenshot** of the output from the terminal shell and save it as `3b_formatted_output_test.png` for Peer Assignment.

Optional

At any point of time if you want to push your code to your forked GitHub repository, you can do so by following the instructions provided in this [link](#).

Task 4: Package the application

In this task, you will package the application created in the previous steps.

1. Perform the relevant steps in creation of the package. Set the name of the package to `EmotionDetection`.
2. **Assessment:**

For Option 1 - AI Graded Submission and Evaluation: Ensure that you have pushed your `init.py` file to your forked GitHub repository by following the instructions [link](#). in the provided link. Then, copy and save the public GitHub URL of the `__init__.py` file that contains the code to import the application module for the Final project submission and evaluation.

For Option 2 -Peer-Graded Submission and Evaluation: Take a screenshot of the contents of the `init` file along with the final folder structure of the `final_project` directory. Make sure to fit both of the images into a single screenshot and name it `4a_packaging.png` for Peer Assignment.

3. To make sure that the EmotionDetection is a valid package, you need to test the package. To do this:

1. Run a python shell in the terminal.
2. Import the emotion_detector function from the package.
3. If the package is created accurately, you will not receive any error messages.
4. Test run the function again with the statement **I hate working long hours**.
5. Verify that the output displays the dominant emotion as **anger**.

4. **Assessment:**

For Option 1 - AI Graded Submission and Evaluation: Copy and paste the terminal output validating that EmotionDetection is a valid package and save it as 4b_packaging_test for the Final project submission and evaluation.

For Option 2 -Peer-Graded Submission and Evaluation: Take a **screenshot** of this terminal output and save it as 4b_packaging_test.png for Peer Assignment.

Task 5: Run unit tests on your application

With a functional application being available, you now need to run unit tests to validate the application output.

1. To run unit tests, create a new file, test_emotion_detection.py that calls the required application function from the package and tests it for the following statements and dominant emotions.

Statement	Dominant Emotion
I am glad this happened	joy
I am really mad about this	anger
I feel disgusted just hearing about this	disgust
I am so sad about this	sadness
I am really afraid that this will happen	fear

2. **Assessment:**

For Option 1 - AI Graded Submission and Evaluation: Copy and paste the code from the test_emotion_detection.py file showing the required unit tests in a text file and save it as 5a_unit_testing for the Final project submission and evaluation.

For Option 2 -Peer-Graded Submission and Evaluation: Take a **screenshot** of the code and save it as 5a_unit_testing.png for Peer Assignment.

3. Execute the test_emotion_detection.py file on terminal.
4. Check the unit test output to verify that the unit tests have passed.

5. **Assessment:**

For Option 1 - AI Graded Submission and Evaluation: Copy and paste the terminal output showing that all unit tests passed in a text file and save it as 5b_unit_testing_result for the Final project submission and evaluation.

For Option 2 -Peer-Graded Submission and Evaluation: Take a **screenshot** of the code and save it as 5b_unit_testing_result.png for Peer Assignment.

Optional:

At any point of time if you want to push your code to your forked GitHub repository, you can do so by following the instructions provided in this [link](#).

Task 6: Web deployment of the application using Flask

After all the tests are successfully completed, you need to deploy the application on the web. This will enable the customer to access and use the application.

Note: The `index.html` file in the `templates` folder and `mywebscript.js` file in the `static` folder have been provided as a part of the repo. These files do not need to be updated in this project.

1. You have to create the `server.py` file from scratch. Note the following requirements of this task.

Note: `server.py` is a part of `final_project` folder.

2. Make sure that the Flask decorator for the application calling function is `/emotionDetector`.
3. The customer has requested the output to be displayed in the format as displayed in the example below.

Example Output

Let's say that you want to evaluate the statement `I love my life`. The statement is processed as follows:

```
{
  "anger": 0.006274985,
  "disgust": 0.0025598293,
  "fear": 0.009251528,
  "joy": 0.9680386,
  "sadness": 0.049744144,
  "dominant_emotion": "joy"
}
```

The response is displayed as:

For the given statement, the system response is `'anger': 0.006274985, 'disgust': 0.0025598293, 'fear': 0.009251528, 'joy': 0.9680386` and `'sadness': 0.049744144`. The dominant emotion is **joy**.

4. Application needs to be deployed on `localhost:5000`

5. Assessment:

For Option 1 - AI Graded Submission and Evaluation: Copy and paste the code from the `server.py` file showing the web deployment of the application using Flask in a text file and save it as `6a_server` for the Final project submission and evaluation.

For Option 2 -Peer-Graded Submission and Evaluation: Take a screenshot of the final contents of `server.py` and name it `6a_server.png` for Peer Assignment.

6. **Assessment :** Take a screenshot of the final deployed application, testing it for the statement “I think I am having fun”. Name this image as `6b_deployment_test.png` both for Option 1 -Final project submission and evaluation and For Option 2 -Peer-Graded Submission and Evaluation.

Optional:

At any point of time if you want to push your code to your forked GitHub repository, you can do so by following the instructions provided in this [link](#).

Task 7: Incorporate Error handling

Incorporate the error handling capability in your function `emotion_detector` to manage blank entries from users, i.e. running the application without any input.

1. Access the `status_code` attribute of the server response to correctly display the system response for blank entries.

For `status_code = 400`, make the function return the same dictionary, but with values for all keys being `None`.

2. Assessment:

For Option 1 - AI Graded Submission and Evaluation: Copy and paste the code from the `emotion_detection.py` file showing the updated `emotion_detector` function for status code 400 in a text file and save it as `7a_error_handling_function` for the Final project submission and evaluation.

For Option 2 -Peer-Graded Submission and Evaluation: Take a screenshot of the modified function and name it `7a_error_handling_function.png` for Peer Assignment.

3. Modify `server.py` to incorporate error handling when the `dominant_emotion` is `None`. In this scenario, the response should display a message **Invalid text! Please try again!**.

4. Assessment:

For Option 1 - AI Graded Submission and Evaluation: Copy and paste the code from the `server.py` file showing the handling of blank input errors in a text file and save it as `7b_error_handling_server` for the Final project submission and evaluation.

For Option 2 -Peer-Graded Submission and Evaluation: Take a screenshot of this edited file and save it as `7b_error_handling_server.png` for Peer Assignment.

5. Deploy the application and test it for blank entries.
6. The output should display the error message, **Invalid text! Please try again!**.

7. Assessment:

Take a **screenshot** of the output displaying the error message and name it `7c_error_handling_interface.png` both for Option 1 -Final project submission and evaluation and For Option 2 -Peer-Graded Submission and Evaluation.

Optional:

At any point of time if you want to push your code to your forked GitHub repository, you can do so by following the instructions provided in this [link](#).

Task 8: Run static code analysis

Finally, its time to check code compliance.

1. Run static code analysis on the code you created. Use PyLint library on `server.py` file and try to generate a 10/10 score. You will have to modify the `server.py` file to get this score.

Assessment:

For Option 1 - AI Graded Submission and Evaluation: Copy and paste the code from the `server.py` file demonstrating the execution of static code analysis in a text file and save it as `8a_server_modified` for the Final project submission and evaluation.

For Option 2 -Peer-Graded Submission and Evaluation: Take a screenshot of the modified file and name it as `8a_server_modified.png` for Peer Assignment.

Note: The difference between a 9/10 score and a 10/10 score may be use of Docstrings. Include Docstrings in all functions of your codes.

2. Assessment :

For Option 1 - AI Graded Submission and Evaluation: Copy and paste the terminal output showing a perfect score for static code analysis in a text file and save it as `8b_static_code_analysis` for the Final project submission and evaluation.

For Option 2 -Peer-Graded Submission and Evaluation: Take a screenshot of a 10/10 output on the terminal after running static code analysis. Name the screenshot as `8b_static_code_analysis.png` for Peer Assignment.

Submission Checklist

Follow the checklist below to verify that your project meets all requirements before submission.

Submit your work through either Option 1: AI-Graded Submission and Evaluation or Option 2: Peer-Graded Submission and Evaluation, depending on the submission path you choose for project evaluation.

Follow the submission checklist below if you are proceeding with **Option 1: AI-Graded Submission and Evaluation:**

-Task 1: Submit the GitHub repository URL

- Submit the public GitHub repository URL of the README.md file, which contains the project name details.

-Task 2: Create an emotion detection application using the Watson NLP library

- Activity 1: Submit the code from the emotion_detection.py file that shows the application function.
- Activity 2: Submit the terminal output showing that the application was imported and tested without errors.

-Task 3: Format the output of the application

- Activity 1: Submit the code from the emotion_detection.py file showing that the modified emotion_detector function returns the correct output format.
- Activity 2: Submit the terminal output showing that the output format is accurate.

-Task 4: Validate the EmotionDetection package

- Activity 1: Submit the public GitHub repository URL of the **init.py** file which includes the code to import the application module.
- Activity 2: Submit the terminal output validating that EmotionDetection is a valid package.

-Task 5: Run unit tests on your application

- Activity 1: Submit the code from the test_emotion_detection.py file showing the required unit tests.
- Activity 2: Submit the terminal output showing that all unit tests passed.

-Task 6: Web deployment of the application using Flask

- Activity 1: Submit the code from the server.py file showing the web deployment of the application using Flask.
- Activity 2: Upload the screenshot named 6b_deployment_test.png showing the application deployment.

-Task 7: Incorporate error handling

- Activity 1: Submit the code from the emotion_detection.py file showing the updated emotion_detector function for status code 400.
- Activity 2: Submit the code from the server.py file showing the handling of blank input errors.
- Activity 3: Upload the screenshot named 7c_error_handling_interface.png validating error handling functionality.

-Task 8: Run static code analysis

- Activity 1: Submit the code from the server.py file demonstrating the execution of static code analysis.
- Activity 2: Submit the terminal output showing a perfect score for static code analysis.

Follow the submission checklist below if you are proceeding with **Option 2: Peer-Graded Submission and Evaluation:**

Please make sure to verify that you have captured all the images as instructed during the course of the project. Here is a quick summary of the required.

Task 1: Clone the project repository

1_folder_structure.png

Task 2: Create an emotion detection application using Watson NLP library

2a_emotion_detection.png
2b_application_creation.png

Task 3: Format the output of the application

3a_output_formatting.png
3b_formatted_output_test.png

Task 4: Package the application

4a_packaging.png
4b_packaging_test.png

Task 5: Run Unit tests on your application

5a_unit_testing.png
5b_unit_testing_result.png

Task 6: Deploy as web application using Flask

6a_server.png
6b_deployment_test.png

Task 7: Incorporate Error handling

7a_error_handling_function.png
7b_error_handling_server.png
7c_error_handling_interface.png

Task 8: Run static code analysis

8a_server_modified.png
8b_static_code_analysis.png

Optional:

If you want to push your code to your forked GitHub repository, you can do so by following the instructions provided in this [link](#). This ensures you can easily review your work whenever needed.

Conclusion

Congratulations on completing the project.

By completing this project, you have:

1. Created an Emotion Detection application using the functions from embeddable AI libraries
2. Extracted relevant information from the output received from the function
3. Tested and packaged the application created using the Emotion Detection function
4. Completed web deployment of your application using Flask
5. Incorporated error handling in your application to account for invalid input to your application
6. Written codes that are in perfect compliance with PEP8 guidelines, getting 10/10 score in static code analysis

Author(s)

Ratima Raj Singh

© IBM Corporation. All rights reserved.