



# Appman

---

One app to rule them all





# Metadata

## Developer

<u>developerID</u>	firstName*	familyName*	userName*	email*	phoneNumber	mobileNumber*
1	Dardan	Rrafshi	DonColon	<a href="mailto:dardan.rrafshi@gmail.com">dardan.rrafshi@gmail.com</a>	07376962198	+4915738961242
2	Hasan	Karadeniz	HKK_57	<a href="mailto:hsnkrdnz57@gmail.com">hsnkrdnz57@gmail.com</a>	07376962198	+4915162472397
3	Maik	Dürr	Miauzz	<a href="mailto:maik.duerr@gmail.com">maik.duerr@gmail.com</a>	07376962198	+491749530195
4	Angelina	Wöll	Woellang	<a href="mailto:woellang@gmail.com">woellang@gmail.com</a>	07376962198	+491629240215

## Application

<u>appID</u>	name*	description*	homepageUrl	repositoryUrl	gitUrl	issueUrl	<u>author</u> *	license*	<u>modifiedBy</u> *	modifiedOn*
1	Yummy Yogurt	Create your very...	<a href="https://yummy-yo...">https://yummy-yo...</a>	null	null	null	1	apache-2.0	1	2020-10-26 15:30:36
2	Vinyl	My own music...	<a href="https://vinyl.com">https://vinyl.com</a>	null	null	null	1	apache-2.0	1	2020-10-26 15:30:45
3	Sitt	Stay hydrated...	<a href="https://sitt.com">https://sitt.com</a>	null	null	null	1	apache-2.0	2	2020-10-26 15:30:50
4	Machine Care	Care for it...	<a href="https://machine...">https://machine...</a>	null	null	null	1	apache-2.0	3	2020-10-26 15:30:55

## ApplicationVersion

<u>app</u>	<u>version</u>	<u>addedBy</u> *	addedOn*
1	1.0.0	1	2020-10-26 15:30:36
1	1.1.0	1	2020-10-26 15:30:36
1	1.1.5	1	2020-10-26 15:30:36
2	1.0.0	1	2020-10-26 15:30:36

## System

<u>systemID</u>	name*	description*	docUrl	<u>modifiedBy</u> *	modifiedOn*
1	MySQL	An open-source relation...	null	1	2020-10-26 15:30:36
2	MongoDB	A document-based data...	null	1	2020-10-26 15:30:45
3	Apache Tomcat	An open-source web...	null	2	2020-10-26 15:30:50
4	Wildfly	An JEE application server	null	3	2020-10-26 15:30:55

## SystemVersion

<u>system</u>	<u>version</u>	<u>addedBy</u> *	addedOn*
1	1.0.0	1	2020-10-26 15:30:36
1	1.1.0	1	2020-10-26 15:30:36
1	1.1.5	1	2020-10-26 15:30:36
2	1.0.0	1	2020-10-26 15:30:36

## BackendSystem

<u>app</u>	<u>appVersion</u>	<u>system</u>	<u>systemVersion</u>	<u>addedBy</u> *	addedOn*
1	1.0.0	1	1.0.0	1	2020-10-26 15:30:36
1	1.0.0	3	1.0.0	1	2020-10-26 15:30:36
2	1.0.0	1	1.0.0	1	2020-10-26 15:30:36
2	1.0.0	3	1.0.0	1	2020-10-26 15:30:36

## Collaborator

<u>developer</u>	<u>app</u>
2	1
2	2
2	3
3	1

# Metadata

## View

<u>viewID</u>	name*	description*	route*	<u>modifiedBy</u> *	modifiedOn*
1	Log In Form	A login view	/login	1	2020-10-26 15:30:36
2	Playlist	Displays the information of a playlist	/playlist/{playlistID}	1	2020-10-26 15:30:45
3	Sign Up Form	A sign up view	/signup	1	2020-10-26 15:30:50
4	Mixer	A view to configure a frozen yogurt	/mixer	2	2020-10-26 15:30:55

## ViewVersion

<u>view</u>	<u>version</u>	<u>addedBy</u> *	addedOn*
1	1.0.0	1	2020-10-26 15:30:36
1	1.1.0	1	2020-10-26 15:30:36
2	1.0.0	1	2020-10-26 15:30:36
3	1.0.0	1	2020-10-26 15:30:36

## Component

<u>componentID</u>	name*	description*	<u>modifiedBy</u> *	modifiedOn*
1	Track List	Display information about tracks	1	2020-10-26 15:30:36
2	Player Control	A component to control a music player	1	2020-10-26 15:30:45
3	Volume Bar	A component to set the volume	1	2020-10-26 15:30:50
4	Ingredient Selector	A component to select an ingredient	1	2020-10-26 15:30:55

## ComponentVersion

<u>component</u>	<u>version</u>	<u>addedBy</u> *	addedOn*
1	1.0.0	1	2020-10-26 15:30:36
2	1.0.0	1	2020-10-26 15:30:36
3	1.0.0	1	2020-10-26 15:30:36
4	1.0.0	1	2020-10-26 15:30:36

## ApplicationView

<u>app</u>	<u>appVersion</u>	<u>view</u>	<u>viewVersion</u>	<u>addedBy</u> *	addedOn*
1	1.0.0	1	1.0.0	1	2020-10-26 15:30:36
2	1.1.0	1	1.1.0	1	2020-10-26 15:30:36

## ViewComponent

<u>view</u>	<u>viewVersion</u>	<u>component</u>	<u>componentVersion</u>	<u>addedBy</u> *	addedOn*
2	1.0.0	1	1.0.0	1	2020-10-26 15:30:36
2	1.1.0	2	1.0.0	1	2020-10-26 15:30:36

## SubComponent

<u>component</u>	<u>componentVersion</u>	<u>subComponent</u>	<u>subComponentVersion</u>	<u>addedBy</u> *	addedOn*
2	1.0.0	3	1.0.0	1	2020-10-26 15:30:36
2	1.1.0	3	1.1.0	1	2020-10-26 15:30:36

# Metadata

## Parameter

<u>parameterID</u>	name*	description*	<u>modifiedBy</u> *	modifiedOn*
1	databaseUrl	The host url of the database	1	2020-10-26 15:30:36
2	userName	The user name of a system	1	2020-10-26 15:30:36
3	sortBy	Sort a list by a criteria	1	2020-10-26 15:30:36
4	backgroundColor	The background color of an element	1	2020-10-26 15:30:36

## ParameterType

<u>typeID</u>	name*	<u>modifiedBy</u> *	modifiedOn*
1	Filter parameter	1	2020-10-26 15:30:36
2	Sort parameter	1	2020-10-26 15:30:36
3	Styling parameter	1	2020-10-26 15:30:36
4	Configuration parameter	1	2020-10-26 15:30:36

## ParameterVersion

<u>parameter</u>	<u>version</u>	isArray*	hasValueHelp*	<u>format</u> *	<u>type</u> *	<u>modifiedBy</u> *	modifiedOn*
1	1.0.0	0	0	1	4	1	2020-10-26 15:30:36
1	1.1.0	0	0	5	4	1	2020-10-26 15:30:36
2	1.0.0	0	1	1	2	1	2020-10-26 15:30:36
4	1.0.0	0	1	7	3	1	2020-10-26 15:30:36

## DataType

<u>typeID</u>	name*
1	string
2	decimal
3	integer
4	boolean

## DataFormat

<u>formatID</u>	name*	format*	<u>type</u> *
1	none	.*	1
2	date		1
3	time		1
4	date-time		1
5	uri		1
6	email		1
7	hostname		1
8	ipv4		1
9	ipv6		1
10	uuid		1
11	float		2

## NumberFormat

<u>formatID</u>	min*	max*
13	-128	127
14	0	255
15	-32768	32767
16	0	65535

## Operator

<u>operatorID</u>	name*	inputNumber*
EQ	Equals	1
BT	Between	2
NE	Not equals	1
SW	Starts with	1

## ParameterOperator

<u>parameter</u>	<u>parameterVersion</u>	<u>operator</u>	<u>addedBy</u> *	addedOn*
1	1.0.0	EQ	1	2020-10-26 15:30:36
2	1.0.0	EQ	1	2020-10-26 15:30:36
2	1.0.0	BT	1	2020-10-26 15:30:36
2	1.0.0	SW	1	2020-10-26 15:30:36

# Metadata

## ApplicationParameter


<u>app</u>	<u>appVersion</u>	<u>parameter</u>	<u>parameterVersion</u>	required*	<u>modifiedBy</u> *	modifiedOn*
2	1.1.0	1	1.1.0	1	1	2020-10-26 15:30:36
2	1.1.0	2	1.0.0	1	1	2020-10-26 15:30:36
1	1.0.0	1	1.1.0	1	1	2020-10-26 15:30:36
1	1.0.0	2	1.0.0	1	1	2020-10-26 15:30:36

## ViewParameter

<u>view</u>	<u>viewVersion</u>	<u>parameter</u>	<u>parameterVersion</u>	required*	<u>modifiedBy</u> *	modifiedOn*
2	1.0.0	4	1.0.0	1	1	2020-10-26 15:30:36
2	1.1.0	4	1.0.0	0	1	2020-10-26 15:30:36
4	1.0.0	4	1.0.0	0	1	2020-10-26 15:30:36
4	1.1.0	4	1.0.0	1	1	2020-10-26 15:30:36


## ComponentParameter

<u>component</u>	<u>componentVersion</u>	<u>parameter</u>	<u>parameterVersion</u>	required*	<u>modifiedBy</u> *	modifiedOn*
1	1.0.0	3	1.0.0	1	1	2020-10-26 15:30:36
1	1.0.0	4	1.0.0	0	1	2020-10-26 15:30:36
4	1.0.0	4	1.0.0	0	1	2020-10-26 15:30:36
4	1.1.0	4	1.0.0	1	1	2020-10-26 15:30:36





# Configuration



# Configuration

## ApplicationConfiguration

<u>app</u>	<u>appVersion</u>	<u>parameter</u>	<u>parameterVersion</u>	<u>sequence</u>	<u>operator</u> *	value*	other	<u>modifiedBy</u> *	modifiedOn*
2	1.1.0	1	1.1.0	1	EQ	jdbc:mysql://localhost:3306/vinyl	null	1	2020-10-26 15:30:36
2	1.1.0	2	1.0.0	1	EQ	rrafshda	null	1	2020-10-26 15:30:36
1	1.0.0	1	1.1.0	1	EQ	jdbc:mysql://localhost:3306/vinyl	null	1	2020-10-26 15:30:36
1	1.0.0	2	1.0.0	1	EQ	root	null	1	2020-10-26 15:30:36


## ViewConfiguration

<u>app</u>	<u>appVersion</u>	<u>view</u>	<u>viewVersion</u>	<u>parameter</u>	<u>parameterVersion</u>	<u>sequence</u>	<u>operator</u> *	value*	other	<u>modifiedBy</u> *	modifiedOn*
2	1.0.0	2	1.0.0	4	1.0.0	1	EQ	#44546A	null	1	2020-10-26 15:30:36
2	1.1.0	2	1.1.0	4	1.0.0	1	EQ	#203864	null	1	2020-10-26 15:30:36
1	1.0.0	4	1.0.0	4	1.0.0	1	EQ	#44546A	null	1	2020-10-26 15:30:36
1	1.1.0	4	1.1.0	4	1.0.0	1	EQ	#203864	null	1	2020-10-26 15:30:36


## ComponentConfiguration

<u>app</u>	<u>appVersion</u>	<u>view</u>	<u>viewVersion</u>	<u>component</u>	<u>componentVersion</u>	<u>parameter</u>	<u>parameterVersion</u>	<u>sequence</u>	<u>operator</u> *	value*	other	<u>modifiedBy</u> *	modifiedOn*
2	1.0.0	2	1.0.0	1	1.0.0	3	1.0.0	1	EQ	artist	null	1	2020-10-26 15:30:36
2	1.0.0	2	1.0.0	1	1.0.0	4	1.0.0	1	EQ	#44546A	null	1	2020-10-26 15:30:36
1	1.0.0	4	1.0.0	4	1.0.0	4	1.0.0	1	EQ	#203864	null	1	2020-10-26 15:30:36
1	1.0.0	4	1.0.0	4	1.0.0	4	1.0.0	1	EQ	#203864	null	1	2020-10-26 15:30:36

- For the operators „Between“ and „Not between“ the value column must be less equal than the other column.



# Internationalization



# Internationalization

## Country

<u>code</u>	<u>key</u> *	<u>name</u> *	<u>dialingCode</u> *	<u>addressFormat</u> *	<u>numberSeparator</u> *	<u>unitSystem</u> *
DE	DEU	Germany	+49	1	1	1
US	USA	United States	+1	2	2	2
GB	GBR	United Kingdom	+44	3	2	2
CH	CHE	Switzerland	+41	4	3	1

## UnitSystem

<u>systemID</u>	<u>name</u> *
1	metric
2	imperial
3	customary

## UnitAssignment

<u>system</u>	<u>unit</u>
1	1
1	2
1	3
1	4

## Unit

<u>unitID</u>	<u>name</u> *	<u>abbreviation</u> *	<u>factor</u> *	<u>offset</u> *	<u>category</u> *
1	Kilometer	km	1000	0	1
2	Hectometer	hm	100	0	1
3	Meter	m	1	0	1
4	Decimeter	dm	0.1	0	1

## UnitCategory

<u>categoryID</u>	<u>name</u> *
1	Length
2	Force
3	Speed
4	Acceleration

## AddressFormat

<u>formatID</u>	<u>format</u> *
1	Format 1
2	Format 2
3	Format 3
4	Format 4

## NumberSeparator

<u>separatorID</u>	<u>thousandSeparator</u> *	<u>decimalSeparator</u> *
1	,	.
2	.	,
3	,	`
4	.	`

## Currency

<u>code</u>	<u>digitalCode</u> *	<u>name</u> *	<u>symbol</u> *
EUR	978	European Euro	€
USD	840	United States Dollar	\$
GBP	826	Britisch Pound	£
CHF	756	Swiss Franc	Fr

## LocaleCurrency

<u>country</u>	<u>currency</u>
DE	EUR
US	USD
GB	GBP
CH	CHF

# Internationalization

## DateFormat

<u>formatID</u>	<u>format</u> *
1	DD.MM.YYYY
2	DD/MM/YYYY
3	MM/DD/YYYY
4	YYYYMMDD

## LocaleDate

<u>country</u>	<u>format</u>	displayStyle*
DE	1	medium
GB	2	medium
US	3	medium
CH	4	medium

## TimeFormat

<u>formatID</u>	<u>format</u> *
1	HH:mm:ss
2	HH:mm
3	HH:mm:ss.SSS
4	

## LocaleTime

<u>country</u>	<u>format</u>	displayStyle*
DE	1	medium
GB	2	medium
US	3	medium
CH	4	medium

## Timezone

<u>zoneID</u>	<u>name</u> *	offset*	offsetDST*
1	Europe/Berlin	+01:00	+02:00
2	Europe/Brussels	+01:00	+02:00
3	Europe/Bucharest	+02:00	+03:00
4	Europe/Budapest	+01:00	+02:00

## LocaleTimezone


<u>country</u>	<u>timezone</u>
DE	1
GB	2
US	3
CH	4

## Language


<u>code</u>	<u>name</u> *	<u>nativeName</u> *
de	German	Deutsch
en	English	English
fr	French	français
es	Spanish	español

## LocaleLanguage

<u>country</u>	<u>language</u>	isOfficial*
DE	de	1
US	en	1
GB	en	1
CH	de	1



# Localization





# Localization

## Text

<u>textID</u>	<u>country</u>	<u>language</u>	short	medium	large	<u>modifiedBy</u> *	modifiedOn*
back	DE	de	Zurück	null	null	1	2020-10-26 15:30:36
back	US	en	Back	null	null	1	2020-10-26 15:30:36
back	ES	es	Volver	null	null	1	2020-10-26 15:30:36
cancel	DE	de	Abbrechen	null	null	1	2020-10-26 15:30:36
cancel	US	en	Cancel	null	null	1	2020-10-26 15:30:36
cancel	ES	es	Cancelar	null	null	1	2020-10-26 15:30:36
userName	DE	de	Benutzername	null	null	1	2020-10-26 15:30:36
userName	US	en	User name	null	null	1	2020-10-26 15:30:36
userName	ES	es	Nombre de usuario	null	null	1	2020-10-26 15:30:36
password	DE	de	Passwort	null	null	1	2020-10-26 15:30:36
password	US	en	Password	null	null	1	2020-10-26 15:30:36

## ApplicationText

<u>app</u>	<u>appVersion</u>	<u>text</u>	<u>country</u>	<u>language</u>	<u>addedBy</u> *	addedOn*
1	1.0.0	back	DE	de	1	2020-10-26 15:30:36
1	1.0.0	back	US	en	1	2020-10-26 15:30:36
1	1.0.0	back	ES	es	1	2020-10-26 15:30:36
1	1.0.0	cancel	DE	de	1	2020-10-26 15:30:36

## ViewText


<u>view</u>	<u>viewVersion</u>	<u>text</u>	<u>country</u>	<u>language</u>	<u>addedBy</u> *	addedOn*
1	1.0.0	userName	DE	de	1	2020-10-26 15:30:36
1	1.0.0	userName	US	en	1	2020-10-26 15:30:36
1	1.0.0	userName	ES	es	1	2020-10-26 15:30:36
1	1.0.0	password	DE	de	1	2020-10-26 15:30:36

## ComponentText

<u>component</u>	<u>componentVersion</u>	<u>text</u>	<u>country</u>	<u>language</u>	<u>addedBy</u> *	addedOn*
1	1.0.0	artist	DE	de	1	2020-10-26 15:30:36
1	1.0.0	artist	US	en	1	2020-10-26 15:30:36
1	1.0.0	artist	ES	es	1	2020-10-26 15:30:36
1	1.0.0	duration	DE	de	1	2020-10-26 15:30:36


## Localization

<u>app</u>	<u>appVersion</u>	<u>country</u>	<u>addedBy</u> *	addedOn*
1	1.0.0	DE	1	2020-10-26 15:30:36
1	1.0.0	US	1	2020-10-26 15:30:36
1	1.0.0	ES	1	2020-10-26 15:30:36
1	1.1.0	US	1	2020-10-26 15:30:36



# Logging

---



# Logging

## LogRecord

<u>logID</u>	eventName*	<u>level</u> *	levelText*	<u>app</u> *	<u>appVersion</u> *	<u>system</u>	<u>systemVersion</u>	addedOn*	traceID
1	FindByID	9	Info (Level 1)	1	1.0.0	1	1.0.0	2020-10-26 15:30:36	1
2	ProcessStarted	9	Info (Level 1)	1	1.0.0	null	null	2020-10-26 15:30:36	2
3	RequestFailed	17	Error (Level 1)	1	1.0.0	3	1.0.0	2020-10-26 15:30:36	3
4	ProcessEnded	9	Info (Level 1)	1	1.0.0	null	null	2020-10-26 15:30:36	2

## LogLevel

<u>levelID</u>	<u>type</u> *	name*
1	1	Trace (Level 1)
2	1	Trace (Level 2)
3	2	Debug (Level 1)
4	2	Debug (Level 2)

## LogType

<u>typeID</u>	name*
1	Trace
2	Debug
3	Info
4	Warn

## LogBody

<u>bodyID</u>	<u>log</u> *	key	value	<u>parent</u>
1	1	message	The entity with the ID 1 could not be found	3
2	1	code	404	3
3	1	error	null	null
4	3	null	Request to <a href="https://api.yummy-yogurt.com">https://api.yummy-yogurt.com</a> was sent	null

## LogAttribute

<u>log</u>	<u>key</u>	value*
1	url	jdbc:mysql://localhost:3306/vinyl
1	port	3306
3	url	<a href="https://api.yummy-yogurt.com">https://api.yummy-yogurt.com</a>
3	port	8080

- The system and systemVersion column in the log record table must be maintained together:
  - system column is null ↔ systemVersion column is null
  - system column is not null ↔ systemVersion column is not null


# Logging


## Understanding the Log Body

- The log body can contain a json tree structure or just plain text. There are certain combinations for the columns **key**, **value** and **parent** that are not allowed in the log body.
- The following **red** combinations are not allowed:
  - If the key and value column are null, there is no reason to insert the row, as it doesn't provide any information about the log.
  - If the key column is null and the others are not null, you try to add a value to a nested object. But only key/value pairs can be added to a nested object.
  - If the value column is null and the others are not null, you try to add a key/value pair to a nested object that doesn't provide any information about the log.
- The **green** combinations are allowed and have the following meaning:
  - If all columns are not null, you add a key/value pair to a nested object.
  - If the parent column is null, but the others are not null, you add a key/value pair to the root of the object.
  - If the key column is not null and the others are null, you define the key for a nested object.
  - If the value column is not null and the others are null, the body is just plain text and not a json object.

key	value	parent
null	null	null
null	null	X
null	X	X
X	null	X
X	X	X
X	X	null
X	null	null
null	X	null

Figure 1 – Possible combinations for the log body





# Monitoring

## Metric

<u>metricID</u>	<u>name</u> *	<u>description</u> *	<u>monitoringGroup</u> *	<u>unit</u>	<u>modifiedBy</u> *	<u>modifiedOn</u> *
1	CPU Time	Measures the time the CPU...	3	137	1	2020-10-26 15:30:36
2	Memory Usage	Measures the usage of the...	3	33	1	2020-10-26 15:30:36
3	Response Count	Counts the amount of Resp...	4	null	1	2020-10-26 15:30:36
4	Process Count	Counts the processes of the...	3	null	1	2020-10-26 15:30:36

## Dimension

<u>dimensionID</u>	<u>name</u> *	<u>description</u> *	<u>modifiedBy</u> *	<u>modifiedOn</u> *
1	Status Code	The status code of http response	1	2020-10-26 15:30:36
2	Memory State	The state of the memory	1	2020-10-26 15:30:36
3	Http Method	The http method of the request	1	2020-10-26 15:30:36
4	Operation	The operation that is performed by the request	1	2020-10-26 15:30:36

## MetricDimension

<u>metric</u>	<u>dimension</u>	<u>addedBy</u> *	<u>addedOn</u> *
2	1	1	2020-10-26 15:30:36
3	2	1	2020-10-26 15:30:36
5	3	1	2020-10-26 15:30:36
5	4	1	2020-10-26 15:30:36

## Measurement

<u>app</u>	<u>appVersion</u>	<u>metric</u>	<u>dimension</u>	<u>expression</u>	<u>addedOn</u>	<u>system</u>	<u>systemVersion</u>	<u>value</u> *
1	1.0.0	3	1	404	2020-10-26 15:30:36	null	null	1
1	1.0.0	3	1	404	2020-10-26 15:30:36	null	null	2
1	1.0.0	2	2	used	2020-10-26 15:30:36	null	null	10
1	1.0.0	2	2	used	2020-10-26 15:30:36	null	null	8

## MonitoringGroup


<u>groupID</u>	<u>name</u> *	<u>modifiedBy</u> *	<u>modifiedOn</u> *
1	Database	1	2020-10-26 15:30:36
2	File System	1	2020-10-26 15:30:36
3	Operating System	1	2020-10-26 15:30:36
4	Http Response	1	2020-10-26 15:30:36


## DimensionExpression

<u>dimension</u>	<u>expression</u>	<u>addedBy</u> *	<u>addedOn</u> *
1	404	1	2020-10-26 15:30:36
1	500	1	2020-10-26 15:30:36
2	used	1	2020-10-26 15:30:36
2	free	1	2020-10-26 15:30:36

- The system and systemVersion column in the measurement table must be maintained together:
  - system column is null ↔ systemVersion column is null
  - system column is not null ↔ systemVersion column is not null







# Licensing

## License

<u>licenseID</u>	<u>spdxID</u> *	<u>name</u> *	<u>description</u> *	<u>url</u> *	<u>content</u> *
mit	MIT	MIT License	A short and simple permissive license with con...	http://choosealicense.com/...	MIT License\n\nCopyright (c) [year] [fullname]...
apache-2.0	Apache-2.0	Apache License 2.0	A permissive license whose main conditions req...	http://choosealicense.com/...	Apache Licens...
agpl-3.0	AGPL-3.0	GNU Affero General Public License v3.0	Permissions of this strongest copyleft license...	http://choosealicense.com/...	GNU AFFERO GENERAL PUBLIC ...
unlicense	Unlicense	The Unlicense	A license with no conditions whatsoever which ...	http://choosealicense.com/...	This is free and unencumbered software release...

## Permission

<u>permissionID</u>	<u>name</u> *	<u>description</u> *
commercial-use	Commercial Use	The licensed material and derivatives may be used for commercial purposes.
distribution	Distribution	The licensed material may be distributed.
modifications	Modification	The licensed material may be modified.
private-use	Private Use	The licensed material may be used and modified in private.

## Condition

<u>conditionID</u>	<u>name</u> *	<u>description</u> *
disclose-source	Disclose Source	Source code must be made available when the licensed material is distributed.
include-copyright	License and Copyright Notice	A copy of the license and copyright notice must be included with the licensed material.
same-license	Same License	Modifications must be released under the same license when distributing the licensed material...
document-changes	State Changes	Changes made to the licensed material must be documented.

## Limitation

<u>limitationID</u>	<u>name</u> *	<u>description</u> *
liability	Liability	This license includes a limitation of liability.
warranty	Warranty	This license explicitly states that it does NOT provide any warranty.
trademark-use	Trademark Use	This license explicitly states that it does NOT grant trademark rights, even though licenses without such a...
patent-use	Patent Use	This license explicitly states that it does NOT grant any rights in the patents of contributors.

## LicensePermission

<u>license</u>	<u>permission</u>
agpl-3.0	commercial-use
agpl-3.0	distribution
agpl-3.0	modifications
agpl-3.0	patent-use

## LicenseCondition

<u>license</u>	<u>condition</u>
agpl-3.0	disclose-source
agpl-3.0	include-copyright
agpl-3.0	same-license
agpl-3.0	document-changes

## LicenseLimitation

<u>license</u>	<u>limitation</u>
agpl-3.0	liability
agpl-3.0	warranty
apache-2.0	trademark-use
apache-2.0	liability