COVID-19 TEST RESULTS ERGEBNIS



Document Number Dokumentnummer: 0001380232 / 76

Test Date Datum: Test Time Zeit:

TEST SUBJECT TEST-OBJEKT

Surname Name:

Given Names Vorname:

Date of Birth Geburtstag:

Address Adresse:

Petersburger str 92

10247 Berlin

ID Number ID Nummer:

73950265

TEST STATION TEST-STATION

Name Name: CORONATEST.DE

Address Adresse:

Berlin, S/U Warschauer Revaler Straße 99 10245

Berlin

Contact Kontakt: service@coronatest.de
Hotline Hotline: +49 30 1200 70 686

CLUNGENE COVID-19 ANTIGEN RAPID TEST ERGEBNIS

| Test Test | Result Ergebnis | Sensitivity Empfindlichkeit | Specificity Spezifität |
|---|-----------------|-----------------------------|------------------------|
| Clongene CLUNGENE Covid-19 Antigen Rapid Test, COVID-19 | negative | 98,0% | 99,7% |

Material: Nasal and Oral (Nasopharyngeal) swab. Nasen- und Rachenabstrich. Test taken in Germany (DE) / Test durchgeführt in Deutschland (DE)

Medicorum TAM GmbH

(Testing and Material)
Friedrichstraße 135, 10117 Berlin
≅ service@coronatest.de



1

