

public class TextFieldExample extends JFrame implements ActionListener {

```
JTextField usernameField;
JPasswordField passwdField;
private void initGUI() {
   // Username Textfield
   usernameField = new JTextField(8);
   usernameField.setLocation(0, 0);
   usernameField.setSize(100, 30);
   panelForTextFields.add(usernameField);
   // Password Textfield
   passwdField = new JPasswordField(8);
   passwdField.setEchoChar('*');
   passwdField.setLocation(0, 40);
   passwdField.setSize(100, 30);
   panelForTextFields.add(passwdField);
```



public class TextFieldExample extends JFrame implements ActionListener {


```
JTextField usernameField;
JPasswordField passwdField;
private void initGUI() {
   // Username Textfield
   usernameField = new JTextField(8);
   usernameField.setLocation(0, 0);
   usernameField.setSize(100, 30);
   panelForTextFields.add(usernameField);
   // Password Textfield
   passwdField = new JPasswordField(8);
   passwdField.setEchoChar('*');
   passwdField.setLocation(0, 40);
   passwdField.setSize(100, 30);
   panelForTextFields.add(passwdField);
```



Campo de texto normal

public class TextFieldExample extends JFrame implements ActionListener {

```
JTextField usernameField;
JPasswordField passwdField;
private void initGUI() {
   // Username Textfield
   usernameField = new JTextField(8);
   usernameField.setLocation(0, 0);
   usernameField.setSize(100, 30);
   panelForTextFields.add(usernameField);
    // Password Textfield
   passwdField = new JPasswordField(8);
passwdField.setEchoChar('*');
    passwdField.setLocation(0, 40);
    passwdField.setSize(100, 30);
   panelForTextFields.add(passwdField);
```



Campo de texto normal

Campo de text oculto

public class TextFieldExample extends JFrame implements ActionListener {

```
[=] TextFields [=]
JTextField usernameField;
                                                                       Login Screen
JPasswordField passwdField;
                                                               Username
                                                                        koko
                                                                                    Wrong
private void initGUI() {
                                                               Password
                                                                                    Wrong
                                                                            Login
   // Username Textfield
   usernameField = new JTextField(8);
   usernameField.setLocation(0, 0);
   usernameField.setSize(100, 30);
                                                          Campo de texto normal
   panelForTextFields.add(usernameField);
   // Password Textfield
                                                    Campo de text oculto
   passwdField = new JPasswordField(8);
passwdField.setEchoChar('*');
    passwdField.setLocation(0, 40);
    passwdField.setSize(100, 30);
   panelForTextFields.add(passwdField);
                                             acceder a los valores:
                                               String s = usernameField.getText();
                                               char[] input = loginField.getPassword();
```

see: example.swing.misc.TextFieldExample