

{

```
jPanel1 = new javax.swing.JPanel();  
jLabel1 = new javax.swing.JLabel();  
jLabel2 = new javax.swing.JLabel();  
jButton1 = new javax.swing.JButton();  
jLabel3 = new javax.swing.JLabel();  
jButton2 = new javax.swing.JButton();  
jLabel4 = new javax.swing.JLabel();  
jLabel5 = new javax.swing.JLabel();  
jButton3 = new javax.swing.JButton();  
jButton4 = new javax.swing.JButton();  
jButton5 = new javax.swing.JButton();
```

```
setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
```

```
jPanel1.setBackground(new java.awt.Color(198, 198, 242));
```

```
jLabel1.setBackground(new java.awt.Color(255, 255, 255));  
jLabel1.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N  
jLabel1.setForeground(new java.awt.Color(102, 102, 255));  
jLabel1.setText("Time 08:00-11:00");
```

```
jLabel2.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N  
jLabel2.setText("BOOKING SERVICES.");
```

```
jButton1.setBackground(new java.awt.Color(204, 255, 255));  
jButton1.setFont(new java.awt.Font("Segoe UI", 1, 12)); // NOI18N  
jButton1.setForeground(new java.awt.Color(51, 102, 255));  
jButton1.setText("LAGOS");  
jButton1.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jButton1ActionPerformed(evt);  
    }  
});
```

```
jLabel3.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N  
jLabel3.setForeground(new java.awt.Color(51, 51, 255));  
jLabel3.setText("Time 10:00-12:00");
```

```
jButton2.setBackground(new java.awt.Color(204, 255, 255));
```

```
jButton2.setFont(new java.awt.Font("Segoe UI", 1, 12)); // NOI18N
jButton2.setForeground(new java.awt.Color(255, 51, 51));
jButton2.setText("ABUJA");
jButton2.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton2ActionPerformed(evt);
    }
});
```

```
jLabel4.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N
jLabel4.setForeground(new java.awt.Color(51, 51, 255));
jLabel4.setText("12:00-2:00");
```

```
jLabel5.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N
jLabel5.setForeground(new java.awt.Color(51, 51, 255));
jLabel5.setText("2:00-9:00");
```

```
jButton3.setBackground(new java.awt.Color(204, 255, 255));
jButton3.setFont(new java.awt.Font("Segoe UI", 1, 12)); // NOI18N
jButton3.setForeground(new java.awt.Color(255, 51, 102));
jButton3.setText("SOKOTO");
jButton3.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton3ActionPerformed(evt);
    }
});
```

```
jButton4.setBackground(new java.awt.Color(204, 255, 255));
jButton4.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N
jButton4.setForeground(new java.awt.Color(51, 102, 255));
jButton4.setText("ANAMBRA");
jButton4.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton4ActionPerformed(evt);
    }
});
```

```
jButton5.setFont(new java.awt.Font("Segoe UI", 1, 12)); // NOI18N
jButton5.setText("Back to Login Page");
jButton5.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
```

```

        jButton5ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel1Layout = new javax.swing.GroupLayout(jPanel1);
jPanel1.setLayout(jPanel1Layout);
jPanel1Layout.setHorizontalGroup(
    jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup()

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addGap(0, 0, Short.MAX_VALUE)
        .addComponent(jButton5))
    .addGroup(javax.swing.GroupLayout.Alignment.LEADING,
jPanel1Layout.createSequentialGroup()
        .addGap(272, 272, 272)
        .addComponent(jLabel2)
        .addGap(0, 200, Short.MAX_VALUE))
    .addGroup(javax.swing.GroupLayout.Alignment.LEADING,
jPanel1Layout.createSequentialGroup()
        .addGap(47, 47, 47)

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addGroup(jPanel1Layout.createSequentialGroup()
            .addComponent(jLabel1)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jLabel4))
        .addGroup(jPanel1Layout.createSequentialGroup()

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addComponent(jLabel3)
    .addComponent(jButton1)
    .addComponent(jButton2))
    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addComponent(jButton3, javax.swing.GroupLayout.Alignment.TRAILING)

```

```

        .addComponent(jButton4, javax.swing.GroupLayout.Alignment.TRAILING)
        .addComponent(jLabel5,
javax.swing.GroupLayout.Alignment.TRAILING))))))
        .addGap(119, 119, 119))
    );
    jPanel1Layout.setVerticalGroup(
        jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.createSequentialGroup()
            .addGap(41, 41, 41)
            .addComponent(jLabel2)
            .addGap(71, 71, 71)

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
            .addComponent(jButton1)
            .addComponent(jButton4))
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
            .addComponent(jLabel1)
            .addComponent(jLabel4))
            .addGap(75, 75, 75)

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
            .addComponent(jButton2)
            .addComponent(jButton3))
            .addGap(18, 18, 18)

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
            .addComponent(jLabel3)
            .addComponent(jLabel5))
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 72,
Short.MAX_VALUE)
            .addComponent(jButton5)
            .addGap(35, 35, 35))
    );

    javax.swing.GroupLayout layout = new javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(
        layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING, layout.createSequentialGroup()

```

```

        .addContainerGap()
        .addComponent(jPanel1, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap()
    );
    layout.setVerticalGroup(
        layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel1, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
        );

    pack();
} // </editor-fold>

```

```

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    JOptionPane.showMessageDialog(rootPane, "Thank you for booking LAGOS Ticket");
}

```

```

private void jButton5ActionPerformed(java.awt.event.ActionEvent evt) {

    // TODO add your handling code here:
    NewJFrame obj = new NewJFrame();
    obj.setVisible(true);
    dispose();
}

```

```

private void jButton4ActionPerformed(java.awt.event.ActionEvent evt) {

    // TODO add your handling code here:
    JOptionPane.showMessageDialog(rootPane, "Thank you for booking ANAMBRA Ticket");
}

```

```

private void jButton3ActionPerformed(java.awt.event.ActionEvent evt) {

    // TODO add your handling code here:
    JOptionPane.showMessageDialog(rootPane, "Thank you for booking SOKOTO Ticket");
}

```

```

}

private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {

    // TODO add your handling code here:
    JOptionPane.showMessageDialog(rootPane, "Thank you for booking ABUJA Ticket");
}

/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with the default look and feel.
     * For details see http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.html
     */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {
                javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;
            }
        }
    } catch (ClassNotFoundException ex) {

        java.util.logging.Logger.getLogger(BookingPage.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

        java.util.logging.Logger.getLogger(BookingPage.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {

        java.util.logging.Logger.getLogger(BookingPage.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

        java.util.logging.Logger.getLogger(BookingPage.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    }
}

```

```
}  
//</editor-fold>
```

```
/* Create and display the form */  
java.awt.EventQueue.invokeLater(new Runnable() {  
    public void run() {  
        new BookingPage().setVisible(true);  
    }  
});  
}
```