

AS-BUILT POLE RECORD

No./Street/Road	Contractor:
	Date Work Completed:
City/Town:	Signed:
District:	Name (Print):
Powerco Workorder Number:	Customer Works Application Number:

POLE DETAILS:		
Powerco New Pole ID(s):	Powerco Old Pole ID:	GPS Co-ordinates:
		North:
		East:
Manufacturers Unique Pole ID:	New Pole Manufactured Date:	Altitude above sea level (ASL):

POLE DETAILS: (Please Tick)							
Type of Pole Activity:	<input type="checkbox"/> New	<input type="checkbox"/> Removed	<input type="checkbox"/> Replaced	<input type="checkbox"/> Relocation	<input type="checkbox"/> Label Replaced		
Cross-arm Activity:	<input type="checkbox"/> New	<input type="checkbox"/> Removed	<input type="checkbox"/> Replaced				
Pole Loading:	<input type="checkbox"/> Angle	<input type="checkbox"/> In Line	<input type="checkbox"/> Road Crossing	<input type="checkbox"/> Take Off	<input type="checkbox"/> Termination		
GPS Required:	<input type="checkbox"/> Yes	<input type="checkbox"/> No					
Pole Condition:	<input type="checkbox"/> New	<input type="checkbox"/> Pre-Used					
Ownership:	<input type="checkbox"/> Powerco	<input type="checkbox"/> Private	<input type="checkbox"/> Other (specify):				
Shared Use:	<input type="checkbox"/> Fibre	<input type="checkbox"/> Chorus	<input type="checkbox"/> Other (specify):				
Reason for removal:							

NEW POLE CODE AND MANUFACTURER: (Please Tick)				
Where Goldpine and Dulhunty poles are installed please state Manufacturers Unique Pole ID above.				
<input type="checkbox"/> B9.5 (Busck)	<input type="checkbox"/> B10.0 (Busck)	<input type="checkbox"/> B10.5 (Busck)	<input type="checkbox"/> B11.0 (Busck)	
<input type="checkbox"/> B12.4 (Busck)	<input type="checkbox"/> B12.5 (Busck)	<input type="checkbox"/> B13.65 (Busck)	<input type="checkbox"/> B14.85 (Busck)	
<input type="checkbox"/> B15.5 (Busck)	<input type="checkbox"/> B18.5 (Busck)	<input type="checkbox"/> 9m (9kN) Goldpine	<input type="checkbox"/> 10m (9kN) Goldpine	
<input type="checkbox"/> 10m (12kN) Goldpine	<input type="checkbox"/> 11m (9kN) Goldpine	<input type="checkbox"/> 11m (12kN) Goldpine	<input type="checkbox"/> 12m (12kN) Goldpine	
<input type="checkbox"/> DULHUNTY (State Pole Code, kN & Length):				
<input type="checkbox"/> IUP (Steel) (State kN & Length):				
<input type="checkbox"/> Other (State Manufacturer, kN & Length):				

NEW POLE INFORMATION: (Please Tick)				
<input type="checkbox"/> 1 Pole	<input type="checkbox"/> 1 ½ Pole	<input type="checkbox"/> 2 Pole	<input type="checkbox"/> 3 Pole	
<input type="checkbox"/> 4 Pole	<input type="checkbox"/> H Pole	<input type="checkbox"/> Double	<input type="checkbox"/> Stay Pole	
<input type="checkbox"/> Other: (Specify type)				

AS-BUILT POLE RECORD

EQUIPMENT ON POLE: Fill in an Equipment Record Form for any of the following: (Please Tick)

Equipment	ID	Equipment	ID
ABS		Links	
Drop out Fuse		Transformer	
Regulator		Sectionliser/Recloser	
Fault Indicator		Other: (Specify type)	
Lightning Arrester			

POLE ACCESSORIES: (Please tick)

Possum Guard	Streetlight Fitting	Aerial Stay
Climbers	Ground Stay	Platform
HV Cable Riser	Control Box (stipulate purpose):	
Bird Spikes	Other (specify):	

CONDUCTOR DETAILS:

Number of Pole Service Connections:			Address(s) of Service(s) from Pole:	
Level	Existing (E) or New (N)	Conductor Size	Material	Insulation Type

CROSSARM DETAILS (see below for example values):

Level	Existing (E) or New (N)	Rated Voltage	End Size	Length	# Arms	Insulator Type	Arm Material	# Wires
Example Values	E or N	LV, LVTX, 11, 33	B = 100x100 D = 100x150	20 = 2m 23 = 2.3m	1 or 2	See below	T = Timber S = Steel C = Composite	2 to 6
Insulator Type Examples	PN = Pin (LV) PS = Post (HV) B = Blank		T = Termination TT = Termination Termination TPS6T = Termination Post Termination (6x Post)			DP = Delta Post DTPS5T = Delta Termination Post Termination (5x Post) EDO = Expulsions Drop Out		
	Refer to drawing A3:1030465 for a full set of codes							

AS-BUILT POLE RECORD**Document Control**

Version	Date	Change
12	1 st November 2023	First version of standalone form under 360S014 Standard
13	1 st July 2025	Authorised by and Document Owner change Format and layout change Replaced CIWR to Customer Works Application Removed reason tick box due to limited and replaced with space to be specified Removed material type under the new pole information section Added Goldpine pole tick boxes to select from Specified Unique Pole ID required for Goldpine and Dulhunty poles Added Bird Spikes to pole accessories Replaced crossarms details with new structure models with an example Separated conductor information from crossarm details