



#Challenge 10

Implement responsive layout in your project.




This screenshot shows the initial HTML structure of a portfolio website in VS Code. The Explorer panel on the left lists files like bglogo.png, ems.png, favicon.png, mblogo.png, mobilebg2.png, toplogo.png, vid.mp4, index.html, and style.css. The index.html file is open in the editor, showing a basic HTML5 template with a head section for meta tags and a body section containing a header, a navigation menu, a main content area with a welcome message and bio, and a button to watch a video.

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <meta charset="UTF-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1.0">
6     <title>Final Portfolio Website</title>
7   </head>
8   <body>
9     <div id="head">
10      <div class="container">
11        
12      </div>
13      <div id="videmenu">
14        <div class="header-text">
15          <h1>Hello, welcome to my Website</h1>
16          <h2>I'm <span>Donald Miranda</span> from <span>Miang Cotabato</span>
17          <h3>Studying at <span>University of Southern Mindanao</span>
18          <div class="button">
19            <a href="https://www.youtube.com/watch?v=...>Watch and Discover</a>
20          </div>
21        </div>
22      </div>
23    </body>
24  </html>
```



This screenshot shows the CSS styling for the navigation menu and header in the style.css file. The code defines styles for the nav ul li elements, including padding, float, text color, font size, and position. It also sets the margin-top for the header-text.

```
1 .nav ul li {
2   padding: 10px 10px;
3 }
4 .nav {
5   float: right;
6   padding-top: 10px;
7   align-items: center;
8   justify-content: space-between;
9 }
10 .logo {
11   width: 100px;
12 }
13 .nav ul li {
14   display: inline-block;
15   list-style: none;
16   margin: 10px 20px;
17 }
18 .nav ul li a {
19   color: #ffff;
20   text-decoration: none;
21   font-size: 18px;
22   position: relative;
23   transition: 0.2s ease-in-out;
24 }
25 .nav ul li a:hover {
26   color: #8080ff;
27 }
28 .header-text {
29   margin-top: 15px;
30 }
```



This screenshot shows the CSS styling for the video player and button in the style.css file. The code defines styles for the .column2-h1 element, including background color, position, top, right, width, height, border-bottom-left-radius, padding-top, z-index, and transition. It also sets the position, top, left, and cursor for the .column2-h1 element.

```
1 .column2-h1 {
2   background: #8080ff;
3   position: fixed;
4   top: 0;
5   right: -120px;
6   width: 120px;
7   height: 250px;
8   border-bottom-left-radius: 10px;
9   padding-top: 50px;
10  z-index: 2;
11  transition: right 0.5s;
12 }
13 .column2-h1 {
14   display: block;
15   margin: 25px;
16 }
17 .column2-h1 {
18   position: absolute;
19   top: 25px;
20   left: 45px;
21   cursor: pointer;
22 }
23 .column2-h1 {
24   font-size: 30px;
25 }
```