


THE
HEATHERY;
OR A
MONOGRAPH
OF
THE GENUS ERICA:
VOL. VI.



THE
HEATHERY;
OR A
MONOGRAPH
OF
THE GENUS ERICA:
VOL. VI.



The Project Gutenberg eBook of The heathery; or, A monograph of the genus Erica. vol. 6

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

Title: The heathery; or, A monograph of the genus Erica. vol. 6

Author: active 1799-1828 Henry Cranke Andrews

Release date: February 21, 2023 [eBook #70096]

Language: English

Original publication: United Kingdom: Henry G. Bohn, 1845

Other information and formats: www.gutenberg.org/ebooks/70096

Credits: Chuck Greif and the Online Distributed Proofreading Team at <https://www.pgdp.net> (This file was produced from images generously made available by Biodiversity Heritage Library.)

*** START OF THE PROJECT GUTENBERG EBOOK THE
HEATHERY; OR, A MONOGRAPH OF THE GENUS ERICA. VOL. 6 ***

ALPHABETICAL INDEX
TO THE
FIGURES IN VOL. VI.

THE
HEATHERY;

OR A

MONOGRAPH

OF

THE GENUS ERICA:

CONTAINING

COLOURED ENGRAVINGS,

WITH

LATIN AND ENGLISH DESCRIPTIONS, DISSECTIONS, ETC.

OF ALL

THE KNOWN SPECIES OF THAT EXTENSIVE AND DISTINGUISHED TRIBE OF PLANTS.

By H. C. ANDREWS.

IN SIX VOLUMES.

VOL. VI.

SECOND EDITION, CORRECTED AND ENLARGED.

LONDON:
HENRY G. BOHN, YORK STREET, COVENT GARDEN.
1845.

ERICA acuminata *angustiflora*.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores in summitate ramorum, verticillati, patentés. Corolla purpurea, cylindræa, uncialis, ore parum arctata: laciniis cordatis, acutis, revolutis. Folia quaternæ, trigonæ, retortæ, acuminatæ, lucidæ, supra planæ, subtus sulcatæ. Caulis fruticosus, pedalis, ramosus. Rami flexuosi, filiformes.

DESCRIPTION.

Tips beardless, within the blossom. Flowers grow near the summit of the branches in whorls, spreading out. Blossom purple, cylindrical, an inch long, and rather narrowed at the mouth: segments of the border heart-shaped, sharp pointed, and rolled back. Leaves by fours, three-sided, revolute, sharp-pointed, and shining, flat on the upper surface, and furrowed beneath. Stem shrubby, a foot high, branching. Branches flexuose, and thread-shaped.



Native of the Cape of Good Hope.
In bloom in March and April.

REFERENCE.

1. Empalement.
2. A chive, tip magnified.
3. Seed-bud and pointal, summit magnified.



E. acuminata angustiflora.

ERICA Bauera.

DESCRIPTIO.

Antheræ aristatæ, inclusæ. Flores in medio ramorum, spicati. Corolla dependens, sub-pollicaris, cylindræa, curvata, imprimis pellucide alba, denique rosacea. Folia quaterna, linearia, obtusa, glauca, plerumque patentia. Caulis erectus, flexuosus. Rami longi; cum ramulis binis vel ternis verticillatis.

DESCRIPTION.


Tips bearded, within the blossom. Flowers grow in spikes about the middle of the large branches. Blossom hanging down, near an inch long, cylindræous, inflected, at first of a transparent white, afterwards dying off of a rose colour. Leaves by fours, linear, blunt, glaucous, and mostly spreading. Stem upright, flexuose. Branches long; with two or three smaller branches in whorls.



Native of the Cape of Good Hope.
In bloom from August till November.

REFERENCE.

1. A leaf.
2. Empalement.
3. A chive magnified.
4. Seed-bud and pointal, summit magnified.



E. Bauera

ERICA Beaumontia.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores in ultimis ramulis terminales terni vel seni. Pedunculi rubri. Corolla campanulata, magna, alba, et cernua: oris laciniis revolutis. Folia terna vel quaterna, linearia, patentia, obtusa, supra subplana, subtus sulcata; marginibus glandulosis. Caulis subpedalis, fruticosus; ramis et ramulis flexuosis.

DESCRIPTION.


Tips beardless, within the blossom. Flowers terminate the branches in threes or sixes. Footstalks red. Blossom bell-shaped, large, white, and nodding. Segments of the border rolled back. Leaves by threes or fours, linear, spreading, obtuse, nearly flat on the upper surface, furrowed beneath. Edges glandular. Stem nearly a foot high, shrubby. Large and smaller branches flexuose.

—

Native of the Cape of Good Hope.
In bloom from May till July.

REFERENCE.

1. A leaf, magnified.
2. Empalement.
3. A chive, magnified.
4. Seed-bud and pointal, summit magnified.



E. Beaumontia.

ERICA calycina melastoma.

DESCRIPTIO.

Antheræ cristatæ, inclusæ. Flores in ultimis ramis terminales. Perianthium tetraphyllum; foliolis spathulatis, acuminatis, carneis. Corolla urceolata, rubrofusca, ad basin subalbida; oris laciniis patentibus, acuminatis. Folia terna, lanceolata, trigona, acuminata, adpressa. Caulis virgatus, pedalis; ramis flexuosis.

DESCRIPTION.

Tips crested, within the blossom. Flowers terminate the branches in umbels. Cup four-leaved; leaflets spatula-shaped, sharp-pointed, and flesh-coloured. Blossom pitcher-shaped, of a black red colour, whitish at the base; segments of the border spreading and pointed. Leaves by threes, lance-shaped, three-sided, pointed, and pressed to the branches. Stem twiggy, a foot high. Branches flexuose.

—

Native of the Cape of Good Hope.
In bloom from July till September.

REFERENCE.

1. Empalement.
2. A blossom.
3. A chive, magnified.
4. Seed-bud and pointal.



E. calycina melastemosa.

ERICA Comptoniana.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores ramos terminant plerumque in umbellis 3-6. Calyx adpressus. Corolla urceolata, erecto-patens, rubro-purpurea: oris laciniis æqualibus, patentibus. Folia ternata, curvata, subulata, acuta. Caulis fruticosus, pedalis et ultra. Rami et ramuli filiformes, adscendentes.

DESCRIPTION.

Tips beardless, within the blossom. The flowers terminate the branches in umbels of 3 to 6. Empalement pressed to the blossom. Blossom pitcher-shaped, erect and spreading, of a red purple colour: segments of the border equal, and spreading. Leaves by threes, curved, awl-shaped, and sharp-pointed. Stem shrubby, a foot or more high. The small and large branches are thread-shaped and ascending.



Native of the Cape of Good Hope.
In bloom from March till August.

REFERENCE.

1. A leaf magnified.
2. The empalement.
3. A chive magnified.
4. Seed-bud and pointal, summit magnified.



E. Comptoniana

ERICA costata, *superba*.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores in ramulis terminalibus, plerumque terni, subcernui. Corolla cylindrica, clavata, pollicaris, pallide carnea, costata: oris laciniis luteolo-albentibus. Folia ternata, linearia, obtusa, pubescentia. Caulis bipedalis, fruticosus, erectus, ramosus: ramulis frequentissimis, longis.

DESCRIPTION.

Tips beardless, within the blossom. Flowers terminate the branches mostly by threes, nearly drooping. Blossom cylindrically club-shaped, an inch long, of a pale flesh-colour, and ribbed; segments of the border of a whitish yellow. Leaves by threes, linear, obtuse, and downy. Stem two feet high, shrubby, upright, and branching: small branches numerous and long.



Native of the Cape of Good Hope.
In bloom from May till July.

REFERENCE.

1. A Chive, summit magnified.
2. Seed-bud and pointal, summit magnified.
3. Seed-bud, magnified.
4. Flower of a monstrous variety.



E. costata, superba

ERICA crassifolia.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores ramulos subterminales, plerumque terni. Corolla campanulata, rosea; oris laciniis cordatis, reflexis. Folia terna, oblonga, rotunda, brevia, carnosæ, glaucæ. Caulis humilis, fruticosus. Rami et ramuli flexuosi.

DESCRIPTION.

Tips beardless, within the blossom. Flowers nearly terminate the smaller branches, mostly by threes. Blossom bell-shaped and of a rose-colour: segments of the border heartshaped and reflexed. Leaves by threes, oblong, roundish, short, fleshy, and of a sea-green colour. Stem low, shrubby. The large and smaller branches flexuose.



Native of the Cape of Good Hope.
In bloom from April till July.

REFERENCE.

1. Empalement, magnified.
2. Chives and pointal.
3. A chive, magnified.
4. Seed-bud and pointal, summit magnified.



E. crassifolia.

ERICA cruciformis.

DESCRIPTIO.

Antheræ bicornes, inclusæ. Flores in ramulis brevissimis, terminalibus, plerumque quaterni. Corolla urceolata, lucida, aurantia, ore arctata: laciniis patentibus. Folia quaterna, linearia, patentia, glabra. Caulis fruticosus, pedalis et ultra: ramis numerosis.

DESCRIPTION.


Tips two-horned, and within the blossom. Flowers grow terminal, on very short branches, mostly by fours. Blossom jar-shaped, shining, gold-coloured, and narrowed at the mouth: segments of the border spreading. Leaves by fours, linear, spreading, and smooth. Stem shrubby, a foot or more high: branches numerous.

—

Native of the Cape of Good Hope.
In bloom from May till August.

REFERENCE.

1. The empalement.
2. A chive magnified.
3. Seed-bud and pointal, summit magnified.
4. Seed-bud magnified.
5. Flowers of two varieties.



E. cruxiformis.

ERICA droseroides, *minor*.

DESCRIPTIO.

Antheræ cristatæ, inclusæ. Flores in umbellis terminalibus, cernui. Corolla urceolata, læte purpurea, costata, viscosa: ore obliquo, arctato, profunde sanguineo. Pedunculi longissimi, pilis glandulosis tecti. Folia terna, linearia, obtusa, marginibus pilis glandulosis micantibus. Caulis spithamæus, fruticosus: ramis filiformibus, sparsis, erectis, patentibus, virgatis.

DESCRIPTION.

Tips crested, within the blossom. Flowers grow in terminal umbels, nodding. Blossom pitcher-shaped, of a bright purple colour, ribbed, and clammy: the mouth is oblique, narrowed, and of a deep blood colour. Foot-stalks very long, and covered with glandular hairs. Leaves ternate, linear, blunt, bordered with glandulous shining hairs. Stem a span high, and shrubby: branches long, scattered, erect, spreading, and twiggy.




Native of the Cape of Good Hope.
In bloom from July till October.

REFERENCE.

1. A Leaf magnified.
2. Empalement magnified.
3. A Chive magnified.
4. Seed-bud and pointal, summit magnified.



1



2



3



4

E. drosocoides, minor.

ERICA Echiflora purpurea.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores terminales, dense verticillati, horizontales. Corolla tubulosa, brevis, inflata, costata, instar Echii; oris laciniis patentibus, cordatis. Folia irregulariter verticillata, quina vel sena, linearia, acuta. Caulis fruticosus, sesquipedalis.

DESCRIPTION.


Tips beardless, within the blossom. Flowers terminal, densely whorled, and horizontal. Blossom tubular, short, inflated, and ribbed, resembling an Echium: segments of the border spreading and heartshaped. Leaves grow in irregular whorls of fives or sixes, linear, and pointed. Stem shrubby, a foot and half high.



Native of the Cape of Good Hope.
In bloom late in Autumn.

REFERENCE.

1. The empalement.
2. Flower of a variety.
3. A chive, tip magnified.
4. Seed-bud and pointal, summit magnified.



E. Echiflora purpurea.

ERICA exsurgens hybrida.

DESCRIPTIO.

Antheræ muticæ, exsertæ. Flores in medio ramorum, verticillati, recti; verticillis alter alteri exsurgentibus. Corolla cylindræo-clavata, uncialis, curvata, carnea; oris laciniis magnis, revolutis. Folia sena, conferta, tenuia, linearia, adscendentia. Pedunculi longissimi. Caulis sesquipedalis, erectus. Rami et ramuli longi, simplices.

DESCRIPTION.

Tips beardless, without the blossom. Flowers grow about the middle of the branches in whorls, straight; the whorls rising out of each other in succession. Blossom cylindrically club-shaped, an inch long, curved, and flesh-coloured; segments of the mouth large and revolute. Leaves by sixes, crowded, slender, linear, and ascending. Footstalks very long. Stem a foot-and-half high, upright. The large and small branches long and simple.



Native of the Cape of Good Hope.
In bloom during the Autumnal months.

REFERENCE.

1. Empalement.
2. A chive, tip magnified.
3. Seed-bud and pointal, summit magnified.
4. Seed-bud magnified.



E. exurgens hybrida

ERICA flagelliformis.

DESCRIPTIO.

Antheræ cristatæ, inclusæ. Flores ramos terminant in umbellis. Pedunculi carnei. Perianthium rosaceum, adpressum. Corolla urceolata, saturate carnea, ad basin pallida: oris laciniis patentibus. Folia terna, sub-acuminata, glabra, adpressa. Caulis virgatus, sesquipedalis. Rami et ramuli flexuosi.

DESCRIPTION.

Tips crested, within the blossom. Flowers terminate the branches in umbels. Footstalks flesh-coloured. Empalement rose-coloured, and pressed to the blossom. Blossom pitcher-shaped, of a deep flesh-colour, paler at the base: segments of the border spreading. Leaves by threes, nearly pointed, smooth, and pressed to the branches. Stem twiggy, a foot and a half high. The large and small branches are flexuose.



Native of the Cape of Good Hope.
In bloom from May till August.

REFERENCE.

1. The empalement.
2. A blossom.
3. A chive.
4. Seed-bud and pointal, summit magnified.
5. Seed-bud magnified.
6. Branch of a small variety.



E. flagelliformis.

ERICA foliacea.

DESCRIPTIO.

Antheræ aristatæ, inclusæ. Flores in ramulis terminalibus, quaterni, subsessiles. Corolla subcylindrica, curvata, cernuo-patens, subpollicaris, flava, et transparens. Folia sparsa, numerosa, adscendentia. Caulis erectus, fruticosus: ramis et ramulis plerumque foliis tectis.

DESCRIPTION.

Tips bearded, within the blossom. Flowers terminate the smaller branches by fours, and are nearly sessile. Blossoms nearly cylindrical, curved, between spreading and nodding, nearly an inch long, yellow, and transparent. Leaves scattered, numerous, and ascending. Stem upright and shrubby: the small and large branches mostly covered by the leaves.



Native of the Cape of Good Hope.
In bloom from August till October.

REFERENCE.

1. Empalement.
2. A Chive magnified.
3. Seed-bud and pointal, summit magnified.
4. Seed-bud magnified.



E. foliacea

ERICA glomerata.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores ramos terminant in capitibus confertis. Corolla urceolata, incarnata. Calyx magnus, coloratus. Pedunculi brevissimi. Folia ternata, subulata, glabra, adpressa. Frutex pygmæus, caule robusto, ramis et ramulis filiformibus, flexuosis.

DESCRIPTION.

Heath with beardless tips, within the blossom. Flowers terminate the branches in crowded heads. Blossom pitcher-shaped and flesh-coloured. The cup is large and coloured. Footstalks very short. Leaves by threes, awl-shaped, smooth, and pressed to the branches. A dwarf shrub with a stout stem, the large and smaller branches thread shaped and flexuose.



Native of the Cape of Good Hope.
In bloom from May till August.

REFERENCE.

1. A flower.
2. The chives and pointal, one tip magnified.
3. Seed-bud and pointal, summit magnified.
4. The involucrum.



E. glomerata.

ERICA grandinosa.

DESCRIPTIO.

Antheræ aristatæ, inclusæ. Flores in apicibus ramulorum sub-terni, cernui. Corolla campanulata, parva, albida, costata; laciniis oris revolutis. Pedunculi pallide carnei. Calyx duplex, exteriore trifoliato. Folia terna, subtrigona, obtusa, brevia. Caulis pedalis, virgatus, flexuosus, fruticosus. Ramuli patentes.

DESCRIPTION.

Tips bearded, within the blossom. Flowers grow from the ends of the small branches mostly by threes, nodding. Blossom bell-shaped, small, white, and ribbed; segments of the border rolled back. Peduncles of a pale flesh-colour. Cup double; the outer one three-leaved. Leaves by threes, nearly three-cornered, blunt, short. Stem a foot high, twiggy, bending, and shrubby. The small branches spreading.



Native of the Cape of Good Hope.
In blossom from May till July.

REFERENCE.

1. A leaf magnified.
2. Empalement magnified.
3. A chive magnified.
4. Seed-bud and pointal, summit magnified.
5. Seed-bud magnified.



E. grandinosa

ERICA Imperialis.

DESCRIPTIO.

Antheræ aristatæ, inclusæ. Flores plures, terminales, simpliciter verticillati, pedunculis longis. Corolla cylindrico-clavata; ima parte profunde carnea, apice viridi, ore arctata, laciniis rectis. Folia tremula, conferta, linearia, obtusa, attenuata in petioles longos capillares. Caulis erectus, bipedalis. Rami pauci, simplices, longi.

DESCRIPTION.

Tips bearded, within the blossom. Flowers numerous, terminating the branches in simple whorls: footstalks long. Blossom cylindrically club-shaped; the lower part of a strong flesh colour, the end green, compressed at the mouth, whose segments are straight. Leaves tremulous, and crowded together, linear, blunt-ended, and tapering into long hair-like footstalks. Stem upright, two feet high. Branches few, simple, and long.

—

Native of the Cape of Good Hope.
In bloom from December till March.

REFERENCE.

1. The chives detached from the pointal, and one tip magnified.
2. The seed-bud and pointal.
3. Seed-bud magnified.



ERICA Lawsonia.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores in medio ramorum, sparsi, sub-sessiles. Corolla tubæformis, rubra: oris laciniis acutis, patentibus. Folia quaterna, linearia, acuta. Caulis humilis, fruticosus.

DESCRIPTION.



Tips beardless, within the blossom. Flowers grow about the middle of the branches, scattered, and nearly sessile. Blossom trumpet-shaped and red: segments of the border pointed and spreading. Leaves by fours, linear, and pointed. Stem low and shrubby.



Native of the Cape of Good Hope.
In bloom from July till September.

REFERENCE.

1. A leaf magnified.
2. Chives detached from the pointal, one tip magnified.
3. Seed-bud and pointal, summit magnified.



E. Lansoniana.

ERICA Linnæa *superba*.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores ramulos terminant, racemum formantes longum et densissimum. Corolla clavata, uncialis, pilosa, ore alba, ad basin purpurea: laciniis obtusis, erecto-patentibus. Folia quaterna, linearia, villosa, adscendentia. Caulis sesquipedalis, fruticosus, erectus. Ramuli numerosi, breves, pilosi.

DESCRIPTION.

Tips beardless, within the blossom. Flowers terminate the smaller branches, making a long close bunch. Blossom club-shaped, an inch long, hairy, white at the mouth, and purple towards the base: segments of the border obtuse, between erect and spreading. Leaves by fours, linear, villose, and ascending. Stem a foot and a half high, shrubby, and upright. The smaller branches are numerous, short, and hairy.

—

Native of the Cape of Good Hope.
In bloom during the Summer months.

REFERENCE.

1. Empalement.
2. A chive, tip magnified.
3. Seed-bud and pointal, summit magnified.
4. Seed-bud magnified.



E. Linnaea superba

ERICA metulæflora discolor.

DESCRIPTIO.

Antheræ ad basin bicornes, inclusæ. Flores in umbellis terminalibus. Corolla tubulosa, oblonga, ad basin rosea; oris laciniis cordatis, acutis, albis. Folia quaterna, linearia. Caulis pedalis, fruticosus; ramis et ramulis numerosis.

DESCRIPTION.

Tips two-horned at the base, within the blossom. Flowers grow in terminal umbels. Blossom tubular, oblong, rose-coloured at the base: segments of the border heart-shaped, pointed, and white. Leaves by fours, linear. Stem a foot high and shrubby, with numerous large and small branches.



Native of the Cape of Good Hope.
In bloom from August till October.

REFERENCE.

1. A chive, tip magnified.
2. Seed-bud and pointal, summit magnified.



E. metuliflora dissecta

ERICA minutæflora.

DESCRIPTIO.

Antheræ muticæ, subinclusæ: stylo exserto: summitate magnâ, concavâ. Flores in summis ramulorum, paniculati, plerumque duo, axillares. Corolla campanulata, purpurea, minuta. Folia quaterna, linearia, longa, obtusa, glauca, et patentia. Caulis pedalis, erectus, flexuosus. Ramuli verticillati, adscendentes, filiformes.

DESCRIPTION.

Tips beardless, nearly within the blossom: shaft without: summit large and concave. Flowers grow in loose spikes, mostly by twos, from the axillæ of the leaves. Blossom bell-shaped, purple, and very small. Leaves by fours, linear, long, obtuse, glaucous, and spreading. Stem a foot high, upright, flexuose. Small branches grow in whorls, ascending, and thread-shaped.



Native of the Cape of Good Hope.
In bloom during the Autumnal months.

REFERENCE.

1. Empalement magnified.
2. A flower magnified.
3. chives and pointal.
4. A chive magnified.
5. Seed-bud and pointal magnified.



E. minutiflora

ERICA mirabilis.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores sub-sessiles, terminales, fastigiati, quaterni. Corolla ventricosa, imprimis alba, denique rosacea; ore arctata; laciniis sub-cordatis, undulatis, expansis, maximis. Folia quaterna, linearia, glabra. Caulis fruticosus, pedalis. Ramuli numerosi, erecto-patentes.

DESCRIPTION.

Tips beardless, within the blossom. Flowers nearly sessile, terminal, in bunches of four together. Blossom swelled out, white at first, but dying off of a rose colour; narrowed at the mouth; segments of the border nearly heart-shaped, waved, spreading, and very large. Leaves by fours, linear, and smooth. Stem shrubby, a foot high. Smaller branches numerous, between erect and spreading.



Native of the Cape of Good Hope.
In bloom from June till September.

REFERENCE.

1. Empalement.
2. Chives and pointal, tip magnified.
3. Seed-bud and pointal, summit magnified.



E. mirabilis

ERICA mollis.

DESCRIPTIO.

Antheræ aristatæ, inclusæ. Flores in umbellis axillares. Corolla globosa, purpurea, pilosa: laciniis rotundatis, patentibus, æqualibus. Folia quaterna, linearia, obtusa, pilosa, patentia, supra plana, subtus sulcata. Caulis pedalis, fruticosus, erectus, ramulis adscendentibus.

DESCRIPTION.

Tips bearded, within the blossom. Flowers grow in umbels from the axillæ of the leaves. Blossom globular, purple, and hairy: segments of the border rounded, spreading, and equal. Leaves by fours, linear, obtuse, hairy, and spreading, flat on their upper surface, and furrowed beneath. Stem a foot high, shrubby and upright: branches ascending.

—

Native of the Cape of Good Hope.
In bloom from July till September.

REFERENCE.

1. Empalement magnified.
2. A Chive magnified.
3. Seed-bud and pointal, summit magnified.



E. mollis.

ERICA mundula.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores quaterni, terminales, fastigiati: corolla tubulosa, pellucida, ore arctata, quod ornatum est in modum Primulæ: laciniis cordatis, expansis, albis, subtus læte rubris. Folia quaterna, subulata, glabra, laxa, erecto-patentia. Frutex pygmæus. Caulis fruticosus: ramis numerosis.

DESCRIPTION.

Tips beardless, within the blossom. Flowers grow by fours, fastigate, and terminal: blossom tubular and shining, narrowed at the mouth, which is ornamented like a Cowslip: segments of the border heart-shaped, spreading, and white, of a bright red colour beneath. Leaves by fours, awl-shaped, smooth, loose, and between erect and spreading. A dwarf shrub. Stem shrubby: branches numerous.



Native of the Cape of Good Hope.
In bloom from June till September.

REFERENCE.

1. The empalement.
2. A chive magnified.
3. Seed-bud and pointal, summit magnified.
4. Seed-bud magnified.



E. mundula

ERICA Ollula.

DESCRIPTIO.

Antheræ aristatæ, tortæ, inclusæ. Flores conferti, fasciculati, terminales: pedunculis longissimis, rubris: bracteis duabus distantibus. Corolla urceolata, saturate carnea, oris laciniis patentibus. Folia sparsa, longa, linearia: petiolis longis. Caulis sub-pedalis, fruticosus: ramis longis, adscendentibus.

DESCRIPTION.

Tips bearded and twisted, within the blossom. Flowers crowded together in bunches at the ends of the branches: footstalks very long and red, with two floral set at a distance on them. Blossom pitcher-shaped, and of a deep flesh colour: segments of the border spreading. Leaves scattered, long and linear: footstalks long. Stem near a foot high, and shrubby: branches long and ascending.



Native of the Cape of Good Hope.
In bloom from May till August.

REFERENCE.

1. The empalement.
2. A chive magnified.
3. Seed-bud and pointal, summit magnified.
4. Seed-bud magnified.



E. ocellata.

ERICA nivalis.

DESCRIPTIO.

Antheræ aristatæ, inclusæ. Flores ramulos terminant, plerumque terni, subcernui. Corolla globosa, alba, pilis pubescentibus tecta. Folia ternata, linearia, obtusa, parva, glabra, recta. Caulis fruticosus, pedalis et ultra, erectus, ramosus.

DESCRIPTION.

Tips bearded, within the blossom. Flowers terminate the smaller branches mostly by threes, and are nearly drooping. Blossom globular, white, and covered with soft hairs. Leaves by threes, linear, obtuse, small, smooth, and straight. Stem shrubby, a foot or more high, upright, and bushy.



Native of the Cape of Good Hope.
In bloom from April till June.

REFERENCE.

1. Empalement magnified.
2. A Chive magnified.
3. Seed-bud and pointal, summit magnified.
4. Seed-bud magnified.



E. nivalis

ERICA peltata.

DESCRIPTIO.

Antheræ muticæ, exsertæ. Flores axillares, terminales. Pedunculi longi: bracteis tribus calyci adpressis. Corolla campanulata, parva, carnea, subcernua: stylo filiformi, longo: stigmatе peltato, magno. Folia terna, erecto-patentia, linearia, recta, obtusa. Caulis subpedalis. Ramuli numerosi, filiformes, adscendentes.

DESCRIPTION.

Tips beardless, without the blossom. Flowers grow from the axillæ of the leaves, and terminate the branches. Peduncles long, with three floral leaves pressed to the cup. Blossom bell-shaped, small, flesh-coloured, and nearly nodding: shaft thread-shaped and long: summit shield-shaped, and large. Leaves by threes, between erect and spreading, linear, straight, and obtuse. Stem nearly a foot high. Smaller branches numerous, thread-shaped, ascending.

—

Native of the Cape of Good Hope.
In bloom from July till October.

REFERENCE.

1. Empalement magnified.
2. A blossom magnified.
3. Seed-bud and pointal, summit magnified.



Epilobium

ERICA pellucida, *rubra*.

DESCRIPTIO.

Antheræ muticæ, inclusæ: stylo exerto. Flores in ramis terminalibus, simplices vel quaterni, cernui: corolla clavata, curvata, rubella. Folia quaterna, horizontaliter patentia, brevia, sub-linearia, obtusa: marginibus hispidis. Caulis fruticosus, pedalis et ultra: ramis numerosis filiformibus.

DESCRIPTION.

Tips beardless, within the blossom: shaft without. Flowers terminate the branches in one to four flowers, nodding: blossom club-shaped, curved, and of a reddish colour. Leaves grow by fours, horizontally, spreading, short, nearly linear, obtuse, with hispid edges. Stem shrubby, a foot or more high: branches numerous and thread-shaped.



Native of the Cape of Good Hope.
In bloom from August till November.

REFERENCE.

1. The chives and pointal, one tip magnified.
2. Seed-bud and pointal, summit magnified.
3. Intermediate flower varieties.



Epilucida rubra

ERICA pilulifera.

DESCRIPTIO.

Antheræ aristatæ, inclusæ. Flores in ramulis terminalibus, plerumque bini: corollis globosis, albis: laciniis ovatis, æqualibus, compressis. Folia ternata, brevia, obtusa, supra plana, subtus sulcata. Caulis fruticosus, pedalis: ramis numerosis, flexuosis, filiformibus.

DESCRIPTION.

Tips bearded, within the blossom: flowers terminate the branches mostly by twos: blossom globular and white: segments of the border ovate, equal, and flattened. Leaves by threes, short, blunt-ended, flat on their upper surface, and furrowed beneath. Stem shrubby, a foot high: branches numerous, flexuose, and thread-shaped.



Native of the Cape of Good Hope.
In bloom from May till July.

REFERENCE.

1. The empalement magnified.
2. A chive magnified.
3. Seed-bud and pointal, summit magnified.



E. pulchifera.

ERICA pygmæa.

DESCRIPTIO.

Antheræ aristatæ, inclusæ. Flores ramos terminant in umbellis: in ramulis plerumque terni: pedunculis longis coloratis, pilosis. Corolla campanulata, pilosa, saturate purpurea. Folia ternata, glabra, curvata, patentia, acuminata. Caulis humilis: ramis et ramulis numerosis, filiformibus: ramis longis, patentibus, decumbentibus.

DESCRIPTION.

Tips bearded, and within the blossom. Flowers terminate the branches in umbels, in the smaller branches mostly by threes: footstalks long, coloured, and hairy. Blossom bell-shaped, hairy, and of a deep purple colour. Leaves by threes, smooth, curved, spreading, and sharp-pointed. Stem low: the small and large branches numerous and thread-shaped: the larger branches long, spreading, and decumbent.



Native of the Cape of Good Hope.
In bloom from July till October.

REFERENCE.

1. The empalement.
2. Chives and pointal, summit magnified.
3. Seed-bud and pointal, summit magnified.



E. pygmaea.

ERICA quadrangularis.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores ramulos terminant, terni, quaterni, vel quini, erecti vel patentes. Corolla bicolorata, supra alba, infra incarnata, tubulosa, quadrata, quatuor valvis vel suturis: oris laciniis revolutis. Folia numerosa, sparsa, ensiformia, curvata, adscendentia et patentia, supra plana, subtus sulcata. Caulis sesquipedalis, fruticosus, erectus: ramis et ramulis longis.

DESCRIPTION.

Tips beardless, within the blossom. Flowers terminate the smaller branches in threes, fours, or fives, erect or spreading. Blossom two-coloured, white above and flesh-coloured beneath, tubular, squared, with four valves or seams: segments of the border rolled back. Leaves numerous, scattered, sword-shaped, curved, ascending and spreading, flat on their upper surface, and furrowed beneath. Stem a foot and a half high, shrubby, upright, and branching: the large and small branches long.



Native of the Cape of Good Hope.
In bloom from April till June.

REFERENCE.

1. The Empalement.
2. A Chive.
3. Seed-bud and pointal, summit magnified.



E. quadrangularis.

ERICA radiata discolor.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores in ramulorum subapicibus verticillati, horizontaliter siti. Corolla subcylindræa, ad basin rosea; oris laciniis recurvatis, cordatis, albis. Folia plerumque quaterna, linearia, patentia, undulata, acuminata. Caulis bipedalis, erectus, ramosus. Rami subsimplices.

DESCRIPTION.

Tips beardless, within the blossom. Flowers grow in whorls near the ends of the branches, standing horizontally. Blossom nearly cylinder-shaped, rose-coloured at the base: segments of the border recurved, heartshaped, and white. Leaves mostly by fours, linear, spreading, undulate, and pointed. Stem two feet high, upright, and branching. Branches nearly simple.



Native of the Cape of Good Hope.
In bloom during the Autumnal months.

REFERENCE.

1. Empalement.
2. Chives and pointal, one tip magnified.
3. Seed-bud and pointal, summit magnified.



Eriodictyon discolor.

ERICA recurvata.

DESCRIPTIO.

Antheræ muticæ, inclusæ: stylo exerto, longissimo. Flores in umbellis, 6-9, dependentes: pedunculis brevissimis; corolla oblonga, albicante, oris laciniis rectis, atro-ferrugineis. Folia numerosa, sparsa, obtusa, flexuosa: ramulis numerosis, confertis, apice recurvatis. Caulis erectus, fruticosus, pedalis.

DESCRIPTION.

Tips beardless, within the blossom: shaft without, and very long. Flowers grow in umbles of 6 to 9, hanging down: footstalks very short. Blossom oblong, of a whitish colour: segments of the border straight, and of a dark rusty colour. Leaves numerous, scattered, obtuse, and flexuose: the small branches numerous, crowded together, and recurved at the end. Stem upright, shrubby, a foot high.



Native of the Cape of Good Hope.
In bloom from March till June.

REFERENCE.

1. The empalement.
2. A blossom.
3. A chive magnified.
4. Seed-bud and pointal, summit magnified.



E. recurvata,

ERICA reflexa.

DESCRIPTIO.

Antheræ cristatæ, inclusæ. Flores ramulos terminant in umbellis ternis vel senis, cernui. Corolla urceolata, carnea, nitida. Folia terna, linearia, supra plana, subtus sulcata. Caulis pedalis, fruticosus, erecto-divaricatus. Ramuli numerosi.

DESCRIPTION.


Tips crested, within the blossom. Flowers terminate the smaller branches in umbels of from three to six, nodding. Blossom pitcher-shaped, flesh-coloured, and shining. Leaves by threes, linear, flat on their upper surface, and furrowed beneath. Stem a foot high, shrubby, upright or straggling. Smaller branches numerous.



Native of the Cape of Good Hope.
In bloom from July till October.

REFERENCE.

1. A leaf.
2. Chives and pointal, one tip magnified.
3. Seed-bud and pointal, summit magnified.
4. Flowers of a pale pink, and white variety.



E. reflexa

ERICA refulgens.

DESCRIPTIO.

Antheræ muticæ, inclusæ: stylo exserto. Flores ramulos terminant, plerumque quaterni, cernui. Corolla cylindræa, lucida, ima parte læte rubra, apice viridi. Folia quaterna, linearia, longa, patenti-adscendentia. Caulis erectus, sesquipedalis. Ramuli numerosi.

DESCRIPTION.

Tips beardless, within the blossom: shaft without. Flowers terminate the small branches, mostly by fours, nodding. Blossom cylindrical and shining, the lower part of a bright red colour, the mouth green. Leaves by fours, linear, long, and between spreading and ascending. Stem erect, a foot and a half high. Branches numerous.

—

Native of the Cape of Good Hope.
In bloom from July till October.

REFERENCE.

1. Empalement.
2. A chive, the tip magnified.
3. Seed-bud and pointal, summit magnified.
4. Blossom of a smaller-flowered variety.



E. rostrata

ERICA ruber calyx.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores ramulos terminant, plerumque quaterni, patentés. Calyx et pedunculus rubri. Corolla mætulæformis, imprimis alba, denique rosacea: oris laciniis erectis. Folia quaterna, linearia, erecto-patentia, obtusa, glabra. Caulis fruticosus, pedalis. Rami numerosi, flexuosi, filiformes.

DESCRIPTION.

Tips beardless, within the blossom. Flowers terminate the smaller branches, mostly by fours, spreading out. Empalement and footstalk red. Blossom skittle-pin-shaped, white at first, and then dying off a rose colour: segments of the border upright. Leaves by fours, linear, between erect and spreading, blunt-ended and smooth. Stem shrubby, a foot high. Branches numerous, flexuose, and thread-shaped.

—

Native of the Cape of Good Hope.
In bloom early in Spring, and again in Summer.

REFERENCE.

1. Empalement.
2. Chives and pointal, one tip magnified.
3. Seed-bud and pointal, summit magnified.



E. rubra calyc.

ERICA Russeliana.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores in apicibus ramorum, plerumque terni, cernui. Corolla urceolata, rubra: laciniis oris patentibus, cordatis, carneis, acutis. Pedunculi rubri, longi: bracteis tribus minoribus instructi. Folia quaterna, trigona, leviter curvata, acuta, lucida. Caulis sesquipedalis, virgatus, flexuosus. Ramuli erecto-patentes.

DESCRIPTION.

Tips beardless, within the blossom. Flowers terminate the branches, mostly by threes, nodding. Blossom pitcher-shaped, and red: segments of the border spreading out, heart-shaped, flesh-coloured, and pointed. Foot-stalks red, long, furnished with three small floral leaves. Leaves by fours, three-sided, slightly curved, pointed and shining. Stem a foot and a half high, twiggy, and flexuose. Branches between erect and spreading.



Native of the Cape of Good Hope.
In bloom early in Summer, and again in Autumn.

REFERENCE.

1. A leaf magnified.
2. A chive, one tip magnified.
3. The chives and pointal, summit magnified.
4. Seed-bud and pointal, summit magnified.



E. Ruffoliana.

ERICA Sainsburyana.

DESCRIPTIO.

Antheris aristatis, inclusis. Flores ramos terminant in umbellis. Corolla metulæformis, saturate carnea. Pedunculi longissimi, filiformes, rubri; bracteis tribus distantibus: calycis foliolis lanceolatis, coloratis, adpressis. Folia terna, linearia, longa, petiolis longis adpressis. Caulis fruticosus, sesquipedalis: ramis longis, simplicibus, adscendentibus.

DESCRIPTION.

Tips bearded, within the blossom. Flowers terminate the branches in umbels. Blossoms skittle-shaped, and of a deep flesh-colour. Footstalks very long, thread-shaped, and red, with three floral leaves set at a distance on them: leaflets of the cup lance-shaped, coloured, and pressed to the blossom. Leaves by threes, linear, and long; with long footstalks pressed to the stem. Stem shrubby, a foot and a half high. Branches long, simple, and ascending.

—

Native of the Cape of Good Hope.
In bloom from June till September.

REFERENCE.

1. The empalement.
2. Chives and pointal, one tip magnified.
3. Seed-bud and pointal, summit magnified,



E. Sainsburyana

ERICA Salisburia.

DESCRIPTIO.

Antheræ muticæ, sub-inclusæ: stylo exerto. Flores spicati, conferti, prope apices ramorum: corollis clavatis, coccineis, erecto-patentibus: pedunculis coloratis. Folia verticillata, sena vel octona, erecta, lanceolata, intus plana, exterius sulcata: foliis ad basin angustioribus, acuminatis, patentibus. Caulis erectus, tetrapedalis: ramis plerumque simplicibus.

DESCRIPTION.

Tips beardless, within the blossom: shaft without. Flowers grow in crowded spikes near the ends of the branches: blossoms club-shaped, and of a scarlet colour, between erect and spreading: footstalks coloured. Leaves in whorls of six to eight, upright and lance-shaped, flat on the inner and furrowed on the outer side: leaves at the base of the plant are narrower, pointed, and spreading. Stem upright, four feet high: branches mostly simple.

—

Native of the Cape of Good Hope.
In bloom from October till February.

REFERENCE.

1. The empalement.
2. A blossom.
3. The chives and pointal, one tip magnified.
4. Seed-bud and pointal, summit magnified.



E. Salisburiana.

ERICA serpyllifolia.

DESCRIPTIO.

Antheræ muticæ, inclusæ: stylo exserto: stigmatè magno. Flores terni vel seni, ramos terminantes. Corolla parva, campanulata, pallide carnea. Folia terna, cordata, patentia, supra subplana, setis minutis instructa, subtus glauca; marginibus revolutis. Caulis subpedalis, tenuis. Rami et ramuli filiformes, numerosi, flexuosi.

DESCRIPTION.

Tips beardless, within the blossom; shaft without; summit large. Flowers grow by threes or sixes, terminating the branches. Blossom small, bell-shaped, and of a pale flesh-colour. Leaves by threes, heartshaped and spreading, nearly flat on their upper surface, and furnished with minute setæ or bristles beneath, glaucous, with the edges rolled back. Stem nearly a foot high, and slender. The large and smaller branches thread-shaped, numerous, and slender.



Native of the Cape of Good Hope.
In bloom from July till November.

REFERENCE.

1. A leaf.
2. The same shown from beneath, magnified.
3. The empalement.
4. A blossom.
5. Chives and pointal, magnified.
6. Seed-bud, magnified.



E. serpyllifolia

ERICA Solandroides.

DESCRIPTIO.

Antheræ aristatæ, sub-exertæ. Flores in ramis terminales, capitatim aggregati, cernui. Corolla subcylindræa, parva, albens. Folia plerumque quaterna, obtusa, linearia, pilosa, recta, adscendentia: seniora patentia. Caulis sesquipedalis: ramis longis, simplicibus, erectis, vel flexuosis.

DESCRIPTION.

Tips bearded, and just without the blossom. Flowers terminate the branches in crowded heads, nodding. Blossom nearly cylindrical, small, and of a whitish colour. Leaves mostly by fours, obtuse, linear, hairy, straight, and ascending: the older ones spreading. Stem a foot and half high: the branches are long, simple, upright or flexuose.



Native of the Cape of Good Hope.
In bloom from April till July.

REFERENCE.

1. Empalement magnified.
2. A flower.
3. A chive magnified.
4. Seed-bud and pointal, summit magnified.
5. Seed-bud magnified.



E. Islandroides.

ERICA stellifera.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores subterminales in umbellis. Corolla cylindræa, ad basin inflata, apice arctata, incarnata: oris laciniis, plerumque sexfidis, albis. Foliis quaternis, lanceolatis, acutis, pilosis, patentibus. Caulis pedalis et ultra, fruticosus. Rami et ramuli numerosi.

DESCRIPTION.

Tips beardless, within the blossom. Flowers nearly terminal, in umbels. Blossoms cylindrical, inflated at the base, narrowed at the end, and of a flesh colour: segments of the border mostly six, divided and white. Leaves by fours, lance-shaped, pointed, hairy, and spreading. Stem a foot or more high, shrubby, with numerous large and small branches.



Native of the Cape of Good Hope.
In bloom from May till August.

REFERENCE.

1. Chives and pointal, one tip magnified.
2. Seed-bud and pointal, summit magnified.
3. Flower of a variety.



E. stellifera.

ERICA suaveolens.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores racemosi, subterminales. Corolla cylindrica, pallide purpurea, odorata: oris laciniis recurvatis. Folia quina vel sena linearia, numerosa, plerumque adscendentia. Caulis sesquipedalis. Rami et ramuli erecti, flexuosi.

DESCRIPTION.


Tips beardless, within the blossom. Flowers grow in clusters, nearly terminal. Blossom cylindrical, of a pale purple colour, and sweet-scented; segments of the border recurved. Leaves by fives or sixes, linear, numerous, and mostly ascending. Stem a foot and a half high. The large and smaller branches upright and flexuose.



Native of the Cape of Good Hope.
In bloom from May till July.

REFERENCE.

1. Empalement.
2. Blossom of a darker variety.
3. Chives and pointal, one tip magnified.
4. Seed-bud and pointal, summit magnified.



E. sphaerocarpa

ERICA Templea.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores in umbellis terminalibus, cernui. Corolla tubulato-ventricosa, pollicaris, læte rubra, ad basin exalbida, sub apice pilosa; oris laciniis magnis, revolutis. Folia plerumque quina, glauca, supra convexa, subtus sulco-exarata, marginibus pilosis. Caulis pedalis. Rami pauci, flexibiles.

DESCRIPTION.

Tips beardless, within the blossom. Flowers grow in terminal umbels, nodding. Blossom of an inflated tubular form, an inch long, of a bright red colour, whitish at the base, hairy near the end: segments of the border large, and rolled back. Leaves mostly by fives, glaucous, rounded above, and deeply furrowed beneath, with hairy edges. Stem a foot high. Branches few and flexible.



Native of the Cape of Good Hope.
In bloom from November till March.

REFERENCE.

1. Chives and pointal, one tip magnified.
2. Seed-bud and pointal, summit magnified.



E. Templea.

ERICA tenuiflora *carnea*.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores ramos terminant, terni vel quaterni, plerumque adscendentes. Corolla tubæformis, tenuissima, incarnata: laciniis oris æqualibus, cordatis, acutis, patentibus. Folia plerumque quaterna, leviter tomentosa, linearia, brevia, acuta, supra plana, subtus sulcata. Caulis pedalis et ultra, fruticosus flexuosus, filiformis, virgatus.

DESCRIPTION.

Tips beardless, within the blossom. Flowers terminate the branches by threes and fours, mostly ascending. Blossom trumpet-shaped, very slender, and flesh-coloured: segments of the border are equal, heart-shaped, pointed, and spreading. Leaves mostly by fours, slightly downy, linear, short and pointed, flat on the upper surface, and furrowed beneath. Stem a foot or more high, shrubby, flexuose, thread-shaped, and twiggy.



Native of the Cape of Good Hope.
In bloom during the summer months.

REFERENCE.

1. Empalement.
2. Chives and pointal, one tip magnified.
3. Seed-bud and pointal, summit magnified.



E. tenuiflora carnea.

ERICA translucens.

DESCRIPTIO.

Antheræ muticæ, subinclusæ. Flores ramos terminant, plerumque terni, adscendentes, et patentés. Corolla cylindræa, rosacea, tomentosa, pellucida: laciniis æqualibus, revolutis. Folia terna et quaterna, linearia, brevia, læviter incurvata, trigona, acuta, glabra. Caulis fruticosus, sesquipedalis. Rami numerosi, flexuosi, virgati, filiformes.

DESCRIPTION.

Tips beardless, just within the blossom. Flowers terminate the branches, mostly by threes, ascending, and spreading. Blossom cylindrical, rose-coloured, downy, and pellucid: segments of the border equal, and rolled back. Leaves by threes and fours, linear and short, slightly incurved, three-sided, pointed, and smooth. Stem shrubby, a foot and a half high. Branches numerous, flexuose, twiggy, and thread-shaped.



Native of the Cape of Good Hope.
In bloom from June till August.

REFERENCE.

1. The Empalement.
2. A chive, tip magnified.
3. Seed-bud and pointal, summit magnified.



E. translucens.

ERICA transparens.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores plerumque terni, cernui, ad ramorum extremitates. Calyx duplex, ramis adpressus: exterior trifolius. Corolla cylindrico-clavata, purpurea: oris laciniis viridi-albicantibus. Folia ternata, linearia, nitida, erecto-patentia: majoribus flexuosis. Caulis bipedalis, fruticosus, erectus.

DESCRIPTION.

Tips beardless, within the blossom. Flowers grow mostly by threes, drooping, from the ends of the branches. Empalement double, and prest to the branches: the outer one three-leaved. Blossom cylindrically club-shaped, and purple: segments of the border of a greenish white colour. Leaves by threes, linear, shining, between erect and spreading: the older ones flexuose. Stem two feet high, shrubby, erect.



Native of the Cape of Good Hope.
In bloom from July till April.

REFERENCE.

1. The empalement.
2. A chive magnified.
3. Seed-bud and pointal, summit magnified.
4. Seed-bud magnified.



E. transparens.

ERICA turbinata.

DESCRIPTIO.

Antheræ ad basin bicornes, exsertæ. Flores ramulos terminant, terni, cernui. Pedunculi nulli. Calyx duplex. Corolla turbinata, incarnata; laciniis erectis. Folia terna, obtusa, brevia, adscendentia. Caulis debilis. Rami et ramuli virgati, flexuosi.

DESCRIPTION.


Tips two-horned at the base, without the blossom. Flowers terminate the smaller branches, by threes, nodding. Footstalks none. Empalement double. Blossom top-shaped, and flesh-coloured: segments upright. Leaves by threes, obtuse, short, and ascending. Stem weak. The small and larger branches twiggy and flexuose.



Native of the Cape of Good Hope.
In bloom from May till July.

REFERENCE.

1. A leaf.
2. Empalement, magnified.
3. A blossom.
4. A chive, magnified.
5. Seed-bud and pointal, summit magnified.
6. Seed-bud, magnified.



E. turbinata.

ERICA viridiflora.

DESCRIPTIO.

Antheræ minute bicornutæ, subexsertæ. Flores terni, in apicibus ramulorum, dependentes. Pedunculi nulli. Perianthium duplex, exteriori triphylo. Corolla viridis, viscosa, mætulæflora: laciniis limbi erectis. Folia terna, glabra, subtrigona, curvata, acuta. Caulis humilis, fruticosus. Ramuli plerumque terni.

DESCRIPTION.

Tips minutely two-horned, just without the blossom. Flowers grow by threes, at the ends of the smaller branches, hanging down. Footstalks none. Cup double, the outer one three-leaved. Blossom green, clammy and skittle-shaped: segments of the border upright. Leaves by threes, smooth, nearly three-sided, curved and pointed. Stem low and shrubby. Smaller branches mostly by threes.




Native of the Cape of Good Hope.
In bloom from June till August.

REFERENCE.

1. Empalement.
2. A chive, tip magnified.
3. Seed-bud and pointal, summit magnified.



1



2



3

Evirdiflora.

ERICA vernex rubra.

DESCRIPTIO.

Antheræ cristatæ, inclusæ. Flores ramulos ternatim plerumque terminant in medio ramorum, cernui. Corolla sub-globosa, ignea, glutinosissima, lucida; limbo saturate viridi; laciniis æqualibus, erectis. Folia ternata, subulata, supra plana, subtus sulco exarata. Caulis pedalis et ultra. Rami plerumque terni.

DESCRIPTION.

Tips crested, within the blossom. Flowers terminate the small branches mostly by threes, out of the middle of the large branches, nodding. Blossom nearly globular, of a fiery colour, very glutinous, and shining; border of a deep green; segments equal, and upright. Leaves by threes, awl-shaped, the upper side level, the under carved with a furrow. Stem a foot high or more. Large branches mostly by threes.



Native of the Cape of Good Hope.
In bloom in Spring, and again in Autumn.

REFERENCE.

1. Empalement.
2. A chive magnified.
3. Seed-bud and pointal, summit magnified.
4. Seed-bud magnified.



E. rostrata subsp. rubra

ERICA undulata.

DESCRIPTIO.

Antheræ muticæ, inclusæ. Flores ramulos terminant, plerumque terni. Corolla ampullacea, costata, undulata, rubra. Folia terna, linearia, brevia, adscendentia, verticillis irregulariter confertis. Caulis fruticosus. Rami virgati, flexuosi.

DESCRIPTION.



Tips beardless, within the blossom. Flowers terminate the branches, mostly by threes. Blossom flask-shaped, ribbed, undulated, and of a red colour. Leaves by threes, linear, short, and ascending in irregularly crowded whorls. Stem shrubby. Branches twiggy, and flexuose.

—

Native of the Cape of Good Hope.
In bloom from May till July.

REFERENCE.

1. Empalement.
2. A chive, tip magnified.
3. Seed-bud and pointal, summit magnified.



E. undulata.

ALPHABETICAL INDEX

TO THE

FIGURES IN VOL. VI.

- 251. *Erica acuminata angustiflora*.
- 252. *Bauera*.
- 253. *Beaumontia*.
- 254. *calycina melastoma*.
- 255. *Comptoniana*.
- 256. *costata superba*.
- 257. *crassifolia*.
- 258. *cruciformis*.
- 259. *droseroides minor*.
- 260. *echiflora purpurea*.
- 261. *exurgens hybrida*.
- 262. *flagelliformis*.
- 263. *foliacea*.
- 264. *glomerata*.
- 265. *grandinosa*.
- 266. *Imperialis*.
- 267. *Lawsonia*.
- 268. *Linnæa superba*.
- 269. *metulæflora discolor*.
- 270. *minutæflora*.
- 271. *mirabilis*.
- 272. *mollis*.
- 273. *mundula*.
- 274. *nivalis*.
- 275. *ollula*.
- 276. *Erica peltata*.
- 277. *pellucida rubra*.

- 278. pilulifera.
 - 279. pygmæa.
 - 280. quadrangularis.
 - 281. radiata *discolor*.
 - 282. recurvata.
 - 283. reflexa.
 - 284. refulgens.
 - 285. ruber-calyx.
 - 286. Russeliana.
 - 287. Sainsburyana.
 - 288. Salisburia.
 - 289. serpyllifolia.
 - 290. Solandroides.
 - 291. stellifera.
 - 292. suaveolens.
 - 293. Templea.
 - 294. tenuiflora *carnea*.
 - 295. translucens.
 - 296. transparens.
 - 297. turbinata.
 - 298. vernex rubra.
 - 299. viridiflora.
 - 300. undulata.
-
-

*** END OF THE PROJECT GUTENBERG EBOOK THE HEATHERY;
OR, A MONOGRAPH OF THE GENUS ERICA. VOL. 6 ***

Updated editions will replace the previous one—the old editions will be renamed.

Creating the works from print editions not protected by U.S. copyright law means that no one owns a United States copyright in these works, so the Foundation (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg™ electronic works to protect the PROJECT GUTENBERG™ concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for an eBook, except by following the terms of the trademark license, including paying royalties for use of the Project Gutenberg trademark. If you do not charge anything for copies of this eBook, complying with the trademark license is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. Project Gutenberg eBooks may be modified and printed and given away—you may do practically ANYTHING in the United States with eBooks not protected by U.S. copyright law. Redistribution is subject to the trademark license, especially commercial redistribution.

START: FULL LICENSE

THE FULL PROJECT GUTENBERG™ LICENSE

PLEASE READ THIS BEFORE YOU DISTRIBUTE OR USE THIS WORK

To protect the Project Gutenberg™ mission of promoting the free distribution of electronic works, by using or distributing this work (or any other work associated in any way with the phrase “Project Gutenberg”), you agree to comply with all the terms of the Full Project Gutenberg License available with this file or online at www.gutenberg.org/license.

Section 1. General Terms of Use and Redistributing Project Gutenberg electronic works

1.A. By reading or using any part of this Project Gutenberg electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property (trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. “Project Gutenberg” is a registered trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg electronic works if you follow the terms of this agreement and help preserve free future access to Project Gutenberg electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation (“the Foundation” or PGLAF), owns a compilation copyright in the collection of Project Gutenberg electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is unprotected by copyright law in the United States and you are

located in the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg mission of promoting free access to electronic works by freely sharing Project Gutenberg works in compliance with the terms of this agreement for keeping the Project Gutenberg name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg work. The Foundation makes no representations concerning the copyright status of any work in any country other than the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg License must appear prominently whenever any copy of a Project Gutenberg work (any work on which the phrase “Project Gutenberg” appears, or with which the phrase “Project Gutenberg” is associated) is accessed, displayed, performed, viewed, copied or distributed:

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg™ License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

1.E.2. If an individual Project Gutenberg electronic work is derived from texts not protected by U.S. copyright law (does not contain a notice indicating that it is posted with permission of the copyright holder), the work can be copied and distributed to anyone in the United States without paying any fees or charges. If you are redistributing or providing access to a work with the phrase “Project Gutenberg” associated with or appearing on the work, you must comply either with the requirements of paragraphs 1.E.1 through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or remove the full Project Gutenberg License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up, nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg work in a format other than “Plain Vanilla ASCII” or other format used in the official version posted on the official Project Gutenberg website (www.gutenberg.org), you must, at no additional cost, fee or expense to the user, provide a copy, a means of exporting a copy, or a means of obtaining a copy upon request, of the work in its original “Plain Vanilla ASCII” or other form. Any alternate format must include the full Project Gutenberg License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access to, viewing, displaying, performing, copying or distributing any Project Gutenberg works unless you comply with paragraph 1.E.8 or 1.E.9.

1.E.8. You may charge a reasonable fee for copies of or providing access to or distributing Project Gutenberg electronic works provided that:

- You pay a royalty fee of 20% of the gross profits you derive from the use of Project Gutenberg works calculated using the method you already use to calculate your applicable taxes. The fee is owed to the owner of the Project Gutenberg trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, "Information about donations to the Project Gutenberg Literary Archive Foundation."
- You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg™ License. You must require such a user to return or destroy all copies of the works possessed in a physical medium and discontinue all use of and all access to other copies of Project Gutenberg™ works.
- You provide, in accordance with paragraph 1.F.3, a full refund of any money paid for a work or a replacement copy, if a defect in the electronic work is discovered and reported to you within 90 days of receipt of the work.
- You comply with all other terms of this agreement for free distribution of Project Gutenberg™ works.

1.E.9. If you wish to charge a fee or distribute a Project Gutenberg™ electronic work or group of works on different terms than are set forth in this agreement, you must obtain permission in writing from the Project Gutenberg Literary Archive Foundation, the manager of the Project

Gutenberg™ trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread works not protected by U.S. copyright law in creating the Project Gutenberg™ collection. Despite these efforts, Project Gutenberg™ electronic works, and the medium on which they may be stored, may contain “Defects,” such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

1.F.2. LIMITED WARRANTY, DISCLAIMER OF DAMAGES - Except for the “Right of Replacement or Refund” described in paragraph 1.F.3, the Project Gutenberg Literary Archive Foundation, the owner of the Project Gutenberg™ trademark, and any other party distributing a Project Gutenberg™ electronic work under this agreement, disclaim all liability to you for damages, costs and expenses, including legal fees. YOU AGREE THAT YOU HAVE NO REMEDIES FOR NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY OR BREACH OF CONTRACT EXCEPT THOSE PROVIDED IN PARAGRAPH 1.F.3. YOU AGREE THAT THE FOUNDATION, THE TRADEMARK OWNER, AND ANY DISTRIBUTOR UNDER THIS AGREEMENT WILL NOT BE LIABLE TO YOU FOR ACTUAL, DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.

1.F.3. LIMITED RIGHT OF REPLACEMENT OR REFUND - If you discover a defect in this electronic work within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to

you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you 'AS-IS', WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the remaining provisions.

1.F.6. INDEMNITY - You agree to indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg™ electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg™ electronic works, harmless from all liability, costs and expenses, including legal fees, that arise directly or indirectly from any of the following which you do or cause to occur: (a) distribution of this or any Project Gutenberg work, (b) alteration, modification, or additions or deletions to any Project Gutenberg work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg

Project Gutenberg is synonymous with the free distribution of electronic works in formats readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the

efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need are critical to reaching Project Gutenberg's goals and ensuring that the Project Gutenberg collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation information page at www.gutenberg.org.

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non-profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation's EIN or federal tax identification number is 64-6221541. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state's laws.

The Foundation's business office is located at 41 Watchung Plaza #516, Montclair NJ 07042, USA, +1 (862) 621-9288. Email contact links and up to date contact information can be found at the Foundation's website and official page at www.gutenberg.org/contact

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg™ depends upon and cannot survive without widespread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be freely distributed in machine-readable form accessible by the widest array of equipment

including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status of compliance for any particular state visit www.gutenberg.org/donate.

While we cannot and do not solicit contributions from states where we have not met the solicitation requirements, we know of no prohibition against accepting unsolicited donations from donors in such states who approach us with offers to donate.

International donations are gratefully accepted, but we cannot make any statements concerning tax treatment of donations received from outside the United States. U.S. laws alone swamp our small staff.

Please check the Project Gutenberg web pages for current donation methods and addresses. Donations are accepted in a number of other ways including checks, online payments and credit card donations. To donate, please visit: www.gutenberg.org/donate.

Section 5. General Information About Project Gutenberg electronic works

Professor Michael S. Hart was the originator of the Project Gutenberg concept of a library of electronic works that could be freely shared with anyone. For forty years, he produced and distributed Project Gutenberg eBooks with only a loose network of volunteer support.

Project Gutenberg eBooks are often created from several printed editions, all of which are confirmed as not protected by copyright in the U.S. unless a

copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our website which has the main PG search facility:
www.gutenberg.org.

This website includes information about Project Gutenberg, including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.



E. acuminata angustiflora.


[back](#)



2




3



4

E. Bauera

[back](#)



E. Beaumontia.

[back](#)



E. calycina melastomacea.

[back](#)



[back](#)




E. costata, superba

[back](#)




E. crassifolia.

[back](#)




E. cruciformis.

[back](#)



1



2




3



4

E. drosocoides, minor.

[back](#)



E. Echiflora purpurea.

[back](#)



E. acurgens hybrida

[back](#)



E. flagelliformis.

[back](#)



E. foliacea

[back](#)



E. glomerata.

[back](#)




E. grandinosa

[back](#)



E. Imperialis

[back](#)



E. Lansoniana.

[back](#)



E. Linnaea superba

[back](#)



E. metuliflora dissecta

[back](#)



E. minutiflora

[back](#)



E. mirabilis

[back](#)



E. mollis.

[back](#)



E. mundula

[back](#)



E. ollula.

[back](#)



E. nivalis

[back](#)



Epilobium

[back](#)



Epilucida rubra

[back](#)



E. pululifera.

[back](#)



E. pygmaea.

[back](#)



E. quadrangularis.

[back](#)



Eriodictyon discolor.

[back](#)



E. recurvata,

[back](#)



E. nylaea

[back](#)



E. refulgens

[back](#)



E. rubra calyc.

[back](#)



E. Ruspalioma.

[back](#)



E. Sainsburyana

[back](#)



E. Salisburiana.

[back](#)



E. serpyllifolia

[back](#)



E. Islandroides.

[back](#)



E. stellifera.

[back](#)



E. viridula

[back](#)



E. Templea.

[back](#)



E. tenuiflora carnea.

[back](#)




E. translucens.

[back](#)



E. transparens.

[back](#)




E. turbinata.

[back](#)



1



2



3



Evridiflora.

[back](#)



E. rostrata subsp. rubra

[back](#)



Eundulata.

[back](#)