
UNIVERSITY OF KANSAS PUBLICATIONS
MUSEUM OF NATURAL HISTORY

Volume 15, No. 4, pp. 183-204

October 26, 1962

Type Specimens of Amphibians and Reptiles
in the Museum of Natural History,
The University of Kansas

BY

WILLIAM E. DUELLMAN AND BARBARA BERG

UNIVERSITY OF KANSAS
LAWRENCE
1962

UNIVERSITY OF KANSAS PUBLICATIONS
MUSEUM OF NATURAL HISTORY

Volume 15, No. 4, pp. 183-204

October 26, 1962

Type Specimens of Amphibians and Reptiles
in the Museum of Natural History,
The University of Kansas

BY

WILLIAM E. DUELLMAN AND BARBARA BERG

UNIVERSITY OF KANSAS
LAWRENCE
1962

The Project Gutenberg eBook of Type specimens of amphibians and reptiles in the Museum of Natural History, the University of Kansas

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

Title: Type specimens of amphibians and reptiles in the Museum of Natural History, the University of Kansas

Author: William Edward Duellman
Barbara Berg

Release date: May 6, 2024 [eBook #73551]

Language: English

Original publication: Lawrence KS: University of Kansas, 1962

Other information and formats: www.gutenberg.org/ebooks/73551

Credits: Carol Brown, Chris Curnow, Joseph Cooper and the Online Distributed Proofreading Team at <https://www.pgdp.net>

*** START OF THE PROJECT GUTENBERG EBOOK TYPE
SPECIMENS OF AMPHIBIANS AND REPTILES IN THE MUSEUM OF
NATURAL HISTORY, THE UNIVERSITY OF KANSAS ***

UNIVERSITY OF KANSAS PUBLICATIONS
MUSEUM OF NATURAL HISTORY

Volume 15, No. 4, pp. 183-204

————— October 26, 1962 —————

**Type Specimens of Amphibians and
Reptiles in the Museum of Natural
History,
The University of Kansas**

BY

WILLIAM E. DUELLMAN AND BARBARA BERG

UNIVERSITY OF KANSAS
LAWRENCE
1962

UNIVERSITY OF KANSAS PUBLICATIONS, MUSEUM OF NATURAL HISTORY

Editors: E. Raymond Hall, Chairman, Henry S. Fitch,
Theodore H. Eaton, Jr.

Volume 15, No. 4, pp. 183-204
Published October 26, 1962

UNIVERSITY OF KANSAS
Lawrence, Kansas

PRINTED BY
JEAN M. NEIBARGER, STATE PRINTER
TOPEKA, KANSAS
1962



29-4227

Type Specimens of Amphibians and Reptiles in the Museum of Natural History, The University of Kansas

BY

WILLIAM E. DUELLMAN AND BARBARA BERG

In recent years various museums have issued lists of the type specimens in their collections. These lists are valuable to systematists by providing these workers with information that otherwise sometimes is difficult to obtain. Although by comparison with the large museums in the eastern part of the United States, such as the American Museum of Natural History, the United States National Museum, and the Museum of Comparative Zoology at Harvard, the herpetological collections in the Museum of Natural History at The University of Kansas are relatively small (70,000 specimens), a large number of types are contained in the collection. The largest number of types are of species described from Costa Rica by Edward H. Taylor between 1949 and 1958. Beginning in 1932 and continuing until World War II, Taylor described many species from México; types of these species were contained in the Edward H. Taylor—Hobart M. Smith collection. Inquiries from herpetologists reveal that many workers suppose that the EHT-HMS collection is in the Museum of Natural History. Such is not the case, for the EHT-HMS collection has been divided between the Chicago Natural History Museum and the University of Illinois Museum of Natural History.

The list of type specimens presented here includes all holotypes and paratypes that are known in the museum as of April 15, 1962. Only specimens actually designated as paratypes by the original describer are considered as such. Each species or subspecies is listed in the combination as it was originally proposed. If the name has been subjected to subsequent nomenclatural change or has been placed in synonymy, the name in current

use is given after an equals sign, together with a citation to the authority for the change. The arrangement in the following list is alphabetical by genus and species within orders (suborders in the Squamata). Current combinations of names that have been changed subsequent to their original proposal are listed in the correct alphabetical place with a cross-reference to the original combination.

All original citations have been checked, and actual dates of publication are given for each. The checking of original citations, museum catalogues, labels, and sometimes collectors' field catalogues has revealed numerous errors. In some cases the catalogue numbers of the holotypes and paratypes given by Taylor actually were his field numbers. In the following list the museum numbers that were subsequently assigned are given. Certain localities have been given incorrectly; for example, Taylor described several species from Moravia de Chirripó, which he gave as being in Limón Province, Costa Rica. Actually Moravia de Chirripó is in Cartago Province. We have attempted to correct all such errors.

The holotype and two paratypes of *Rana taylori* Smith are stated to be in the Museum of Natural History. Smith (Herpetologica, 15:214, December 8, 1959) proposed the name *Rana taylori* for three specimens discussed by Taylor (Univ. Kansas Sci. Bull., 35:906, July 1, 1952), who gave the numbers 2976-2978. Number 2978 was designated the holotype of *Rana taylori* by Smith, who never saw the frogs. The numbers 2976-2978 are E. H. Taylor's field numbers; the specimens never have been catalogued in the Museum of Natural History, and their present location is unknown.

The 125 species and subspecies represented by holotypes and paratypes in the collection are distributed among the orders of amphibians and reptiles as follows:

AMPHIBIA

Gymnophiona (Caecilians)	3
Caudata (Salamanders)	20
Salientia (Frogs and Toads)	39

REPTILIA

Testudines (Turtles)	5
Sauria (Lizards)	31
Serpentes (Snakes)	27

GYMNOPHIONA

Dermophis costaricensis Taylor, Univ. Kansas Sci. Bull., 37:506, fig. 2, October 15, 1955.

HOLOTYPE.—No. 36343, Cinchona, Alajuela Province, Costa Rica; Edward H. Taylor; July 14, 1954.

PARATYPES.—Nos. 36337-36340, 36342, 36344-36347, data same as for holotype. Nos. 36447 and 36448, Moravia de Chirripó, Cartago Province, Costa Rica; Edward H. Taylor; August 15-16, 1954.

Dermophis glandulosus Taylor, Univ. Kansas Sci. Bull., 37:509, fig. 3, October 15, 1955.

HOLOTYPE.—No. 29979, San Isidro del General, San José Province, Costa Rica; Virgil Cave; 1947.

Dermophis occidentalis Taylor, Univ. Kansas Sci. Bull., 37:503, fig. 1, October 15, 1955.

HOLOTYPE.—No. 36298, 15 miles west-southwest of San Isidro del General, San José Province, Costa Rica; Edward H. Taylor; August 3, 1954.

PARATYPES.—Nos. 36296 and 36297, same locality; Edward H. Taylor; July 19, 1952.

CAUDATA

Bolitoglossa alvaradoi Taylor, Univ. Kansas Sci. Bull., 36:604, fig. 2, June 1, 1954.

HOLOTYPE.—No. 30484, Moravia de Chirripó, Cartago Province, Costa Rica; Edward H. Taylor; August 16, 1951.

PARATYPES.—Nos. 34903-34905, same locality; Edward H. Taylor; June 25-26, 1952.

Bolitoglossa arborescandens Taylor, Univ. Kansas Sci. Bull., 36:600, fig. 2, June 1, 1954.

HOLOTYPE.—No. 34925, Moravia de Chirripó, Cartago Province, Costa Rica; Edward H. Taylor; August 16, 1951.

Bolitoglossa palustris Taylor, Univ. Kansas Sci. Bull., 33:283, April 20, 1949.

HOLOTYPE.—No. 23817, San Isidro del General, San José Province, Costa Rica; Edward H. Taylor; August 23, 1947.

Bolitoglossa veracruzis Taylor, Univ. Kansas Sci. Bull., 34:189, fig. 1, October 1, 1951.

HOLOTYPE.—No. 26941, 35 kilometers southeast of Jesús Carranza, Veracruz, México; Walter W. Dalquest; April 6, 1949.

PARATYPES.—Nos. 26933-26940, 26942-26953, data same as on holotype.

Chiropterotriton abscondens Taylor, Proc. Biol. Soc. Washington, 61:177, November 12, 1948.

PARATYPE.—No. 29971, Isla Bonita, Heredia Province, Costa Rica; David Allee and Sr. Machado; August 1, 1947.

NOTE.—This specimen was listed by Taylor (1948:177) as Richard C. Taylor No. 1416; subsequently the specimen was cataloged as KU 29971.

Magnadigita cerroensis Taylor, Univ. Kansas Sci. Bull., 34:724, pl. 80, February 15, 1952.

HOLOTYPE.—No. 29961, Cerro de la Muerte, 2 kilometers below Millville, San José Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; August 15, 1947.

Magnadigita nigrescens Taylor, Univ. Kansas Sci. Bull., 33:282, April 20, 1949.

HOLOTYPE.—No. 23816, Boquete Camp, Cerro de la Muerte (on highway between Millville and San Isidro del General), San José Province, Costa Rica; Edward H. Taylor; August 17, 1947.

Magnadigita pesrubra Taylor, Univ. Kansas Sci. Bull., 34:707, pl. 76, text fig. 2, February 15, 1952.

HOLOTYPE.—No. 25093, Summit of Cerro de la Muerte, Cartago Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; August 14-15, 1947.

PARATYPES.—(All collected by Edward H. Taylor and Richard C. Taylor in August, 1947) Nos. 25083-25086, 25142-25156, 25157 (166 specimens), Millville, Cerro de la Muerte, San José Province, Costa Rica: Nos. 25082, 25087-25092, 25094-25100, same locality as holotype.

Magnadigita torresi Taylor, Univ. Kansas Sci. Bull., 34:713, pl. 77, February 15, 1952.

HOLOTYPE.—No. 25104, Summit of Cerro de la Muerte, Cartago Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; August 17, 1947.

PARATYPES.—Nos. 25101-25103, 25105-25116, data same as holotype.

NOTE.—Taylor (1952:713) listed 25116a (30 specimens); these are not present in the collection.

Oedipina alleni Taylor, Univ. Kansas Sci. Bull., 36:607, fig. 3, June 1, 1954.

HOLOTYPE.—No. 34926, Palmar, Puntarenas Province, Costa Rica; Edward H. Taylor; September 2, 1952.

Oedipina bonitaensis Taylor, Univ. Kansas Sci. Bull., 34:762, pl. 86, fig. 3, text fig. 8, February 15, 1952.

HOLOTYPE.—No. 29972, Volcán Poás, 6 miles west of Isla Bonita, Alajuela Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; August 3, 1947.

PARATYPES.—Nos. 29973 and 29974, data same as on holotype.

Oedipina cyclocauda Taylor, Univ. Kansas Sci. Bull., 34:764, pl. 87, fig. 4, text fig. 9, February 15, 1952.

HOLOTYPE.—No. 25066, Los Diamantes, 1 kilometer east of Guápiles, Limón Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; September 1-8, 1947.

PARATYPES.—Nos. 25038-25065, data same as on holotype.

Oedipina gracilis Taylor, Univ. Kansas Sci. Bull., 34:773, February 15, 1952.

HOLOTYPE.—No. 29969, Los Diamantes, 1 kilometer east of Guápiles, Limón Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; September 8, 1947.

PARATYPES.—Nos. 29968 and 29970, data same as on holotype.

Oedipina inusitata Taylor, Univ. Kansas Sci. Bull., 34:277, pl. 87, fig. 3, text fig. 13, February 15, 1952.

HOLOTYPE.—No. 29964, 3 miles northeast of Santa Cruz, south slope of Volcán Turrialba, Cartago Province, Costa Rica; Edward H. Taylor; August 9, 1947.

Oedipina longissimus Taylor, Univ. Kansas Sci. Bull., 34:771, pl. 87, fig. 5, text fig. 11, February 15, 1952.

HOLOTYPE.—No. 29963, Cervantes, Cartago Province, Costa Rica; Edward H. Taylor; July 9, 1947.

Oedipina pacificensis Taylor, Univ. Kansas Sci. Bull., 34:775, pl. 87, fig. 2, text fig. 12, February 15, 1952.

HOLOTYPE.—No. 29965, 2 miles east of San Isidro del General, San José Province, Costa Rica; Edward H. Taylor; August 23, 1947.

Oedipina serpens Taylor, Univ. Kansas Sci. Bull., 33:286, April 20, 1949.

HOLOTYPE.—No. 23815, Morehouse Finca, 5 miles southwest of Turrialba, Cartago Province, Costa Rica; Edward H. Taylor; July 2, 1947.

Oedipina syndactyla Taylor, Proc. Biol. Soc. Washington, 61:179, November 12, 1948.

HOLOTYPE.—No. 29962, Volcán Poás, 4 miles west of Isla Bonita, Alajuela Province, Costa Rica; Edward H. Taylor; August 5, 1947.

NOTE.—This specimen was listed by Taylor (1948:179) as No. 843. This is the E. H. Taylor field number; subsequently the specimen was catalogued as KU 29962.

Thorius minutissimus Taylor, Amer. Mus. Novitates, 1437:5, figs. 1-2, December 7, 1949.

PARATYPE.—No. 28080, Santo Tomás Tecpán, Oaxaca, México; Thomas C. MacDougall, 1948.

NOTE.—Received in exchange; formerly this specimen was American Museum of Natural History No. A 53930.

Typhlotriton nereus Bishop, Copeia, 1944(1):1, figs. 1-3, April 21, 1944.

PARATYPES.—Nos. 16036-16038, 16043-16045, near Galena, Cherokee County, Kansas; Wallace Lane and William McNown; March 26, 1932. No. 16199, York Springs, Imboden, Lawrence County, Arkansas; Byron C. Marshall; February, 1930: Nos. 16350, 16352-16354, 16357-16360, near Riverton, Cherokee County, Kansas; Edward H. Taylor; March 26, 1932.

NOTE.—Nos. 16350, 16352-16354, 16357-16360 were listed erroneously by Bishop (1944:1-2) as being from Galena, Cherokee County, Kansas.

SALIENTIA

Agalychnis alcorni Taylor [= *Phyllomedusa dacnicolor* Cope, according to Duellman (Herpetologica, 13:29, 1957)], Copeia, 1952(1):31, figs. 1-2, June 2, 1952.

HOLOTYPE.—No. 29763, South bank of Río Tepalcatepec, 17 miles south of Apatzingán, Michoacán, México; J. R. Alcorn; November 30, 1950.

PARATYPE.—No. 28100, 0.5 miles east of San Blas, Nayarit, México; J. R. Alcorn; January 6, 1949.

Agalychnis saltator Taylor [= *Phyllomedusa saltator* (Taylor), according to Funkhouser (Occas. Papers Nat. Hist. Mus. Stanford Univ., 5:36, 1957)], Univ. Kansas Sci. Bull., 37:527, fig. 10, October 15, 1955.

HOLOTYPE.—No. 35615, Finca Bosco, 5 kilometers north-northeast of Tilarán, Guanacaste Province, Costa Rica; Edward H. Taylor; August 14, 1954.

PARATYPES.—Nos. 35609-10, 35612-35614, 35616-35620, 35622-35626, data same as for holotype.

NOTE.—Taylor (1955:527) erroneously gave the type locality as 4 kilometers north-northeast of Tilarán; in Taylor's field catalogue and in the museum catalogue the locality is listed as 5 kilometers north-northeast of Tilarán. Paratypes 35611 and 35621, listed by Taylor, have been exchanged with the Stanford Natural History Museum.

Atelopus loomisi Taylor—See *Atelopus varius loomisi* Taylor.

Atelopus varius loomisi Taylor [= *Atelopus loomisi* Taylor, according to Taylor (Univ. Kansas Sci. Bull., 37:517, 1955)], Univ. Kansas Sci. Bull., 35:625, fig. 7, July 1, 1952.

HOLOTYPE.—No. 24746, Isla Bonita, Heredia Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; June 26, 1947.

PARATYPES.—Nos. 24742-24745, same locality as on holotype, August 1-5, 1947.

Bufo holdridgei Taylor, Univ. Kansas Sci. Bull., 35:607, fig. 3, July 1, 1952.

HOLOTYPE.—No. 30885, Volcán Barba, Heredia Province, Costa Rica; Edward H. Taylor; July 15, 1951.

Centrolenella spinosa Taylor [= *Teratohyla spinosa* (Taylor), according to Taylor (Proc. Biol. Soc. Washington, 64:35, 1951)], Univ. Kansas Sci. Bull., 33:259, April 20, 1949.

HOLOTYPE.—No. 23809, Los Diamantes, 1 kilometer east of Guápiles, Limón Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; September 7, 1947.

PARATYPES.—Nos. 23810-23811, data same as on holotype.

Cochranella albomaculata Taylor, Univ. Kansas Sci. Bull., 33:267, April 20, 1949.

HOLOTYPE.—No. 23814, Los Diamantes, 1 kilometer east of Guápiles, Limón Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; September 7, 1947.

Cochranella chirripoi Taylor, Univ. Kansas Sci. Bull., 39:59, fig. 10, November 18, 1958.

HOLOTYPE.—No. 36865, Cicales Creek, Suretka, Limón Province, Costa Rica; Edward H. Taylor; June 29-30, 1954.

PARATYPES.—Nos. 36862-36864, 36866-36870, data same as on holotype.

Cochranella colymbiphyllum Taylor, Univ. Kansas Sci. Bull., 33:262, April 20, 1949.

HOLOTYPE.—No. 23812, Isla Bonita, Heredia Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; July 29, 1947.

Cochranella decorata Taylor, Univ. Kansas Sci. Bull., 39:50, fig. 6, November 18, 1958.

HOLOTYPE.—No. 36896, Hacienda La Florencia, about 3 miles west of Turrialba, Cartago Province, Costa Rica; Jack Reark; November, 1952.

PARATYPES.—Nos. 36883-36884, San José, San José Province, Costa Rica; Marco Tulio Pacheco; summer, 1954.

NOTE.—The locality of the paratypes is not definite; Taylor presumed that they were from San José. See note under the following species.

Cochranella millepunctata Taylor, Univ. Kansas Sci. Bull., 39:53, fig. 7, November 18, 1958.

HOLOTYPE.—No. 36887, La Palma, San José Province, Costa Rica; Edward H. Taylor, June 20, 1954.

PARATYPES.—No. 32943, Moravia de Chirripó, Cartago Province, Costa Rica; Edward H. Taylor; June 26, 1952. Nos. 36885-36886, 36888-36894, data same as holotype. No. 36897, Sarchi, Alajuela Province, Costa Rica; Robert Hunter; summer, 1954.

NOTE.—Taylor (1958:53) erroneously listed 36883 and 36884 as paratypes of this species; on page 50 of the same publication he correctly designated these specimens as paratypes of *Cochranella decorata*. Also, Taylor (1958:53) erroneously listed 32943 as 23943.

Cochranella reticulata Taylor, Univ. Kansas Sci. Bull., 39:61, fig. 11, November 18, 1958.

HOLOTYPE.—No. 32922, Bridge across Río Reventazón, Inter-American Institute of Agriculture, Turrialba, Cartago Province, Costa Rica; Edward H. Taylor; August 1, 1952.

PARATYPES.—No. 32916, Moravia de Chirripó, Cartago Province, Costa Rica; Edward H. Taylor; June 26, 1952. Nos. 32917-32920, Cariblanco, Heredia Province, Costa Rica; Edward H. Taylor; July 20, 1952. No. 32921, data same as holotype. Nos. 32923 and 32924, Palmar, Puntarenas Province, Costa Rica; Edward H. Taylor; September 3, 1952. No. 32925, Golfito, Puntarenas Province, Costa Rica; Edward H. Taylor; September 7, 1952. Nos. 36878-36882, Cocal Creek, Suretka, Limón Province, Costa Rica; Edward H. Taylor; June 30, 1954.

Cochranella talamancaae Taylor, Univ. Kansas Sci. Bull., 35:781, 783, July 1, 1952.

HOLOTYPE.—No. 30887, Moravia de Chirripó, Cartago Province, Costa Rica; Edward H. Taylor; August 16, 1951.

NOTE.—Taylor (1952:781) erroneously listed this specimen as KU 4143; actually that is Taylor's field number. Subsequently the specimen was catalogued as KU 30887.

Dendrobates granuliferus Taylor, Univ. Kansas Sci. Bull., 39:10, fig. 5, November 18, 1958.

HOLOTYPE.—No. 43874, Low mountains north of Río Diquis, about 3 miles north of Palmar, Puntarenas Province, Costa Rica; Edward H. Taylor; September 3, 1952.

PARATYPES.—No. 43875, San Isidro del General, San José Province, Costa Rica; Edward H. Taylor; summer, 1952. Nos. 43876-43880, data same as holotype.

NOTE.—Taylor (1958:10) erroneously listed 43875 as being from the type locality.

Eleutherodactylus crassidigitatus Taylor, Univ. Kansas Sci. Bull., 35:740, fig. 31, July 1, 1952.

HOLOTYPE.—No. 28396, Isla Bonita, Heredia Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; July 22-August 3, 1947.

PARATYPES.—Nos. 28360, 28361, 28440, Morehouse Finca, 5 miles southwest of Turrialba, Cartago Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; July 11-21, 1947. Nos. 28362-28368, 28370-28374, data same as on holotype.

NOTE.—Taylor (1952:740) listed 28360, 28361, and 28440 as being from “Turrialba and surroundings.”

Eleutherodactylus dubitus Taylor, Univ. Kansas Sci. Bull., 35:707, fig. 22, July 1, 1952.

HOLOTYPE.—No. 24942, Isla Bonita, Heredia Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; July 22-August 3, 1947.

PARATYPES.—Nos. 24910 and 24911, Morehouse Finca, 5 miles southwest of Turrialba, Cartago Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; July 11-16, 1947. Nos. 24912-24914, Santa Cruz Volcán, Cartago Province, Costa Rica; Edward H. Taylor; July 17, 1947. Nos. 24915-24941, 24943-24948, data same as on holotype.

NOTE.—Taylor (1952:707) erroneously listed 24910-24914 as being from the type locality.

Eleutherodactylus minimus Taylor, Univ. Kansas Sci. Bull., 37:517, fig. 7, October 15, 1955.

HOLOTYPE.—No. 37128, 5 kilometers north-northeast of Tilarán, Guanacaste Province, Costa Rica; Edward H. Taylor; August 13, 1954.

PARATYPES.—Nos. 37126, 37127, 37129-37132, data same as on holotype.

Eleutherodactylus persimilis Barbour [= *Microbatrachylus persimilis* (Barbour)], according to Taylor (Univ. Kansas Sci. Bull., 35:670, 1952)], Occas. Papers Boston Soc. Nat. Hist., 5:193, pl. 14, January 30, 1926.

PARATYPE.—No. 47166, Suretka, Limón Province, Costa Rica; Emmett R. Dunn and Chester B. Duryea; 1923.

NOTE.—Received in exchange; formerly this specimen was Museum of Comparative Zoology No. 11609.

Eleutherodactylus taurus Taylor, Univ. Kansas Sci. Bull., 39:17, fig. 7, November 18, 1958.

HOLOTYPE.—No. 43866, Golfito, Puntarenas Province, Costa Rica; Edward H. Taylor; September 6, 1952.

PARATYPES.—Nos. 43867, 43869-43871, 43873, same locality as holotype; John Baker and Edward H. Taylor; September 2-6, 1952. Nos. 43868, 43872, Palmar, Puntarenas Province, Costa Rica; Edward H. Taylor; September 2, 1952.

Eleutherodactylus vocator Taylor, Univ. Kansas Sci. Bull., 37:522, fig. 8, October 15, 1955.

HOLOTYPE.—No. 37001, Agua Buena, Puntarenas Province, Costa Rica; Edward H. Taylor; July 25, 1954.

PARATYPES.—Nos. 36999 and 37000, data same as on holotype.

Hyla alvaradoi Taylor, Univ. Kansas Sci. Bull., 35:882, fig. 63, July 1, 1952.

HOLOTYPE.—No. 30886, Moravia de Chirripó, Cartago Province, Costa Rica; Edward H. Taylor; August 16, 1951.

Hyla bivocata Duellman and Hoyt, Copeia, 1961(4):414, figs. 1-3, December 19, 1961.

HOLOTYPE.—No. 58446, 6.2 kilometers by road south of Rayón Mescalapa, Chiapas, México; William E. Duellman and Dale L. Hoyt; August 5, 1960.

PARATYPES.—Nos. 58447-58450, data same as on holotype.

Hyla chaneque Duellman, Herpetologica, 17:1, figs. 1-2, April 15, 1961.

HOLOTYPE.—No. 58439, 6.2 kilometers by road south of Rayón Mescalapa, Chiapas, México; William E. Duellman; August 5, 1960.

PARATYPES.—Nos. 58440-58442, same as holotype. No. 58444, 5.6 kilometers by road south of Rayón Mescalapa, Chiapas, México; William E. Duellman; June 15, 1960.

NOTE.—No. 58443, listed by Duellman (1961:1), has been exchanged with the Museum of Zoology at the University of Michigan.

Hyla cyclomaculata Taylor, Copeia, 1949(4):272, pl. 1, December 15, 1949.

HOLOTYPE.—No. 26954, Huatusco, Veracruz, México; Walter W. Dalquest; December 2, 1948.

Hyla dalquesti Taylor—See *Hyla proboscidea* Taylor.

Hyla debilis Taylor, Univ. Kansas Sci. Bull., 35:880, fig. 62, July 1, 1952.

HOLOTYPE.—No. 28184, Isla Bonita, Heredia Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; August 1, 1947.

Hyla dulcensis Taylor, Univ. Kansas Sci. Bull., 39:37, fig. 17, November 18, 1958.

HOLOTYPE.—No. 32168, Golfito, Puntarenas Province, Costa Rica; Edward H. Taylor; September 7, 1952.

PARATYPES.—Nos. 32166 and 32167, same locality as holotype; John Baker and Edward H. Taylor; September 7 and 8, 1952.

Hyla immensa Taylor, Univ. Kansas Sci. Bull., 35:815,, figs. 42-43, July 1, 1952.

HOLOTYPE.—No. 30404, Inter-American Institute of Agricultural Sciences, Turrialba, Cartago Province, Costa Rica; Edward H. Taylor; June 25, 1951.

Hyla legleri Taylor, Univ. Kansas Sci. Bull., 39:33, figs. 15-16, November 18, 1958.

HOLOTYPE.—No. 32982, 15 kilometers west-southwest of San Isidro General, San José Province, Costa Rica; Edward H. Taylor; July 10, 1952.

PARATYPES.—Nos. 32981, 32983-32988, 35171, same locality as holotype; John Baker and Edward H. Taylor; July 10, 1952.

NOTE.—Taylor (1958:33) erroneously listed 32989-32992 as paratypes of this species; specimens bearing those numbers are *Smilisca gabbi*.

Hyla manisorum Taylor, Univ. Kansas Sci. Bull., 36:630, fig. 11, June 1, 1954.

HOLOTYPE.—No. 34927; Bataan, Limón Province, Costa Rica; Edward H. Taylor; July 22, 1951.

Hyla mixomaculata Taylor, Copeia, 1950(4):274, pl. 1, December 22, 1950.

HOLOTYPE.—No. 26777, Coscomatepec, Veracruz, México; Walter W. Dalquest; December 1, 1948.

PARATYPES.—Nos. 26776, 26778-26780, 26782-26785, data same as on holotype. No. 26781, Huatusco, Veracruz, México; Walter W. Dalquest; December 2, 1948.

NOTE.—Taylor (1950:274) erroneously listed 26786 as a paratype of this species; the specimen bearing that number is a *Hyla staufferi*.

Hyla moraviensis Taylor, Univ. Kansas Sci. Bull., 35:865, fig. 57, July 1, 1952.

HOLOTYPE.—No. 30284, Moravia de Chirripó, Cartago Province, Costa Rica; Edward H. Taylor; August 16, 1951.

PARATYPES.—Nos. 30283, 30285 and 30286, data same as on holotype.

Hyla proboscidea Taylor [= *Hyla dalquesti* Taylor, according to Taylor (Copeia, 1949(1):74, April 15, 1949—substitute name for *Hyla proboscidea* Taylor, preoccupied by *Hyla proboscidea* Brongersma, 1933)], Univ. Kansas Publ. Mus. Nat. Hist., 1:259, figs. a-c, August 16, 1948.

HOLOTYPE.—No. 23626, 2 kilometers west of Jico (= Xico), Veracruz, México; Walter W. Dalquest; October 28, 1946.

PARATYPES.—Nos. 23623-23625, 23627, data same as on holotype.

NOTE.—Taylor (1948:259) erroneously listed 23628 as a paratype of this species; the specimen bearing that number is a *Heloderma suspectum*. However, 23623 not listed by Taylor is a *Hyla proboscidea*; this specimen is noted as a paratype in the museum catalogue.

Hyla rivularis Taylor, Univ. Kansas Sci. Bull., 35:847, fig. 53, July 1, 1952.

HOLOTYPE.—No. 28197, Isla Bonita, Heredia Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; August 1, 1947.

PARATYPES.—Nos. 28196 and 28198, data same as on holotype.

Hyla rufioculis Taylor, Univ. Kansas Sci. Bull., 35:827, fig. 47, July 1, 1952.

HOLOTYPE.—No. 28216, Isla Bonita, Heredia Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; July 28, 1947.

PARATYPES.—Nos. 28204-28210, Morehouse Finca, 5 miles southwest of Turrialba, Cartago Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; July 14, 1947. Nos. 28211-28215, 28217-28222, same locality as holotype; Edward H. Taylor and Richard C. Taylor; July 22-August 3, 1947. Nos. 31072-31078, Moravia de Chirripó, Cartago Province, Costa Rica; Edward H. Taylor; August 16, 1951.

Hyla wellmanorum Taylor [= *Smilisca wellmanorum* (Taylor), according to Starrett (Copeia, 1960(4):303, 1960)], Univ. Kansas Sci. Bull., 35:843, fig. 52, July 1, 1952.

Holotype.—No. 30302, Bataan, Limón Province, Costa Rica; Edward H. Taylor; July 20, 1951.

Paratypes.—Nos. 30300 and 30301, data same as on holotype.

Hyla weyeræ Taylor, Univ. Kansas Sci. Bull., 36:633, June 1, 1954.

HOLOTYPE.—No. 34850, Esquinas Forest Preserve, Las Esquinas, between Golfito and Palmar, Puntarenas Province, Costa Rica; Mrs. Albert E. Weyer; October, 1952.

Microbatrachylus persimilis (Barbour)—See *Eleutherodactylus persimilis* Barbour.

Microbatrachylus rearki Taylor, Univ. Kansas Sci. Bull., 35:678, fig. 16, July 1, 1952.

HOLOTYPE.—No. 31533, Bataan, Limón Province, Costa Rica; Edward H. Taylor; July 25, 1951.

PARATYPES.—Nos. 30909-30911, 30913, 31539, 31540, 31543-31546, Turrialba, Cartago Province, Costa Rica; Edward H. Taylor; June 26-July 3, 1951. Nos. 30912, 31534-31538, data same as on holotype. Nos. 31541 and 31542, Los Diamantes, 1 kilometer east of Guápiles, Limón Province, Costa Rica; Edward H. Taylor; July 26, 1951.

Plectrohyla brachycephala Taylor [= *Plectrohyla matudai brachycephala* Taylor, according to Bumzahem and Smith (Herpetologica, 10:62, 1954)], Amer. Mus. Novitates, 1437:16, fig. 6, December 7, 1949.

PARATYPE.—No. 28079, Tributary of Rio Ostuta, foot of Sierra Madre, between Sierra Madre and Cerro Atravesado, Oaxaca, México; Thomas C. MacDougall; 1948.

NOTE.—Received in exchange; formerly American Museum of Natural History No. A 53758.

Phyllomedusa saltator (Taylor)—See *Agalychnis saltator* Taylor.

Ptychohyla chamulae Duellman, Univ. Kansas Publ. Mus. Nat. Hist., 13:354, pl. 25, fig. 2, April 27, 1961.

HOLOTYPE.—No. 58063, 6.2 kilometers by road south of Rayón Mescalapa, Chiapas, México; William E. Duellman, Dale L. Hoyt, and John Wellman; August 5, 1960.

PARATYPES.—Nos. 58064-58073, data same as on holotype.

Smilisca wellmanorum (Taylor)—See *Hyla wellmanorum* Taylor.

Teratohyla spinosa (Taylor)—See *Centrolenella spinosa* Taylor.

Tomodactylus saxatilis Webb, Univ. Kansas Publ. Mus. Nat. Hist., 15:177, fig. 1, March 7, 1962.

HOLOTYPE.—No. 63326, 8 miles west of El Palmito, Sinaloa, México; Robert G. Webb; June 23, 1961.

PARATYPES.—Nos. 63327-63333, data same as on holotype.

TESTUDINES

Gopherus flavomarginatus Legler, Univ. Kansas Publ. Mus. Nat. Hist., 11:337, fig. 1, pls. 7-8, April 24, 1959.

PARATYPE.—No. 39415 (carapace only), 8 miles east and 2 miles south of Americanos, Coahuila, Mexico; Robert W. Dickerman; May 19, 1954.

Pseudemys scripta taylori Legler, Univ. Kansas Publ. Mus. Nat. Hist., 13:75, figs. 1-3, pls. 9-12; August 16, 1960.

HOLOTYPE.—No. 46952, 16 kilometers south of Cuatro Ciénegas, Coahuila, México; John M. Legler, September 6, 1958.

PARATYPES.—Nos. 46932-46951, 46953-46969, data same as on holotype. Nos. 46970-46974, 6 miles west of Cuatro Ciénegas, Coahuila, Mexico; John M. Legler; September 3-6, 1958. No. 46976, Río Chiquito, 10 kilometers south of Cuatro Ciénegas; John M. Legler; September 9, 1958.

Trionyx ater Webb and Legler, Univ. Kansas Sci. Bull., 40:21, pls. 1-2, April 20, 1960.

HOLOTYPE.—No. 46903, 16 kilometers south of Cuatro Ciénegas, Coahuila; John M. Legler, Wendell L. Minckley, and Robert B. Wimmer; September 6, 1958.

PARATYPES.—Nos. 46904-46906, 46908-46912, data same as on holotype.

Trionyx muticus calvatus Webb, Univ. Kansas Publ. Mus. Nat. Hist., 11:519, pls. 13-14, fig. 1, August 14, 1959.

PARATYPES.—Nos. 47117-47119, Pearl River, 1 mile south to 4 miles north of Monticello, Lawrence County, Mississippi; Robert G. Webb; April 10, 1957.

Trionyx spinifera pallidus Webb, Univ. Kansas Publ. Mus. Nat. Hist., 13:522, pls. 39-40, February 16, 1962.

PARATYPES.—Nos. 2934, 2947, 2966, 2967, 2973, Lewisville, Lafayette County, Arkansas; R. E. McEntyre; May 1, 1926. Nos. 40175 and 40176, Lake Texoma, 2 miles east of Willis, Marshall County, Oklahoma; John M. Legler; summer, 1955. No. 50832, 4 miles southwest of Kingston, Mouth of Caney Creek, Marshall County, Oklahoma; Virgil Dowell; summer, 1954.

SAURIA

Alopoglossus plicatus Taylor [= *Ptychoglossus plicatus* (Taylor), according to Ruibal, Bull. Mus. Comp. Zool., 106:501, 1952], Univ. Kansas Sci. Bull., 33:272, fig. 1, August 20, 1949.

HOLOTYPE.—No. 23800, Morehouse Finca, 5 miles southwest of Turrialba, Cartago Province, Costa Rica; Edward H. Taylor; July 21, 1947.

Ameiva festiva occidentalis Taylor, Univ. Kansas Sci. Bull., 38:264, fig. 66, December 20, 1956.

PARATYPES.—Nos. 40545-40548, 40553-40558, Agua Buena, Cañas Gordas, Puntarenas Province, Costa Rica; Edward H. Taylor; July 25-26, 1954. Nos. 40549 and 40550, 15 kilometers west-southwest of San Isidro del General, San José Province, Costa Rica; Edward H. Taylor; August 2, 1954.

Anadia metallica arborea Taylor, Univ. Kansas Sci. Bull., 37:542, fig. 13, October 15, 1955.

HOLOTYPE.—No. 34225, Las Flores, Tenoria de Las Cañas, Guanacaste Province, Costa Rica; John Baker and Edward H. Taylor; August 22, 1952.

Anadia metallica attenuata Taylor, Univ. Kansas Sci. Bull., 37:537, fig. 12, October 15, 1955.

HOLOTYPE.—No. 34223, Pacuare, Río Pacuare, Cartago Province, Costa Rica; Edward H. Taylor; August 17, 1951.

PARATYPES.—No. 34224, Moravia de Chirripó, Cartago Province, Costa Rica; Edward H. Taylor; June 26, 1952.

Anolis achilles Taylor, Univ. Kansas Sci. Bull., 38:153, fig. 43, December 20, 1956.

HOLOTYPE.—No. 40634, La Palma, San José Province, Costa Rica; Edward H. Taylor; June 20, 1954.

Anolis allisoni Barbour, Proc. New England Zool. Club, 10:58, July 26, 1928.

PARATYPE.—No. 47167, Coxen Hole, Ruatan Island, Honduras; Thomas Barbour; 1928.

NOTE.—Received in exchange; formerly this specimen was Museum of Comparative Zoology No. 26737.

Anolis aquaticus Taylor, Univ. Kansas Sci. Bull., 38:141, fig. 39, December 20, 1956.

HOLOTYPE.—No. 34276, Palmar, Puntarenas Province, Costa Rica; John Baker; September 3, 1952.

PARATYPES.—Nos. 34277 and 34278, Golfito, Puntarenas Province, Costa Rica; Edward H. Taylor; September 3, 1952.

Anolis biscutiger Taylor, Univ. Kansas Sci. Bull., 38:81, fig. 19, December 20, 1956.

HOLOTYPE.—No. 40771, Golfito, Puntarenas Province, Costa Rica; Edward H. Taylor, September 4-8, 1952.

PARATYPES.—No. 40764, 10-15 kilometers west-southwest of San Isidro del General, San José Province, Costa Rica; Edward H. Taylor; July 10, 1952. Nos. 40766 and 40768, Palmar, Puntarenas Province, Costa Rica; John Baker and Edward H. Taylor; September 2, 1952. Nos. 40769, 40770, 40772-40774, data same as holotype.

NOTES.—Taylor (1956:81) erroneously listed 40769, 40770, 40772-40774 as being from Palmar, instead of Golfito; paratypes 40765 and 40767 have been exchanged with the Museum of Comparative Zoology.

Anolis humilis marsupialis Taylor, Univ. Kansas Sci. Bull., 38:97, fig. 23, December 20, 1956.

HOLOTYPE.—No. 40893, 15 kilometers west-southwest of San Isidro del General, San José Province, Costa Rica; Edward H. Taylor; July 14, 1952.

PARATYPES.—Nos. 40889, 40890, 40892, 40895 and 40896, data same as on holotype.

NOTE.—Paratypes 40891 and 40894 listed by Taylor (1956:97) have been exchanged with the Museum of Comparative Zoology.

Anolis nelsoni Barbour, Mem. Mus. Comp. Zool., Harvard, 44:287, March, 1914.

PARATYPE.—No. 47168, Swan Island, Honduras; George Nelson; March, 1912.

NOTE.—Received in exchange from the Museum of Comparative Zoology.

Anolis woodi attenuatus Taylor, Univ. Kansas Sci. Bull., 38:118, fig. 32, December 20, 1956.

HOLOTYPE.—No. 34257, Isla Bonita, Heredia Province, Costa Rica; Edward H. Taylor; July 29, 1947.

PARATYPE.—No. 34256, data same as holotype.

Aristelliger nelsoni Barbour, Mem. Mus. Comp. Zool., Harvard, 44:258, March, 1914.

PARATYPE.—No. 47169, Swan Island, Honduras; George Nelson; March, 1912.

NOTE.—Received in exchange; this specimen formerly was Museum of Comparative Zoology No. 9602.

Crotaphytus collaris auriceps Fitch and Tanner, Trans. Kansas Acad. Sci., 54:553, December, 1951.

HOLOTYPE.—No. 29934, 3.5 miles north-northeast of Dewey, west side of Colorado River, Grand County, Utah; Henry S. Fitch; June 28, 1950.

PARATYPES.—Nos. 29935-29942, data same as on holotype.

Eumeces brevirostris bilineatus Tanner, Great Basin Nat., 18:59, fig. 2, November 15, 1958.

HOLOTYPE.—No. 44732, 10 miles southwest of El Salto, Durango, México; Charles M. Fugler; June 28, 1955.

PARATYPES.—Nos. 44728, 44730, 44731, 9 miles southwest of El Salto, Durango, México; Charles M. Fugler and Robert G. Webb; June 26-28, 1955. Nos. 44726, 44729, same locality as holotype; Rollin H. Baker and Robert G. Webb; June 25, 1955. No. 44727, 15 miles southwest of El Salto, Durango, México; Charles M. Fugler; June 25, 1955.

Eumeces dicei pineus Axtell, Copeia, 1960(1):19, figs. 1-2, March 25, 1960.

HOLOTYPE.—No. 39539, Cañon de Carolina, 13 miles east of San Antonio de las Alazanas, Coahuila, México; Robert G. Webb; July 6, 1955.

Eumeces gaigei Taylor [= *Eumeces multivirgatus epipleurotis* Cope, according to Axtell (Texas Jour. Sci., 13:345, 1961)], Univ. Kansas Sci. Bull., 22:219, fig. 1, April 15, 1935.

HOLOTYPE.—No. 7300, near Taos, Taos County, New Mexico; Edward H. Taylor; June 13, 1929.

PARATYPE.—No. 7301, data same as on holotype.

Eumeces inexpectatus Taylor, Univ. Kansas Sci. Bull., 20:251, pls. 17-18, October 1, 1932.

HOLOTYPE.—No. 8232, Citrus County, Florida; Charles E. Burt; March 7, 1930.

Eumeces lynxe durangoensis Tanner, [= *Eumeces lynxe lynxe* (Wiegmann), according to Legler and Webb (Southwest. Nat., 5:16, 1960)], Great Basin Nat., 18:57, fig. 1, November 15, 1958.

HOLOTYPE.—No. 44737, 30 miles east of El Salto, Durango, México; Charles M. Fugler; June 30, 1955.

PARATYPES.—Nos. 44734 and 44735, same as holotype. No. 44736, 10 miles east of El Salto, Durango, México; Charles M. Fugler; June 30, 1955.

Eumeces multivirgatus taylори Smith—See *Eumeces taylори* Smith.

Eumeces taylори Smith [= *Eumeces multivirgatus taylори* Smith, according to Lowe (Herpetologica, 11:233, 1955)], Proc. New England Zool. Club, 21:93, November 14, 1942.

PARATYPE.—No. 13161, Black River, 2 miles east of entrance to Carlsbad Caverns, Eddy County, New Mexico; Edward H. Taylor; September 11, 1931.

Holbrookia bunkerі Smith [= *Holbrookia maculata bunkerі* Smith, according to Williams and Smith (Herpetologica, 13:265, 1958)], Univ. Kansas Sci. Bull., 22:185, April 15, 1935.

HOLOTYPE.—No. 19236, 15 miles south of Juárez, Chihuahua, México; David H. Dunkle and Hobart M. Smith; June 19, 1934.

NOTE.—Formerly this specimen was H. M. Smith No. 80, as given in the original description.

Holbrookia maculata bunkerii Smith—See *Holbrookia bunkerii* Smith.

Leiolopisma cherriei lampropholis Taylor [= *Scincella cherriei lampropholis* (Taylor), according to generic arrangement by Mittleman (Smithsonian Misc. Coll., 117(No. 17):23; 1952)], Univ. Kansas Sci. Bull., 38:287, figs. 71-72, December 20, 1956.

HOLOTYPE.—No. 34436, Bataan, Limón Province, Costa Rica; Edward H. Taylor; July 23-25, 1951.

PARATYPES.—(all from Costa Rica) No. 25169, 5 kilometers southeast of Tilarán, Guanacaste Province; E. Raymond Hall and Marco Tulio Pacheco; March 10, 1947. Nos. 25524-25535, 25538-25542, Interamerican Institute of Agriculture, Turrialba, Cartago Province; Edward H. Taylor and others; June and July, 1947. Nos. 25536 and 25537, Morehouse Finca, 5 miles southwest of Turrialba, Cartago Province; Edward H. Taylor and Richard C. Taylor; July 11-12, 1947. Nos. 34409-34414, Los Diamantes, 1 kilometer east of Guápiles, Limón Province; John Baker and Edward H. Taylor; July and August, 1951. Nos. 34415-34435, 34437 and 34439, data same as on holotype. Nos. 34456-34469, Interamerican Institute of Agriculture, Turrialba, Cartago Province; Edward H. Taylor; July and August, 1951. Nos. 34470-34483, La Lola, Limón Province; John Baker and Edward H. Taylor; August 7-11, 1952. No. 34484, Puerto Limón, Limón Province; Edward H. Taylor; August 3, 1952. No. 34485, Mountain Cow Creek, near Limón, Limón Province; Edward H. Taylor; August 6, 1952. Nos. 34502-34510, Interamerican Institute of Agriculture, Turrialba, Cartago Province; Edward H. Taylor; June, 1952. Nos. 34511-34539, 34864, Interamerican Institute of Agriculture; John Baker and Edward H. Taylor; September, 1952. Nos. 40514-40516, Suretka, Limón Province; Edward H. Taylor; June and July, 1954. No. 40521, Puerto Viejo, Heredia Province; Edward H. Taylor; August 7, 1954.

Lepidophyma anomalum Taylor [= *Lepidophyma obscurum* Barbour, according to Taylor (Univ. Kansas Sci. Bull., 38:220, 1956)], Univ. Kansas Sci. Bull., 37:554, fig. 14, October 15, 1955.

HOLOTYPE.—No. 34207, Los Diamantes, 1 kilometer east of Guápiles, Limón Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; September 3, 1947.

PARATYPES.—Nos. 34205 and 34206, data same as holotype. No. 34208, Morehouse Finca, 5 miles southwest of Turrialba, Cartago Province, Costa Rica; Edward H. Taylor; July 2, 1951. No. 34209, no specific locality in Costa Rica. No. 34210, Bataan, Limón Province, Costa Rica; Edward H. Taylor; July 24, 1951. Nos. 34211, 34212, 34214-34216, La Lola, Limón Province, Costa Rica; John Baker and Edward H. Taylor; August 8-12, 1952. No. 34213, Los Diamantes, 1 kilometer east of Guápiles, Limón Province, Costa Rica; John Baker; August 12, 1952.

Lepidophyma ophiophthalmum Taylor, Univ. Kansas Sci. Bull., 37:558, fig. 15, October 15, 1955.

HOLOTYPE.—No. 36250, 5 kilometers north-northeast of Tilarán, Guanacaste Province, Costa Rica; Edward H. Taylor; August 16, 1954.

PARATYPES.—Nos. 34217-34219, Las Flores, Tenorio de Las Cañas, Guanacaste Province, Costa Rica; Edward H. Taylor and John Baker; August 22, 1954.

Lepidophyma reticulatum Taylor, Univ. Kansas Sci. Bull., 37:551, fig. 14, October 15, 1955.

HOLOTYPE.—No. 36245, Agua Buena, Puntarenas Province, Costa Rica; Edward H. Taylor; July 25, 1954.

PARATYPES.—Nos. 34189-34192, 3 kilometers east of San Isidro del General, San José Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; September 1-8, 1947. No. 34193, San Isidro del General, San José Province, Costa Rica; John Baker; July 7, 1952. Nos. 34194-34202, 34204, 15-17 kilometers west-southwest of San Isidro del General, San José Province, Costa Rica; John Baker and Edward H. Taylor; July 10, 1952. Nos. 36230-36237, 4-5 kilometers northwest of Tilarán, Guanacaste Province, Costa Rica; Edward H. Taylor; August 10-15, 1954. Nos. 36238-36244, 36246-36249, data same as on holotype.

Leposoma bisecta Taylor [= *Leposoma southi southi* Ruthven and Gaige, according to Ruibal (Bull. Mus. Comp. Zool., 106:482, 1952)], Univ. Kansas Sci. Bull., 33:275, fig. 2, April 20, 1949.

HOLOTYPE.—No. 23801, 0.5 mile west of San Isidro del General, San José Province, Costa Rica; Edward H. Taylor; August 21, 1947.

Leposoma southi orientalis Taylor, Univ. Kansas Sci. Bull., 37:546, October 15, 1955.

HOLOTYPE.—No. 36124, Volio, Limón Province, Costa Rica; Edward H. Taylor; June 24, 1954.

PARATYPE.—No. 36125, same as on holotype.

Mabuya brachypoda Taylor, Univ. Kansas Sci. Bull., 38:308, fig. 76, December 20, 1956.

HOLOTYPE.—No. 36258, 4 kilometers east-southeast of Tilarán, Guanacaste Province, Costa Rica; Edward H. Taylor; August 15, 1954.

PARATYPES.—Nos. 34310-34313, mouth of Río Barranca, Puntarenas Province, Costa Rica; John Baker and Edward H. Taylor; July 26, 1952. Nos. 34314-34317, Tenorio de Las Cañas, Guanacaste Province, Costa Rica; John Baker and Edward H. Taylor; August 21-24, 1952. No. 34326, Palmar, Puntarenas Province, Costa Rica; Edward H. Taylor; September 2, 1952. Nos. 36312 and 36313, Barranca, Puntarenas Province, Costa Rica; Edward H. Taylor; August 21, 1954.

Mabuya macularia postnasalis Taylor and Elbel, Univ. Kansas Sci. Bull., 38:1105, March 20, 1958.

HOLOTYPE.—No. 40110, Phu Lom Lo (mountain), Kok Sathon (village), Dan Sai (district), Loei (province), Thailand; Robert E. Elbel; March 30, 1954.

PARATYPES.—Nos. 40109, 40111, 40112, data same as on holotype.

Sceloporus poinsetti macrolepis Smith and Chrapliwy, Herpetologica, 13:268, January 24, 1958.

PARATYPES.—No. 33855, 4 miles southwest of Coyotes, Durango, México; William M. Lynn; July 14, 1953. Nos. 38097 and 38098, 2 miles west of Sain Alto, Zacatecas, México; Robert W. Dickerman; June 7, 1954.

Scincella cherriei lampropholis (Taylor)—See *Leiolopisma cherriei lampropholis* Taylor.

Urosaurus ornatus caeruleus (Smith)—See *Uta Caerulea* Smith.

Uta caerulea Smith [= *Urosaurus ornatus caeruleus* (Smith), according to Mittleman (Bull. Mus. Comp. Zool., 91:139, 1942)], Univ. Kansas Sci. Bull., 22:172, April 15, 1935.

HOLOTYPE.—No. 19237, about 30 miles north of Ciudad Chihuahua, Chihuahua, México; David H. Dunkle and Hobart M. Smith; June 21, 1934.

PARATYPES.—No. 19238, data same as on holotype. Nos. 19239 and 19240, 20 miles south of Ciudad Chihuahua, Chihuahua, México; David H. Dunkle and Hobart M. Smith; June 21, 1934.

NOTE.—Formerly these specimens were respectively H. M. Smith Nos. 132, 128, 141 and 143, as given in the original description.

Xenosaurus nemanorum Taylor, Univ. Kansas Sci. Bull., 33:183, April 20, 1949.

PARATYPES.—Nos. 24043-24047, Xilitla region, San Luis Potosí, México; Marcella Newman; April 27-June 1, 1947.

NOTE.—Formerly these specimens were respectively Louisiana State University Nos. 502, 496, 492, 503, and 489.

SERPENTES

Bothrops schlegeli supraciliaris Taylor, Univ. Kansas Sci. Bull., 36:791, fig. 39, July 15, 1954.

HOLOTYPE.—No. 31997, mountains near San Isidro del General, San José Province, Costa Rica; collector and date unknown.

Coniophanes fissidens obsoletus Minton and Smith, Herpetologica, 16:108, fig. 1, June 17, 1960.

PARATYPES.—Nos. 30976-30979, 34834, Turrialba, Cartago Province, Costa Rica; John Baker and Edward H. Taylor; June-August, 1951.

Dipsas costaricensis Taylor [= *Sibon longifrenis* (Stejneger), according to Peters (Misc. Publ. Mus. Zool. Univ. Michigan, 114:192, 1960)], Univ.

Kansas Sci. Bull., 34:63, pl. 7, fig. 2, October 1, 1951.

HOLOTYPE.—No. 25703, Morehouse Finca, 5 miles southwest of Turrialba, Cartago Province, Costa Rica; Edward H. Taylor; July 16, 1947.

Dipsas tenuissima Taylor, Univ. Kansas Sci. Bull., 36:771, figs. 28-29, July 15, 1954.

HOLOTYPE.—No. 31961, 15 kilometers west-southwest of San Isidro del General, San José Province, Costa Rica; Edward H. Taylor; July 10, 1952.

Dryadophis sanguiventris Taylor, Univ. Kansas Sci. Bull., 36:722, July 15, 1954.

HOLOTYPE.—No. 31978, Esquinas Forest Reserve, Las Esquinas, between Golfito and Palmar, Puntarenas Province, Costa Rica; Edward H. Taylor; September 3, 1952.

Ficimia streckeri Taylor, Copeia, 1931(1):5, March 31, 1931.

HOLOTYPE.—No. 9140, 3 miles east of Rio Grande City, Starr County, Texas; Edward H. Taylor; July 13, 1930.

NOTE.—Taylor (1931:5) erroneously listed the number of the holotype as 4140.

Geophis acutirostris Taylor, Univ. Kansas Sci. Bull., 36:691, fig. 3, July 15, 1954.

HOLOTYPE.—No. 34670, Cot, south slope of Volcán Irazú, Cartago Province, Costa Rica; Edward H. Taylor; July 2, 1952.

Geophis aquilonaris Legler, Univ. Kansas Publ. Mus. Nat. Hist., 11:329, figs. 1-2, January 28, 1959.

HOLOTYPE.—No. 44265, 23 miles south and 1.5 miles east of Creel, Chihuahua, México; Ronald H. Pine; July 23, 1957.

PARATYPE.—No. 44266, data same as on holotype.

Geophis bakeri Taylor, Univ. Kansas Sci. Bull., 36:689, July 15, 1954.

HOLOTYPE.—No. 31983, Isla Bonita, Heredia Province, Costa Rica; Edward H. Taylor; July 19, 1952.

PARATYPES.—No. 30940, Pacayas, Cartago Province, Costa Rica; Edward H. Taylor; August 6, 1951. Nos. 31982, 31984, data same as on holotype.

Geophis zeledoni Taylor, Univ. Kansas Sci. Bull., 36:693, fig. 4, July 15, 1954.

HOLOTYPE.—No. 31992, Finca Zeledon, between Volcán Barba and Volcán Poás, Heredia Province (?), Costa Rica; Edward H. Taylor; July 24, 1952.

PARATYPE.—No. 31951, data same as on holotype.

Lampropeltis doliata taylori Tanner and Loomis, Trans. Kansas Acad. Sci., 60:31, pls. 3-4, April 23, 1957.

PARATYPE.—No. 38952, Vernal, Uintah County, Utah; Lawrence Atwood; 1955.

Lycodon osmanhilli Taylor, Univ. Kansas Sci. Bull., 33:562, pl. 20, March 20, 1950.

HOLOTYPE.—No. 24141, Colombo, Ceylon; W. C. Osman Hill; date unknown.

Micrurus alleni richardi Taylor [= *Micrurus richardi* Taylor, according to Taylor (Univ. Kansas Sci. Bull., 36:777, 1954)], Univ. Kansas Sci. Bull., 34:169, pl. 23, fig. 7, October 1, 1951.

HOLOTYPE.—No. 25189, Los Diamantes, 1 kilometer east of Guápiles, Limón Province, Costa Rica; Edward H. Taylor and Richard C. Taylor; September 8, 1947.

Micrurus pachecoi Taylor, Univ. Kansas Sci. Bull., 34:165, pl. 22, fig. 6, October 1, 1951.

HOLOTYPE.—No. 25188, Guanacaste Province, Costa Rica; collector and date unknown.

Micrurus richardi Taylor—See *Micrurus alleni richardi* Taylor.

Natrix harteri paucimaculata Tinkle and Conant, Southwestern Naturalist, 6:34 figs. 1-2, June 10, 1961.

PARATYPES.—Nos. 59884 and 59885, Colorado River south of city limits of Robert Lee, Coke County, Texas; Donald W. Tinkle and Don L.

McGregor; October 8, 1960.

Natrix rigida sinicola Huheey, Copeia, 1959(4):305, fig. 1, December 30, 1959.

PARATYPE.—No. 24500, Steep Hill Creek, Natchitoches Parish, Louisiana; Henry S. Fitch; August 15, 1947.

Ninia cerroensis Taylor, Univ. Kansas Sci. Bull., 36:699, figs. 5-6, July 15, 1954.

HOLOTYPE.—No. 31935, Pacific slope of Cerro de la Muerte, 7500 feet, San José Province, Costa Rica; Edward H. Taylor; July 8, 1952.

Nothopsis torresi Taylor, Univ. Kansas Sci. Bull., 34:31, pl. 1, October 1, 1951.

HOLOTYPE.—No. 25719, Morehouse Finca, 5 miles southwest of Turrialba, Cartago Province, Costa Rica; Edward H. Taylor; July 16, 1947.

NOTE.—Taylor (1951:31) erroneously listed the number of the holotype as 28719.

Pliocercus annellatus Taylor, Univ. Kansas Sci. Bull., 34:107, pl. 10, fig. 4, October 1, 1951.

HOLOTYPE.—No. 25730, Morehouse Finca, 5 miles southwest of Turrialba, Cartago Province, Costa Rica; Edward H. Taylor; July 11, 1947.

NOTE.—Taylor (1951:107) erroneously listed the number of the holotype as 25370.

Rhadinaea altamontanus Taylor, Univ. Kansas Sci. Bull., 36:740, fig. 16, July 15, 1954.

HOLOTYPE.—No. 30962, National Forest Reserve, Pan-American Highway, Talamanca Range, Cartago Province, Costa Rica; Edward H. Taylor and Jack Reark; August, 1951.

Rhadinaea decipiens rubricollis Taylor, Univ. Kansas Sci. Bull., 36:739, July 15, 1954.

HOLOTYPE.—No. 31956, Cinchona, Alajuela Province, Costa Rica; Edward H. Taylor; June 23, 1952.

Sibynophis collaris triangularis Taylor and Elbel, Univ. Kansas Sci. Bull., 38:1130, fig. 23, March 20, 1958.

HOLOTYPE.—No. 33520, Nongko (village), Siracha (district), Chon Buri (province), Thailand; Boonsong Lekagul; August 18, 1953.

Tantilla costaricensis Taylor [= *Tantilla schistosa costaricensis* Taylor, according to Smith (Herpetologica, 18:16, 1962)], Univ. Kansas Sci. Bull., 36:766, fig. 25a, July 15, 1954.

HOLOTYPE.—No. 30995, Cervantes, Cartago Province, Costa Rica; Edward H. Taylor; August 30, 1951.

Tantilla schistosa costaricensis Taylor—See *Tantilla costaricensis*.

Tantilla schistosa taylori Smith, Herpetologica, 18:17, April 9, 1962.

HOLOTYPE.—No. 35627, Suretka, Limón Province, Costa Rica; Edward H. Taylor; August 1, 1954.

Thamnophis melanogaster chihuahuaensis Tanner, Herpetologica, 15:170, figs. 1-2, December 8, 1959.

PARATYPES.—Nos. 44275-44278, 23 miles south and 1.5 miles east of Creel, Chihuahua, México; Sydney Anderson and Ronald H. Pine; July 19-21, 1957.

NOTE.—Tanner (1959:170) erroneously listed these specimens as being from 1.5 miles east of Creel.

Tropidoclonion lineatum annectens Ramsey, Herpetologica, 9:12, June 1, 1953.

HOLOTYPE.—No. 30005, Tulsa, Tulsa County, Oklahoma; Harold Dundee; May 3, 1951.

PARATYPES.—Nos. 30006-30011, data same as holotype.

Typhlops silus Legler [= *Typhlops lumbricalis* (Linnaeus), according to Richmond (Copeia, 1961(2):222, 1961)], Herpetologica, 15:105, June 2, 1959.

HOLOTYPE.—No. 47469, Banes, Oriente Province, Cuba; Chapman Grant; April, 1956.

PARATYPES.—Nos. 47470 and 47471, data same as on holotype.

Transmitted June 28, 1962.

□

29-4227

Transcriber's Note:

Two misspelled words were corrected.

*** END OF THE PROJECT GUTENBERG EBOOK TYPE SPECIMENS
OF AMPHIBIANS AND REPTILES IN THE MUSEUM OF NATURAL
HISTORY, THE UNIVERSITY OF KANSAS ***

Updated editions will replace the previous one—the old editions will be renamed.

Creating the works from print editions not protected by U.S. copyright law means that no one owns a United States copyright in these works, so the Foundation (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg™ electronic works to protect the PROJECT GUTENBERG™ concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for an eBook, except by following the terms of the trademark license, including paying royalties for use of the Project Gutenberg trademark. If you do not charge anything for copies of this eBook, complying with the trademark license is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. Project Gutenberg eBooks may be modified and printed and given away—you may do practically ANYTHING in the United States with eBooks not protected by U.S. copyright law. Redistribution is subject to the trademark license, especially commercial redistribution.

START: FULL LICENSE

THE FULL PROJECT GUTENBERG™ LICENSE

PLEASE READ THIS BEFORE YOU DISTRIBUTE OR USE THIS WORK

To protect the Project Gutenberg™ mission of promoting the free distribution of electronic works, by using or distributing this work (or any other work associated in any way with the phrase “Project Gutenberg”), you agree to comply with all the terms of the Full Project Gutenberg License available with this file or online at www.gutenberg.org/license.

Section 1. General Terms of Use and Redistributing Project Gutenberg electronic works

1.A. By reading or using any part of this Project Gutenberg electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property (trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. “Project Gutenberg” is a registered trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg electronic works if you follow the terms of this agreement and help preserve free future access to Project Gutenberg electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation (“the Foundation” or PGLAF), owns a compilation copyright in the collection of Project Gutenberg electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is unprotected by copyright law in the United States and you are

located in the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg mission of promoting free access to electronic works by freely sharing Project Gutenberg works in compliance with the terms of this agreement for keeping the Project Gutenberg name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg work. The Foundation makes no representations concerning the copyright status of any work in any country other than the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg License must appear prominently whenever any copy of a Project Gutenberg work (any work on which the phrase “Project Gutenberg” appears, or with which the phrase “Project Gutenberg” is associated) is accessed, displayed, performed, viewed, copied or distributed:

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg™ License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

1.E.2. If an individual Project Gutenberg electronic work is derived from texts not protected by U.S. copyright law (does not contain a notice indicating that it is posted with permission of the copyright holder), the work can be copied and distributed to anyone in the United States without paying any fees or charges. If you are redistributing or providing access to a work with the phrase “Project Gutenberg” associated with or appearing on the work, you must comply either with the requirements of paragraphs 1.E.1 through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or remove the full Project Gutenberg License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up, nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg work in a format other than “Plain Vanilla ASCII” or other format used in the official version posted on the official Project Gutenberg website (www.gutenberg.org), you must, at no additional cost, fee or expense to the user, provide a copy, a means of exporting a copy, or a means of obtaining a copy upon request, of the work in its original “Plain Vanilla ASCII” or other form. Any alternate format must include the full Project Gutenberg License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access to, viewing, displaying, performing, copying or distributing any Project Gutenberg works unless you comply with paragraph 1.E.8 or 1.E.9.

1.E.8. You may charge a reasonable fee for copies of or providing access to or distributing Project Gutenberg electronic works provided that:

- You pay a royalty fee of 20% of the gross profits you derive from the use of Project Gutenberg works calculated using the method you already use to calculate your applicable taxes. The fee is owed to the owner of the Project Gutenberg trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, "Information about donations to the Project Gutenberg Literary Archive Foundation."
- You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg™ License. You must require such a user to return or destroy all copies of the works possessed in a physical medium and discontinue all use of and all access to other copies of Project Gutenberg™ works.
- You provide, in accordance with paragraph 1.F.3, a full refund of any money paid for a work or a replacement copy, if a defect in the electronic work is discovered and reported to you within 90 days of receipt of the work.
- You comply with all other terms of this agreement for free distribution of Project Gutenberg™ works.

1.E.9. If you wish to charge a fee or distribute a Project Gutenberg™ electronic work or group of works on different terms than are set forth in this agreement, you must obtain permission in writing from the Project Gutenberg Literary Archive Foundation, the manager of the Project

Gutenberg™ trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread works not protected by U.S. copyright law in creating the Project Gutenberg™ collection. Despite these efforts, Project Gutenberg™ electronic works, and the medium on which they may be stored, may contain “Defects,” such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

1.F.2. LIMITED WARRANTY, DISCLAIMER OF DAMAGES - Except for the “Right of Replacement or Refund” described in paragraph 1.F.3, the Project Gutenberg Literary Archive Foundation, the owner of the Project Gutenberg™ trademark, and any other party distributing a Project Gutenberg™ electronic work under this agreement, disclaim all liability to you for damages, costs and expenses, including legal fees. YOU AGREE THAT YOU HAVE NO REMEDIES FOR NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY OR BREACH OF CONTRACT EXCEPT THOSE PROVIDED IN PARAGRAPH 1.F.3. YOU AGREE THAT THE FOUNDATION, THE TRADEMARK OWNER, AND ANY DISTRIBUTOR UNDER THIS AGREEMENT WILL NOT BE LIABLE TO YOU FOR ACTUAL, DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.

1.F.3. LIMITED RIGHT OF REPLACEMENT OR REFUND - If you discover a defect in this electronic work within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to

you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you 'AS-IS', WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the remaining provisions.

1.F.6. INDEMNITY - You agree to indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg™ electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg™ electronic works, harmless from all liability, costs and expenses, including legal fees, that arise directly or indirectly from any of the following which you do or cause to occur: (a) distribution of this or any Project Gutenberg work, (b) alteration, modification, or additions or deletions to any Project Gutenberg work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg

Project Gutenberg is synonymous with the free distribution of electronic works in formats readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the

efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need are critical to reaching Project Gutenberg's goals and ensuring that the Project Gutenberg collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation information page at www.gutenberg.org.

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non-profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation's EIN or federal tax identification number is 64-6221541. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state's laws.

The Foundation's business office is located at 41 Watchung Plaza #516, Montclair NJ 07042, USA, +1 (862) 621-9288. Email contact links and up to date contact information can be found at the Foundation's website and official page at www.gutenberg.org/contact

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg™ depends upon and cannot survive without widespread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be freely distributed in machine-readable form accessible by the widest array of equipment

including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status of compliance for any particular state visit www.gutenberg.org/donate.

While we cannot and do not solicit contributions from states where we have not met the solicitation requirements, we know of no prohibition against accepting unsolicited donations from donors in such states who approach us with offers to donate.

International donations are gratefully accepted, but we cannot make any statements concerning tax treatment of donations received from outside the United States. U.S. laws alone swamp our small staff.

Please check the Project Gutenberg web pages for current donation methods and addresses. Donations are accepted in a number of other ways including checks, online payments and credit card donations. To donate, please visit: www.gutenberg.org/donate.

Section 5. General Information About Project Gutenberg electronic works

Professor Michael S. Hart was the originator of the Project Gutenberg concept of a library of electronic works that could be freely shared with anyone. For forty years, he produced and distributed Project Gutenberg eBooks with only a loose network of volunteer support.

Project Gutenberg eBooks are often created from several printed editions, all of which are confirmed as not protected by copyright in the U.S. unless a

copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our website which has the main PG search facility:
www.gutenberg.org.

This website includes information about Project Gutenberg, including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.