

Cranial Osteology of the Hylid Frog, *Smilisca baudini*

Linda Trueb



Project Gutenberg

Cranial Osteology of the Hylid Frog, *Smilisca baudini*

Linda Trueb

A decorative pattern consisting of various geometric shapes (triangles, squares, circles, and lines) in shades of purple and magenta, arranged in a complex, interlocking design.

Project Gutenberg

The Project Gutenberg eBook of Cranial Osteology of the Hylid Frog, *Smilisca baudini*

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

Title: Cranial Osteology of the Hylid Frog, *Smilisca baudini*

Author: Linda Trueb

Release date: November 7, 2010 [eBook #34233]

Most recently updated: January 7, 2021

Language: English

Other information and formats: www.gutenberg.org/ebooks/34233


Credits: Produced by Chris Curnow, Tom Cosmas, Joseph Cooper and
the Online Distributed Proofreading Team at
<https://www.pgdp.net>

*** START OF THE PROJECT GUTENBERG EBOOK CRANIAL
OSTEOLOGY OF THE HYLID FROG, SMILISCA BAUDINI ***


Transcriber's Notes

Except for several minor typographical corrections which were made (missing periods, commas, etc.) that are not detailed here, the text

presented is that which appeared in the original printed version.



UNIVERSITY OF KANSAS PUBLICATIONS
MUSEUM OF NATURAL HISTORY



Volume 18, No. 2, pp. 11-35



October 15, 1968

**Cranial Osteology of the Hylid Frog,
*Smilisca baudini***

BY

LINDA TRUEB

**UNIVERSITY OF KANSAS
LAWRENCE
1968**

**UNIVERSITY OF KANSAS PUBLICATIONS, MUSEUM OF
NATURAL HISTORY**

**Editors of this number: Frank B. Cross, William
E. Duellman,
Philip S. Humphrey**

**Volume 18, No. 2, pp. 11-35
Published October 15, 1968**

**UNIVERSITY OF KANSAS
Lawrence, Kansas**

PRINTED BY
ROBERT R. (BOB) SANDERS, STATE PRINTER
TOPEKA, KANSAS
1968



32-3686

Cranial Osteology of the Hylid Frog, *Smilisca baudini*

BY

LINDA TRUEB

INTRODUCTION

The paucity of descriptive cranial anatomical work dealing with hylid frogs was pointed out by Trueb (1966) in her paper describing the cranial osteology of *Hyla septentrionalis*. Comparative studies on the cranial osteology of the genus *Smilisca* (Duellman and Trueb, 1966), along with other more brief descriptions, reveal variation among cranial characters of hylids. Since these external characters have been useful in defining species, species groups, and genera, it seems worthwhile to pursue correlated studies

on internal cranial structure. The following account dealing with the Neotropical tree frog, *Smilisca baudini* Duméril and Bibron, 1841, is the first published description of the internal cranial anatomy of a hylid frog, and supplements the recent account (Duellman and Trueb, 1966) of external cranial osteology of the same species. Comparative studies of hylid skulls are expected to yield information of taxonomic importance.

I am grateful to Richard J. Baldauf of Texas A & M University and William E. Duellman of the University of Kansas for critically reading the manuscript and offering helpful suggestions. The findings reported here result from research on Middle American hylids supported by a grant from the National Science Foundation (GB-1441) to William E. Duellman.

Materials and Methods

The serial sections illustrated beyond are from an adult male of *Smilisca baudini* (KU 89924) having a snout-vent length of 53.0 mm. and a head width (measured at angle of jaws) of 17.0 mm. The specimen was collected 5.2 kilometers east-southeast of Córdoba, Veracruz, México. Transverse sections were cut at thicknesses of 10 and 15 microns on a rotary microtome and stained according to the technique described by Baldauf (1958). Cleared and stained specimens and dried skeletons also were used. [Figure 1](#) is based on KU 68183-4 and [Fig. 9](#) on KU 55614. All other drawings are made from KU 89924. In all cross-sectional figures, bone is represented by solid black, cartilage by stippling, and connective tissue by cross-hatching. Unless otherwise noted all descriptions are given in an anterior-posterior sequence.

Commonly accepted English terms are used. For example, dentary is used in preference to dentale and maxillary process instead of processus maxillaris. If no commonly accepted English term is available for a given structure, the Latin name is retained. For example, the cartilaginous plate separating the cavum principale from the cavum medium is termed the lamina superior.

DESCRIPTION OF INTERNAL CRANIAL OSTEOLOGY

Olfactory Region

Alary cartilage.—The anterior end of the alary cartilage (*al. c.*, [Figs. 2-5](#)) lies within the posterior concavity of the alary process (*al. proc.*, [Figs. 1-3](#)) of the premaxillary (*pmax.*). In posterior sections the cartilage assumes a dorsolateral position ([Fig. 3](#)), ventral and slightly lateral to the tectum nasi. The alary cartilage remains narrowly separated from the tectum nasi but fuses ventromedially with the septum nasi and forms a nearly complete cartilaginous capsule around the anterior end of the cavum principale. Posterior to the anterior end of the cavum medium and the lamina superior, the alary cartilage separates ventrally from the lamina. In subsequent posterior sections, the cartilage, arcuate in cross section, becomes progressively smaller and terminates at the level of the union of the medial and lateral recesses of the cavum inferior.

Prenasal cartilages.—The superior prenasal cartilage is small; it lies adjacent to the posterodorsal surface of the alary process of the premaxillary, and anterior to the alary cartilage. The inferior prenasal cartilage (*inf. pnas. c.*, [Figs. 2-6](#), [and 8](#)) appears posterior to the appearance of the alary cartilage. The anterior terminus lies at the base of the alary process; the cartilage extends dorsally ([Fig. 3](#)) along the posterior surface of the alary process and then curves posterodorsally and joins the solum nasi medioventral to the posterior end of the septomaxillary ([Fig. 8d](#)).

Tectum nasi.—The anterolateral corner of the tectum nasi (*tect. nas.*, [Fig. 2](#)) appears just posterior and dorsomedial to the anterior end of the alary cartilage. The anterior process is short; it fuses medially with the septum nasi forming a complete roof to the cavum principale ([Figs. 3 and](#)

4). The oblique cartilage (*obl. c.*) diverges laterally from the tectum nasi just posterior to the terminus of the alary cartilage ([Fig. 6](#)). Medially, the tectum nasi persists, overlaid by the nasal bone laterally.

Septum nasi.—Posterior to the appearance of the septum nasi (*sept, nas.*) and its union with the tectum nasi ([Fig. 3](#)), the septum abruptly expands across the width of the skull medial to the alary cartilage. The septum is entirely cartilaginous posterior to the level of the olfactory eminence, except for a small amount of secondary membranous ossification dorsomedially at a level anterior to the nasal bones. Perichondral ossification commences in the dorsal part of the septum nasi at the level of the olfactory eminence. Endochondral ossification first appears dorsally in the vertical part of the septum at the level of the internal nares. Ossification of dorsal parts of the septum precedes ossification of ventral parts. Perichondral ossification of the ventral part of the septum nasi is first noted at the level of transition between the planum antorbitale and solum nasi. Perichondral ossification gradually gives way to endochondral ossification posteriorly.






FIG. 1. Partially disarticulated skull (left frontoparietal and nasal removed) of *Smilisca baudini*, KU 68183, ♀ × 4. Abbreviations: *al. proc.*, alary process of premaxillary; *ant. sq.*, anterior arm of squamosal; *epi. em.*, epiotic eminence; *exocc.*, exoccipital; *fpar.*, frontoparietal; *fpar. fon.*, frontoparietal fontanelle; *max.*, maxillary; *nas.*, nasal; *pal.*, palatine; *pal. proc.*, palatine process; *pasph.*, parasphenoid; *pmax.*, premaxillary; *pvom.*, prevomer; *post. sq.*, posterior arm of squamosal; *pro.*, prootic; *pter.*, pterygoid; *qj.*, quadratojugal; *spmax.*, septomaxillary; *sept. nas.*, septum nasi; *spheth.*, spnenethmoid; *vent. sq.*, ventral arm of squamosal.



FIGS. 2-5. Transverse sections through anterior end of skull: 2) anterior level of inferior prenasal cartilage; 3) anterior level of internasal septum; 4) olfactory capsule at anterior level of cavum principale; 5) olfactory capsule at anterior level of cavum inferius. Abbreviations: *al. c.*, alary cartilage; *al. proc.*, alary process of premaxillary; *cav. med.*, cavum medium; *cav. prin.*, cavum principale; *cr. int.*, crista intermedia; *inf. pnas. c.*, inferior prenasal cartilage; *l. inf.*, lamina inferior; *l. sup.*, lamina superior; *max.*, maxillary; *pmax.*, premaxillary; *r. ext. n. f.*, ramus externus narium foramen; *r. med. n. f.*, ramus medialis narium

foramen; *rec. lat.*, recessus lateralis; *sept. nas.*, septum nasi; *sol. nas.*, solum nasi; *spmx.*, septomaxilla; *tect. nas.*, tectum nasi.



FIGS. 6-7. Transverse sections through olfactory capsule: 6) posterior level of cavum medium; 7) anterior level of prevomer. Abbreviations: *cav. inf.*, cavum inferius; *cav. med.*, cavum medium; *cav. prin.*, cavum principale; *cr. sub.*, crista subnasalis; *ext. nar.*, external nares; *inf.*,

infundibulum; *inf. pnas. c.*, inferior prenasal cartilage; *l. inf.*, lamina inferior; *l. sup.*, lamina superior; *max.*, maxillary; *nas.*, nasal; *ncl. dt.*, nasolacrimal duct; *obl. c.*, oblique cartilage; *p. fac.*, pars facialis; *p. pal.*, pars palatina; *pvom.*, prevomer; *rec. med.*, recessus medialis; *sept. nas.*, septum nasi; *sol. nas.*, solum nasi; *spmax.*, septomaxillary; *tect. nas.*, tectum nasi.

Nasal cavities and associated structures.—The cavum principale (*cav. prin.*, [Fig. 4](#)) is the most anterior of the nasal cavities. It first appears within the capsule bordered dorsally by the tectum nasi, medially and ventrally by the septum nasi, and laterally by the alary cartilage. The cavity extends posteriorly within recesses of the sphenethmoid to the level at which the septum nasi terminates.

The cavum medium (*cav. med.*, [Fig. 5](#)) lies ventral and slightly posterior to the anterior end of the cavum principale. It appears slightly anterior to the septomaxillary at the level of the foramen ramus externus narium and ramus medialis narium. The appearance of the cavum medium within the ventrolateral extension of the septum nasi divides the latter into an upper component, the lamina superior (*l. sup.*) lying between the cavum principale and cavum medium, and a lower part, the lamina inferior (*l. inf.*) lying ventral to the cavum medium. As the cavum medium increases in width in posterior sections, the lamina superior and lamina inferior lose their lateral connection. The lateral part of the cavum medium diverges in the region of the external nares as the nasolacrimal duct (*ncl. dt.*) and the cavum medium becomes confluent with the cavum principale ([Fig. 6](#)). The posterior end of the cavum medium lies at the level of the posterior terminus of the septomaxillary.

Slightly posterior to the anterior end of the cavum medium the foramen for the ramus externus narium (*r. ext. n. f.*) and ramus medialis narium (*r. med. n. f.*) opens ventromedially into the floor of the septum nasi ([Fig. 4](#)). The ventral closure of the floor of the foramen completes the solum nasi, marks the anterior end of the recessus medialis of the cavum inferior, and

differentiates the roof of the recess, the crista intermedia (*cr. int.*), from the solum ([Fig. 5](#)). The crista intermedia joins the laminae superior and inferior and joins them for a short distance to the septum nasi medially. The anterolateral part of the cavum inferior (*cav. inf.*) lies ventrolateral to the cavum medium, and extends medially to join the medial recess. The fusion of the two recesses of the cavum inferior completely separates the lamina inferior from the solum nasi ([Fig. 6](#)).

Near the level of the union of the recessus lateralis and recessus medialis of the cavum inferior, the crista intermedia separates from the septum nasi, and the lamina superior diverges at its mid-width to accommodate the septomaxillary (*spmax.*) ([Figs. 5 6](#)). The lateral remnant of the lamina superior and transition zone between the lamina superior and lamina inferior is short and is quickly replaced by connective tissue. Slightly posterior, the distal edge of the lamina inferior diverges laterally as a small process, which lies dorsal to the pars facialis (*p. fac.*) of the maxillary. This part of the lamina inferior terminates posteriorly at the level of confluence between the cavum principale and lateral recess of the cavum inferior.

Slightly posterior to the divergence of the crista intermedia from the septum nasi, the crista terminates, thereby separating the lamina superior and the lamina inferior from one another ([Figs. 6 and 8](#)). The lamina superior terminates at the level of the infundibulum (*inf.*, [Fig. 7](#)), whereas the lamina inferior extends posterolaterally, increases greatly in depth and joins the laterally ascending oblique cartilage (*obl. c.*) to form the planum terminale (*pla. ter.*, [Fig. 10](#)).

The crista subnasalis (*cr. sub.*, [Fig. 6](#)) differentiates from the lateral edge of solum nasi adjacent to the maxillary in sections just posterior to the confluence of the recessus medialis and the recessus lateralis. The crista persists as a rod of cartilage which gradually diminishes in size and terminates at the posterior level of the septomaxillary.

The septomaxillary.—The septomaxillary (*spmax.*, [Fig. 9a-c](#)) is a triradiate bone. The anterior terminus is a thin sliver of bone oriented horizontally between the cavum principale and cavum medium and lateral to the lamina superior ([Figs. 5 and 8a](#)). This anterior ramus of the

septomaxillary increases in size posteriorly and diverges medially into a medial ramus (*med. r. spmax.*) and lateral ramus (*lat. r. spmax.*, [Fig. 9a-b](#)) to accommodate the confluence of the cavum principale and cavum medium ([Figs. 6 and 8b-c](#)). The small medial ramus is associated with the distal end of the lamina superior whereas the lateral ramus lies dorsal to the lateral margin of the cavum medium. Just anterior to the anterior end of the nasolacrimal duct, the ventral ramus of the septomaxillary (*vent. r. spmax.*, [Fig. 9c](#)) is present in cross-sections ventral to the cavum medium. The ventral ramus joins the horizontal and dorsal rami of the septomaxillary at the anterior end of the nasolacrimal duct. The medial branch terminates posteriorly at the level at which the cavum principale joins the cavum inferior. The lateral ramus of the septomaxillary terminates posteriorly at the level at which the recessus medialis diverges from the recessus lateralis posteriorly and cavum principale and recessus lateralis are confluent.

Planum terminale.—Posterior to the infundibulum the lamina inferior and oblique cartilage join to form the planum terminale (*pla. term.*) which lies lateral to the cavum principale ([Fig. 10](#)). The lamina inferior diverges ventrally from the planum terminale anterior to the olfactory eminence. The planum terminale is restricted ventrally and terminates at the level of the olfactory eminence (*olf. em.*, [Fig. 11](#)).




FIG. 8. Transverse sections through olfactory capsule in region of septomaxillary: *a*) anterior terminus of septomaxillary; *b*) medial divergence of septomaxillary; *c*) dorsal ramus of septomaxillary; *d*) posterolateral terminus of septomaxillary. Encircled numbers represent the nasal cavities as follows: 1) cavum principale; 2) cavum medium; and 3) cavum inferius. Abbreviations: *al. c.*, alary cartilage; *ant. spmax.*, anterior end of septomaxillary; *cr. int.*, crista intermedia; *dor. r. spmax.*, dorsal ramus of septomaxillary; *ext. nar.*, external nares; *inf. pnas. c.*, inferior prenasal cartilage; *l. inf.*, lamina inferior; *l. sup.*, lamina superior; *lat. r. spmax.*, lateral ramus of septomaxillary; *med. r.*

spx., medial ramus of septomaxillary; *nas.*, nasal; *nlc. dt.*, nasolacrimal duct; *obl. c.*, oblique cartilage; *pvom.*, prevomer; *sept. nas.*, septum nasi; *sol. nas.*, solum nasi; *spx.*, septomaxillary; *tect. nas.*, tectum nasi.





FIG. 9. Septomaxillary drawn from cleared and stained specimen of *Smilisca baudini*, KU 55614: a) dorsal; b) ventral; c) lateral. In each example, the anterior end lies to the left. Abbreviations: *dor. r. spx.*, dorsal ramus of septomaxillary; *lat. r. spx.*, lateral ramus of septomaxillary; *med. r. spx.*, medial ramus of septomaxillary; *vent. r. spx.*, ventral ramus of septomaxillary.


Anterior and posterior maxillary processes.—The anterior end of the anterior maxillary process (*ant. max. proc.*) lies within the maxillary at the level of the posterior terminus of the planum terminale. The anterior maxillary process diverges medially from the maxillary ([Fig. 13](#)) and expands dorsally along the medial face of the pars facialis to meet the planum antorbitale just anterior to the transition zone between the latter and the solum nasi. Posterior to the transition zone, the planum antorbitale disappears and the posterior maxillary process is restricted ventrally along the pars facialis of the maxillary. Posteriorly the cartilage is associated with the pterygoid, where it is known as the pterygoid process (*pter. proc.*, [Fig. 14](#)).

Planum antorbitale.—The anterior terminus of the planum antorbitale (*pla. ant.*) lies medial to the ventrolateral part of the nasal and lateral to the internal nares ([Fig. 12](#)). It abruptly expands dorsally along the medial face of the nasal to join the tectum nasi dorsolaterally; somewhat posteriorly the planum antorbitale joins the anterior maxillary process ventrally at the posterior margin of the internal nares.

10



11



FIGS. 10-11. Transverse sections through posterior part of olfactory capsule: 10) region of planum terminale; 11) anterior region of olfactory eminence. Abbreviations: *cav. p.*, cavum principale; *max.*, maxillary; *nas.*, nasal; *nlc. dt.*, nasolacrimal duct; *olf. em.*, olfactory eminence; *p. fac.*, pars facialis; *p. pal.*, pars palatina; *pla. ter.*, planum terminale; *pvom.*, prevomer; *rec. lat.*, recessus lateralis; *sept. nas.*, septum nasi; *sol. nas.*, solum nasi; *tect. nas.*, tectum nasi.

External dermal bones associated with the olfactory region.—The association of the premaxillary (*pmax.*) to the nasal cartilages is described in preceding sections. The premaxillaries are separated from each other medially and from the maxillaries laterally by dense connective tissue. Anteriorly, the maxillary (*max.*) bears a small palatine process (*pal. proc.*, [Fig. 1](#)) and a long, delicate pars facialis (*p. fac.*, [Fig. 6](#)), which terminates dorsally at the level of the lamina inferior. Posterior to the transition zone between the planum antorbitale and solum nasi the pars facialis is greatly reduced. The pars palatina (*p. pal.*, [Fig. 6](#)) persists to the posterior part of the orbit.

12




FIG. 12. Transverse section through the olfactory capsule in region of planum antorbitale. Abbreviations: *cav. prin.*, cavum principale; *int. nar.*, internal nares; *max.*, maxillary; *nas.*, nasal; *olf. em.*, olfactory eminence; *p. fac.*, pars facialis; *p. pal.*, pars palatina; *pal.*, palatine;

pla. ant., planum antorbitale; *pvom.*, prevomer; *sept. nas.*, septum nasi; *sol. nas.*, solum nasi; *tect. nas.*, tectum nasi.

The anterior end of the prevomer (*pvom.*, [Fig. 1](#)) is associated with the venter of the solum nasi at the level of the infundibulum just posterior to the incorporation of the inferior prenasal cartilage into the solum ([Fig. 7](#)). The prevomer expands dorsally around the distal end of the solum to provide a bony lateral support for the olfactory eminence ([Figs. 10 and 11](#)). A distal wing of the prevomer forms the bony anterior and medial margins of the internal nares.

The palatine (*pal.*, [Figs. 1 and 12](#)) lies in connective tissue medial and adjacent to the pars facialis. At its maximum size the palatine forms the bony posterior margin of the internal nares and extends dorsomedially from the pars palatina to the distal part of the solum nasi.

The nasal (*nas.*, [Fig. 1](#)) is a thin bone overlying the tectum nasi anteriorly ([Fig. 7](#)). It expands laterally to form a complete roof over the cavum principale ([Fig. 10](#)). In the region of the internal nares, the nasal forms the lateral wall of the cavum principale ([Fig. 12](#)).




FIG. 13. Transverse section through sphenethmoid region at level of orbitonasal foramen. Abbreviations: *ant. max. proc.*, anterior maxillary process; *max.*, maxillary; *orbnas. f.*, orbitonasal foramen; *pasph.*, parasphenoid; *spheth.*, sphenethmoid.

Sphenethmoid Region

Posterior to the transition zone between the planum antorbitale and solum nasi, the sphenethmoid (*spheth.*, [Fig. 1](#)) is fully ossified medially, the lateral parts of the bone at this level are only ossified perichondrally. The septum nasi persists at the anterior level of the orbit and terminates just anterior to the orbitonasal foramen (*orbnas. f.*) and the anterior end of the parasphenoid (*pasph.*, [Fig. 13](#)). The orbitonasal foramen is moderately

large, has a complete bony margin, and is located at the dorsolateral corner of the braincase.

At the level of the orbitonasal foramen, the sphenethmoid is entirely ossified except for a small dorsolateral extension. This distal extension expands laterally in posterior sections as the braincase is increased to its maximum width at the mid-length of the orbit; the cartilaginous margin is retained throughout the length of the sphenethmoid.


The bony dorsomedial part of the sphenethmoid diverges, forming the anterior border of the frontoparietal fontanelle (*fpar. fon.*, [Figs. 1 and 14](#)). The entire fontanelle is covered with a layer of dense connective tissue continuous with that in which marginal bones and cartilage of the sphenethmoid lie, and which is discrete from the lower dermal layer of the overlying skin. At this level the braincase is U-shaped in cross-section. Ossification terminates first in the ventrolateral corners, followed by the lateral and dorsolateral areas. The bony support of the latter area is furnished by the lamina perpendicularis (*lam. perp.*) of the frontoparietal (*fpar.*, [Fig. 14](#)). Cartilage appears in the ventral part of the sphenethmoid in posteromost sections; at the posterior levels of the orbit the sphenethmoid is entirely cartilaginous.

Orbital, Otic, and Occipital Regions


Orbital region.—The sclera (*scl.*, [Fig. 14](#)) of the eye is cartilaginous. The optic foramen (*opt. f.*) is large and lies in connective tissue at the posterior limits of the orbit and sphenethmoid. At the posterior levels of the foramen the dorsolateral cranial roof cartilages, taeniatectí marginales (*t. t. mar.*) converge medially to form the posterior margin of the frontoparietal fontanelle and the tectum synoticum (*tect. syn.*) of the occipital region. At the posterior levels of the orbit the bursa angularis oris (*b. ang. o.*, [Fig. 14](#)) is present adjacent to the maxillary.

Nerve foramina of otic and occipital regions.—The trochlear foramen lies within the bony margins of the optic foramen. The trochlear nerve is located posterodorsal to the optic tract, and separated from the latter by connective tissue. The oculomotor foramen (*ocul. f.*) lies in connective tissue posterior and ventral to the optic foramen ([Fig. 15](#)). Anteriorly, dorsally, and ventrally the foramen has a bony margin formed by the prootic (*pro.*); posteriorly, only a thin layer of connective tissue separates the oculomotor from the large prootic foramen (*pro. f.*). The latter is bordered by bone dorsally and by cartilage ventrally ([Fig. 16](#)). Posteriorly, bone separates the prootic foramen from the anterior acoustic foramen (*ant. acus. f.*), through which the ramus acusticus anterior and medius pass ([Fig. 17](#)). An extremely narrow bridge of cartilage separates the anterior acoustic foramen from the larger posterior acoustic foramen (*post. acus. f.*). The latter has a bony posterior margin and is widely separated from the bony jugular foramen (*jug. f.*) posteriorly ([Fig. 19](#)).

14



15




FIGS. 14-15. Transverse sections through skull: 14) at level of optic foramen; 15) at level of oculomotor foramen. Abbreviations: *angspl.*, angulosplenial; *ant. r. pter.*, anterior ramus of pterygoid; *ant. sq.*, anterior arm of squamosal; *b. ang. o.*, bursa angularis oris; *fpar.*, frontoparietal; *fpar. fon.*, frontoparietal fontanelle; *l. perp.*, lamina perpendicularis of frontoparietale; *max.*, maxillary; *Mc. c.*, Meckel's cartilage; *ocul. f.*, oculomotor foramen; *opt. f.*, optic foramen; *pasph.*, parasphenoid; *psdbas. proc.*, pseudobasal process; *pter. proc.*,

pterygoid process; *scl.*, sclera; *t. t. mar.*, taenia tecti marginalis; *tymp. r.*, tympanic ring.

Pterygoid.—The anterior terminus of the pterygoid (*pter.*, [Fig. 1](#)) appears at approximately the mid-length of the orbit as a small arcuate bone closely applied to the posterior maxillary process. Farther posteriorly the maxillary decreases in size, and the pterygoid and posterior maxillary process diverge medially from it. Posterior to this point of divergence, the posterior maxillary process is known as the pterygoid process (*pter. proc.*). The anterior terminus of the quadratojugal (*qj.*) lies medial to the maxillary at the level of the oculomotor foramen ([Fig. 14](#)).


Otic region.—The anterior end of the otic capsule (*ot. cap.*) is present at the anterior level of the oculomotor foramen. The anterior terminus of the pseudobasal process (*psdbas. proc.*) lies within the medial portion of the pterygoid at the posterior border of the oculomotor foramen ([Fig. 15](#)). The pseudobasal process abruptly increases in size. At the level of the prootic foramen ([Fig. 16](#)) the medial branch of the pterygoid diverges from the posterior ramus and is closely applied to the medial surface of the pseudobasal process. The otic process extends along the medial surface of the squamosal from the dorsolateral edge of the pseudobasal process, and then expands medially to meet the bony edge of the otic capsule and form the crista parotica. Posterior to the formation of the crista parotica, the ventral part of the otic process splits. The medial part forms the ventrolateral ledge of the otic capsule (*vl. l. ot. c.*, [Fig. 20a-f](#)), whereas the lateral part moves ventrad in association with the ventral arm of the squamosal and fuses with the pterygoid process posteriorly.

Posterior to the bony closure of the prootic foramen, the ventromedial part of the pseudobasal process joins the prootic and forms the ventrolateral edge of the otic capsule. The posterior terminus of the medial branch of the pterygoid lies ventral to the lateral part of the otic capsule. The posterior branch of the otic process merges with the pterygoid process ventrally.



FIGS. 16-17. Transverse sections through otic region: 16) at level of prootic foramen; 17) at level of anterior acoustic foramen. Abbreviations: *angspl.*, angulosplenic; *ant. acus. f.*, anterior acoustic foramen; *cr. par.*, crista parotica; *fpar.*, frontoparietal; *max.*, maxillary; *Mc. c.*, Meckel's cartilage; *ot. cap.*, otic capsule; *pasph.*, parasphenoid; *pro.*, prootic; *psdbas. proc.*, pseudobasal process; *pter.*, pterygoid; *pter.*

proc., pterygoid process; *qj.*, quadratojugal; *sq.*, squamosal; *tect. syn.*, tectum synoticum; *tymp. r.*, tympanic ring.



FIGS. 18-19. Transverse sections through otic capsule: 18) at level of posterior acoustic foramen; 19) at level of jugular foramen. Abbreviations: *angspl.*, angulosplenic; *corn. prin.*, cornu principalis;

cr. par., crista parotica; *exocc.*, exoccipital; *fpar.*, frontoparietal; *jug. f.*, jugular foramen; *max.*, maxillary; *Mc. c.*, Meckel's cartilage; *ot. cap.*, otic capsule; *p. ext. pl.*, pars externa plectri; *p. int. pl.*, pars interna plectri; *p. med. pl.*, pars media plectri; *pasph.*, parasphenoid; *post. acus. f.*, posterior acoustic foramen; *postlat. cr. par.*, posterolateral edge of crista parotica; *pro.*, prootic; *pter.*, pterygoid; *pter. proc.*, pterygoid process; *quad. proc.*, quadrate process; *qj.*, quadratojugal; *sq.*, squamosal; *tect. syn.*, tectum synoticum; *tym. r.*, tympanic ring.

At the level of the anterior acoustic foramen the cornu principalis of the hyale (*corn. prin.*) appears as a lateral ledge at the ventrolateral corner of the otic capsule ([Fig. 20a-b](#)). The cornu principalis diverges from the ledge at the level of the abbreviated bridge between the anterior and posterior acoustic foramina. In posterior sections the cornu lies medial to the squamosal-ptyergoid process-ptyergoid complex ([Fig. 18](#)). The posterior terminus of the cornu lies at a level with that of the posterior acoustic foramen.

The pars externa plectri (*p. ext. pl.*, [Fig. 20a-b](#)) is cartilaginous and first appears dorsal to the ventral arm of the squamosal in association with the tympanic membrane. The pars externa plectri expands dorsomedially and is fused briefly to the crista parotica by the pars ascendens plectri (*p. asc. pl.*, [Fig. 20b](#)). The pars interna plectri (*p. int. pl.*, [Fig. 20b-f](#)) is cartilaginous and appears medial to the pars media plectri and the ventrolateral ledge of the otic capsule at the level of the anterior acoustic foramen. The pars media plectri (*p. med. pl.*, [Fig. 20b-f](#)), a cartilage and bone element, appears proximally at the dorsolateral edge of the otic capsule and distally, ventral to the squamosal at a level between the anterior and posterior acoustic foramina. At the level of the posterior acoustic foramina the pars media plectri is bony, greatly expanded in size, and joined to the pars interna plectri medially.

The operculum (*op.*, [Fig. 20d-h](#)) is cartilaginous and lies medial to the lateral edge of the otic capsule between the pars interna plectri and pars

media plectri. The anterior end of the operculum ([Fig. 20d](#)) lies at a level corresponding to the posterior part of the posterior acoustic foramen. Posteriorly the operculum increases in size, and the pars interna plectri and pars media plectri are reduced ([Fig. 20e-f](#)). At a level corresponding to the posterior border of the posterior acoustic foramen the medial portion of the pars interna plectri disappears and leaves a small lateral rod of cartilage surrounded on all but the ventral side by the operculum ([Fig. 20f](#)). The operculum expands medially to merge with the main part of the otic capsule ([Fig. 20g](#)). The lateral edge of the operculum expands ventrally and then dorsomedially to form a complete tube. Slightly more posteriorly the cartilaginous lateral edge of the otic capsule, lateral to the operculum, dissipates into connective tissue and finally disappears, leaving the posterior end of the operculum as the most distal element of the otic capsule ([Fig. 20h](#)).




FIG. 20. Transverse sections through otic capsule: a) level of anterior ledge of otic capsule; b) anterior level of pars interna plectri and pars ascendens plectri; c) level of pars media plectri; d-f) successive levels of operculum and pars media plectri; g-h) posterior levels of operculum. Abbreviations: *corn. prin.*, cornu principalis; *cr. par.*, crista parotica; *op.*, operculum; *p. asc. pl.*, pars ascendens plectri; *p. ext. pl.*, pars externa plectri; *p. int. pl.*, pars interna plectri; *p. med. pl.*, pars media plectri; *sq.*, squamosal; *tymp. r.*, tympanic ring; *vl. l. ot. c.*, ventrolateral ledge of otic capsule.

Ossification in otic and occipital regions.—The otic region of the cranium is largely unossified. At the level of the optic foramen ([Fig. 14](#)) the floor of the neurocranium is cartilaginous but completely underlaid by the bony parasphenoid. The taenia tecti marginales and the tectum synoticum are covered dorsally and laterally by the frontoparietals. Perichondral ossification representing the prootic bone occurs at the margin of the optic foramen and somewhat posteriorly over part of the floor of the neurocranium. Perichondral and endochondral ossification occurs in the sides of the neurocranium ventral to the lamina perpendicularis. This ossification expands laterally until it meets the crista parotica dorsolaterally and forms the dorsal part of the prootic bone. The anteroventral edge of the otic capsule remains cartilaginous. Posteriorly, at the level of the anterior acoustic foramen, endochondral ossification is meager and restricted to the dorsomedial parts of the otic capsule, plus a small amount in the neurocranial floor; perichondral ossification is restricted to the peripheral areas showing endochondral ossification. Posteriorly, endochondral ossification is restricted in the dorsal part of the otic capsule but somewhat increased in the floor of the capsule. The lateral part of the otic capsule posterior to the terminus of the operculum and the ventromedial and dorsomedial parts of the neurocranium remain unossified.

Articular Region

In the anterior sections (at the level of the oculomotor foramen) the angulosplenic (*angspl.*) is a moderate-sized bone ([Fig. 15](#)). Meckel's cartilage (*Mc. c.*) is present as a small ovoid cartilage lying dorsolateral to the angulosplenic. Posteriorly, Meckel's cartilage is dorsal to the angulosplenic. The cartilage increases in size at the level of the posterior acoustic foramen, and the angulosplenic decreases in size posteriorly. At

the level of the posterior border of the posterior acoustic foramen, the maxillary terminates and is replaced by the quadratojugal. The quadratojugal, ventral arm of the squamosal, pterygoid process, pterygoid, and Meckel's cartilage converge. At the level of the jugular foramen (*jug. f.*) ([Fig. 19](#)) the quadratojugal is incorporated into the squamosal-ptyergoid process-ptyergoid complex. The complex is narrowly separated by connective tissue from Meckel's cartilage ventrally. The quadrate process (*quad. proc.*) is represented by the cartilage bordered dorsally by the pterygoid process and the ventral arm of the squamosal, and ventrally by Meckel's cartilage. At the posterior terminus of the skull all bony elements of the articular region terminate, except for a small terminal part of the angulosplenial underlying Meckel's cartilage.

SUMMARY

Since no accounts comparable to the preceding for *Smilisca baudini* are available for other hylid frogs, it is meaningless to attempt any discussion dealing with character significance or variation within the Hylidae. There is considerable literature treating bufonids, leptodactylids, ranids, and various Old World genera (see Baldauf, 1955, for a review of these works). Likewise, a comparison at the familial level based on the study of a single species seems inadequate and premature. By way of summary and synoptic description a list of cranial osteological characters of *Smilisca baudini* is presented. The items selected enable comparison with similar compilations by other workers, and are based in part on my unpublished observations of other hylids.

1. Compared to hylids not having integumentary-cranial co-ossification, the dermal roofing bones of *Smilisca baudini* are extensive, and the skull is well-ossified internally. In contrast to most casque-headed hylids (those having integumentary-cranial

co-ossification), the dermal roofing bones are much less extensive, the dermal sphenethmoid (see Trueb, 1966, p. 563) is absent, and internal ossification is less extensive.

2. The solum nasi is not ossified; the septum nasi is ossified only posteriorly, and the olfactory eminence is supported by the cartilaginous solum nasi and the bony prevomer.
3. The lingual process is absent. There is no palatal cartilage isolated between the premaxillaries.
4. The anterior end of the cavum medium lies anterior to the cavum inferius.
5. The septomaxillary is basically a U-shaped structure and has a dorsal, anteriorly curved, ramus on the lateral branch and a longitudinal loop of bone ventrally.
6. A distinct pars nasalis is absent on the maxillary.
7. A cartilaginous sclera is present.
8. The taenia tecta marginalis and the tectum synoticum are the only roofing cartilages present.
9. The external part of the plectral apparatus (columella) is directed anterolaterally. The pars ascendens plectri is fused with the crista parotica.
10. The pseudobasal process is fused to the otic capsule.
11. The cornu principalis of the hyale fuses with the pseudobasal process.
12. Two acoustic foramina are present.
13. The sphenethmoid and prootic are synchondrotically united.
14. The frontoparietal is separate from the prootic and exoccipital.
15. The prootic and exoccipital are fused.
16. A bursa angularis oris is present.

LITERATURE CITED

BALDAUF, R. J.

1955. Contributions to the cranial morphology of *Bufo w. woodhousei* Girard. Texas Jour. Sci., 7(3):275-311.

1958. A procedure for the staining and sectioning of the heads of adult anurans. Texas Jour. Sci., 10(4):448-451.

DUELLMAN, W. E. and L. TRUEB

1966. Neotropical hylid frogs, genus *Smilisca*. Univ. Kansas Publ., Mus. Nat. Hist., 17:281-375, pls. 1-12.

TRUEB, L.

1966. Morphology and development of the skull of the frog *Hyla septentrionalis*. Copeia, 3:562-573.

Transmitted April 18, 1968.



*** END OF THE PROJECT GUTENBERG EBOOK CRANIAL
OSTEOLOGY OF THE HYLID FROG, SMILISCA BAUDINI ***

Updated editions will replace the previous one—the old editions will be renamed.

Creating the works from print editions not protected by U.S. copyright law means that no one owns a United States copyright in these works, so the Foundation (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg™ electronic works to protect the PROJECT GUTENBERG™ concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for an eBook, except by following the terms of the trademark license, including paying royalties for use of the Project Gutenberg trademark. If you do not charge anything for copies of this eBook, complying with the trademark license is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. Project Gutenberg eBooks may be modified and printed and given away—you may do practically ANYTHING in the United States with eBooks not protected by U.S. copyright law. Redistribution is subject to the trademark license, especially commercial redistribution.

START: FULL LICENSE

THE FULL PROJECT GUTENBERG™ LICENSE

PLEASE READ THIS BEFORE YOU DISTRIBUTE OR USE THIS WORK

To protect the Project Gutenberg™ mission of promoting the free distribution of electronic works, by using or distributing this work (or any other work associated in any way with the phrase “Project Gutenberg”), you agree to comply with all the terms of the Full Project Gutenberg License available with this file or online at www.gutenberg.org/license.

Section 1. General Terms of Use and Redistributing Project Gutenberg electronic works

1.A. By reading or using any part of this Project Gutenberg electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property (trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. “Project Gutenberg” is a registered trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg electronic works if you follow the terms of this agreement and help preserve free future access to Project Gutenberg electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation (“the Foundation” or PGLAF), owns a compilation copyright in the collection of Project Gutenberg electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is unprotected by copyright law in the United States and you are

located in the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg mission of promoting free access to electronic works by freely sharing Project Gutenberg works in compliance with the terms of this agreement for keeping the Project Gutenberg name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg work. The Foundation makes no representations concerning the copyright status of any work in any country other than the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg License must appear prominently whenever any copy of a Project Gutenberg work (any work on which the phrase “Project Gutenberg” appears, or with which the phrase “Project Gutenberg” is associated) is accessed, displayed, performed, viewed, copied or distributed:

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg™ License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

1.E.2. If an individual Project Gutenberg electronic work is derived from texts not protected by U.S. copyright law (does not contain a notice indicating that it is posted with permission of the copyright holder), the work can be copied and distributed to anyone in the United States without paying any fees or charges. If you are redistributing or providing access to a work with the phrase “Project Gutenberg” associated with or appearing on the work, you must comply either with the requirements of paragraphs 1.E.1 through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or remove the full Project Gutenberg License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up, nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg work in a format other than “Plain Vanilla ASCII” or other format used in the official version posted on the official Project Gutenberg website (www.gutenberg.org), you must, at no additional cost, fee or expense to the user, provide a copy, a means of exporting a copy, or a means of obtaining a copy upon request, of the work in its original “Plain Vanilla ASCII” or other form. Any alternate format must include the full Project Gutenberg License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access to, viewing, displaying, performing, copying or distributing any Project Gutenberg works unless you comply with paragraph 1.E.8 or 1.E.9.

1.E.8. You may charge a reasonable fee for copies of or providing access to or distributing Project Gutenberg electronic works provided that:

- You pay a royalty fee of 20% of the gross profits you derive from the use of Project Gutenberg works calculated using the method you already use to calculate your applicable taxes. The fee is owed to the owner of the Project Gutenberg trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, "Information about donations to the Project Gutenberg Literary Archive Foundation."
- You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg™ License. You must require such a user to return or destroy all copies of the works possessed in a physical medium and discontinue all use of and all access to other copies of Project Gutenberg™ works.
- You provide, in accordance with paragraph 1.F.3, a full refund of any money paid for a work or a replacement copy, if a defect in the electronic work is discovered and reported to you within 90 days of receipt of the work.
- You comply with all other terms of this agreement for free distribution of Project Gutenberg™ works.

1.E.9. If you wish to charge a fee or distribute a Project Gutenberg™ electronic work or group of works on different terms than are set forth in this agreement, you must obtain permission in writing from the Project Gutenberg Literary Archive Foundation, the manager of the Project

Gutenberg™ trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread works not protected by U.S. copyright law in creating the Project Gutenberg™ collection. Despite these efforts, Project Gutenberg™ electronic works, and the medium on which they may be stored, may contain “Defects,” such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

1.F.2. LIMITED WARRANTY, DISCLAIMER OF DAMAGES - Except for the “Right of Replacement or Refund” described in paragraph 1.F.3, the Project Gutenberg Literary Archive Foundation, the owner of the Project Gutenberg™ trademark, and any other party distributing a Project Gutenberg™ electronic work under this agreement, disclaim all liability to you for damages, costs and expenses, including legal fees. YOU AGREE THAT YOU HAVE NO REMEDIES FOR NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY OR BREACH OF CONTRACT EXCEPT THOSE PROVIDED IN PARAGRAPH 1.F.3. YOU AGREE THAT THE FOUNDATION, THE TRADEMARK OWNER, AND ANY DISTRIBUTOR UNDER THIS AGREEMENT WILL NOT BE LIABLE TO YOU FOR ACTUAL, DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.

1.F.3. LIMITED RIGHT OF REPLACEMENT OR REFUND - If you discover a defect in this electronic work within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to

you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you 'AS-IS', WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the remaining provisions.

1.F.6. INDEMNITY - You agree to indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg™ electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg™ electronic works, harmless from all liability, costs and expenses, including legal fees, that arise directly or indirectly from any of the following which you do or cause to occur: (a) distribution of this or any Project Gutenberg work, (b) alteration, modification, or additions or deletions to any Project Gutenberg work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg

Project Gutenberg is synonymous with the free distribution of electronic works in formats readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the

efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need are critical to reaching Project Gutenberg's goals and ensuring that the Project Gutenberg collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation information page at www.gutenberg.org.

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non-profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation's EIN or federal tax identification number is 64-6221541. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state's laws.

The Foundation's business office is located at 41 Watchung Plaza #516, Montclair NJ 07042, USA, +1 (862) 621-9288. Email contact links and up to date contact information can be found at the Foundation's website and official page at www.gutenberg.org/contact

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg™ depends upon and cannot survive without widespread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be freely distributed in machine-readable form accessible by the widest array of equipment

including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status of compliance for any particular state visit www.gutenberg.org/donate.

While we cannot and do not solicit contributions from states where we have not met the solicitation requirements, we know of no prohibition against accepting unsolicited donations from donors in such states who approach us with offers to donate.

International donations are gratefully accepted, but we cannot make any statements concerning tax treatment of donations received from outside the United States. U.S. laws alone swamp our small staff.

Please check the Project Gutenberg web pages for current donation methods and addresses. Donations are accepted in a number of other ways including checks, online payments and credit card donations. To donate, please visit: www.gutenberg.org/donate.

Section 5. General Information About Project Gutenberg electronic works

Professor Michael S. Hart was the originator of the Project Gutenberg concept of a library of electronic works that could be freely shared with anyone. For forty years, he produced and distributed Project Gutenberg eBooks with only a loose network of volunteer support.

Project Gutenberg eBooks are often created from several printed editions, all of which are confirmed as not protected by copyright in the U.S. unless a

copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our website which has the main PG search facility:
www.gutenberg.org.

This website includes information about Project Gutenberg, including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.