


Florulae Insularum Australium Prodrromus

Georg Forster

The background of the lower half of the image is a solid blue field. Overlaid on this is a complex, abstract pattern of bright red lines and shapes. The pattern consists of various geometric elements: straight lines of varying lengths, right-angled turns, semi-circular arcs, and solid red shapes including triangles, diamonds, and squares. These elements are interconnected to form a dense, non-repeating geometric lattice.

Project Gutenberg

Florulae Insularum Australium Prodrromus

Georg Forster

Project Gutenberg

The Project Gutenberg eBook of Florulae Insularum Australium Prodromus

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

Title: Florulae Insularum Australium Prodromus

Author: Georg Forster

Release date: May 22, 2011 [eBook #36186]

Most recently updated: January 7, 2021

Language: Latin

Other information and formats: www.gutenberg.org/ebooks/36186

Credits: Produced by Omaio Systems

*** START OF THE PROJECT GUTENBERG EBOOK FLORULAE
INSULARUM AUSTRALIUM PRODROMUS ***

[Transcriber's note: Spelling (including typographic errors) in the original has been preserved without correction, for instance the use of *u* and *v*, the *lapsus* at [Coprosmā](#), numbering of [Dacrydium cupressinum](#), and numerous errors in the [Index](#). This HTML document contains URL fragment identifiers of the form #Agenus

and #Agenus_aspecies, in all such URLs the spelling of taxonomic names conforms to current standards, e.g. [#Cassytha](#) not [#Cassyta](#), [#Gnaphalium_trinerve](#) not [#Gnaphalivm_trinerue](#).]

FLORVLAE INSVLARVM AVSTRALIVM PRODROMVS

AVCTORE

GEORGIO FORSTER M. D.

SERENISSIMO REGI POLONIAE A CONSILIIS INTIMIS HISTORIAE
NATVRALIS ET BOTANICES IN ACADEMIA VILNENSI P.P.O.
ACADEMIAE CAESARIAE NATVRAE CVRIOSORVM REGIAE
MEDICAE MADRITENSIS REGIAR. SOCIETATVM SCIENTIARVM
LONDINENSIS ET HAVNIENSIS SOCIETATVM ANTIQVITATVM ET
REI AGRARIAE QVAE CASSELLIS SVNT REI AGRARIAE
CELLENSIS ET NATVRAE SCRVTATOR. BEROLINENSIS SODALI
NEC NON REGIIS SOCIETATIB. GOTTINGENSI SCIENTIARVM ET
PARISINAE REI AGRARIAE LITTERARVM COMMERCIO
CONIVNCTO.

GOTTINGAE
TYPIS JOANN. CHRISTIAN. DIETRICH.
MDCCLXXXVI.

[blank page]

VIRO

EXCELLENTISSIMO ET CELEBERRIMO

ANDREAE SPARRMANNO

MEDICINAE DOCTORI
PROFESSORI HISTORIAE NATVRALIS
MVSEI HOLMIENSIS ACADEMICI PRAEFECTO
ACADEMIAE REGIAE SCIENTIARVM HOLMIENSIS
SOCIETATIS PHYSIOGRAPHICAE LVNDINENSIS
MEMBRO &c.

FLORVLAE

COMMVNI STVDIO ORNATAE

RECENSUM

D.

GEORGIVS FORSTER.

[blank page]

PRAEFATIO.

Ex itinere circa globum terraqueum redux anno MDCCLXXV, coniunctim cum patre optimo *Characterum nouorum generum plantarum* adumbrationem typis tabellisque aeneis exaratam publici iuris feci. Hanc breui, vt sperabam, ita pollicebar descriptiones integras stirpium orbis australis insequuturas. Haud igitur ab re esset enumerare caussas, quae harum diuulgationem impederunt; verum piget querelis quamuis iustis immorari.

{6}

Interim vndecimus ab editione nouorum generum vertitur annus. Species plantarum complures, a nobis primum detectae, alienis curis prodierunt in lucem, siue quod in solo natali iterum deprehensae fuerunt, siue quod, etsi a nobis mutuatae, alieno nomini minus religiose illae addictae sunt. Facile quidem tolerari poterat iactura tantillae, inuenti legitimis auctoribus erepti, gloriolae. Sed non potuit non vitium subrepere descriptiunculis alienis iuxta sicca plantarum exemplaria congestis et festinanter nimis in medium prolatis. Quae cum ita essent, iam vltro videbar adstipulari erroribus, ni publice in eosdem animaduertentem. Attamen eadem, quae olim, obstacula manum nostro operi admotam inibent. Qui in colligendas hasce naturae diuitias aes publicum impenderunt, ad earundem communicationem cum orbe erudito sumtus denegant, librarii redemptionem recusant; vetat res {7} familiaris tot figurarum scalpuras, quae descriptionibus illustrandis inseruiunt, priuatis opibus moliri. Quid multa? Praemittendum itaque exploratoris vice catalogum Florulae Polynesiae constitui, certiore me redditurum, num in promptu mihi sint auxiliatrices manus, quibus omnibus his angustiis expediar? Enimuero, nisi cuncta me fallunt, praesagiens iam animo tot inter potentissimos Europae principes exorientem Musagetam video, qui nostrorum tentaminum fautorem se praestet, Floraeque australis ornandae honorem Britannis eripiat.

Nomina plantarum, quas cum amicissimo SPARRMANNO in oceani australis insulis legimus descripsimusque, folis differentiis specificis et locis natalibus adiectis, huic prodromo inserui, exclusis stirpibus magellanicis, nec non iis quas in atlantici maris insulis offendimus. Species cognitae omnes {8} ad illustris MURRAYI editionem decimam quartam systematis vegetabilium retuli, emendatis hinc inde differentiis specificis, quas fide supplementi plantarum a Linneo, filio, editi, in eximium opus suum receperat vir celeberrimus. Genera nova nonnulla, instituta diligentiore comparatione, deleui; quae autem temere nimis ab aliis ad genera cognita relata fuerunt, restitui. Plantas dubias porro et obscuras aut imperfecte descriptas seorsim enumerandas esse iudicaui, ne et species probe determinatae vna vacillarent.

Scribebam Vilnae Lituanicae, d. XXX. Junii MDCCLXXXVI.

{1}

**FLORVLAE
INSVLARVM AVSTRALIVM
PRODROMVS.**

CLASSIS I.

MONANDRIA.

MONOGYNIA.

AMOMVM.

1. A. *Zerumbet*, scapo nudo, spica oblonga obtusa. M_VRRAY *Systema Vegetabilium* edit. XIV. p.50. n.2.

Taheiti et reliquae Societatis insulae.

2. A. *Curcuma*, scapo spathis laxis e centro foliorum. M. S.V. p.40. n.5.

Culta intra tropicos et in Paschatis insula.

THALIA.

3. T. *cannaeformis*, corollis hexapetalis: nectario bifido erecto. F.

Mallicollo inter nouas Hebrides.

{2}

BOERHAAVIA.

4. B. *erecta*, caule erecto glabro, floribus diandris. M. S.V. p.52. n.1.

Insulae Societatis. FORST. *pl. Esculent. ins. Oc. austr.* 41.

5. B. *tetrandra*, caule repente, floribus tetrandris. F.

Ibidem.

DIGYNIA,

MNIARVM.

6. *M. biflorum*. M. S.V. p.53. FORST. *Charact. Gen.* 1.
Noua Zeelandia.

{3}

CLASSIS II. **DIANDRIA.**

MONOGYNIA.

IASMINVM.

7. *I. simplicifolium*, foliis oppositis ouato-lanceolatis simplicibus. F.
Amicorum Insulae.

8. *I. didymum*, foliis oppositis ternatis, foliolis ouato-lanceolatis acuminatis
integerrimis. F.
Societatis Insulae.

VERONICA.

9. *V. Catarractae*, racemis terminalibus flexuosis, caule suffruticoso, foliis
lanceolatis serratis F.
Noua Zeelandia.

10. *V. elliptica*, racemis lateralibus, caule fruticoso, foliis ellipticis
integerrimis. F.
Ibidem.

11. *V. salicifolia*, racemis lateralibus nutantibus, caule fruticoso, foliis
longo-lanceolatis integerrimis. F.
Ibidem.

IVSTICIA.

12. *I. repanda*, fruticosa, foliis ovatis repandis: pedunculis axillaribus trifidis. F.
Tanna.

{4}

13. *I. longifolia*, suffruticosa, foliis linearibus sinuatis: pedunculis axillaribus trifidis. F. Ibidem.

DIANTHERA.

14. *D. caerulea*, umbella fasciculata sessili simplicissima. F.
Botanices insula, prope Nouam Caledoniam.

15. *D. clauata*, panicula subumbellata composita, pedunculis apice dilatatis.
F.
Societatis insulae.

GRATIOLA.

16. *G. Monnieria*, foliis ovali-oblongis, pedunculis unifloris, caule repente.
M. S.V. p.64. n.2.
Insulae Marchionis.

VERBENA.

17. *V. nodiflora*, tetrandra, spicis capitato-conicis, foliis serratis, caule repente. M. S.V. p.66. n.10.
Tanna.

DIGYNIA.

ANTHOXANTHVM.

18. *A. crinitum*, panicula coarctata, aristis longissimis. F.
A. crinitum. M. S.V. p.73 n.4.
Noua Zeelandia.

TRIGYNIA.

PIPER.

19. *P. Siriboa*, foliis inaequaliter cordatis subseptemneruiis venosis. M. S.V.
p.74. n.5.
Noua Caledonia.

{5}

20. *P. excelsum*, foliis orbiculato-cordatis subseptemneruiis: pedunculis
terminalibus solitariis bifidis, caule arboreo. F.
Noua Zeelandia.

21. *P. methysticum*, foliis cordatis acuminatis multinerviis: spicis axillaribus
solitariis breuissimis pedunculatis patentissimis. FORST. *Plant. Esc. Insular.*
Oc. Austr. 50.
Insulae Societatis, Amicorum, Sandwigiae. Culta.

22. *P. latifolium*, foliis orbiculato-cordatis nouemneruiis: spicis axillaribus
aggregatis pedunculatis. F.
P. latifolium. M. S.V. p.74. n.15.
Societatis, Amicorum, Nouarumque Hebridum insulae.

23. *P. acuminatum?* foliis lanceolato-ouatis nervosis carnosissimis. M. S.V. p.74.
n.11.
Societatis insulae.

24. *P. pallidum*, foliis alternis obouatis subtrineruiis: spicis solitariis
subterminalibus. F.
Ibidem.

25. *P. tetraphyllum*, foliis quaternis rhombeis sessilibus carnosis. F.
Ibidem.

{6}

CLASSIS III. **TRIANDRIA.**

MONOGYNIA.

COMMELINA.

26. *C. virginica*,? corollis subaequalibus, foliis lanceolatis ore barbatis, caulibus erectis? M. S.V. p.94. n.5.
Tongatabu.

CYPERVS.

27. *C. odoratus*, culmo triquetro nudo, vmbella decomposita simpliciter foliosa, pedicellis distiche spicatis. M. S.V. p.97. n.19.
Societatis insulae.

SCIRPVVS.

28. *S. dichotomus*, culmo triquetro nudo, vmbella decomposita, spicis dichotomiae sessilibus. M. S.V. p 100. n.24.
Societatis insulae.

29. *S. junceus*, culmo teretiusculo filiformi nudo, spica ouata terminali, glumis inuolucris longitudine spicae, tribus mucronatis. F.
Ibidem.

KYLLINGA.

30. *K. monocephala*, culmo filiformi triquetro, capitulo globoso sessili, inuolucro triphylo longissimo. M. S.V. p.101. n.1.
Societatis insulae.

{7}

31. *K. triceps*, capitulis terminalibus subternis, glomeratis sessilibus. M. S.V. p.101. n.2.
Thryocephalon nemorale FORST. *Charact. gen.* 65.
Ibidem.

DIGYNIA.

SACCHARVM.

32. *S. spontaneum*, panicula laxa, spicis filiformibus simplicibus, floribus remotis geminatis aristatis: altero pedunculato. F.
S. spontaneum M. S.V. p.103. n.1.
Societatis insulae.

33. *S. officinarum*, floribus paniculatis, lanugine flosculis longiore. F. *pl. esc.* 51.
S. officinarum. M. S.V. p.103. n.2.
Culta intra tropicos et in Paschatis insula.

PHALARIS.

34. *P. canariensis*, panicula subouata spiciformi, glumis carinatis. M. S.V. p.103. n.1.
Noua Zeelandia.

PASPALVM.

35. *P. orbiculare*, spicis alternis, rachi membranacea, floribus duplici ordine secundis orbiculatis laeuibus. F.
Societatis insulae.

PANICVM.

36. *P. hispidum*, spicis alternis subdiuisis secundis, flosculis geminatis alternis secundis hispidis. F.
Noua Caledonia.

{8}

37. *P. sanguinale*, spicis digitatis basi interiore nodosis, flosculis geminis muticis, vaginis foliorum punctatis. M. S.V. p.106. n.13.
Societatis insulae.

38. *P. filiforme*, spicis subdigitatis approximatis erectis linearibus, rachi flexuosa, dentibus bifloris: altero sessili. M. S.V. p.106. n.15.
Ibidem et Paschatis insula.

39. *P. compositum*, spica composita, spiculis linearibus secundis, flosculis geminis remotis, calycibus aristatis. M. S.V. p.106. n.18.
Ibidem.

AGROSTIS.

40. *A. ouata*, petalo exteriori ante apicem aristato, panicula ouata, coarctata spiciformi. F.
Noua Zeelandia.

AIRA.

41. *A. antarctica*, foliis planis, panicula composita patente, calycibus trifloris, flosculis medio aristatis, arista elongata rectiuscula. F.
Noua Zeelandia.

POA.

42. *P. Eragrostis*, panicula patente, pedicellis flexuosis, spiculis serratis decemfloris, glumis trineruiis. M. S.V. p.114. n.17.

Noua Caledonia.

43. *P. anceps*, panicula diffusa, spiculis quinquefloris acutis basi pubescentibus, culmo ancipite. F.
Noua Zeelandia.

44. *P. latifolia*, panicula diffusa nutante, spiculis remotis bifloris, altero pedicellato, margine setoso. F.

{9}

An *Holcus latifolius*? M. S.V. p.905. n.12.
Insulae Societatis.

CYNOSVRVS.

45. *C. indicus*, spicis digitatis linearibus, culmo compresso declinato basi nodoso, foliis alternis. M. S.V. p.117. n.10.
Insulae Societatis.

AVENA.

46. *A. filiformis*, panicula erecta tenuissima, calycibus vnifloris, aristis calyce duplo longioribus. F.
Noua Zeelandia et insula Paschatis.

ARVENDO.

47. *A. Bambos*, calycibus multifloris, spicis ternis sessilibus. M. S.V. p.123. n.1.
Passim intra tropicos.

48. *A. conspicua*, calycibus vnifloris, panicula laxa erecto-patente, petali exterioris arista reflexa longissima. F.
Noua Zeelandia.

ROTTBÖLLA.

49. R. *Coelorachis*, spica tereti vnilateralis, flosculis geminis altero
pedicellato: calyce biualui. F.
Tanna.

50. R. *repens*, spica tereti subulata, gluma calycina vnialui indiuisa. F.
Insulae intra tropicos.

{10}

CLASSIS IV. **TETRANDRIA.**

MONOGYNIA.

PETESIA.

51. *P. carnea*, foliis oblongo-lanceolatis laeuibus: cymis terminalibus trifidis. F.
Namoka.

ANCISTRVM.

52. *A. diandrum*, floribus diandris. F.
A. anserinaefolium. FORST. *Charact. gen.* 2.
A. Sanguisorbae. M. S.V. p.73. n.1.
Noua Zeelandia.

BLACKBVRNIA.

53. *B. pinnata*. FORST. *Charact. gen.* 6.
Norfolciae insula deserta.

FAGARA.

54. *F. Evodia*, foliis ternatis, foliolis integris. F.
F. Evodia. M. S.V. p.160. n.1.
Evodia hortensis. FORST. *Charact. gen.* 7.
Insulae Amicorum et nouae Hebrides.

OLDENLANDIA.

55. *O. foetida*, vmbella terminali trichotoma, foliis spatulatis. F.
Tonga-tabu.

56. *O. debilis*, vmbellis axillaribus pedunculatis paucifloris: foliis ouatis sessilibus. F.
Ibidem.

{11}

57. *O. tenuifolia*, pedunculis axillaribus solitariis vnifloris: foliis lineari-subulatis. F.
O. tenuifolia. BURM. *ind.* p.47. tab. XIV. f.1.
Tanna.

DORSTENIA.

58. *D. lucida*, caulescens, foliis oblique ouatis integris laeuibus, pedunculis cymosis axillaribus. F.
Elatostema pedunculatum. FORST. *Charact. gen.* 53. n.1.
Societatis insulae.

59. *D. pubescens*, caulescens, foliis oblique ouatis serratis pubescentibus : pedunculis axillaribus capituliferis. F.
Elatostema sessile. FORST. *Charact. gen.* 53. n.2.
Ibidem.

EMBOTHRIVM.

60. *E. vmbellatum*, vmbellis axillaribus simplicissimis pedunculatis, antheris sessilibus. FORST. *Charact. gen.* 8. n.2.
E. vmbellatum. M. S.V. p.166. n.1.
Noua Caledonia.

TETRAGYNIA.

TILLAEA.

61. *T. muscosa?* procumbens, floribus trifidis. M. S.V. p.170. n.4.
Noua Zeelandia.

{12}

CLASSIS V. **PENTANDRIA.**

MONOGYNIA.

MYOSOTIS.

62. *M. spatulata*, seminibus laevibus, foliis spatulatis hispidis, pedunculis axillaribus solitariis vnifloris. F.
Noua Zeelandia.

LITHOSPERMVM.

63. *L. incanum*, seminibus asperis: spicis terminalibus compositis coarctatis, foliis linearibus villosis. F. h.
Insula Teautea et insula ferox (Savage I).

TOURNEFORTIA.

64. *T. argentea*, foliis ouatis obtusis tomentoso-sericeis: spicis terminalibus compositis. M. S.V. p.191. n.7.
Amicorum insulae.

LYSIMACHIA.

65. *L. decurrens*, racemis simplicibus terminalibus, corollae segmentis obtusis: staminibus corolla longioribus. F.
Tanna.

OPHIORRHIZA.

66. *O. subumbellata*, caule fruticoso, foliis lanceolatis acutis: vmbellis axillaribus trifidis. F.
Taheiti.

{13}

SHEFFIELDIA.

67. *S. repens*. FORST. *Charact. gen.* 9. M. S.V. p.198. n.1.
Noua Zeelandia et insula Paschatis.

EPACRIS.

* fructu capsulari.

68. *E. longifolia*, arborea, foliis lineari-lanceolatis basi vaginantibus: racemis erectis articulatis lateralibus. F.

E. longifolia. FORST. *Charact. gen.* 10. n.1. M. S.V. p.198. n.1.
Noua Zeelandia.

69. *E. rosmarinifolia*, fruticosa, foliis linearibus obtusis rigidis vaginantibus: floribus solitariis lateralibus. F.
Ibidem.

70. *E. pumila*, herbacea? foliis ouato-oblongis imbricatis: floribus sessilibus subsolitariis terminalibus. F.

E. pumila. FORST. *Charact. gen.* 10. n.3. M. S.V. p.198. n.3.
Ibidem.

** fructu baccato; *Stipheliae*, Solandr.

71. *E. juniperina*, arborea, foliis sparsis linearibus cuspidatis, serrulatis: floribus sessilibus solitariis terminalibus. F.

E. juniperina. FORST. *Charact. gen.* 10. n.2.
Ibidem.

72. *E. fasciculata*, arborea, foliis confertis linearibus acuminatis: racemis spicatis lateralibus cernuis. F.

E. juniperina. M. S.V. p.198. n.2.

Ibidem.

{14}

PLVMBAGO.

73. *P. zeylanica*, foliis petiolatis ovatis glabris, caulibus filiformibus. M. S.V. p.199. n.2.

Societatis insulae.

CONVOLVULVS.

74. *C. Tuguriorum*, (volubilis) foliis cordato-sagittatis acutis: caule anguloso, pedunculis tetragonis unifloris. F.

Nova Zeelandia.

75. *C. Turpethum*, foliis cordatis angulatis, caule membranaceo-quadrangulato, pedunculis multifloris. M. S.V. p.201. n.22. FORST. *pl. Esc.* 52.

Societatis et Amicorum insulae.

76. *C. grandiflorus*? (volubilis) foliis cordatis acutis rugosiusculis multinerviis : calycis foliolis subrotundis obtusissimis, pedunculis clauatis unifloris. F.

C. grandiflorus? M. S.V. p.201. n.23.

Tanna.

77. *C. coelestis*, (volubilis) foliis cordatis acuminatissimis pubescentibus: pedunculis elongatis umbellato-trifidis. F.

Tanna.

78. *C. peltatus*, foliis peltatis, pedunculis multifloris. M. S.V. p.201. n.27.

Societatis insulae.

79. *C. mucronatus*, (volubilis) foliis palmato-pedatis, lobis ciliatis apice mucronatis: pedunculis vnifloris. F.
Tanna.

80. *C. corymbosus*, foliis cordatis, pedunculis vmbellatis, caule repente. M.
S.V. p.203. n.52.
Noua Caledonia.

{15}

81. *C. brasiliensis*, foliis emarginatis basi biglandulosi: pedunculis trifloris. M. S.V. p.204. n.62.
Intra tropicos passim.

IPOMOEA.

82. *I. Bonanox*, foliis cordatis acutis integerrimis, caule aculeato, floribus ternis, corollis indiuisis. M. S.V. p.204. n.10.
Tanna.

83. *I. carnea*, foliis cordatis glabris: pedunculis multifloris, corollis marginatis. M. S.V. p.205. n.13.
Societatis insulae.

CAMPANULA.

84. *C. gracilis*, foliis lineari-lanceolatis obsolete serratis, caule dichotomo, floribus solitariis terminalibus. F.
Noua Zeelandia et Noua Caledonia.

NAUCLEA.

85. *N. orientalis*. M. S.V. p.212.
Societatis insulae.

PORTLANDIA.

86. *P. tetrandra*, floribus tetrandris, foliis obouatis. F.
P. tetrandra. M. S.V. p.213 n.1.
Insula ferox (Savage island).

SCAEVOLA.

87. *S. Lobelia*. M. S.V. p.213.
Tongatabu.

CINCHONA.

88. *C. corymbifera*, foliis oblongo-lanceolatis, corymbis axillaribus. FORST.
in *act. Ups. nov.* Vol.III. p.176. M. S.V. p.214. n.3.

{16}

PSYCHOTRIA.

89. *P. speciosa*, arborea, foliis oblongo-lanceolatis, inuolucro terminali
subtrifloro. F.
Taheiti.

90. *P. asiatica*, stipulis emarginatis, foliis lanceolato-ouatis. M. S.V. p.214.
n.1.
Ibidem.

91. *P. herbacea*, caule herbaceo repente, foliis cordatis petiolatis. M. S.V.
p.214. n.3.
Ibidem.

COFFEA.

92. *C. sambucina*, foliis oblongo-lanceolatis acutis: cymis corymbosis
terminalibus. F.
Insulae Amicorum.

93. *C. opulina*, foliis ovato lanceolatis; cymis coarctatis globosis terminalibus. F.
Noua Caledonia.

94. *C. odorata*, foliis ovatis acutis: cymis corymbosis axillaribus. F.
Tanna et Amicorum insulae.

95. *C. triflora*, foliis ovato-lanceolatis acuminatis: pedunculis terminalibus ternis vnifloris. F.
Taheiti.

CHIOCOCCA.

96. *C. barbata*, erecta, foliis ovatis, pedunculis axillaribus vnifloris, corollis fauce barbatis. F.
Marchionis, Societatis et Amicorum insulae.

BAEOBOTRYS.

97. *B. nemoralis*. FORST. *Charact. gen.* 11.
Tanna.

{17}

DENTELLA.

98. *D. repens*. FORST. *Charact. gen.* 13.
Noua Caledonia.

MORINDA.

99. *M. vmbellata*, erecta, foliis lanceolato-ovatis, pedunculis confertis. M.
S.V. p.217. n.1.
Insulae Societatis.

100. *M. citrifolia*, arborea, pedunculis solitariis. M. S.V. p.217. n.2.
Societatis et Amicorum insulae.

ERITHALIS.

101. *E. polygama*, foliis obouatis: floribus axillaribus, masculis cymosis, hermaphroditis solitariis. F.
β. Timonius. RUMPH. *Amb.* III. p.216. t.140. angustifolia.
Societatis insulae.

MVSSAENDA.

102. *M. frondosa*, panicula foliis coloratis. M. S.V. p.218. n.1.
Taheiti. Namoka.

GENIOSTOMA.

103. *G. rupestris*. FORST. *Charact. gen.* 12.
Tanna.

NICOTIANA.

104. *N. fruticosa*? foliis lanceolatis subpetiolatis amplexicaulibus, floribus acutis, caule frutescente. M. S.V. p.221. n.2.
Botanices Insula prope nouam Caledoniam.

{18}

SOLANVM.

105. *S. repandum*, caule inermi subherbaceo flexuoso laeui, foliis ouatis repandis tomentosis, pedunculis axillaribus cymosis. F.
Marchionis et Societatis insulae.

106. *S. nigrum*, caule inermi herbaceo, foliis ouatis dentato-angularis, racemis distichis nutantibus. M. S.V. p.223. n.20.

Insula Paschatis.

107. *S. auiculare*, caule inermi fruticoso, foliis sinuato-pinnatifidis: corymbis terminalibus. F.
Noua Zeelandia.

CORDIA.

108. *C. Sebestena*, foliis oblongo-ouatis repandis scabris. M. S.V. p.230. n.3.
Societatis insulae.

109. *C. aspera*, foliis ouatis acuminatis asperis: floribus cymosis rugosis. F.
Tongatabu.

110. *C. dichotoma*, foliis oblongo-ouatis vix crenatis: corymbis dichotomis.
F.
Noua Caledonia.

CARPODETVS.

111. *C. serratus*. FORST. *Charact. gen.* 17.
Noua Zeelandia.

CEANOTHVS.

112. *C. capsularis*, foliis ouato-cordatis, acuminatis serratis: capsulis triualuibus dehiscentibus. F.
Taheiti.

{19}

CELASTRVS.

113. *C. crenatus*, inermis, foliis ouatis crenulatis: cymis axillaribus. F.
Marchionis insulae.

CORYNOCARPVS.

114. *C. laeuigata*. FORST. *Charact. gen.* 16. M. S.V. p.242.
Noua Zeelandia.

ARGOPHYLLVM.

115. *A. nitidum*. FORST. *Charact. gen.* 15. M. S.V. p.242.
Noua Caledonia.

ACHYRANTHES.

116. *A. aspera*, caule fruticoso erecto, calycibus reflexis spicae adpressis.
M. S.V. p.246. n.1.
Passim intra tropicos.

GYNPOGON.

117. *G. stellatum*, foliis verticillatis ternis lanceolatis FORST. *Charact. gen.*
18. n.1.
Societatis et Amicorum insulae.

118. *G. Alyxia*, foliis verticillatis quinis obouatis. F.
Norfolciae insula.

119. *G. scandens*, foliis oppositis ouatis costatis. F.
Societatis insulae.

CERBERA.

120. *C. Manghas*, foliis lanceolatis, nervis transuersalibus. M. S.V. p.251.
n.2.
Societatis insulae.

121. *C. paruiiflora*, foliis stellatis obouatis. F.
Insulae Amicorum et Savage island.

{20}

GARDENIA.

122. *G. florida*, inermis, corollis obtusis, calyce angulato, foliis ouatis acutis. M. S.V. p.251. n.2.
Societatis et Amicorum insulae.

ECHITES.

123. *E. costata*, pedunculis cymosis, foliis elliptico-lanceolatis acuminatis. F.
Kametti-valli. RHEED. *hort. malab.* P. IX. p.23. t. 14.
Insulae Societatis.

TABERNAEMONTANA.

124. *T. citrifolia*, foliis oppositis ouatis, floribus lateralibus glomerato-umbellatis. M. S.V. p.255. n.1.
Namoka.

DIGYNIA.

MELODINVS.

125. *M. scandens*. FORST. *Charact. gen.* 19. M. S.V. p.256.
Noua Caledonia.

PERIPLOCA.

126. *P. capsularis*, foliis lanceolatis integerrimis oppositis: cymis axillaribus diffusis. F.
Noua Zeelandia.

CYNANCHVM.

127. *C. viminale*, caule volubili perenni aphylo. M. S.V. p.257. n.1.
Botanices insula.

{21}

ASCLEPIAS.

128. *A. volubilis*, arborea volubilis, foliis oppositis cordato-subrotundis integerrimis carnosis: umbellis simplicissimis erectis. F.

A. volubilis? M. S.V. p.259. n.4.

Nansiera-patsia. RHEED. *hort. mal.* P. IX. p.21. t. 13.

Numularia lactea maior. RUMPH. *amb.* V. t. 175. f. 1.

Tanna.

CHENOPODIUM.

129. *C. triandrum*, foliis cordato-sagittatis, spicis terminalibus aphyllis interruptis. F.

Noua Zeelandia.

SALSOLA.

130. *S. Kali*, herbacea decumbens, foliis subulatis spinosis scabris, calycibus marginatis axillaribus. M. S.V. p.263. n.1.

Botanices insula.

131. *S. fruticosa*, fruticosa erecta, foliis filiformibus obtusiusculis.

M. S.V. p.263. n.12.

Noua Zeelandia.

GENTIANA.

132. *G. saxosa*, corollis quinquefidis campanulatis, foliis spatulatis. F. M. S.V. p.268. n.14.

Noua Zeelandia.

133. *G. montana*, corollis quinquefidis campanulatis, foliis cordatis sessilibus. F.
Ibidem.

DICHONDRA.

134. *D. repens*. FORST. *Charact. gen.* 20.
Noua Zeelandia.

{22}

HYDROCOTYLE.

135. *H. moschata*, foliis reniformibus septemlobatis serratis villosis: umbellis multifloris. F.
Noua Zeelandia.

PEVCEDANVM.

136. *P. geniculatum*, foliis subrotundo-reniformibus crenatis. F.
Noua Zeelandia.

COPROSVRA.

137. *C. lucida*, pedunculis compositis. M. S.V. p.274. n.1. FORST. *Charact. gen.* 69. n.2.
Noua Zeelandia.

138. *C. foetidissima*, floribus solitariis. M. S.V. p.274. n.2. FORST. *Charact. gen.* 69. n.1.
Ibidem.

LASERPITIVM.

139. *L. Aciphylla*, caule vaginato, petiolis foliorum dilatatis, foliis digitatis linearibus elongatis mucronatis. M. S.V. p.282. n.14.

Aciphylla squarrosa. FORST. *Charact. gen.* 68.
Noua Zeelandia.

LIGVSTICVM.

140. L. *Gingidium*, foliis pinnatis, foliolis rhombeo-cordatis obliquis
crenatis obtusis. F.
Gingidium montanum. FORST. *Char. gen.* 21.
Noua Zeelandia.

APIVM.

141. A. *graeuolens*, foliis caulinis cuneiformibus. M. S.V. p.292. n.2.
Noua Zeelandia.

{23}

TRIGYNIA.

RHVS.

142. R. *atrum*, foliis simplicibus, ovato-oblongis: floribus polygamis. F.
Noua Caledonia.

XYLOPHYLLA.

143. X. *longifolia*, foliis linearibus, ramis tetragonis. M.S V. p.296. n.1.

PENTAGYNIA.

COMMERSONIA.

144. C. *echinata*. FORST. *Charact. gen.* 22. M. S.V. p.300.
Societatis insulae.

LINVM.

145. *L. monogynum*, foliis alternis lineari-lanceolatis trineruiis, caule suffruticoso. F.
Noua Zeelandia.

POLYGYNIA.

SCHEFFLERA.

146. *S. digitata*. FORST. *Charact. gen.* 20.
Noua Zeelandia.

CLASSIS VI. **HEXANDRIA.**

MONOGYNIA.

CRINVM.

147. *C. asiaticum?* foliis carinatis. M. S.V. p.318. n.2.
Amicorum insulae.

ANTHERICVM.

148. *A. cirratum*, foliis lanceolatis planiusculis: scapo paniculato, filamentis
barbatis bicirratis. F.
Noua Zeelandia.

149. *A. Adenantha*, foliis lineari-ensiformibus basi connatis; glandula
inter filamentum et antheram. F.
Noua Caledonia.

DRACAENA.

150. *D. indiuisa*, arborea, foliis ensiformibus acutis, racemo (lateral?)
composito. FORST. *pl. esculent.* 33.
Noua Zeelandia.

151. *D. australis*, arborea, foliis ensiformibus acutis, racemo terminali
erecto supradecomposito. F.
Ibidem.

152. *D. terminalis*, herbacea caulescens, foliis lanceolatis: racemo terminali decomposito. FORST. *pl esculent.* 32.

D. terminalis. M. S.V. p.334. n.4.

Insulae Societatis.

{25}

PHORMIVM.

153. *P. tenax*, foliis plurimis, inflorescentia ramosa. M. S.V. p.336. n.1.

FORST. *Charact.gen.* 24.

Noua Zeelandia.

IVNCVS.

154. *I. campestris*, foliis planis subpilosus, spicis sessilibus pedunculatisque.

M. S.V. p.341. n.19. γ

Societatis insulae.

ACHRAS.

155. *A. dissecta*, floribus confertis corollis octodecemfidis, foliis obouatis emarginato-retusis.

FORST. *pl. esc.* 13.

A. dissecta. M. S.V. p.342. n.3.

Manyl-Kara. RHEED. *hort. mal.* P.III. p.53. t. 25.

Amicorum Insulae.

LORANTHVS.

156. *L. tetrapetalus*, pedunculis vnifloris subsolitariis, foliis ouatis obtusis subsessilibus. F.

L. tetrapetalus. M. S.V. p.343. n.1.

Noua Zeelandia.

157. L. *Stelis*, racemis trichotomis, pedunculis trigonis, floribus aequalibus.
M. S.V. p.344. n.8.
Societatis insulae.

DIGYNIA,

GAHNIA.

158. G. *procera*, paniculis spicatis pluribus elongatis, flosculis hexandris. F.

{26}

G. *procera*. FORST. *Charact. gen.* 26. M. S.V. p.345.
Noua Zeelandia.

159. G. *Schoenoides*, culmis flexuosis, paniculis compositis spicatis rigidis
subsolitariis. F.
Taheiti.

{27}

CLASSIS VIII.

OCTANDRIA.

MONOGYNIA.

EPILOBIVM.

160. *E. glabellum*, foliis oblongis dentatis obtusis: imis oppositis, caule teretiusculo erecto. F.
Noua Zeelandia.

161. *E. rotundifolium*, foliis oppositis subrotundis denticulatis. F.
Ibidem.

XIMENIA.

162. *X. elliptica*, caule inermi, foliis elliptico-lanceolatis: pedunculis multifloris. F.
Noua Caledonia.

SKINNERA.

163. *S. excorticata*. FORST. *Charact. gen.* 29.
Fuchsia excorticata. M. S.V. p.361. n.3.
Noua Zeelandia.

DODONAEA.

164. *D. viscosa*, foliis oblongis. M. S.V. p.362. n.1.
In Societatis insulis dioica.

In Noua Zeelandia hermaphrodita.

LAWSONIA.

165. L. *Acronychia*, inermis, foliis longe petiolatis cuneiformibus. M. S.V. p.362. n.2.

Acronychia laevis. FORST. *Charact. gen.* 27.

Noua Caledonia.

{28}

MELICOPE.

166. M. *ternata*. FORST. *Charact. gen.* 28.

Noua Zeelandia.

VACCINIUM.

167. V. *cereum*, pedunculis solitariis vnifloris: corollis quinquangulatis, foliis ovato-subrotundis serratis. F.

Andromeda cerea. M. S.V. p.406. n.3.

Bacca, non capsula.

Taheiti.

DAPHNE.

168. D. *foetida*, glabra, floribus terminalibus congestis sessilibus: foliis oppositis petiolatis ovato-oblongis. M. S.V. p.372. n.15.

Societatis insulae.

169. D. *rotundifolia*, hirsuta, floribus terminalibus congestis sessilibus, foliis oppositis ellipticis subpetiolatis glabris. M. S.V. p.372. n.16.

Namoka.

PASSERINA.

170. *P. Gnidia*, diandra glaberrima, foliis lanceolatis acutis. M. S.V. p.374. n.1.

Banksia Gnidia. FORST. *Charact. gen.* 4. n.1.

Noua Zeelandia.

171. *P. pilosa*, diandra pilosa, foliis linearibus obtusis. M. S.V. p.374. n.12.

Banksia tomentosa. FORST. *Charact.gen.* 4. n.2.

Ibidem.

172. *P. prostrata*, diandra pilosa, foliis ouatis (carnosis F.). M. S.V. p.374.

n.13.

Banksia prostrata. FORST. *Charact. gen.* 4. n.3.

Ibidem.

{29}

DIGYNIA.

WEINMANNIA.

173. *W. racemosa*, foliis simplicibus ouatis serratis petiolatis: racemis axillaribus solitariis. F.

W. racemosa. M. S.V. p.376. n.4.

Noua Zeelandia.

174. *W. paruiiflora*, foliis simplicibus ouatis serratis subsessilibus: racemis terminalibus ternis quinisue. F.

Taheiti.

CODIA.

175. *C. montana*. FORST. *Charact. gen.* 30. M. S.V. p.376.

Noua Caledonia.

TRIGYNIA.

COCOLOBA.

176. *C. australis*, foliis cordato-ouatis acutis, floribus polygamis. F.
Noua Zeelandia.

CARDIOSPERMVM.

177. *C. Halicacabum*, foliis laeuibus. M. S.V. p.380. n.1.
Societatis insulae.

SAPINDVS.

178. *S. Saponaria*, foliis impari-pinnatis, caule inermi. M. S.V. p.380. n.1.
Insula Paschatis.

{30}

TETRAGYNIA.

HALORAGIS.

179. *H. prostrata*, foliis oblongis integerrimis mucronatis, fructibus
globosis. F.

H. prostrata. M. S.V. p.381. FORST. *Charact. gen.* 31.

Botanices insula.

180. *H. alata*, foliis ouato-lanceolatis serratis, fructibus pyramidatis
tetragonis alatis. F. JACQ. *Misc. Austr.* 2. p.332. *Icon. rarior.* tab. 26.

Cercodia erecta. MVRR. in *Comm. Gotting.* 1780. P.3. t.1.

Tetragonia iuaefolia. M. S.V. p.467. n.3.

Noua Zeelandia.

{31}

CLASSIS IX.
ENNEANDRIA.

MONOGYNIA.

CASSYTA.

181. *C. filiformis*, filiformis laxa. MVRR. S.V. p.384 n.1.
Societatis et Amicorum insulae.

CLASSIS X. **DECANDRIA.**

MONOGYNIA.

SOPHORA.

182. *S. tomentosa*, foliis pinnatis, foliolis numerosis subrotundis tomentosis. M. S.V. p.391. n.2.
Societatis insulae.

183. *S. tetraptera*, foliis pinnatis: foliolis numerosis obouatis emarginatis, leguminibus tetragonis, angulis membranaceis. M. S.V. p.391. n.7.
Noua Zeelandia.

CASSIA.

184. *C. Sophera*, foliis decemiugis lanceolatis, glandula baseos oblonga. M. S.V. p.394. n.28.
Tongatabu.

GVILANDINA.

185. *G. Bonduccella*, aculeata, pinnis oblongo-ouatis, foliolis aculeis geminis. M. S.V. p.396. n.2.
Noua Zeelandia.

GVAIACVM.

186. *G. dubium*, foliis coniugatis oblongo-lanceolatis obtusis. F.
Tongatabu.

{33}

ADENANTHERA.

187. *A. scandens*, foliis pinnatis biuugis, foliolis ouatis obliquis glabris,
cirris terminalibus bifidis. F.
Mallicollo.

TRICHILIA.

188. *T. spectabilis*, foliis pinnatis, foliolis obouatis, racemis axillaribus
compositis. F.
Noua Zeelandia.

189. *T. alliacea*, foliis pinnatis, foliolis lanceolatis acutis: racemis
axillaribus supradecompositis. F.
Namoka.

LIMONIA.

190. *L. minuta*, inermis, foliis pinnatis, racemis corymbosis terminalibus. F.
Amicorum Insulae.

191. *L. lucida*, inermis, foliis simplicibus, pedunculis axillaribus. F.
Mallicollo.

DAIS.

192. *D. disperma*, floribus octandris decandrisque, foliis ouato-lanceolatis,
acuminatis, enerviis. F.
Tongatabu.

MELASTOMA.

193. *M. Malabathrica*, foliis integerrimis quinquenerviis lanceolatis ovatis scabris. M. S.V. p.404 n.10.
Societatis insulae.

{34}

194. *M. glabra*, foliis integerrimis trinerviis elliptico-lanceolatis scabris, calycibus circumscissis. F.
Ibidem.

ANDROMEDA.

195. *A. rupestris*, racemis simplicissimis bracteatis, corollis campanulatis, foliis alternis oblongis serrulatis. F.
A. rupestris. M. S.V. p.407. n.16.
Nova Zeelandia.

GAVLTHIERIA.

196. *G. antipoda*, foliis sparsis subrotundis serrato-dentatis, caule fruticoso diffuso. F.
Nova Zeelandia.

INOCARPVS.

197. *I. edulis*. M. S.V. p.408. FORST. *Charact. gen.* 33.
Societatis, Amicorum et nouarum Hebridum Insulae.

PENTAGYNIA.

SPONDIAS.

198. *S. dulcis*, petiolis teretibus sexiugis: foliolis serratis costatis. F.
Societatis insulae.

SVRIANA.

199. *S. maritima*. M. S.V. p.431.
Botanices insula.

{35}

CLASSIS XI.

DODECANDRIA.

MONOGYNIA.

BASSIA.

200. *B. obouata*, foliis obouatis: pedunculis congestis terminalibus vnifloris. F.
Tanna.

RHIZOPHORA.

201. *R. gymnorhiza*, foliis ouato-lanceolatis integerrimis: radice terrae superimposita. M. S.V. p.442. n.2.
Namoka.

202. *R. Mangle*, foliis acutis, fructibus subulato-clavatis. M. S.V. p.442. n.5.
Societatis, Amicorum, nouarum Hebridum insulae et noua Caledonia.

CRATAEVA.

203. *C. religiosa*, inermis, foliolis subaequalibus. FORST. *pl. esc.* 14.
Societatis insulae.

TRIVMFETTA.

204. *T. procumbens*, foliis subrotundo-cordatis subtrilobis tomentosis, caule procumbente. F.
Societatis insulae.

{36}

LYTHRVM.

205. L. *Pemphis*, fruticosum hirsutum, foliis oppositis oblongis integris, floribus axillaribus pedunculatis solitariis, capsula circumscissa vniloculari. M. S.V. p.447. n.11.

Pemphis acidula. FORST. *Charact. gen.* 34.

Teautea.

TRIGYNIA.

EVPHORBIA.

206. E. *origanoides*, dichotoma, foliis serrulatis ouatis obtusis trineruiis, panicula terminali, caulibus simplicibus. M. S.V. p.449. n.15.

Amicorum insulae.

207. E. *Atoto*, dichotoma, foliis ouatis integerrimis, vmbella terminali. F. Societatis insulae.

208. E. *glauca*, vmbella subquinquefida, trifida, involucris et inuolucellis ouatis, foliis sparsis oblongo-lanceolatis integerrimis, caule frutescente. F. Noua Zeelandia.

TACCA.

209. T. *pinnatifida*. FORST. *Charact. gen.* 35. *pl. esculent.* 28. M. S.V. p.455. Societatis Insulae.

{37}

CLASSIS XII. **ICOSANDRIA.**

MONOGYNIA.

MELALEVCA.

210. *M. scoparia*, foliis alternis ovatis acutis subtrinerviis: floribus terminalibus solitariis, sessilibus. F. *pl. esc.* 53.

M. scoparia. M. S.V. p.699. n.4.

Leptospermum scoparium. FORST. *Char. gen.* 36. n.6.

Noua Zeelandia.

211. *M. virgata*, foliis oppositis linearibus uninerviis, pedunculis axillaribus umbelliferis. F.

M. virgata. M. S.V. p.699. n.5.

Leptospermum virgatum. FORST. *Charact. gen.* 36. n.7.

Noua Caledonia.

212. *M. perforata*, foliis oppositis ovali-subrotundis, pellucido punctatis, pedunculis axillaribus trifidis. F.

Leptospermum perforatum. FORST. *Charact. gen.* 36. n.4.

Noua Zeelandia.

213. *M. diffusa*, foliis oppositis ovatis acuminatis: pedunculis rameis cymosis. F.

Ibidem.

214. *M. florida*, foliis oppositis oblongo-obovatis, venosis, pedunculis terminalibus cymosis, calycibus turbinatis. F.

Leptospermum scandens. FORST. *Charact. gen.* 36. n.1.
Ibidem.

215. *M. aestuosa*, foliis oppositis ouatis obouatisque venosis (subtrineruiis),
pedunculis cymosis terminalibus tomentosis. F.
Leptospermum collinum. FORST. *Charact. gen.* 36. n.2.
Melaleuca lucida? M. S.V. p.699. n.2.
Societatis insulae.

216. *M. lucida*, foliis oppositis lanceolatis vtrinque acuminatis aueniis
eneruiis, floribus terminalibus congestis subsessilibus. F.
Nova Zeelandia.

217. *M. ciliata*, foliis sparsis, superioribus suboppositis oblongis obtusis
ciliatis aueniis eneruiis: cymis corymbosis terminalibus. F.
M. villosa? M. S.V. p.699. n.3.
Leptospermum ciliatum. FORST. *Charact. gen.* 36. n.3.
Nova Caledonia.

218. *M. Leucadendron*, polyadelphe, foliis alternis lanceolatis subfalcatis
quinqueneruiis, spicis terminalibus elongatis. F.
M. Leucadendron. M. S.V. p.698. n.1. (α latifolia ?)

Nomen *Melaleucae*, licet huic vltimae speciei vnice congruum, adoptaui
tamen, ne nomina multiplicarentur, sed genus in locum naturalem restitui,
cum, praeter *M. Leucadendron*, nulla species polyadelphe sit.
Nova Caledonia.

{39}

PSIDIVM.

219. *P. decaspermum*, foliis ouatis acuminatis pubescentibus; pedunculis
vnifloris bracteatis. M. S.V. p.461. n.3.
Decaspermum fruticosum. FORST. *Charact. gen.* 37.
Societatis insulae.

EVGENIA.

220. *E. malaccensis*, foliis integerrimis, pedunculis ramosis lateralibus. M. S.V. p.461. n.1. F. *pl. esc.* 6.
Passim intra tropicos culta.

221. *E. racemosa*, foliis crenatis, racemis longissimis, pomis ouatis quadranguliis. M. S.V. p.461. n.7.
Noua Caledonia.

TRIGYNIA.

SESVVIVM.

222. *S. Portulacastrum*. M. S.V. p.465. n.1.
Tongatabu.

PENTAGYNIA.

TETRAGONIA.

223. *T. halimifolia*, herbacea papulosa, foliis elliptico-rhombeis petiolatis, pedunculis axillaribus vnifloris subsolitariis, fructu cornuto. F.
T. expansa? M. S.V. p.467. n.6.
Noua Zeelandia et Amicorum insulae.

{40}

POLYGYNIA.

RVBVS.

224. *R. australis*, fruticosus dioicus, foliis ternatis quinato pinnatisque, caule petiolisque aculeatis, racemis axillaribus simplicibus. F.
Noua Zeelandia.

{41}

CLASSIS XIII. **POLYANDRIA.**

MONOGYNIA.

CALOPHYLLVM.

225. *C. Inophyllum*, foliis ovalibus. M. S.V. p.491. n.1.
Societatis insulae et noua Caledonia.

DICERA.

226. *D. dentata*, monogyna, foliis oblongis acuminatis dentatis, racemis simplicibus axillaribus laxis. F.
D. dentata. FORST. *Charact. gen.* 40. n.1.
Noua Zeelandia.

227. *D. serrata*, tetragyna, foliis oppositis cordato-ouatis inaequaliter serratis: racemis lateralibus compositis. F.
D. serrata. FORST. *Charact. gen.* 40. n.2.
Elaeocarpus Dicera. M. S.V. p.494. n.2.
Ibidem.

TRIGYNIA.

EVRYANDRA.

228. *E. scandens*. FORST. *Charact. gen.* 41.
Noua Caledonia.

{42}

POLYGYNIA.

WINTERA.

229. *W. axillaris*, pedunculis axillaribus congestis vnifloris, pistillis quatuor. F.

Drimys axillaris. FORST. *Charact. gen.* 42. n.2. *Nov. Act. Ups.* III. p.182.

LINN. *Suppl. pl.* p.270.

Cur LINNEVS junior hanc monogynam fecit, non video.

Noua Zeelandia.

CLEMATIS.

230. *C. hexapetala*, foliis ternatis, foliolis cordato-ouatis crenato-incisis, pedunculis ramosis trichotomis diphyllis, floribus polypetalis dioicis. F.

C. hexapetala. M. S.V. p.512. n.6.

Noua Zeelandia.

231. *C. integrifolia*, foliis ternatis, foliolis ouatis integris mucronatis: pedunculis axillaribus paniculatis diphyllis. F.

Ibidem.

{43}

CLASSIS XIV. **DIDYNAMIA.**

GYMNOSPERMIA.

TEVCRIVM.

232. *T. villosum*, foliis elliptico-ouatis acuminatis serratis petiolatis villosis, racemo spicato terminali, calycibus inflatis. F.
Tongatabu.

OCYMVM.

233. *O. Scutellarioides*, corollis falcatis, pedicellis ramosis. M. S.V. p.546.
n.15.
Tanna.

ANGIOSPERMIA.

EVPHRASIA.

234. *E. cuneata*, foliis subcuneiformibus incisis. F.
Noua Zeelandia.

ANTIRRHINVM.

235. *A. hexandrum*, foliis oppositis cordato-ouatis serratis: pedunculis axillaribus vnifloris. F.
Taheiti.

BESLERIA.

236. *B. biflora*, pedunculis bifloris, inuolucro caduco inflato, foliis ovatis integerrimis. F.

Cyrtandra biflora. FORST. *Charact. gen.* 3. n.1.

Taheiti.

{44}

237. *B. cymosa*, pedunculis cymosis, pedicellis bracteolatis, foliis ovatis crenatis. F.

Cyrtandra cymosa. FORST. *Charact. gen.* 3. n.2.

Tanna.

MYOPORVM. Solandr.

Cal. 5. partitus. Cor. campanulata limbo patente subaequali 5 partito. Bacca 1 s. 2 sperma, seminibus 2. locularibus.

238. *M. laetum*, foliis oblongis apice subserratis laevibus glabris nitidis, corollis hirsutis. F.

Citharexylum perforatum. Mspt.

Noua Zeelandia.

239. *M. pubescens*, foliis oblongo-ellipticis serratis pubescentibus. F.

Ibidem.

240. *M. crassifolium*, foliis oblongis subserratis carnosissimis. F.

Botanices insula.

241. *M. tenuifolium*, foliis lanceolatis acuminatis integerrimis, corollis laevibus. F.

Citharexylum tenuifolium. Mspt.

Noua Caledonia.

RVELLIA.

242. *R. reptans*, foliis petiolatis ouatis obtusis, obtuse serratis, pedunculis terminalibus subspicatis. F.

Tanna.

243. *R. fragrans*, foliis sessilibus oblongis obtuse serratis: floribus axillaribus solitariis sessilibus. F.

Taheiti.

{45}

VOLKAMERIA.

244. *V. inermis*, ramis inermibus. M. S.V. p.577. n.2.

Passim intra tropicos.

VITEX.

245. *V. trifolia*, foliis ternatis quinatisque: foliolis ouatis acutis integerrimis subtus canescentibus, panicula rachi recta: pedicellis dichotomis. M. S.V. p.579. n.5.

Amicorum insulae.

AVICENNIA.

246. *A. resinifera*, foliis ouato-lanceolatis subtus tomentosis. FORST. *pl. esculent.* 44.

Noua Zeelandia.

ACANTHVS.

247. *A. ilicifolius*, foliis repandis dentato-spinosis, caule fruticoso aculeato. M. S.V. p.580. n.5.

Tanna, Noua Caledonia.

{46}

CLASSIS XV. **TETRADYNAMIA.**

SILICVLOSA.

LEPIDIVM.

248. *L. oleraceum*, foliis elliptico-oblongis acutis serratis: floribus tetrandris. FORST. *pl. esc.* 38.
Noua Zeelandia.

249. *L. Piscidium*, foliis elliptico-oblongis acutis integerrimis: floribus tetradynamis. FORST. *pl. esculent.* 39.
Botanices insula, Teautea, Huaheine.

SILIQVOSA.

SISYMBRIVM.

250. *S. heterophyllum*, foliis pinnatis, foliolis reniformibus subtrilobis, infimis pinnatifidis, pilosis. F.
Noua Zeelandia.

CLASSIS XVI.

MONADELPHIA.

PENTANDRIA.

WALTHERIA.

251. *W. indica*, foliis ovatis serratis plicatis: capitulis (sub-)sessilibus. M. S.V. p.610. n.3.

252. *W. Lophanthus*, foliis subrotundo-cordatis serratis sericeo-tomentosis petiolatis: capitulis pedunculatis imbricato-bractatis. F. *Lophanthus tomentosus*. FORST. *Charact. gen.* 14. Marchionis insulae.

MELOCHIA.

253. *M. odorata*, cymis corymbosis axillaribus, foliis cordatis acuminatis serratis. F.

M. odorata. M. S.V. p.611. n.7.

Tanna, Ea-uwa.

DECANDRIA.

PLAGIANTHVS.

254. *P. diuaticatus*. FORST. *Charact. gen.* 43.

Noua Zeelandia.

POLYANDRIA.

BARRINGTONIA.

255. *B. speciosa*. FORST. *char. gen.* 38. M. S.V. p.680.
Societatis et Amicorum insulae.

{48}

SIDA.

256. *S. rhombifolia*, foliis lanceolato-rhomboidalibus serratis, axillis subspinosus. M. S.V. p.621. n.4.
Amicorum nouarumque Hebridum insulae.

257. *S. indica*, foliis cordatis sublobatis, stipulis reflexis, pedunculis petiolo longioribus, capsulis multilocularibus scabris, calyce longioribus. M. S.V. p.623. n.24.
Tanna. Noua Caledonia.

URENA.

258. *U. lobata*, foliis angulatis. M. S.V. p.627. n.1.
Passim intra tropicos.

GOSSYPIVM.

259. *G. religiosum*, foliis trilobis acutis subtus vniglandulosis, ramulis nigropunctatis. M. S.V. p.628. n.4.
Societatis insulae.

HIBISCVS.

260. *H. bacciferus*, foliis cordatis integerrimis acuminatissimis, calyce exteriori triphylo caduco, fructu baccato. F.

H. populneus? M. S.V. p.629. n.10.

Societatis et Amicorum insulae, etiam Paschatis insula.

261. H. *tiliaceus*, foliis cordatis subrotundis indiuisis acuminatis, crenatis, caule arboreo, calyce exteriori decemdentato. M. S.V. p.629. n.11. FORST. *pl. esc.* 45.

Passim intra tropicos.

262. H. *Rosasinensis*, foliis ovatis acuminatis serratis, caule arboreo. M. S.V. p.629. n.13.

Ibidem.

{49}

263. H. *Abelmoschus*, foliis subpeltato-cordatis septemangularibus, caule hispido. M. S.V. p.630. n.26.

Societatis insulae.

264. H. *esculentus*? foliis quinquepartito-pedatis, calycibus interioribus latere rumpentibus. M. S.V. p.630. n.27.

Ibidem.

265. H. *hastatus*, foliis oblongis subhastato-trilobis integerrimis, pedunculis axillaribus terminalibusque subtrifidis: petalis laceris. F.

H. *hastatus*. M. S.V. p.631. n.33.

Ibidem.

CROSSOSTYLIS.

266. C. *biflora*. FORST. *Char. gen.* 44.

Insulae Societatis.

{50}

CLASSIS XVII. **DIADELPHIA.**

DECANDRIA.

ABRVS.

267. A. *precatorius*. M. S.V. p.641. n.1.
Societatis insulae.

ERYTHRINA.

268. E. *Corallodendron*, foliis ternatis inermibus, caule arboreo inermi. M.
S.V. p.642. n.2. β.
Societatis insulae.

DOLICHOS.

269. D. *luteolus*, volubilis, leguminibus capitatis pluribus cylindricis,
seminibus rotundatis. M. S.V. p.657. n.5.
Societatis insulae.

270. D. *pruriens*, volubilis, leguminibus racemosis, valuulis subcarinatis
hirtis, pedunculis ternis? M. S.V. p.657. n.12.
Namoka.

GLYCINE.

271. G. *rosea*, volubilis, foliis ternatis, foliolis cordato-ouatis acutis
integerrimis, pedunculis trifloris: leguminibus compressis carinatis

monospermis. F.
Insulae Societatis.

{51}

272. *G. lucida*, volubilis, foliis ternatis, foliolis ouatis acuminatis integerrimis, racemis terminalibus glandulosis, pedicellis ternis, leguminibus inflatis dispermis. F.
Ibidem.

AESCHYNOMENE.

273. *A. coccinea*, caule arboreo, foliis pinnatis, foliolis ouali-oblongis obtusis mucronatis, leguminibus subarcuato-filiformibus compressiusculis. F.
A. coccinea. M. S.V. p.671. n.3.
Toeri-Mera. RUMPH. *amb.* I. t. 77.
Differentia specifica *A. grandiflorae* emendanda, vt ab hac distinguatur.
Societatis insulae, Botanicesque insula.

HEDYSARVM.

274. *H. vmbellatum*, foliis ternatis , pedunculis vmbelliferis, caule fruticoso. M. S.V. p.673. n.22.
Tanna et noua Caledonia.

275. *H. heterocarpon*, foliis ternatis , floribus paniculato-spicatis, leguminibus articulatis, infimo monospermo, stipulis setaceis. M. S.V. p.673. n.24.
Societatis insulae.

276. *H. Lagopodioides*, foliis ternatis, racemis oblongis, leguminibus inflexis, calycibus hirsutis. M. S.V. p.674. n.40.
Noua Caledonia.

{52}

GALEGA.

277. *G. littoralis*, leguminibus racemosis, tota villosa-tomentosa. M. S.V.
p.679. n.3.
Passim intra tropicos.

LOTVS.

278. *L. arboreus*, leguminibus quinatis, foliolis obcordatis, caule arboreo. F.
Noua Zeelandia.

CLASSIS XVIII. **POLYADELPHIA.**

ICOSANDRIA.

CITRVS.

279. *C. Aurantium*, petiolis alatis, foliis acuminatis. M. S.V. p.679. n.2.
Tanna.

280. *C. decumana*, petiolis alatis, foliis obtusis emarginatis. M. S.V. p.679.
n.3.
Amicorum Insulae.

POLYANDRIA.

HYPERICVM.

281. *H. gramineum*, floribus trigynis, caule herbaceo tetragono dichotomo,
foliis oblongo-parabolicis.
Noua Caledonia.

CLASSIS XIX. **SYNGENESIA.**

POLYGAMIA AEQVALIS.

SONCHVS.

282. *S. oleraceus*, pedunculis tomentosis, calycibus glabris. M. S.V. p.712. n.5.
Noua Zeelandia et Amicorum insulae.

BIDENS.

283. *B. pilosa*, foliis pinnatis subpilosus, caule geniculis barbatus, calycibus inuolucro simplici, seminibus diuergentibus. M. S.V. p.732. n.7.
Tongatabu.

ADENOSTEMMA.

284. *A. viscosa*. FORST. *Charact. gen.* 45.
Verbesina Lavenia. M. S.V. p.779. n.4.
Societatis insulae.

AGERATVM.

285. *A. conyzoides*, foliis ouatis, caule piloso. M. S.V. p.737. n.1.
Tanna.

CHRYSOCOMA.

286. *C. purpurea*, herbacea, foliis elliptico-lanceolatis subserratis pubescentibus, panícula terminali corymbosa. F.
Tanna.

{55}

CALEA.

287. *C. leptophylla*, floribus terminalibus ternis quinisue congestis, foliis oblongis imbricatis integerrimis sessilibus, caule fruticoso. F.
Noua Zeelandia.

288. *C. pinifolia*, pedunculis terminalibus congestis, foliis linearibus acerosis, caule fruticoso. F.
Ibidem.

POLYGAMIA SVPERFLVA.

GNAPHALIVM.

289. *G. trinerue*, fruticosum, foliis sessilibus lanceolatis trineruiis subtus argenteis, panícula corymbosa terminali laxa. F.
Noua Zeelandia.

290. *G. lanatum*, herbaceum, lanatum, foliis lineari-oblongis apice calloso-mucronatis, corymbo coarctato, caule simplicissimo. F.
Ibidem.

291. *G. inuolucratum*, herbaceum, foliis linearibus elongatis mucronatis subtus tomentosis, capitulo terminali folioso. F.
Ibidem.

292. *G. luteo-album*, herbaceum, foliis semiamplexicaulibus ensiformibus repandis obtusis vtrinque pubescentibus. M. S.V. p.747. n.32.
Noua Caledonia.

XERANTHEMVM.

293. *X. Bellidioides*, (receptaculo nudo, pappo piloso) ramis vnifloris, foliis ouato-oblongis cuspidatis amplexicaulibus, pedunculis tomentosis subaphyllis. F.
Noua Zeelandia.

{56}

CINERARIA.

294. *C. rotundifolia*, paniculis paucifloris, foliis petiolatis ouato-subrotundis integerrimis subtus tomentosis, caule arboreo. F.
Brachyglottis rotundifolia. FORST. *Charact. gen.* 46. n.1.
Noua Zeelandia.

295. *C. repanda*, paniculis compositis racemosis diffusis, foliis petiolatis ouatis repando-sinuatis, subtus tomentosis, caule arboreo. F.
Brachyglottis repanda. FORST. *Charact. gen.* 46. n.2.
Ibidem.

ASTER.

296. *A. holosericeus*, herbaceus, foliis oblongo-lanceolatis serratis subtus argenteo-sericeis, scapis vnifloris foliosis. F.
Noua Zeelandia.

297. *A. coriaceus*, herbaceus, foliis ouatis integerrimis superne sulcatis subtus lanatis, scapis vnifloris foliosis lanatis. F.
Ibidem.

SOLIDAGO.

298. *S. arborescens*, caule arboreo, paniculis corymbosis strictis terminalibus, foliis ouato-subrotundis acutis repandis petiolatis. F.
Noua Zeelandia.

ARNICA.

299. *A. oporina*, fruticosa, foliis lanceolatis calloso-crenatis subtus tomentosis, pedunculis vnifloris solitariis terminalibus squamatis. F. Noua Zeelandia.

{57}

COTULA.

300. *C. coronopifolia*, foliis lanceolato-linearibus amplexicaulibus dentatis, floribus flosculosis. M. S.V. p.774. n.4. Noua Zeelandia.

301. *C. minuta*, foliis alternis subamplexicaulibus oblongis dentatis, floribus solitariis sessilibus folio oppositis. F. Noua Caledonia.

ECCLIPTA.

302. *E. prostrata*, caule prostrato, foliis subundulatis subpetiolatis. M. S.V. p.779. n.4. Tanna.

SIGESBECKIA.

303. *S. orientalis*, petiolis sessilibus, calycibus exterioribus linearibus maioribus patentibus. M. S.V. p.779. n.1. Passim intra tropicos.

BVPHTHALMVM.

304. *B. Helianthoides*, foliis oppositis ouatis serratis triplinerviis, calycibus foliosis, caule herbaceo. M. S.V. p.781. n.11. Passim intra tropicos.

POLYGAMIA NECESSARIA.

CALENDULA.

305. *C. pumila*, seminibus oblongis incuruatis, foliis orbiculatis crenato-serratis, serraturis mucronatis, scapo nudo vnifloro. F.
Noua Zeelandia.

{58}

POLYGAMIA SEGREGATA.

CRASPEDIA.

Calyculus nullus. Calyx communis imbricatus. Flosculorum fasciculi aliquot depressi, omnes hermaphroditi tubulosi. Pappus plumosus.
Receptaculum paleaceum.

306. *C. vniflora*. F.
Noua Zeelandia.

MONOGAMIA.

SHAWIA.

307. *S. paniculata*. FORST. *Charact. gen.* 48.
Noua Zeelandia.

LOBELIA.

308. *L. arborea*, caule arboreo, foliis petiolatis ouato-oblongis serrato-dentatis, pedunculis axillaribus solitariis vnifloris. F.
Societatis Insulae.

309. L. *angulata*, caule prostrato simplicissimo, foliis subrotundis repando-
dentatis, pedunculis axillaribus solitariis vnifloris. F.
Noua Zeelandia.

{59}

CLASSIS XX. **GYNANDRIA.**

DIANDRIA.

OPHRYS.

310. *O? squamata*, bulbis fasciculatis, scapo elongato aphylo spicato, foliis radicalibus imbricatis oblongis acutis carinatis, nectarii labio trifido barbato deflexo. F.

Noua Caledonia.

311. *O. vnifolia*, bulbo ouato, scapo tereti vaginato, folio tereti fistuloso reflexo, in medio pro emittendo scapo perforato. F.

Noua Zeelandia.

SERAPIAS.

312. *S. regularis*, bulbis ouatis fibrosis, foliis vaginantibus ensiformibus carinatis, scapo erecto spicato, corollis hexapetalis. F.

Thelymitra longifolia. FORST. *Charact. gen.* 49. Suasu b. SOLANDRI huc reduxi.

Noua Zeelandia.

EPIDENDRVM.

313. *E. tuberosum?* foliis lato-lanceolatis neruosis membranaceis, bulbo innatis, scapo vaginato, nectario cymbiformi bifido. M. S.V. p.819. n.25.

Noua Caledonia.

314. *E. triste*, foliis teretibus cylindricis inanibus, vaginis fistulosis, pedunculis oppositifoliis corymbosis vaginam perforantibus, nectarii labio integro spatulato cordiformi F.

Ibidem.

315. *E. crispatum*, foliis caulinis teretibus filiformibus subincurvis inanibus sessilibus: racemo simplicissimo, nectarii labio lacinia media revoluta, undulato crenata. F.

Societatis insulae.

316. *E. equitans*, foliis equitantibus ensiformi-compressis carinatis, acuminatis, scapo nudo, racemo spicato nutante filiformi. F.

Ibidem.

317. *E. Myosurus*, foliis basi vaginantibus oblique divaricatis linearibus obtusis canaliculatis, scapo nudo, racemo spicato nutante filiformi. F.

Ibidem.

318. *E. biflorum*, foliis distichis, lineari lanceolatis acutis, pedunculis bifloris solitariis vaginas foliorum perforantibus, nectarii labio trifido acuminato. F.

Ibidem.

319. *E. autumnale*, foliis caulinis lanceolatis nervosis confertis vaginantibus, pedunculis terminalibus squamatis paniculatis, nectarii labio erecto retuso. F.

Nova Zeelandia.

320. *E. Fasciola*, foliis radicanibus parasiticis fasciculatis linearibus undulatis, scapis pluribus racemosis, nectarii labio calceiformi calcarato. F.

Societatis insulae.

321. *E. umbellatum*, stolonibus repentibus, foliis ovalibus carnosissimis petiolatis, petiolis infixis apophysisibus {61} ovatis anguloso-carinatis, scapo radicato, umbella simplici unilateralis, petalis infimis elongatis. F.

Ibidem.

322. *E. resupinatum*, foliis caulinis petiolatis ovatis acuminatis integerrimis plicato carinatis quinqueneruiis, racemo simplici spicato, floribus resupinatis, nectarii labio inferiore dentato. F.

Basaala-poulou-maravara. RHEED. *hort. mal.* Part. XII. tab. 27. bona. Societatis insulae.

323. *E. Clypeolum*, folio radicali subrotundo-cordato, basi cucullato, apice reflexo acuto, scapo erectiusculo racemoso, nectarii labio inferiore orbiculato emarginato maximo. F.

Ibidem.

FORSTERA.

324. *F. sedifolia*. M. S.V. p.819. n.1. *Nov. Act. Ups.* III. p.184. t. 9. Noua Zeelandia.

TRIANDRIA.

SISYRINCHIVM.

325. *S. Ixioides*, foliis ensiformibus conduplicatis longissimis, panicula trichotoma, petalis exterioribus dimidio minoribus. F.

Noua Zeelandia.

{62}

PENTANDRIA.

PASSIFLORA.

326. *P. aurantia*, foliis trilobis, lobis parabolicis distantibus, medio productiore. F.

Noua Caledonia.

GREWIA.

327. *G. Mallococca*, foliis cordatis ouato-oblongis crenatis scabris, pedicellis axillaribus trifloris, fructu tetracocco. M. S.V. p.827. n.4. *Malococca crenata*. FORST. *Charact. gen.* 39. *Nov. Act. Ups.* III. p.185. Societatis et Amicorum insulae.

ARVM.

328. *A. esculentum*, acaule, foliis peltatis ouatis integerrimis basi emarginatis. M. S.V. p.827. n.7. FORST. *pl. esculent.* 26. Passim intra tropicos et in Noua Zeelandia colitur.

329. *A. macrorhizon*, acaule, foliis peltatis cordatis repandis basi bipartitis. M. S.V. p.827. n.8. FORST. *pl. esc.* 27. *Arum indicum satium*. RUMPH. *amb.* V. t.106. Ibidem.

DRACONTIVM.

330. *D. polyphyllum*, scapo breuissimo, petiolo radicato lacero, foliolis tripartitis, laciniis pinnatifidis. {63} M. S.V. p.829. n.1. FORST. *pl. esculent.* 29. Societatis insulae planta culta.

331. *D. pertusum*, foliis pertusis, caule scandente. M. S.V. p.829. n.5. Tanna.

CLASSIS XXI.

MONOECIA.

MONANDRIA.

ARTOCARPVS.

332. *A. incisa*, foliis incisis. M. S.V. p.838. n.1. Monogr. mea vom
Brodbaum 1784. 4. FORST. *pl. esc.* 1.
Passim intra tropicos culta.

BALANOPHORA.

333. *B. fungosa*. FORST. *Charact. gen.* 50.
Tanna.

CASVARINA.

334. *C. equisetifolia*, verticillis staminum approximatis. M. S.V. p.840. n.1.
Intra tropicos.

335. *C. nodiflora*, verticillis staminum remotis. M. S.V. p.840. n.2.
Noua Caledonia.

TRIANDRIA.

TYPHA.

336. *T. latifolia*, foliis ensiformibus, spica mascula femineaque
approximatis. M. S.V. p.841. n.1.

Noua Zeelandia.

{65}

COIX.

337. *C. Lacryma*. M. S.V. p.842.
Tongatabu.

CAREX.

338. *C. vncinata*, spica simplici androgyna lineari superne mascula, aristis
feminarum vncinatis, masculis muticis. M. S.V. p.843. n.5.
Noua Zeelandia.

339. *C. lithosperma*, spicis paniculatis masculis, floribus femineis solitariis,
seminibus globosis nitidis. M. S.V. p.846. n.45.
Tanna.

HERNANDIA.

340. *H. sonora*, foliis peltatis. M. S.V. p.847. n.1.
Societatis et Amicorum insulae.

PHYLLANTHVS.

341. *P. virgata*, foliis simplicibus alternis linearibus mucronatis, pedunculis
axillaribus solitariis vnifloris, caule fruticoso. F.
Societatis insulae.

TETRANDRIA.

URTICA.

342. *U. aestuans*, foliis alternis cordatis, racemis dichotomis, fructibus orbiculato-corymbosis. M. S.V. p.850. n.16.
Societatis insulae.

343. *U. argentea*, foliis alternis elliptico-lanceolatis integris subtus glaucis: spicis axillaribus solitariis interruptis. F.
Ibidem.

{66}

344. *U. ruderalis*, foliis alternis cordato-ouatis obtuse serratis, paniculis axillaribus diuaticato-corymbosis. F.
Ibidem.

345. *U. virgata*, foliis oppositis ouatis serratis trinerviis, spicis axillaribus solitariis interruptis. F.
Ibidem.

346. *U. ferox*, foliis oppositis hastato-cordatis setoso-serratis, racemis geminis diuaticatis, stipulis cordatis. F.
Nova Zeelandia.

MORVS.

347. *M. papyrifera*, foliis palmatis, fructibus hispidis M. S.V. p.851. n.3.
Culta intra tropicos passim, etiam in Nova Zeelandia borealiore.

PENTANDRIA.

AMARANTHVS.

348. *A. tricolor*, glomerulis triandris axillaribus subrotundis sessilibus, foliis lanceolatis acuminatis. M. S.V. p.853 . n.4.
Societatis insulae.

349. *A. gangeticus*, glomerulis triandris subspicatis ouatis, foliis lanceolato-ouatis emarginatis. M. S.V. p.853. n.6.
Ibidem.

HEPTANDRIA.

GVETTARDA.

350. *G. speciosa*. M. S.V. p.855. n.1.
Societatis insulae.

{67}

MONADELPHIA.

CVPRESSVS.

351. *C. columnaris*, foliis imbricatis subulatis sulcatis, strobilis cylindricis elongatis. F.
Noua Caledonia et Norfolciae insula.

ACALYPHA.

352. *A. virgata*, spicis femineis inuolucris cordatis serratis, masculis distinctis aphyllis, foliis lanceolatis ouatis. M. S.V. p.862. n.2.
Tanna.

CROTON.

353. *C. variegatum*, foliis lanceolatis integerrimis glabris pictis petiolatis. M. S.V. p.863. n.1.
Mallicollo et Tanna.

354. *C. nutans*, foliis rhombeo-subrotundis acuminatis vndulatis glabris nutantibus. F.

Societatis, Amicorum et nouarum Hebridum Insulae.

355. C. *Inophyllum*, foliis obouatis integerrimis, caule arboreo. F.
Noua Caledonia.

RICINVS.

356. R. *Mappa*, foliis peltatis indiuisis. M. S.V. p.866. n.4.
Tanna.

357. R. *dioicus*, foliis cordatis acuminatis. F.
Ibidem.

{68}

STERCVLIA.

358. S. *Balanghas*, foliis ouatis integerrimis petiolatis floribus paniculatis.
M. S.V. p.866. n.1. FORST. *pl. esculent.* 22.
Tanna.

359. S. *foetida*, foliis digitatis. M. S.V. p.866. n.2. FORST. *pl. esc.* 23.
Ibidem.

ALEVRITES.

360. A. *triloba*. FORST. *Charact. gen.* 56.
Insulae Societatis.

SYNGENESIA.

GLOCHIDION.

361. G. *ramiflorum*. FORST. *Charact. gen.* 57.
Societatis insulae et nouae Hebrides.

CVCVRBITA.

362. *C. lagenaria*, foliis subangulatis tomentosis, basi subtus biglandulosis, pomis lignosis. M. S.V. p.868. n.1.

Intra tropicos et in Paschatis insula.

SICYOS.

363. *S. angulata*, foliis angulatis. M. S.V. p.870. n.1.

Noua Zeelandia.

CLASSIS XXII.

DIOECIA.

MONANDRIA.

ASCARINA.

364. *A. polystachya*. FORST. *Charact. gen.* 59.
Societatis insulae.

PANDANVS.

365. *P. odoratissima*. M. S.V. p.878.
Arthrodactylis spinosa. FORST. *Charact. gen.* 75.
Passim intra tropicos.

TRIANDRIA.

MABA.

366. *M. elliptica*. FORST. *Charact. gen.* 61. M. S.V. p.881.
Amicorum insulae.

RESTIO.

367. *R. simplex*, culmis simplicibus, spica terminali. M. S.V. p.882. n.6.
Noua Zeelandia.

EXCOECARIA.

368. E. *Agallocha*. M. S.V. p.882.
Tongatabu.

{70}

TETRANDRIA.

VISCVM.

369. V. *opuntiioides*, caule prolifero ramosissimo aphylo compresso. M.
S.V. p.883. n.4.
Societatis insulae.

370. V. *antarcticum*, foliis ovatis integerrimis, racemis rameis
terminalibusque articulatis. F.
Noua Zeelandia.

PENTANDRIA.

MELICYTVS.

371. M. *ramiflorus*. FORST. *Charact. gen.* 62.
Noua Zeelandia.

HEXANDRIA.

SMILAX.

372. S. *Ripogonum*, caule inermi tereti radicante, foliis ovato-lanceolatis
acuminatis quinqueneruiis, floribus hermaphroditis. F.
Ripogonum scandens. FORST. *Charact. gen.* 25.
Noua Zeelandia.

373. *S. purpurata*, caule inermi tereti dichotomo, foliis cordato-ouatis acuminatis vnguiculatis integerrimis quinqueruiis, pedunculis axillaribus umbelliferis. F.
Noua Caledonia.

DIOSCOREA.

374. *D. pentaphylla*, foliis digitatis. M. S.V. p.888. n.1.
Societatis insulae.

{71}

375. *D. alata*, foliis cordatis, caule alato bulbifero. M. S.V. p.888. n.5.
Passim culta.

376. *D. bulbifera*, foliis cordatis, caule laeui bulbifero. M. S.V. p.888. n.6.
Societatis et Marchionis insulae.

DECANDRIA.

CORIARIA.

377. *C. sarmentosa*, procumbens diffusa, foliis cordato-ouatis acuminatis integerrimis quinqueruiis subpetiolatis: racemis axillaribus elongatis nutantibus. F.
Noua Zeelandia.

DODECANDRIA.

MENISPERMVM.

378. *M. japonicum*, foliis peltatis rotundato-ouatis integris. M. S.V. p.892. n.3. THVNB. *flor. japon.* p.193.
Insulae Societatis.

POLYANDRIA.

HEDYCARYA.

379. *H. dentata*. FORST. *Char. gen.* M. S.V. p.894.
Noua Zeelandia.

{72}

XYLOSMA.

380. *X. suaueolens*, foliis ovatis serratis. F.
Myroxylon suaueolens. FORST. *Charact. gen.* 63. n.1.
Nomen mutauit, ne confundatur cum *Myroxylon* M. S.V. p.395. quod
Balsamum peruianum fundit.
Insulae Societatis.

381. *X. orbiculatum*, foliis subrotundis integerrimis. F.
Myroxylon orbiculatum. FORST. *Charact. gen.* 63. n.2.
Savage island.

{73}

CLASSIS XXIII.

POLYGAMIA.

MONOECIA.

MVSA.

382. *M. paradisiaca*, spadice nutante. M. S.V. p.902. n.1.
Passim intra tropicos culta.

ISCHAEMVM.

383. *I. muticum*, seminibus muticis. M. S.V. p.906. n.1.
Tanna.

384. *I. murinum*, spica bipartita: calyce seminibusque aristatis. FORST. *Nov. Act. Ups.* III. p.185.
Ibidem.

385. *I. involutum*, spica secunda mutica quadriflora, inuoluta receptaculo foliaceo concauo. F.
Societatis insulae et passim intra tropicos.

CENCHRVS.

386. *C. echinatus*, spica oblonga conglomerata. M. S.V. p.907. n.5.
Societatis insulae.

PARIETARIA.

387. *P. debilis*, foliis alternis ovatis petiolatis integerrimis subpilis,
pedunculis axillaribus subtrifloris, caule erectiusculo. F.
Nova Zeelandia.

{74}

TERMINALIA.

388. *T. Catappa*, foliis obovatis, subtus tomentosis. M. S.V. p.910. n.1.
Tanna.

389. *T. glabrata*, foliis obovatis vtrinque glabris. FORST. *pl. esc.* 20.
Societatis et Amicorum insulae.

CLVSIA.

390. *G. pedicellata*, foliis oppositis obovatis integerrimis venosis, cymis
axillaribus, floribus tetrapetalis. F.
Nova Caledonia.

391. *C. sessilis*, foliis oppositis obovatis ellipticisque integerrimis venosis,
floribus axillaribus solitariis subsessilibus tetrapetalis. F.
Tongatabu.

POMETIA.

392. *P. pinnata*, foliis pinnatis, racemo supradecomposito terminali. F.
P. pinnata. FORST. *Charact. gen.* 55.
Tanna, Namoka.

393. *P. ternata*, foliis ternatis, racemis simpliciusculis axillaribus. F.
Aporetica ternata. FORST. *Charact. gen.* 66.
Nova Caledonia.

CELTIS.

394. *C. orientalis*, foliis oblique cordatis subtus villosis. M. S.V. p.912. n.3.
Societatis Insulae.

{75}

MIMOSA.

395. *M. Mangium*, inermis arborea, foliis ouatis integerrimis neruosis obtusis: spicis globosis pedunculatis. L.

M. simplicifolia. M. S.V. p.913. n.1.

Mangium montanum. RUMPH. *amb.* III. t.81.

Insulae Amicorum, nouae Hebrides, noua Caledonia.

DIOECIA.

PENNANTIA.

396. *P. corymbosa*. FORST. *Charact. gen.* 67.

Noua Zeelandia.

PISONIA.

397. *P. inermis*, caule inermi. M. S.V. p.920. n.2.

Societatis insulae.

PANAX.

398. *P. arboreum*, foliis quinatis obouatis serrato-dentatis, vmbellis compositis. F.

P. arborea. M. S.V. p.920. n.4.

Noua Zeelandia.

399. *P. simplex*, foliis alternis lanceolatis serratis, vmbellis compositis. F.

Ibidem.

BREYNIA.

400. *B. disticha*. FORST. *Charact. gen.* 73.
Noua Caledonia, Tanna.

GRISELINIA.

401. *G. lucida*. F.
Scopolia lucida. FORST. *Charact. gen.* 70.
Noua Zeelandia.

{76}

TRIOECIA.

FICVS.

402. *F. religiosa*, foliis cordato ouatis integerrimis acuminatissimis,
transverse striatis: fructibus geminis globosis sessilibus calyculatis. F.
F. religiosa. M. S.V. p.921. n.4.
Tanna.

403. *F. scabra*, foliis cordato-ouatis obliquis integris subtus scabris:
fructibus turbinatis ecalyculatis. F.
Tanna, Namoka.

404. *F. aspera*, foliis oblique cordatis sinuato-dentatis vtrinque asperis:
fructibus turbinatis, calycis margine obsoleto adnato. FORST. *pl. esculent.* 7.
Tanna.

405. *F. tinctoria*, foliis oblique ouatis obtusis, fructibus turbinatis basi
calyculatis. F.
Societatis insulae.

406. *F. indica?* foliis lanceolatis integerrimis petiolatis, pedunculis
aggregatis, ramis radicanibus. M. S.V. p.922. n.7. FORST. *pl. esc.* 9.

Insulae Amicorum, nouarum Hebridum, noua Caledonia.

407. *F. septica*, foliis obliquis oblongo-ouatis acuminatis: pedunculis geminis apice calyculatis, fructibus verrucosis. F. Tanna.

408. *F. Granatum*, foliis ouatis integerrimis, pedunculis terminalibus geminis horizontaliter divergentibus, fructibus calyculatis globosis. FORST. *pl. esculent.* 8. Ibidem.

{77}

409. *F. obliqua*, foliis lanceolatis glaberrimis margine cartilagineis: pedunculis geminis breuissimis, calycibus caducis longitudine fructus. F. Namoka, Tanna.

410. *F. prolixa*, foliis lanceolato-oblongis acuminatis subtus punctatis: pedunculis geminis apice calyculatis. F. Societatis insulae.

{78}

CLASSIS XXIV. CRYPTOGAMIA.

FILICES.

CYCAS.

411. *C. circinalis*, frondibus pinnatis, foliolis linearibus planis. M. S.V. p.925. n.1.
Amicorum et nouarum Hebridum Insulae.

OPHIOGLOSSVM.

412. *O. scandens*, caule flexuoso tereti, frondibus coniugatis pinnatis, foliolis vtrinque spiciferis. M. S.V. p.926. n.7.
Passim intra tropicos.

OSMVNDA.

413. *O. discolor* ****, frondibus pinnatis, pinnis oblongis acutiusculis integris sessilibus alternis approximatis. F.
Noua Zeelandia.

414. *O. procera* ****, frondibus pinnatis, pinnis remotis ouato-oblongis acuminatis serratis sessilibus. F.
Ibidem.

ACROSTICHVM.

415. *A. dichotomum*, nudum dichotomum, spicis secundis adscendentibus reflexis. M. S.V. p.929. n.12.
Societatis insulae.

{79}

416. *A. aureum*, fronde pinnata: pinnis alternis linguiformibus integerrimis glabris. M. S.V. p.929. n.16.
Ibidem.

PTERIS.

417. *P. pedata*, frondibus quinquangulis trifoliatis, pinnis pinnatifidis: lateralibus bipartitis. M. S.V. p.931. n.15.
Insulae Societatis.

418. *P. esculenta*, frondibus supradecompositis sulcatis, foliolis pinnatis, pinnis linearibus decurrentibus, summis brevioribus. FORST. *pl. esculent.* 47.
Ibidem.

419. *P. comans*, frondibus pinnatis: foliolis pinnatifidis, pinnis elongatis lanceolatis, apice attenuatis serratis. F.
Noua Zeelandia.

420. *P. rotundifolia*, frondibus pinnatis hispidis: pinnis suboppositis subrotundis, obsolete crenatis. F.
Ibidem.

421. *P. humilis*, frondibus subbipinnatis: foliolis oblongis incisis subpinnatis, extimis obsolete crenatis confluentibus. F.

BLECHNVM.

422. *B. orientale*, frondibus pinnatis: pinnis linearibus alternis. M. S.V. p.931. n.2.
Societatis insulae.

HEMIONITIS.

423. *H. reticulata*, frondibus lanceolato-falcatis integerrimis, venis reticulatis. F.
Societatis insulae.

{80}

LONCHITIS.

424. *L. tenuifolia*, arborescens, frondibus decompositis, foliis pinnatis: pinnis lineari oblongis serratis, infimis pinnatifidis. F.
Tanna.

ASPLENIVM.

425. *A. Nidus*; frondibus simplicibus lanceolatis integerrimis glabris. M.
S.V. p.933. n.4.
Societatis insulae.

426. *A. flaccidum*, frondibus pinnatis: foliolis alternis remotis pinnatifidis, segmentis linearibus strictis. F.
Noua Zeelandia.

427. *A. lucidum*, frondibus pinnatis: foliolis oppositis oblongo-ouatis acuminatis serrulatis. F.
Ibidem.

428. *A. polyodon*, frondibus pinnatis: foliolis trapezoidibus acuminatis acutis duplicato-serratis. F.

429. *A. obliquum*, frondibus pinnatis, stipitibus squamulosis: foliolis oblongis oppositis acuminatis serratis, margine exteriori breviore. F.
Noua Zeelandia.

430. *A. obtusatum*, frondibus pinnatis: foliolis oppositis oblongis obtusis serratis. F.

Ibidem.

431. *A. tenerum*, frondibus pinnatis: foliolis rhombeo-oblongis, obtusis inciso-serratis. F.

432. *A. caudatum*, frondibus pinnatis: foliolis pinnatifidis linearibus apice setaceis, segmentis obtusis apice inciso-serratis, stipite hirto. F.

433. *A. bulbiferum*, frondibus subbipinnatis, foliolis decurrentibus oblongis obtusis pinnatifidis, fructificationibus proliferis. F.
Noua Zeelandia.

{81}

POLYPODIUM.

434. *P. Acrostichoides*, frondibus linearibus integris glabris, fructificationibus confertis. F.
Societatis insulae.

435. *P. serpens*, frondibus linearibus obtusis pubescentibus, fructificationibus serialibus, stolonibus repentibus. F.
Noua Zeelandia.

436. *P. pustulatum*, frondibus pinnatifidis laeuibus, pinnis oblongis integris acuminatis. F.

437. *P. scandens*, frondibus pinnatifidis laeuibus: pinnis linearibus obtusis vndulatis distantibus, stolonibus radicantibus scandentibus. F.
Societatis insulae.

438. *P. euectum*, frondibus pinnatis, pinnis oppositis oblongis apice lineari-acuminatis serratis, fructificationum serie submarginali continua. F.
Ibidem.

439. *P. hirsutulum*, frondibus pinnatis: pinnis oblongis obtuse serratis, basi sursum auriculatis, stipite villosa. F.

440. *P. tenellum*, frondibus pinnatis: foliolis alternis remotis linearibus acuminatis vndulatis. F.

441. *P. dissectum*, frondibus pinnatis: foliolis pinnatifidis, pinnulis oblongis obtuse serratis, inferioribus longioribus vix coalitis. F.

442. *P. nymphale*, frondibus pinnatis pubescentibus: foliolis linearibus acuminatissimis serratis, basi pinnatifidis: segmentis oblongis obtusis vix antrorsum falcatis. F.

Noua Zeelandia.

443. *P. inuisum*, frondibus pinnatis glabris: foliolis linearibus acuminatissimis serrato-pinnatis: pinnis {82} lanceolatis falcato-acutis, basi connatis. F.

Ibidem.

444. *P. pennigerum*, frondibus pinnatis glabris: foliolis linearibus acuminatissimis subpinnatis: pinnis ouato-oblongis obtusis connatis. F.

Ibidem.

445. *P. vestitum*, frondibus subbipinnatis: pinnis rhombeo-ouatis acutis inciso-serratis, infimis lobatis subpinnatis, stipite squamis scariosis vestito. F.

446. *P. nudum*, frondibus bipinnatis: foliolis pinnatis: pinnis rhombeis inciso-crenatis, stipite scabro nudo. F.

447. *P. setosum*, frondibus bipinnatis: foliolis subpinnatis: pinnis linearibus inciso-serratis, serraturis setaceis, stipite villosus. F.

448. *P. aristatum*, frondibus bipinnatis: foliolis inferioribus pinnatis: pinnis rhombeo-oblongis incisis, segmentis mucronato-serratis, stipite villosiusculo. F.

449. *P. adiantiforme*, frondibus subbipinnatis: foliolis ouatis incisis, lobis ouatis obtusis crenato-serratis, infimis discretis, stipite squamuloso aspero. F.

450. *P. dichotomum*, frondibus dichotomis bipinnatis: pinnulis linearibus integris parallelis. M. S.V. p.938. n.66. FORST. *pl. esc.* 49.
Societatis insulae et Noua Zeelandia.

451. *P. arboreum*? frondibus bipinnatis serratis, caudice arboreo inermi. M. S.V. p.938. n.67.
Ibidem.

452. *P. medullare*, frondibus bipinnatis: foliolis pinnatis acuminatissimis: pinnis oblongis subfalcatis {83} acutis crenatis, stipite aspero, caudice arboreo hispido. FORST. *pl. esc.* 48.
Noua Zeelandia.

453. *P. extensum*, frondibus bipinnatis: foliolis pinnatis acuminatis apice serratis: pinnis oblongis serratis, stipite punctis aspero, caudice arboreo. F.

454. *P. dealbatum*, frondibus bipinnatis: foliolis pinnatis acuminatis subtus albis: pinnis oblongis subfalcatis serratis: stipite aspero, caudice arboreo. F.
Noua Zeelandia.

455. *P. affine*, frondibus bipinnatis: foliolis pinnatis acuminatis: pinnis lineari-oblongis, crenatis, stipite glabro. F.

456. *P. lunulatum*, frondibus bipinnatis: foliolis pinnatis apice serratis setaceis, pinnis lineari-oblongis falcatis apice serrulatis, stipite aspero. F.

457. *P. latifolium*, frondibus subbipinnatis: foliolis ovatis acuminatis pinnatifidis lobatisque: laciniis repandis crenatis, stipite glaberrimo nitido. F.

ADIANTVM.

458. *A. pedatum*, frondibus pedatis: foliolis pinnatis: pinnis antice gibbis incisus fructificantibus. M. S.V. p.939. n.5.
Societatis insulae.

459. *A. clauatum*, frondibus supradecompositis: foliolis alternis: pinnis cuneiformibus integerrimis alternis vnifloris. M. S.V. p.940. n.22.

{84}

460. *A. trapeziforme*, frondibus supradecompositis: foliolis alternis: pinnis rhombeis incisis vtrinque fructificantibus. M. S.V. p.940. n.24?
Noua Zeelandia et intra tropicos.

461. *A. cuneatum*, frondibus pinnatis: foliolis oppositis subpinnatis: pinnis cuneiformibus retusis alternis. F.

TRICHOMANES.

462. *T. reniforme*, frondibus simplicibus reniformibus stipitatis multifloris, receptaculis seminum exsertis cylindricis. F.
Noua Zeelandia.

463. *T. contiguum*, frondibus pinnatis: pinnis linearibus alternis approximatis integris, fructificantibus apice incisis. F.

464. *T. humile*, frondibus pinnatifidis dichotomis: pinnis alternis decurrentibus linearibus obtusis integris, fructificationibus turbinato-infundibuliformibus, stylis setaceis exsertis, stipite vix vllo. F.
Societatis insulae.

465. *T. sanguinolentum*, frondibus subbipinnatis, foliolis alternis pinnatifidis: pinnis dichotomis lineari-oblongis obtusis integris decurrentibus: fructificationibus ouato-subrotundis dehiscentibus. F.
Noua Zeelandia.

466. *T. biualue*, frondibus subbipinnatis: pinnis alternis decurrentibus dichotomis, segmentis linearibus serratis, fructificationibus subrotundis biualuibus. F.

{85}

467. *T. dilatatum*, frondibus subbipinnatis: pinnis alternis dichotomis decurrentibus cuneiformibus incisis, fructificationibus biualuibus orbicularibus inflatis. F.

468. *T. demissum*, frondibus bipinnatis: foliolis alternis strictis pinnatis: pinnis pinnatifido-dichotomis, segmentis linearibus obtusis integris: fructificationibus globosis terminalibus. F.

469. *T. cuneiforme*, frondibus bipinnatis: foliolis alternis dichotomis pinnatis: pinnis alternis cuneiformibus incisis, fructificationibus truncato-laceris. F.

470. *T. gibberosum*, frondibus bipinnatis: foliolis pinnatis: pinnis oblongis pinnatifido-incisis, segmentis linearibus integris, margine interiore infra apicem fructificantibus. F.

471. *T. epiphyllum*, frondibus bipinnatis: foliolis pinnatis acuminatis: pinnis linearibus inciso-serratis: fructificationibus in pagina superiore infra apicem incisurarum squamaceis. F.

472. *T. flaccidum*, frondibus decompositis: foliolis rhombeis subpinnatis: pinnis cuneiformibus apice incisis margine interiore infra apicem fructificantibus. F.

473. *T. multifidum*, frondibus decompositis: foliolis alternis pinnatis: pinnis dichotomis linearibus decurrentibus argute serratis: fructificationibus ouato-subrotundis dehiscentibus. F.

474. *T. elatum*, frondibus decompositis: foliolis pinnatis: pinnis oblongis strictis pinnatifido-incisis, segmentis oblongis apice serratis, fructificationibus terminalibus ouatis. F.

{86}

475. *T. solidum*, frondibus decompositis: foliolis acuminatis: pinnis ouato-oblongis incisis crenatis: fructificationibus filiformibus tubulosis. F.

476. *T. squarrosum*, frondibus subbipinnatis: foliolis oblongis acuminatis subpinnatis serratis, serraturis mucronatis: fructificationibus sinuum globosis dehiscentibus subbiualuibus, stipite hispido barbato, caudice arboreo. F.

MVSCI.

LYCOPODIVM.

477. L. *nudum*, foliis subnullis, spicis dichotomis: floribus distantibus. M. S.V. p.942. n.2.
Societatis insulae.

478. L. *Phlegmaria*, foliis verticillato-quaternis, spicis terminalibus dichotomis. M. S.V. p.942. n.2.
Ibidem.

479. L. *squarrosum*, foliis sparsis linearibus glabris, spicis terminalibus foliosis. F.

480. L. *cernuum*, foliis sparsis curuatis, caule ramosissimo, spicis nutantibus. M. S.V. p.943. n.12.

481. L. *complanatum*, foliis bifariis connatis, superficialibus solitariis, spicis geminis pedunculatis. M. S.V. p.943. n.18.

482. L. *volubile*, foliis bifariis distichis falcatis acuminatis, caule volubili ramoso hispido, pedunculis ramosis, spicis aggregatis nudis. F.

{87}

483. L. *flabellatum*, foliis bifariis: superficialibus distichis, caule erecto tereti. M. S.V. p.943. n.23.

484. L. *scariosum*, foliis bifariis imbricatis erectis ovatis glabris, spicis terminalibus squamosis, squamis scariosis reflexis. F.

485. L. *myrtifolium*, foliis quadrifariis lineari-oblongis, spicis terminalibus filiformibus foliosis. F.

APPENDIX..

PALMAE.

CORYPHA.

486. *C. vmbraculifera*, frondibus pinnato-palmatis plicatis filoque interiectis, stipitibus ciliato-spinosis. M. S.V. p.984. n.1.
Marchionis et Amicorum insulae.

COCOS.

487. *C. nucifera*, inermis, frondibus pinnatis: foliolis replicatis ensiformibus. M. S.V. p.985. n.1.
Passim intra tropicos.

ARECA.

488. *A. oleracea*?? foliolis integerrimis. M. S.V. p.986. n.2.
Nouae Hebrides; forte ad *A. sapidam* referenda.

PLANTAE OBSCURAE. †).

†) Hoc titulo colliguntur plantae in Austrasiae insulis a nobis quidem lectae, sed vel imperfecte, vel omnino, deficientibus floribus et fructificationibus, non descriptae. Nomina nonnullis deinde adiecta iuxta sententiam b. Solandri, qui easdem olim descripserat.

I.

489. *Salicornia australis*. S. Noua Zeelandia.

{89}

II.

490. *Iasminum*. Noua Caledonia.

III.

491. *Schoenus arundinaceus*. S. Noua Caledonia,

492. *Schoenus surinamensis*. S. Taheiti.

493. *Schoenus rubiginosus*. S. Noua Zeelandia.

494. *Schoenus eleuatus*. S. Societatis insulae.

495. *Cyperus venustus*. S. Ibidem.

496. *Cyperus stuppeus*. S. Ibidem.

497. *Cyperus linctus*. S. Ibidem.

498. *Poa caespitosa*. Noua Zeelandia.

499. *Poa imbecilla*. S. Ibidem.

IV.

500. *Galium vmbrosum*. S. Noua Zeelandia.

501. *Nertera depressa*. S. Ibidem.

V.

502. *Menyanthes*. Hort. Malab. Part. XI. t. 29. Noua Caledonia.

503. *Conuoluulus chrysorrhizus*. S. FORST. *pl. esculent.* 24. Passim cultus.

504. *Scaeuola sericea*. Botanices insula ad nouam Caledoniam.

505. *Scaeuola saligna*. Noua Caledonia.

506. *Physalis flaccida*. S. Societatis Insulae.

507. *Solanum viride*. S. FORST. *pl. esculent.* 42. Ibidem.

508. *Solanum astroites*. Ibidem.

509. *Rhamnus polifolius*. S. Noua Zeelandia.

{90}

510. *Rhamnus Zizyphoides*. S. Societatis Insulae.

511. *Rondeletioides*. S. Ibidem.

512. *Hydrocotyle*. Noua Caledonia.

513. *Coprosma pusilla*. Noua Zeelandia.

VI.

514. *Iuncus tenax*. S. Noua Zeelandia.

515. *Rumex flexuosus*. S. Ibidem.

VIII.

516. *Epilobium junceum*. S. Ibidem.

517. *Polygonum imberbe*. S. Societatis insulae.

518. *Polyscias pinnata*. FORST. *Charact. gen.* 32. Tanna.

X.

519. *Oxalis reptans*. S. Societatis insulae et Noua Zeelandia.

XI.

520. *Portulaca lutea*. S. Societatis insulae.

521. *Euphorbia*. Norfolciae insula.

XII.

522. *Eugenia? paniculata*. Tongatabu.

523. *Mesembryanthemum australe*. S. Noua Zeelandia.

XIII.

524. *Ranunculus riuularis*. S. Noua Zeelandia.

525. *Ranunculus hirtus*. S. Ibidem.

{91}

XIV.

526. *Stachys decemdentata*. S. Societatis insulae.

527. *Ocimum pusillum*. Tanna.

528. *Scrophularioides arborea*. Societatis et Marchionis insulae.

XV.

529. *Cardamine sarmentosa*. S. Teautea.

XVI.

530. *Geranium patulum*. S. Noua Zeelandia.
531. *Geranium pilosum*. S. Ibidem.
532. *Sida*. Ibidem.

XVII.

533. *Phaseolus amoenus*. S. Societatis insulae.

XIX.

534. *Scorzonera scapigera*. S. Noua Zeelandia.
535. *Gnaphalium redolens*. S. Noua Caledonia.
536. *Baccharis*. Noua Caledonia.
537. *Baccharis* II. Ibidem.
538. *Senecio lautus*. S. Noua Zeelandia.
539. *Senecio angustifolius*. S. Ibidem.
540. *Cotula bicolor*. S. Tanna.
541. *Bupthalmum vniflorum*. Norfolciae Insula.
542. *Bupthalmum procumbens*. Amicorum insulae.
543. *Coreopsis Helianthoides*. Intra tropicos.
544. *Coreopsis fruticosa*. Ibidem.
545. *Coreopsis*. Tanna.

{92}

XX.

546. *Epidendrum distichum*. Societatis insulae.
547. *Epidendrum*. Ibidem.

XXI.

548. *Carex hamata*. Noua Zeelandia.
549. *Carex ternaria*. S. Ibidem.
550. *Carex debilis*. S. Ibidem.
551. *Croton clutioides*. Tanna.
552. *Croton*. Tanna.
553. *Glochidion*. Tanna.
554. *Cucurbita pruriens*. S. Societatis insulae.
555. *Cucurbita aspera*. S. Ibidem.
556. *Cucurbita multiflora*. S. Ibidem.

XXII.

557. *Maba maior*. FORST. *pl. esculent*. 21. Amicorum insulae.
558. *Meryta lanceolata*. FORST. *Charact. gen.* 60. Societatis insulae.
559. *Merista laeuigata*. S. Noua Zeelandia.
560. *Cliffortioides cordata*. S. Noua Zeelandia.
361. *Dacrydium cupressinum*. S. FORST. *pl. escul.* 54. Ibidem.

XXIII.

562. *Andropogon*. Tanna.
563. *Holcus redolens*. S. Noua Zeelandia.
564. *Ixalum inerme*. S. Ibidem.
565. *Mimosa glandulosa*. S. Societatis insulae.
566. *Mimosa*. Noua Caledonia.

{93}

567. *Mimosa* II. Ibidem.
568. *Mimosa* III. Ibidem.
569. *Ceodes umbellata*. FORST. *Charact. gen.* 71. Tanna.
570. *Melistaureum distichum*. FORST. *Charact. gen.* 72. Noua Caledonia.
571. *Ficus stipulacea*. Tanna.

XXIV.

- 572. *Osmunda reptans*. S. Noua Zeelandia.
- 573. *Osmunda obtusata*. S. Ibidem.
- 574. *Asplenium polyanthes*. S. Societatis insulae.
- 575. *Bryum*.
- 576. *Bryum* II.
- 577. *Bryum* III.
- 578. *Hypnum*.
- 579. *Hypnum* II.
- 580. *Hypnum* III.
- 581. *Hypnum* IV.
- 582. *Hypnum* V.
- 583. *Iungermannia*.
- 584. *Lichen*.
- 585. *Lichen* II.
- 586. *Lichen* III.
- 587. *Lichen* IV.
- 588. *Lichen* V.
- 589. *Fucus*.
- 590. *Fucus* II.
- 591. *Ulva*.

APPENDIX.

592. *Areca sapida*. S. Noua Zeelandia. FORST. *pl. esc.* 35.

593. *Mawhaha* radix. COOK *it.* I. 332. 393. FORST. *pl. esc.* 31. Amicorum insulae.

594. *Dgidgi* (Jeejee) radix. COOK l.c. FORST. *pl. esc.* 30. Ibidem.

INDEX.

A			
<u>Abrus</u>	No. 267	<u>Apium</u>	No. 141
<u>precatorius</u>		<u>graueolens</u>	
<u>Acalypha virgata</u>	352	<u>Areca oleracea</u>	488
<u>Acanthus</u>	247	<u>---- sapida</u>	592
<u>ilicifolius</u>		<u>Argophyllum</u>	115
<u>Achras dissecta</u>	155	<u>nitidum</u>	
<u>Achyranthes</u>	116	<u>Arnica oporina</u>	299
<u>aspera</u>		<u>Artocarpus</u>	332
<u>Acrostichum</u>	416	<u>incisa</u>	
<u>aureum</u>		<u>Arum</u>	328
<u>---- ----</u>	415	<u>esculentum</u>	
<u>dichotomum</u>		<u>---- macrorhizon</u>	329
<u>Adenantha</u>	187	<u>Arundo Bambos</u>	47
<u>scandens</u>		<u>---- conspicua</u>	48
<u>Adenostemma</u>	284	<u>Ascarina</u>	364
<u>viscosa</u>		<u>polystachya</u>	
<u>Adiantum</u>	459	<u>Asclepias</u>	128
<u>clauatum</u>		<u>volubilis</u>	
<u>---- ----</u>	461	<u>Asplenium</u>	433
<u>cuneatum</u>		<u>bulbiferum</u>	
<u>---- ---- pedatum</u>	458	<u>---- ----</u>	432
<u>---- ----</u>	460	<u>caudatum</u>	
<u>trapeziforme</u>		<u>---- ----</u>	426
<u>Aeschynomene</u>	273	<u>flaccidum</u>	
<u>coccinea</u>		<u>---- ---- lucidum</u>	427
<u>Ageratum</u>	285	<u>---- ---- Nidus</u>	425
<u>conyzoides</u>		<u>---- ----</u>	429
		<u>obliquum</u>	

[Agrostis ouata](#) 40
[Aira antarctica](#) 41
[Aleurites triloba](#) 360
[Amaranthus gangeticus](#) 349
[----- tricolor](#) 348
[Amomum](#)
[Curcuma](#) 2
[-----](#)
[Zerumbet](#) 1
[Ancistrum diandrum](#) 52
[Andromeda rupestris](#) 195
[Andropogon](#) 562
[Anthericum](#) 149
[Adenanthera](#)
[----- cirratum](#) 148
[Anthoxanthum crinitum](#) 18
[Antirrhinum hexandrum](#) 235

{96}

[Baeobotrys nemoralis](#) 97
[Balanophora fungosa](#) 333
[Barringtonia speciosa](#) 255
[Bassia obouata](#) 200
[Besleria biflora](#) 236
[----- cymosa](#) 237

[----- obtusatum](#) 430
[----- polyanthes](#) 574
[----- polyodon](#) 428
[----- tenerum](#) 431
[Aster coriaceus](#) 297
[----- holosericeus](#) 296
[Auena filiformis](#) 46
[Auicennia resinifera](#) 246

B
[Baccharis](#) 536
[----- ij](#) 537

[Ceanothus capsularis](#) No. 112
[Celastrus crenatus](#) 113
[Celtis orientalis](#) 394
[Cenchrus echinatus](#) 386
[Ceodes umbellata](#) 569

<u>Bidens pilosa</u>	283
<u>Blackburnia</u>	
<u>pinnata</u>	53
<u>Blechnum</u>	
<u>orientale</u>	422
<u>Boerhaavia</u>	
<u>erecta</u>	4
<u>----- tetrandra</u>	5
<u>Breynia disticha</u>	400
<u>Bryum</u>	575
<u>----- II</u>	576
<u>----- III</u>	577
<u>Buphthalmum</u>	
<u>Helianthoides</u>	304
<u>-----</u>	
<u>procumbens</u>	542
<u>-----</u>	
<u>vniflorum</u>	541
C	
<u>Calea</u>	
<u>leptophylla</u>	287
<u>----- pinifolia</u>	288
<u>Calendula</u>	
<u>pumila</u>	305
<u>Calophyllum</u>	
<u>Inophyllum</u>	225
<u>Campanula</u>	
<u>gracilis</u>	84
<u>Cardamine</u>	
<u>sarmentosa</u>	529
<u>Cardiospermum</u>	
<u>Halicacabum</u>	177
<u>Carex debilis</u>	550

<u>Cerbera</u>	
<u>Manghas</u>	120
<u>-----</u>	
<u>paruiflora</u>	121
<u>Chenopodium</u>	
<u>triandrum</u>	129
<u>Chiococca</u>	
<u>barbata</u>	96
<u>Chrysocoma</u>	
<u>purpurea</u>	286
<u>Cinchona</u>	
<u>corymbifera</u>	88
<u>Cineraria</u>	
<u>repanda</u>	295
<u>-----</u>	
<u>rotundifolia</u>	294
<u>Citrvs</u>	
<u>Aurantium</u>	279
<u>----- decumana</u>	280
<u>Clematis</u>	
<u>hexapetala</u>	230
<u>-----</u>	
<u>integrifolia</u>	231
<u>Cliffortioides</u>	
<u>cordata</u>	560
<u>Clusia</u>	
<u>pedicellata</u>	390
<u>----- sessilis</u>	391
<u>Coccoloba</u>	
<u>australis</u>	176
<u>Cocos nucifera</u>	487
<u>Codia montana</u>	175
<u>Coffea odorata</u>	94
<u>----- opulina</u>	93

<u>---- hamata</u>	548
<u>---- lithosperma</u>	339
<u>---- ternaria</u>	549
<u>---- vncinata</u>	338
<u>Carpodetus</u>	
<u>serratus</u>	111
<u>Cassia Sophera</u>	184
<u>Cassya</u>	
<u>filiformis</u>	181
<u>Casuarina</u>	
<u>equisetifolia</u>	334
<u>---- ---- nodiflora</u>	335

<u>---- ----</u>	92
<u>sambucina</u>	
<u>---- ---- triflora</u>	95
<u>Coix Lacryma</u>	337
<u>Commelina</u>	
<u>virginica?</u>	26
<u>Commersonia</u>	
<u>echinata</u>	144
<u>Conuoluulus</u>	
<u>brasiliensis</u>	81
<u>---- ----</u>	
<u>chrysorrhizus</u>	503
<u>---- ---- coelestis</u>	77
<u>---- ----</u>	
<u>corymbosus</u>	80
<u>---- ----</u>	
<u>grandiflorus</u>	76
<u>---- ----</u>	
<u>mucronatus</u>	79
<u>---- ---- peltatus</u>	78

{97}

<u>Conuoluulus</u>	
<u>tuguriorum</u>	No. 74
<u>---- ----</u>	
<u>turpethum</u>	75
<u>Coprosma</u>	
<u>foetidissima</u>	138
<u>---- ---- lucida</u>	137
<u>---- ---- pusilla</u>	513
<u>Cordia aspera</u>	109
<u>---- dichotoma</u>	110
<u>---- sebestena</u>	108

<u>Cyperus</u>	
<u>venustus</u>	No. 495
<u>---- ----</u>	D
<u>Dais disperma</u>	192
<u>Daphne foetida</u>	168
<u>---- rotundifolia</u>	169
<u>Dentella repens</u>	98
<u>Dianthera</u>	
<u>caerulea</u>	14
<u>---- ---- clauata</u>	15

<u>Coreopsis</u>	545
<u>---- fruticosa</u>	544
<u>----</u>	
<u>helianthoides</u>	543
<u>Coriaria</u>	
<u>sarmentosa</u>	377
<u>Corynocarpus</u>	
<u>laeuigata</u>	114
<u>Corypha</u>	
<u>vmbraculifera</u>	486
<u>Cotula bicolor</u>	540
<u>----</u>	
<u>coronopifolia</u>	300
<u>---- minuta</u>	301
<u>Craspedia</u>	
<u>vniflora</u>	306
<u>Crataeua</u>	
<u>religiosa</u>	203
<u>Crinum</u>	
<u>asiaticum</u>	147
<u>Crossostylis</u>	
<u>biflora</u>	266
<u>Croton</u>	552
<u>---- clutioides</u>	551
<u>---- Inophyllum</u>	355
<u>---- nutans</u>	354
<u>---- variegatum</u>	353
<u>Cucurbita aspera</u>	555
<u>---- ---- lagenaria</u>	362
<u>---- ----</u>	
<u>multiflora</u>	556
<u>---- ---- pruriens</u>	554

<u>Dgidgi (radix)</u>	594
<u>Dicera dentata</u>	226
<u>---- serrata</u>	227
<u>Dichondra</u>	
<u>repens</u>	134
<u>Dioscorea alata</u>	375
<u>---- ---- bulbifera</u>	376
<u>---- ----</u>	
<u>pentaphylla</u>	374
<u>Dodonaea</u>	
<u>viscosa</u>	164
<u>Dolichos</u>	
<u>luteolus</u>	269
<u>---- pruriens</u>	270
<u>Dorstenia lucida</u>	58
<u>---- pubescens</u>	59
<u>Dracaena</u>	
<u>australis</u>	151
<u>---- ---- indiuisa</u>	150
<u>---- ----</u>	
<u>terminalis</u>	152
<u>Dracontium</u>	
<u>pertusum</u>	331
<u>---- ----</u>	
<u>polyphyllum</u>	330
	E
<u>Echites costata</u>	123
<u>Ecclipta</u>	
<u>prostrata</u>	302
<u>Embothrium</u>	
<u>vmbellatum</u>	60
<u>Epacris</u>	
<u>fascicularis</u>	72

<u>Cupressus</u>	351
<u>columnaris</u>	
<u>Cycas circinalis</u>	411
<u>Cynanchum</u>	
<u>viminale</u>	127
<u>Cynosurus</u>	
<u>indicus</u>	45
<u>Cyperus linctus</u>	497
<u>---- odoratus</u>	27
<u>---- stuppeus</u>	496

{98}

<u>Epidendrum</u>	547
<u>---- ----</u>	
<u>autumnale</u>	319
<u>---- ---- biflorum</u>	318
<u>---- ----</u>	
<u>clypeolum</u>	323
<u>---- ----</u>	
<u>crispatum</u>	315
<u>---- ----</u>	
<u>distichum</u>	546
<u>---- ---- equitans</u>	316
<u>---- ---- fasciola</u>	320
<u>---- ----</u>	
<u>myosurus</u>	317
<u>---- ----</u>	
<u>resupinatum</u>	322
<u>---- ---- triste</u>	314
<u>---- ----</u>	
<u>tuberosum</u>	313
<u>---- ----</u>	
<u>vmbellatum</u>	321

<u>---- juniperina</u>	71
<u>---- longifolia</u>	68
<u>---- pumila</u>	70
<u>----</u>	
<u>rosmarinifolia</u>	69

<u>Ficus scabra</u>	No. 403
<u>---- septica</u>	407
<u>---- stipulacea</u>	571
<u>---- tinctoria</u>	405
<u>Forstera</u>	
<u>sedifolia</u>	324
<u>Fucus</u>	589
<u>---- II</u>	590

G

<u>Gahnia procera</u>	158
<u>---- Schoenoides</u>	159
<u>Galega littoralis</u>	277
<u>Galium</u>	
<u>vmbrosum</u>	500
<u>Gardenia florida</u>	122
<u>Gaulthieria</u>	
<u>antipoda</u>	196
<u>Geniostoma</u>	
<u>rupestris</u>	103
<u>Gentiana saxosa</u>	132

Epilobium		----- montana	133
glabellum	160	Geranium	
----- junceum	516	patulum	530
-----		----- pilosum	531
rotundifolium	161	Glochidion	553
Erithalis obovata	101	-----	
Erythrina		ramiflorum	361
Corallodendron	268	Glycine lucida	272
Eugenia		----- rosea	271
malaccensis	220	Gnaphalium	
----- paniculata	522	inuolucratum	291
----- racemosa	221	----- lanatum	290
Euphorbia	521	----- luteo-	
----- Aloto	207	album	292
----- glauca	208	----- redolens	535
-----		----- trinerue	289
origanoides	206	Gossypium	
Euphrasia		religiosum	259
cuneata	234	Gratiola	
Euryandra		Monnieria	16
scandens	228	Grewia	
Excoecaria		Mallococca	327
Agallocha	368	Griselinia lucida	401
	F	Guaiacum	
Fagara Euodia	54	dubium	186
Ficus aspera	404	Guettarda	
----- Granatum	408	speciosa	350
----- indica	406	Guilandina	
----- obliqua	409	Bonduccella	185
----- proluxa	410	Gynopogon	
----- religiosa	402	Alyxia	118

Gynopogon
scandens No. 119

----- stellatum 117

H

Haloragis alata 180

----- prostrata 179

Hedycarya
dentata 379

Hedysarum
heterocarpon 275

lagopodioides 276

ymbellatum 274

Hemionitis
reticulata 423

Hernandia
sonora 340

Hibiscus
Abelmoschus 263

bacciferus 260

esculentus 264

----- hastatus 265

----- Rosa
sinensis 262

----- tiliaceus 261

Holcus redolens 563

Hydrocotyle 512

moschata 135

Ischaemum
muticum No. 383

Iuncus
campestris 154

----- tenax 514

Iungermannia 583

Iusticia
longifolia 13

----- repanda 12

Ixalum inerme 564

K

Kyllinga
monocephala 30

----- triceps 31

L

Laserpitium
Aciphylla 139

Lawsonia
Acronychica 165

Lepidium
oleraceum 248

piscidium 249

Lichen 584

----- II 585

----- III 586

----- IV 587

----- V 588

Ligusticum
Gingidium 140

Limonia lucida 191

----- minuta 190

Hypericum	281	Linum	145
gramineum		monogynum	
Hypnum	578	Lithospermum	63
---- II	579	incanum	
---- III	580	Lobelia angulata	309
---- IV	581	---- arborea	308
---- V	582	Lonchitis	424
I		tenuifolia	
Iasminum	490	Loranthus Stelis	157
---- ----	8	---- ----	156
didymum		tetrapetalus	
---- ----	7	Lotus arboreus	278
simplicifolium		Lycopodium	480
Inocarpus edulis	197	cernuum	
Ipomoea Bona	82	---- ----	481
nox		complanatum	
---- carnea	83	---- ----	483
Ischaemum	385	flabellatum	
involutum		---- ----	485
---- ---- murinum	384	myrtifolium	

{100}

Lycopodium nudum	No. 477	Mimosa	395
---- ---- phlegmaria	478	Mangium	
---- ---- scariosum	484	Mniarum	6
---- ---- squarrosus	479	biflorum	
---- ---- volubile	482	Morinda	100
Lysimachia	65	citrifolia	
decurrens		---- vmbellata	99
Lythrum Pemphis	205	Morus	347
M		papyrifera	
Maba elliptica	366		

<u>----- maior</u>	557
<u>Mawhaha (radix)</u>	593
<u>Melaleuca aestuosa</u>	215
<u>----- ciliata</u>	217
<u>----- diffusa</u>	213
<u>----- florida</u>	214
<u>-----</u>	
<u>Leucadendron</u>	218
<u>----- lucida</u>	216
<u>----- perforata</u>	212
<u>----- scoparia</u>	210
<u>----- virgata</u>	211
<u>Melastoma glabra</u>	194
<u>----- malabathrica</u>	193
<u>Melicope ternata</u>	166
<u>Melicytus ramiflorus</u>	371
<u>Melistaureum</u>	
<u>distichum</u>	570
<u>Melochia odorata</u>	253
<u>Melodinus scandens</u>	125
<u>Menispermum</u>	
<u>japonicum</u>	378
<u>Menyanthes</u>	502
<u>Merista laeuigata</u>	559
<u>Meryta lanceolata</u>	558
<u>Mesembryanthemum</u>	
<u>australe</u>	523
<u>Mimosa</u>	566
<u>----- II</u>	567
<u>----- III</u>	568
<u>----- glandulosa</u>	565

<u>Musa</u>	382
<u>paradisiaca</u>	
<u>Mussaenda</u>	102
<u>frondosa</u>	
<u>Myoporum</u>	240
<u>crassifolium</u>	
<u>----- laetum</u>	238
<u>-----</u>	
<u>pubescens</u>	239
<u>-----</u>	
<u>tenuifolium</u>	241
<u>Myosotis</u>	62
<u>spatulata</u>	
	N
<u>Nauclea</u>	85
<u>orientalis</u>	
<u>Nertera depressa</u>	501
<u>Nicotiana</u>	104
<u>fruticosa?</u>	
	O
<u>Ocymum</u>	527
<u>pusillum</u>	
<u>-----</u>	
<u>Scutellarioides</u>	233
<u>Oldenlandia</u>	56
<u>debilis</u>	
<u>----- foetida</u>	55
<u>-----</u>	
<u>tenuifolia</u>	57
<u>Ophiorrhiza</u>	66
<u>subumbellata</u>	
<u>Ophioglossum</u>	412
<u>scandens</u>	

<u>Ophrys</u>	310
<u>squamata</u>	
<u>---- vnifolia</u>	311
<u>Osmunda</u>	
<u>discolor</u>	413
<u>----- obtusata</u>	573
<u>----- procera</u>	414
<u>----- reptans</u>	572
<u>Oxalis reptans</u>	519
P	
<u>Panax arboreum</u>	398
<u>---- simplex</u>	399

{101}

<u>Pandanus</u>	No. 365	<u>-----</u>	No. 449
<u>odoratissima</u>		<u>adiantiforme</u>	
<u>Panicum</u>	39	<u>----- affine</u>	455
<u>compositum</u>		<u>-----</u>	
<u>----- filiforme</u>	38	<u>arboreum</u>	451
<u>-----</u>		<u>-----</u>	
<u>hispidum</u>	36	<u>aristatum</u>	448
<u>-----</u>		<u>-----</u>	
<u>sanguinale</u>	37	<u>dealbatum</u>	454
<u>Parietaria debilis</u>	387	<u>-----</u>	
<u>Paspalum</u>		<u>dichotomum</u>	450
<u>orbiculare</u>	35	<u>-----</u>	
<u>Passerina Gnidia</u>	170	<u>dissectum</u>	441
<u>----- pilosa</u>	171	<u>----- euctum</u>	438
<u>----- prostrata</u>	172	<u>-----</u>	
<u>Passiflora</u>		<u>extensum</u>	453
<u>aurantia</u>	326	<u>-----</u>	
		<u>hirsutulum</u>	439

Pennantia	396	----- inuisum	443
corymbosa		-----	
Periploca	126	latifolium	457
capsularis		-----	
Petesia carnea	51	lunulatum	456
Peucedanum	136	-----	
geniculatum		medullare	452
Phalaris	34	----- nudum	446
canariensis		-----	
Phaseolus	533	nymphale	442
amoenus		-----	
Phormium tenax	153	pennigerum	444
Phyllanthus	341	-----	
virgata		pustulatum	436
Physalis flaccida	506	----- scandens	437
Piper	23	----- serpens	435
acuminatum?		----- setosum	447
----- excelsum	20	----- tenellum	440
----- latifolium	22	----- vestitum	445
----- methysticum	21	Polyscias	518
----- pallidum	24	pinnata	
----- Siriboa	19	Pometia pinnata	392
----- tetraphyllum	25	----- ternata	393
Pisonia inermis	397	Portlandia	86
Plagianthus	254	tetrandra	
diuaticatus		Portulaca lutea	520
Plumbago	73	Psidium	219
Zeylanica		Decaspermum	
Poa anceps	43	Psychotria	90
--- caespitosa	498	asiatica	
--- Eragrostis?	42	----- herbacea	91
--- imbecilla	499	----- speciosa	89
--- latifolia	44	Pteris comans	419

[Polygonum](#) 517
[imberbe](#)
[Polypodium](#) 434
[Acrostichoides](#)

[---- esculenta](#) 418
[---- humilis](#) 421
[---- pedata](#) 417
[---- rotundifolia](#) 420

{102}

R

[Ranunculus](#) 525
[hirtus](#)
[---- riuularis](#) 524
[Restis simplex](#) 367
[Rhamnus](#) 509
[polifolius](#)
[---- ----](#) 510
[Zizyphoides](#)
[Rhizophora](#) 201
[gymnorhiza](#)
[---- Mangle](#) 202
[Rhus atrum](#) 142
[Ricinus dioicus](#) 357
[---- Mappa](#) 356
[Rondeletioides](#) 511
[Rottbölla](#) 49
[Coelorachis](#)
[---- repens](#) 50
[Rubus australis](#) 224
[Ruellia fragrans](#) 243
[---- reptans](#) 242
[Rumex](#) 515
[flexuosus](#)

S

[Scrophularioides](#) No. 528
[arborea](#)
[Senecio](#) 539
[angustifolius](#)
[---- lautus](#) 538
[Serapias](#) 312
[regularis](#)
[Sesuvium](#) 222
[Portulacastrum](#)
[Shawia](#) 307
[paniculata](#)
[Sheffieldia](#) 67
[repens](#)
[Sicyos angulata](#) 363
[Sida](#) 532
[---- indica](#) 257
[---- rhombifolia](#) 256
[Sigesbeckia](#) 303
[orientalis](#)
[Sisymbrium](#) 250
[heterophyllum](#)
[Sisyrinchium](#) 325
[Ixioides](#)
[Skinnera](#) 163
[excorticata](#)
[Smilax purpurata](#) 373

<u>Saccharum officinarum</u>	33	<u>---- Ripogonum</u>	372
<u>---- ----</u>	32	<u>Solanum astroites</u>	508
<u>spontanum</u>		<u>---- ---- auiculare</u>	107
<u>Salicornia australis</u>	489	<u>---- ---- nigrum</u>	106
<u>Salsola Kali</u>	130	<u>---- ----</u>	105
<u>---- fruticosa</u>	131	<u>repandum</u>	
<u>Sapindus</u>	178	<u>---- ---- viride</u>	507
<u>Saponaria</u>		<u>Solidago arborescens</u>	298
<u>Scaeuola Lobelia</u>	87	<u>Sonchus oleraceus</u>	282
<u>---- ---- saligna</u>	505	<u>Sophora tomentosa</u>	182
<u>---- ---- sericea</u>	504	<u>---- ---- tetraptera</u>	183
<u>Schefflera digitata</u>	146	<u>Spondias dulcis</u>	198
<u>Schoenus arundinaceus</u>	491	<u>Stachys decemdentata</u>	526
<u>---- ---- eleuatus</u>	494	<u>Sterculia Balanghas</u>	358
<u>---- ----</u>	493	<u>---- ---- foetida</u>	359
<u>rubiginosus</u>		<u>Suriana maritima</u>	199
<u>---- ----</u>	492		
<u>surinamensis</u>			T
<u>Scirpus dichotomus</u>	28	<u>Tabernaemontana citrifolia</u>	124
<u>---- junceus</u>	29	<u>Tacca pinnatifida</u>	209
<u>Scorzonera scapigera</u>	534	<u>Terminalia Catappa</u>	388
		<u>---- ---- glabrata</u>	389

<u>Tetragonia</u>	No. 223
<u>halimifolia</u>	
<u>Teucrium</u>	232
<u>villosum</u>	
<u>Thalia</u>	3
<u>cannaeformis</u>	
<u>Tillaea muscosa?</u>	61
<u>Tournefortia</u>	64
<u>argentea</u>	
<u>Trichilia alliacea</u>	189
<u>---- spectabilis</u>	188
<u>Trichomanes</u>	466
<u>biualue</u>	
<u>---- ----</u>	463
<u>contiguum</u>	
<u>---- ----</u>	469
<u>cuneiforme</u>	
<u>---- ----</u>	468
<u>demissum</u>	
<u>---- ----</u>	467
<u>demissum</u>	
<u>---- ---- elatum</u>	474
<u>---- ----</u>	471
<u>epiphyllum</u>	
<u>---- ----</u>	472
<u>flaccidum</u>	
<u>---- ----</u>	470
<u>gibberosum</u>	
<u>---- ---- humile</u>	464
<u>---- ----</u>	473
<u>multifidum</u>	
<u>---- ----</u>	462
<u>reniforme</u>	

<u>Urtica argentea</u>	No. 343
<u>---- ferox</u>	346
<u>---- ruderalis</u>	344
<u>---- virgata</u>	345
	V
<u>Vaccinium</u>	167
<u>cereum</u>	
<u>Verbena</u>	17
<u>nodiflora</u>	
<u>Veronica</u>	9
<u>Catarractae</u>	
<u>---- ---- elliptica</u>	10
<u>---- ----</u>	11
<u>salicifolia</u>	
<u>Viscum</u>	370
<u>antarcticum</u>	
<u>---- opuntioides</u>	369
<u>Vitex trifolia</u>	245
<u>Volkameria</u>	244
<u>inermis</u>	
	W
<u>Waltheria indica</u>	251
<u>---- ----</u>	252
<u>Lopanthus</u>	
<u>Weinmannia</u>	173
<u>racemosa</u>	
<u>---- ----</u>	174
<u>paruiflora</u>	
<u>Wintera axillaris</u>	229
	X
<u>Xeranthemum</u>	293
<u>Bellidioides</u>	

<u>-----</u>	465
<u>sanguinolentum</u>	
<u>----- solidum</u>	475
<u>-----</u>	476
<u>squarrosum</u>	
<u>Triumfetta</u>	204
<u>procumbens</u>	
<u>Typha latifolia</u>	336
U	
<u>Ulva</u>	591
<u>Urena lobata</u>	258
<u>Urtica aestuans</u>	342

<u>Ximenia</u>	162
<u>elliptica</u>	
<u>Xylophylla</u>	143
<u>longifolia</u>	
<u>Xylosma</u>	381
<u>orbiculatum</u>	
<u>-----</u>	380
<u>suaueolens</u>	

*** END OF THE PROJECT GUTENBERG EBOOK FLORULAE
INSULARUM AUSTRALIUM PRODROMUS ***

Updated editions will replace the previous one—the old editions will be renamed.

Creating the works from print editions not protected by U.S. copyright law means that no one owns a United States copyright in these works, so the Foundation (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg™ electronic works to protect the PROJECT GUTENBERG™ concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for an eBook, except by following the terms of the trademark license, including paying royalties for use of the Project Gutenberg trademark. If you do not charge anything for copies of this eBook, complying with the trademark license is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. Project Gutenberg eBooks may be modified and printed and given away—you may do practically ANYTHING in the United States with eBooks not protected by U.S. copyright law. Redistribution is subject to the trademark license, especially commercial redistribution.

START: FULL LICENSE

THE FULL PROJECT GUTENBERG™ LICENSE

PLEASE READ THIS BEFORE YOU DISTRIBUTE OR USE THIS WORK

To protect the Project Gutenberg™ mission of promoting the free distribution of electronic works, by using or distributing this work (or any other work associated in any way with the phrase “Project Gutenberg”), you agree to comply with all the terms of the Full Project Gutenberg License available with this file or online at www.gutenberg.org/license.

Section 1. General Terms of Use and Redistributing Project Gutenberg electronic works

1.A. By reading or using any part of this Project Gutenberg electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property (trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. “Project Gutenberg” is a registered trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg electronic works if you follow the terms of this agreement and help preserve free future access to Project Gutenberg electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation (“the Foundation” or PGLAF), owns a compilation copyright in the collection of Project Gutenberg electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is unprotected by copyright law in the United States and you are

located in the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg mission of promoting free access to electronic works by freely sharing Project Gutenberg works in compliance with the terms of this agreement for keeping the Project Gutenberg name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg work. The Foundation makes no representations concerning the copyright status of any work in any country other than the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg License must appear prominently whenever any copy of a Project Gutenberg work (any work on which the phrase “Project Gutenberg” appears, or with which the phrase “Project Gutenberg” is associated) is accessed, displayed, performed, viewed, copied or distributed:

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg™ License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

1.E.2. If an individual Project Gutenberg electronic work is derived from texts not protected by U.S. copyright law (does not contain a notice indicating that it is posted with permission of the copyright holder), the work can be copied and distributed to anyone in the United States without paying any fees or charges. If you are redistributing or providing access to a work with the phrase “Project Gutenberg” associated with or appearing on the work, you must comply either with the requirements of paragraphs 1.E.1 through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or remove the full Project Gutenberg License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up, nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg work in a format other than “Plain Vanilla ASCII” or other format used in the official version posted on the official Project Gutenberg website (www.gutenberg.org), you must, at no additional cost, fee or expense to the user, provide a copy, a means of exporting a copy, or a means of obtaining a copy upon request, of the work in its original “Plain Vanilla ASCII” or other form. Any alternate format must include the full Project Gutenberg License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access to, viewing, displaying, performing, copying or distributing any Project Gutenberg works unless you comply with paragraph 1.E.8 or 1.E.9.

1.E.8. You may charge a reasonable fee for copies of or providing access to or distributing Project Gutenberg electronic works provided that:

- You pay a royalty fee of 20% of the gross profits you derive from the use of Project Gutenberg works calculated using the method you already use to calculate your applicable taxes. The fee is owed to the owner of the Project Gutenberg trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, "Information about donations to the Project Gutenberg Literary Archive Foundation."
- You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg™ License. You must require such a user to return or destroy all copies of the works possessed in a physical medium and discontinue all use of and all access to other copies of Project Gutenberg™ works.
- You provide, in accordance with paragraph 1.F.3, a full refund of any money paid for a work or a replacement copy, if a defect in the electronic work is discovered and reported to you within 90 days of receipt of the work.
- You comply with all other terms of this agreement for free distribution of Project Gutenberg™ works.

1.E.9. If you wish to charge a fee or distribute a Project Gutenberg™ electronic work or group of works on different terms than are set forth in this agreement, you must obtain permission in writing from the Project Gutenberg Literary Archive Foundation, the manager of the Project

Gutenberg™ trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread works not protected by U.S. copyright law in creating the Project Gutenberg™ collection. Despite these efforts, Project Gutenberg™ electronic works, and the medium on which they may be stored, may contain “Defects,” such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

1.F.2. LIMITED WARRANTY, DISCLAIMER OF DAMAGES - Except for the “Right of Replacement or Refund” described in paragraph 1.F.3, the Project Gutenberg Literary Archive Foundation, the owner of the Project Gutenberg™ trademark, and any other party distributing a Project Gutenberg™ electronic work under this agreement, disclaim all liability to you for damages, costs and expenses, including legal fees. YOU AGREE THAT YOU HAVE NO REMEDIES FOR NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY OR BREACH OF CONTRACT EXCEPT THOSE PROVIDED IN PARAGRAPH 1.F.3. YOU AGREE THAT THE FOUNDATION, THE TRADEMARK OWNER, AND ANY DISTRIBUTOR UNDER THIS AGREEMENT WILL NOT BE LIABLE TO YOU FOR ACTUAL, DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.

1.F.3. LIMITED RIGHT OF REPLACEMENT OR REFUND - If you discover a defect in this electronic work within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to

you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you 'AS-IS', WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the remaining provisions.

1.F.6. INDEMNITY - You agree to indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg™ electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg™ electronic works, harmless from all liability, costs and expenses, including legal fees, that arise directly or indirectly from any of the following which you do or cause to occur: (a) distribution of this or any Project Gutenberg work, (b) alteration, modification, or additions or deletions to any Project Gutenberg work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg

Project Gutenberg is synonymous with the free distribution of electronic works in formats readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the

efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need are critical to reaching Project Gutenberg's goals and ensuring that the Project Gutenberg collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation information page at www.gutenberg.org.

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non-profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation's EIN or federal tax identification number is 64-6221541. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state's laws.

The Foundation's business office is located at 41 Watchung Plaza #516, Montclair NJ 07042, USA, +1 (862) 621-9288. Email contact links and up to date contact information can be found at the Foundation's website and official page at www.gutenberg.org/contact

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg™ depends upon and cannot survive without widespread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be freely distributed in machine-readable form accessible by the widest array of equipment

including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status of compliance for any particular state visit www.gutenberg.org/donate.

While we cannot and do not solicit contributions from states where we have not met the solicitation requirements, we know of no prohibition against accepting unsolicited donations from donors in such states who approach us with offers to donate.

International donations are gratefully accepted, but we cannot make any statements concerning tax treatment of donations received from outside the United States. U.S. laws alone swamp our small staff.

Please check the Project Gutenberg web pages for current donation methods and addresses. Donations are accepted in a number of other ways including checks, online payments and credit card donations. To donate, please visit: www.gutenberg.org/donate.

Section 5. General Information About Project Gutenberg electronic works

Professor Michael S. Hart was the originator of the Project Gutenberg concept of a library of electronic works that could be freely shared with anyone. For forty years, he produced and distributed Project Gutenberg eBooks with only a loose network of volunteer support.

Project Gutenberg eBooks are often created from several printed editions, all of which are confirmed as not protected by copyright in the U.S. unless a

copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our website which has the main PG search facility:
www.gutenberg.org.

This website includes information about Project Gutenberg, including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.