

A HAUSA
BOTANICAL VOCABULARY

J.M.DALZIEL

A HAUSA
BOTANICAL VOCABULARY

J.M.DALZIEL

The Project Gutenberg eBook of A Hausa botanical vocabulary

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

Title: A Hausa botanical vocabulary

Author: J. M. Dalziel

Release date: August 13, 2024 [eBook #74245]

Language: English

Original publication: London: T. Fisher Unwin, 1916

Other information and formats: www.gutenberg.org/ebooks/74245

Credits: Galo Flordelis (This file was produced from images generously made available by the HathiTrust Digital Library/University of Wisconsin)

*** START OF THE PROJECT GUTENBERG EBOOK A HAUSA
BOTANICAL VOCABULARY ***

A HAUSA BOTANICAL VOCABULARY

A HAUSA
BOTANICAL VOCABULARY

BY
JOHN M. DALZIEL, M.D., B.Sc., D.T.M.

West African Medical Staff

T. FISHER UNWIN LTD.
LONDON: ADELPHI TERRACE

First published in 1916.

(All rights reserved)

A HAUSA BOTANICAL VOCABULARY

A

abakuru, a food made from the ground-bean; *vide* under [kwaruru](#).

abantoko, a var. of [dawa](#) *q.v.*

abawa, *vide* under [abduga](#).

abduga or **auduga**, indigenous species of *Gossypium* (Malvaceæ)—*G. peruvianum*, Cav. *G. punctatum*, Sch. et Thon. *G. obtusifolium*, Roxb. *G. arboreum*, L. with varieties, hybrids and other introduced species. The Cotton Plant or raw cotton. Syn. **kaḍa** (Sok.). Varieties known in different districts are:—*ba ka tuka*, or *ba tuka*, *ya tabshi*, *ya tsauro*, or *ya ƙarifi*, *kwanta Ali da zugu*, *Ba-Gwandare*, *yar gari* (*G. obtusifolium*, var. *africana*, Watt.), *gwundi* (*G. peruvianum* var. with red leaf veins), *chukwi*, *laḡayi* (*G. punctatum*), and *kanawa* or *matan kanawa* (*G. arboreum*, L. var. *sanguinea*, Watt.); the leaves of the last or of *gwundi* are used for making a red dye for thread. *guriya* (Sok.), *anguriya* (Kano), or *yan guriya* = cotton seed; *sutu* or *subtu* = cotton freed from the seed by crushing with a stone and roller and pulled by hand before carding with the *masaḡi* or *bakan shiḡa* (cotton carding bow); *saḡi* or *shiḡa* = carded cotton; *zare* = thinly plied

cotton thread, used chiefly for the warp, and sometimes for warp and weft; *abawa* (Kano), or *bartake* (Sok.) = thicker loosely plied thread used for the weft; (the coarse cloth *goddo*, or *nuru* (East Hausa), woven on a vertical loom in broad strips and with a fringe, has *abawa* in warp and weft); *waɗari* = cotton yarn ready for weaving; *fari* (Kano) = woven cotton strips; *zugu* (Sok.) = cotton strips in a roll (= *kunkurun fari*, Kano); *sawaye* (Sok.) = the same unrolled; *taɓe* (Sok.), or *chin aduga* (Kano) = to pluck cotton out of the pod.

abokin kibiya, a tall grass used for arrow-shafts; *vide* [kyamro](#).

aburu, a grass used for food; *vide* [iburu](#).

acha, *Digitaria exilis*, Stapf. (*Paspalum exile*, Kipp.) (Gramineæ); a small grass cultivated as a cereal in several Hausa provinces, in Bornu, and by many pagan tribes. Syn. **intaya** (Sok. Kamberi, Kamuku, &c.), “Hungry Rice”. *cf.* also [tumbin jaki](#).

a chi da gero, a chi da kara, a chi da nono, vars. of Guinea Corn; *vide* under [dawa](#).

aduruku, *Newbouldia lævis*, Sun. (Bignoniaceæ); a tall slender tree with handsome purple flowers; often planted around native compounds. Syn. **ba reshe?**

aduwa, *Balanites ægyptiaca*, Del. (Simarubeæ). “Desert Date”; a thorny tree common in the north, deciduous but with evergreen branches, bifoliate leaves and yellow bitter-sweet fruit; its gum = *ƙaron aduwa*; the seeds yield “Oil of Betu” (Kanuri, *bito*); *dabagira* = flowers of *aduwa*, boiled and eaten with [daudawa](#), q.v. salt and pepper;

kaikwaiyo (Sok. Kano, &c.) = the kernel, sold as a medicine. Fruit edible; a common ingredient in fish-poison.

ago or **agu** (Gwari); a fish-poison, prepared usually from *Tephrosia Vogellii* (cf. [baina](#), vide under [majimfa](#)); sometimes from the pods of *Cassia* spp. (vide [gamma fada](#), &c.); cf. [aduwa](#).

agugu, a native drug; the rhizome of a fern used for tapeworm; probably = “Male Fern” (*Nephrodium Filix-mas*); not indigenous; brought chiefly from Adamawa.

agushi, the seeds of a var. of the Water Melon, *Citrullus vulgaris* (vide [guna](#)); chewed raw or used in soup.

aguwa vide [kaguwa](#).

akiye or **akwiye**, the seeds of [kiriya](#), q.v.

akwalu (Kano and East), *Trochomeria* sp. (Cucurbitaceæ); a wild twiner with a large tuberous root, edible when cooked. Syn. **basko**, or **basgo** (West Sokoto).

akwuya, a var. of [dawa](#), q.v.

alale, *Blighia sapida*, Koenig (Sapindaceæ). “Akee apple”; a tree found in the southern provinces, with red capsular fruit; the spongy white aril around the seeds is edible. (?Nupé *ella* = the name of the fruit). In Hausa generally called [Gwanja kusa](#), q.v.

alambo, *Sesbania leptocarpa*, DC. (Leguminosæ); a slender branched tree with yellow flowers and narrow jointed pods, common on river-banks. (Kanuri, *paiya paiya*). Other species are included, e.g. *S. aculeata*, Pers. *S. ægyptiaca*, Poir, &c.; cf. also [sasabani](#) and [zamarke](#).

alayafu, *Amaranthus caudatus*, L. (Amaranthaceæ). Native spinage; an excellent cultivated vegetable; a red variety resembles the ornamental plant “Love-lies-bleeding.” **farin alayafu**, *Celosia argentea*, L. (Amaranthaceæ); an erect weed of fields, 1 to 2 feet high, with pink and silvery flowering spike, not cultivated but used as a pot-herb.

albasa, *Allium Cepa*, Willd. (Liliaceæ). The onion. Two varieties are distinguished, viz. *guda* (Kano), or *gudaji* (Sok.), the common bulbous onion; and *shafa* (Kano), *safa* (Sok.), the spring onion; *lawashi* or *gabū* (Sok.) = onion leaves pounded and dried, sold in the form of balls and used in soup. cf. [tafarnuwa](#).

albasar kura, *Urginea nigriflora*, Bak. (Liliaceæ), and other common bulbous plants growing wild.

albasar kwadi, *Crinum yuccæflorum*, Salisb. (Amaryllideæ); a common plant of damp places, with an umbel of large lily-like flowers, white with a purple stripe. (Other species are included and the names of this and the last are commonly confused.) The scarlet-flowered *Hæmanthus rupestris*, Bak. (Amaryllideæ), “Blood Flower”, bears the same name.

algarif, the seeds of the “Common” or “Garden Cress,” *Lepidium sativum*, Linn. vide [labsur](#); sold as a medicine; a red variety **algaru ja** in small masses, and a black variety usually loose; preparations are made for external and internal use.

alhaji, *Ærua tomentosa*, Forst. (Amaranthaceæ); an erect plant with hoary white leaves and flowers. (Etym. from the completely white habit, but the name like [Ba-Fillatani](#), q.v. is probably applied to other white plants). More generally known as [furfura ta gyatumi](#), q.v.

alibida, vide [alubada](#).

aliliba, *Cordia abyssinica*, R. Br. (Boragineæ); a tree with broad leaves, white flowers, and sweet yellow berries used in making *allewa*, &c.

aliyara, vide [kaguwa](#).

alkama, *Triticum sativum*, Lam. sub-race *T. vulgare*, Vill. “Common Wheat;” or *T. compositum*, Linn. “Mummy,” “Miracle” or “Egyptian Wheat;” grown chiefly in the north on river-banks with irrigation. *taliya*, a sort of macaroni made from *alkama* flour; *gurasa*, a sort of native wheaten bread; *punkaso* (Kano), or *fankaso*, wheaten cakes fried in oil. The following are delicacies made from *alkama*:—*dashishi*, cakes like *masa* but made with honey-water; *sunasar*, a preparation of wheat with meat and butter; *tuwon ɓaure* = *tuwo* made with finely ground wheat and butter instead of water.

alkaman tururuwa, *Spermacoce stachydea*, DC. (Rubiaceæ); a common weed eaten by goats, &c. (Etym. *tururuwa*, a species of social harvesting ant).

alubada or **alibida**, *Carpodinus hirsuta*, Hua (Apocynaceæ); a woody climber; one of the rubber vines in the south.

amai musa (Sok.), *Eragrostis major*, Hochst. (Gramineæ); a grass with an unpleasant smell. (Etym. “cat’s vomit”). Syn. [buddari](#) (Sok.), *q.v.* and **bunsurun fadama** (Katsina and East).

amara, *Tacca involucrata*, Sch. et Thon. (Taccaceæ); a wild perennial herb with an edible tuber; cultivated in some districts, chiefly by Fulani; in the Benué district gathered wild and sold in the form of a starchy meal. (The same as “South Sea arrowroot” of the Sandwich and Society Islands). *vide* also under [giginyar biri](#).

anguriya, cotton seed, *vide* under [abduga](#).

anza (Sok. Kats. &c.), **hanza** (Gobir), *Boscia angustifolia*, A. Rich. (Capparideæ); a pale-leaved shrub; the berries are edible and sometimes the bark is prepared with cereals as a food similarly to the plant [bagayi](#), *q.v.* hence also called **anza rashin bagayi**; including also the broader-leaved *B. senegalensis*, Lam. cf. [zayi](#).

arakke (Sok.), *vide* [rake](#); *Saccharum officinarum*, L. one of the two species of sugar-cane.

ararabi, *vide* [hano](#).

ataras, a var. of kola nut; *vide* under [goro](#).

atillis, a tree, the nut of which yields an oil used medicinally as food, &c.
Canarium Schweinfurthii, Engl. (Burseraceæ). “African Elemi Tree.”

auduga, *vide* [abduga](#).

awarwaro, Ipomœa aquatica, Forsk. (Convolvulaceæ); a prostrate purple-flowered convolvulus with hastate leaves, in muddy and marshy places; (loosely applied to other species of convolvulus). Syn. **furen gyado** (because the roots are eaten by wart-hog).

aya, Cyperus esculentus, L. the “Tiger Nut” or “Rush Nut;” a sedge, cultivated for its small edible tuber.

aya aya, Cyperus rotundus, L. (Cyperaceæ); a common wild sedge with edible slightly fragrant tuberous root. Syn. **giri giri** (Sok.); *vide* also [dan Tunuga](#). Other wild sedges, e.g. Cyp. Fenzelianus, Steud., &c. are included.

ayaba, Musa sapientum, L. (Scitamineæ); the Banana. Musa paradisiaca, L. the Plantain. **ayabar daji**, Musa sp. a wild species with astringent pulp and black stony seeds.

ayana, Vitis Thonningii, Baker, Vitis gracilis, Baker, and other species (Ampelideæ); species of wild vines with small berries. From the

acidity of the leaves they are also called **yakuwar fatake** or **y. mahalba**. *vide* also [buda yau](#).

B

ba-anguri, a variety of [gero](#), *q.v.*

baba, **b. rini**, or **b. kore**; Indigo plant; chiefly *Indigofera arrecta*, Hochst. and other cultivated species of *Indigofera* (Leguminosæ); *I. tinctoria*, Linn. *I. Anil*, Linn., &c. *cf.* [talaki](#). *kwosusu* = the second crop of **baba**, said to be the better; *shuni* = prepared indigo, the extracted blue dye-stuff, usually sold in cones or small masses and not used in dye-pits; *shuḍi* = cloth or thread dyed blue; *tamaseki* = a sort of home-made indigo prepared by women, from **baba** in pots.

baba hun (nasal **baba hm**), *Gynura cernua*, Benth. (Compositæ); a common weed with purple flowers and lyrate leaves; used in soup, &c.

babar fadama, *Indigofera* sp. wild species growing in damp places.

babar giwa (Hadeija, &c.), *vide* [bushi](#).

babar more (Sok.), *Ambrosia maritima*, Linn. (Compositæ); an aromatic plant, 1 to 2 feet high, with divided leaves, resembling Wormwood. Syn. **bababa** (from its common occurrence in indigo fields); also called **babar talak** and **tutubidi** (Sok.).

baba rodo, *Rogeria adenophylla*, J. Gay (Pedaliaceæ); an erect plant with broad leaves, purple tubular flowers and viscid sap. Also called

loda (Sok.), but cf. [dafara](#).

babar talaki, *Lonchocarpus cyanescens*, Benth. (Leguminosæ).
“Yoruba Wild Indigo.” *vide* [talaki](#) and cf. [farin sansami](#).

babar tamau, *Indigofera arrecta*, Hochst. and other spp. wild or escaped from cultivation.

babba juji, **b. jibji**; 1. In Sokoto and Katsina = *Datura Metel*, Linn. (Solanaceæ), the “Hairy Thorn Apple.” Syn. [zakami](#), *q.v.* 2. Elsewhere usually = *Boerhaavia adscendens*, Willd. (Nyctagineæ), a common prostrate weed of rubbish heaps &c. with small pink flowers; also called [sarikin juji](#) *q.v.*

bădo, *Nymphaea Lotus*, Willd. (Nymphaeaceæ). White Water-lily; the starchy rhizome and seeds are edible. (Other species are *N. guineensis*, Sch. and Thonn. with white flowers; *N. Heudelotii*, Planch. and *N. cœrulea*, Sav. with purplish flowers), *vide* [kwankwarita](#).

Ba-Fillatani, *Heliotropium undulatum*, Vahl. (Boragineæ); a small weed with white flowers. (Similar names are however loosely applied to other plants with pale foliage; e.g. the grass [karani](#), *q.v.* and cf. [alhaji](#).)

bafuri, *vide* under [balbela](#).

bagaruwa (Kano, Sok., &c.), or **gabaruwa** (Zaria), *Acacia arabica*, Willd. (Leguminosæ). “Egyptian Mimosa.” Indian “Babool.” An acacia with yellow flower-balls and jointed pods—“Sant pods” or “Gambia pods”—used all over the Sudan for tanning; also used in making a black dye for leather, called [kuloko](#), *q.v.* The original source of true gum arabic. (Etym. the first name is a metathetic form of the synonym **gaba ruwa**.)

bagaruwar ƙassa, *Cassia mimosoides*, L. (Leguminosæ); a common weed with yellow flowers and pinnate leaves.

bagaruwar Makka, *vide* [zogalagandi](#).

ba gashi? (Kontagora), *vide* under [sheƙani](#).

bagayi, *Cadaba farinosa*, Forsk. (Capparideæ); a small-leaved hoary shrub of scrambling habit. The leaves and twigs are mixed with cereals to form a sort of pudding or cake common in East Hausa and Bornu, called *parsa* (Kanuri), *baleno*, or *tsawa*. Syn. **balambo**. N.B. This plant is confused with [anza](#), *q.v.* and in some localities (Katagum, &c.) called by the latter name.

Ba-Gwandare (or **bugundare**); 1. a var. of cotton, *vide* under [abduga](#). 2. A var. of [dawa](#), *q.v.* (from **Gwandara**, the name of a tribe).

baina, 1. A grass with edible seeds. Syn. [baya](#), *q.v.* 2. The fish-poison prepared from *Tephrosia Vogelii*, *vide* under [majimfa](#).

ba-jini, *Afrormosia* sp. (Leguminosæ); a tree with pale leaves and flat pods. (Etym. from the red resinous bark). Syn. **jina jina**.

ba ka tuka or **ba tuka**, a var. of cotton, *vide* under [abduga](#).

baḱin bunnu (Katagum), *Indigofera pulchra*, Vahl. (Leguminosæ); a small undershrub with stiff stems, sometimes mixed with thatching grass. (The name is probably applied to other species so used.)

bakin kada, a var. of [dawa](#), *q.v.*

bakin mutum (Sok.), *Pleioceras* sp. (Apocynaceæ); a shrub with milky juice and long slender pods. Syn. **bakin mayu**, **sandan mayu** (these names refer to mystical uses in divination, &c.); also **gamma sanwa** (or **g. sauwa**), from the forked peduncle with 3 or 4 developing carpels resembling the tripod stove for a cooking-pot = *sanwa*. (? = *Holarrhena Wulfsbergii*, Stapf).

bakin raḱumi, a var. of [dawa](#), *q.v.* Syn. **ḱerama**, and **mallen kabi**.

bakin suda, *Polycarpæa corymbosa*, Lam. (Caryophyllæ); a small wild herb with whitish chaffy flowers; scarcely distinguished from [magudiya](#), *q.v.* (*suda* is the name of a bird).

balagandi, *vide* under [rawaya](#).

balambo, *vide* under [bagayi](#).

balasa, or **balasaya**, *Commelyna nudiflora*, Linn. (Commelynaceæ); a “spiderwort,” a weed of pastures and waste places, with delicate azure-blue flowers; gathered as cattle fodder. Syn. **kununguru** (East Hausa).

balbela, *Pulicaria crispa*, Clarke (Compositæ); a white-leaved weed with yellow flowers. (Etym. the name of the white padi bird.) Syn. **bafuri**, and **fara saura**, *q.v.*

baleno, *vide* under [bagayi](#).

bambami (Kontagora, &c.), *Alchornea cordata*, Benth. (Euphorbiaceæ); a tall woody climber in ravines.

bambamko (East Hausa), *vide* [falfoli](#).

bambana, the flowering spike of [shalla](#), *q.v.* a tall bulrush of marshes.

bambus (East Hausa), a variety of Water-Melon; *vide* [guna](#).

barabutu, a corruption of “Bread-fruit” (*Artocarpus incisa*); a name used by Hausas in Lagos, &c.

barambo (Gobir). Syn. [zogalagandi](#), *q.v.*

ḡarankachi or **ḡaranchaki**, *Canavalia ensiformis*, DC. “Sword Bean.” “Overlook Bean” of the West Indies. A large climbing bean common about native houses; not much eaten by Hausas; ripe pods used as a rattle by children. Syn.? [ladiko](#), *q.v.* *vide* also [waken Ankwa](#). **ḡan**

zago (Kano), is a red-seeded variety of the same. (Etym. *chăki* = a rattle).

barbaji (East Hausa), *Randia nilotica*, Stapf (Rubiaceæ); a thorny shrub or small tree found in the north. Syn. **tsibra** or **tsura** (Sok.).

bare, half a kola nut; *vide* under [goro](#).

ba reshe? (Kontagora). Syn. [aduruku](#), *q.v.*

barkono, *Capsicum frutescens*, Bl. (Solanaceæ). “Shrubby *Capsicum*,” “Spur Pepper,” &c., and *C. annum*, Linn. “Chillies” or “Red Pepper,” &c. Synonyms and varieties are:—*tanka* or *tankwa* (Sok.) = *toshshi* or *twashshi* (Sok. Gobir and Zanfara), small red peppers; *tsidufu* = the smallest and hottest peppers; *bunsurun barkono*, a small spherical variety; *tatasai* (Sok. and Kats.) or *tugandai* (Kano, &c.) = large and less pungent chillies. *vide* also [filfil](#).

barkonon biri, *Cephalandra* sp. (Cucurbitaceæ); a wild twiner with scarlet fruit having a superficial resemblance to capsicum; not edible.

barmatabo (Katagum, &c.), *Merremia pentaphylla*, Hall. f. (Convolvulaceæ); a convolvulus of fences, &c. with digitate leaves and white flowers. **namijin barmatabo**, *Ipomœa pilosa*, Sweet (Convolvulaceæ). Syn. **yako** (Sok. and Kats.); a coarse-leaved convolvulus or “Morning Glory,” with blue or purple flowers, common on fences. (The native names include several species.)

ɓarna chiki or **ɓata wandon Buzu**, a species of edible bean over-indulgence in which causes unpleasant effects.

bartake, *vide* under [abduga](#).

ba ruwana, *Salix* sp. (Salicaceæ). Willow; found along the banks of rivers. (Etym. from the treacherous yielding of the branches when grasped by a drowning person). Syn. **rimni** (Sok.).

ba samu (Sok. and Zanfara). Syn. **hano** (Sok. and Kats.), and [ararabi](#), *q.v.* *Boswellia odorata*, Hutch. and *Boswellia Dalzielii*, Hutch. (Burseraceæ). (The two species are scarcely distinguished under the different native names). Species of “Frankincense Tree,” with pale parchment-like bark and white flowers; yielding a fragrant resin.

basgo or **basko**, a tuber, *vide* under [akwalu](#).

ɓata wandon Buzu, *vide* [ɓarna chiki](#).

ba tuka, a variety of cotton, *vide* under [abduga](#).

Ba-Ude, a variety of bean, *vide* under [wake](#), and [ɗan Uda](#).

bauje, an Asclepiad plant with milky juice and a turnip-like edible tuber; probably *Xysmalobium Heudelotianum*, Decne. (Asclepiadeæ). Syn.? **rojiya**; cf. also [saniya](#) and [daiyo](#).

bauji (East Hausa), *Acacia Sieberiana*, DC. (Leguminosæ). Syn. [fara kaya](#), *q.v.*

baurairai, *Gloriosa superba*, L. (Liliaceæ); a climbing lily with splendid crimson and yellow flowers and a tuberous root. Syn. **gatarin kurege** (Sok.), and **gudumar zomo** (Kano and East), from the shape of the versatile stamens.

ɓaure, *Ficus gnaphalocarpa*, A. Rich. (Urticaceæ). Rough-leaved fig-tree, with edible figs. **ɓauren fadama**, **ɓ. rafi** &c. = various spp. of *Ficus*, large broad-leaved trees of ravines; *farin ɓaure*, vide [uwar yara](#). *lubiya* or *rubiya* = edible figs of *ɓaure* and other spp. of *Ficus* (vide [durumi](#), [chediya](#), [gamji](#)).

ɓauren kiyashi; 1. *Chrozophora Senegalensis*, A. Juss. (Euphorbiaceæ); a common weed used medicinally. Syn. [damaigi](#), *q.v.* (*kiyashi* = a species of ant). 2. A species of fig-tree (*Ficus* sp.).

baushe, *Terminalia* sp. nr. *T. macroptera*, G. et P. (Combretaceæ); a large tree with flat winged fruits. Bows and walking-sticks are made from the roots. (More than one species is included, e.g. *T. Elliotii*, Engl. and Diels. *T. Baumannii*, Engl. and Diels. *T. avicennioides*, Guill. et Per.).

bawu, vide under [shinkafa](#).

baya (Katag. and East), **baina** (Kano), *Panicum albidulum*, Kunth. (Gramineæ); a wild grass with an edible grain used as food, common in East Hausa. Syn. **sabe**, and ?[garaji](#), *q.v.*

bayama (Kontagora, &c.), *Swartzia madagascariensis*, Oliv. (Leguminosæ); a tree of the Cassia tribe, with white flowers and cylindrical pods; (probably including other species, cf. [bogo zage](#), [gamma faḍa](#), &c.).

bayan mariya, *Andropogon ceresiæformis*, Nees. (Gramineæ); a common bush grass much used for thatch. (Etym. “cob’s back,” from its russet colour when mature).

bazaḳa (Gobir). Syn. **zaḳo**, a var. of bean; *vide* under [wake](#).

Ba-Zanfare (Katagum, &c.), *Cassia occidentalis*, L. (Leguminosæ). Syn. [rai dore](#), *q.v.*

bazana (Zaria and Kano), *Commiphora Kerstingii*, Engl. (Burseraceæ). Syn. [dali](#), *q.v.* a tree with green smooth bark, planted around native compounds.

bazaume or **bazarme** (a corruption of **Ba-Zabarme**); a var. of [gero](#), *q.v.*

bidī, 1. a var. of earth-nut; *vide* under [gujiya](#). 2. A speckled var. of bean; *vide* under [wake](#).

bijaje (Ful.), *Ficus* sp. nr. *F. populifolia*, Vahl. (Urticaceæ); a fig-tree with pale bark and drooping branches, found on rocky hills in Yola province, &c., said to be an ingredient in arrow-poison.

bi ni da zugu, or **chi ni da zugu**, *Jatropha Curcas*, L. (Euphorbiaceæ). “Purging Nut;” “Physic Nut,” &c. A soft-wooded shrub with broad

leaves, commonly planted as a hedge; one of the less important oil-seeds; seeds used in native medicine (*vide* [kufi](#)). (Etym. from the purging property and the suggested necessity of being prepared with grave-cloth).

bi ni zwei zwei (bi ta zei zei); a native medicine used by youths as a love-charm, &c., hard shining seeds of a plant—Nat. Ord. Acanthaceæ. (Etym. haste or eagerness in following the object of desire.)

bishiya, pl. **bishiyoyi**, generic for tree.

bi ta ka tsira, *Vangueria Dalzielii*, Hutch. (Rubiaceae); a shrub with globular berries; used medicinally. (The name is probably applied to several plants supposed to act as antidotes to arrow-poison—[makarin dafi](#), q.v.).

biya rana or **bi rana**, *Crotalaria obovata*, Don. (Leguminosæ); a yellow-flowered undershrub with inflated pods. (Etym. similar to “heliotrope,” from the expanding of the leaf-surfaces towards the sun). *b. awaki*, or *geḍar awaki*, *gujiyar awaki*, *hudar awaki*, are names given to various species of *Crotalaria*, used as fodder; *vide* [geḍar awaki](#).

bogo zage (Zanfara), *Swartzia madagascariensis*, Oliv. and other species (Leguminosæ); a tree with long cylindrical pods used to stupefy fish. *vide* [ago](#). Syn. **gwazkiya**, and cf. [gamma faḍa](#), and [bayama](#).

bubuchi (Sok.), *Panicum interruptum*, Willd. (Gramineæ); a grass of marshes and rivers, 2 or more feet high, with long narrow green

flowering spike.

bubukuwa or **sabko bubukuwa**, *Tripogon minimus*, Hochst. a small tufted grass. (Etym. from its habitat where the pelican is supposed to alight, and supposed to be the earliest grass of spring).

buḍa yau, the same as **ayana** or [yakuwar fatake](#), *q.v.* and perhaps other plants with acid leaves which are used to relieve thirst; (*yau* = saliva).

buddari, *Eragrostis major*, Hochst. (Gramineæ); a grass about 1 to 2 feet high, with an unpleasant smell. Syn. [amai mussa](#), *q.v.* and **bunsurun fadama**. (Etym. *buddari*, a malodorous animal).

bugundare (a corruption of *Ba-Gwandare*), a var. of cotton and a var. of Guinea Corn.

bundin kurege, *vide* [wutsiyar kurege](#).

bununi, the exerted stamens of any grass; most commonly applied to [gero](#) and [dawa](#).

bunsuru, a synonym for [burtuntuna](#), *q.v.*

bunsurun daji, a name applied to more than one species of rough grass, e.g. *Heteropogon contortus*, R. and S. ("Wild oats"), and others.

buran jaki, *vide* under [gwazar giwa](#).

buran kare, *vide* under [kwododon kwado](#). (The name is also used for certain fungi).

buran zaki, *Cucumis metuliferus*, E. Hey. (Cucurbitaceæ). Syn. [nonon kura](#), *q.v.*

burburwa (Sok., &c.), *Eragrostis tremula*, Hochst. (Gramineæ); a wild grass about 2 feet high; an excellent fodder; seeds eaten in scarcity. Syn. **komaya** (Kano, &c.). *burburwar fadama*, *komaya ta fadama*, *Eragrostis biformis*, Kunth. and perhaps other species; grasses 2 to 4 feet high in meadows, &c. *vide* also under [tsintsiya](#).

burtuntuna, *Ustilago* sp. a smut fungus which affects the fruiting [dawa](#), forming a black powder; also called **bunsuru**.

burugu (Sok.), *Panicum stagninum*, Koen. (Gramineæ); a grass whose growth chokes up swampy streams; a good fodder; the soft juicy stems are sucked or made into sugar-water.

burungu, unhusked rice. Syn. **shanshera**; *vide* under [shinkafa](#).

burzu, *Vernonia Perottetii*, Sch. Bip. (Compositæ); a weed of cultivated fields, with blue thistle-like flowers. **burzun dinya** = the stone of the fruit of [dinya](#), *q.v.*

bushi (Sok.), *Bergia suffruticosa*, Fenzl. (Elatineæ); a low heath-like plant, used medicinally. Syn. **babar giwa** (Hadeija, &c.).

buta, one of the varieties of the “Bottle-gourd;” *vide* under [duma](#).

bututu, the narrow end of some forms of the “Bottle-gourd” used as a blowing-horn; *vide* under [duma](#).

C

chauchaka? (Zanfara), *Capparis tomentosa*; *vide* [kabdodo](#).

checheko, *vide* [zamarke](#).

chediya, *Ficus Thonningii*, Blume (Urticaceæ); a very common tree with dark green foliage and small figs; much planted as a shade tree.

cheyi, a fibre, *vide* under [yawa](#).

chichiwa (Sok.), *Mærua angolensis*, DC. (Capparideæ); a small tree with white flowers and elongated beaded fruit.

chi ni da zugu, *vide* [bi ni da zugu](#); *Jatropha Curcas*, “Physic Nut.”

chiriri (Sok. and Zanf.), *Combretum Kerstingii*, Engl. and Diels. (Combretaceæ); a gum-yielding tree with smooth leaves and 4-winged fruit. Syn. [dagera](#) and probably also [zindi](#), *q.v.*

chitta, *Amomum Melegueta*, Roscoe (Scitamineæ). “Guinea Grains.” “Grains of Paradise.” “Melegueta Pepper.” A capsular fruit containing small red aromatic seeds used as a spice. *chitta komfa*, or *chitta yaji* = another var. of spice.

chitta Afu, *Zingiber officinale*, Roscoe (Scitamineæ). Ginger. (*Afawa*, a pagan tribe in Nassarawa).

chiwo or **chuwo**, *Landolphia owariensis*, Beauv. and L. *florida*, Benth. (Apocynaceæ). Rubber Vines; tall woody climbers with white fragrant flowers and orange-coloured edible fruit. (The latex of *L. owariensis* forms a good rubber, that of *L. florida* is useless).

chizaki, probably the same as [kabdodo](#), q.v.

chuchun kariya or **gaton kariya**, vide [gujiyar hankaka](#).

chukwi, a var. of cotton; vide under [abduga](#).

chusar doki, a medicine or food to keep horses fit; made from leaves of [kuka](#), q.v. with *dusa* and *kanwa*.

D

dabagira, vide under [aduwa](#).

dabino, *Phoenix dactylifera*, Linn. (Palmeæ). Date Palm. Varieties of date are:—*zabiya* or *jan dabino*, a long red sweet variety; *maga* or *dan damana*, a stoneless date. *kilili* = flowers of the date. *dabinon biri*, a low species of palm with small yellow date-like fruit, found in ravines; used in weaving mats, straw hats, &c. Syn. *kajinjiri*. (*Phoenix reclinata*?).

dabrin saniya, vide under [gadon machiji](#).

dadawa or **dawa dawa**, a grass; *vide* [gyazama](#).

daddawa (Kano), or **daudawa** (Sok.), black fermented cakes made from the seeds of the [dorowa](#), *q.v.* Syn. **takaluwa**.

ḍaḍori or **ḍoḍoriya** (Kano and Sok.), *Vitis quadrangularis*, Linn. (Ampelideæ); a vine with quadrangular succulent jointed stems, climbing on trees. (Etym. connected with the multiple branching at the joints). Syn. **tsatsarar kura**. “Edible-stemmed Vine.”

dafaddu, Elk’s-horn fern; an epiphyte. *Platycerium æthiopicum*.

dafara, *Vitis pallida*, Baker (Ampelideæ); a vine bearing a kind of wild grapes; the root-bark forms a viscid solution which is mixed with native cement for lining dye-pits, &c. Syn. **loda** or **lodar marina**, cf. also [baba rodo](#). The fruit, used in soup, is sometimes called [lubiya](#), *q.v.*

dagera, *Combretum* sp. (Combretaceæ). A gum-yielding tree. Syn. **chiriri**.

daiyo (Ful?), *vide* under [lojiya](#), [bauje](#), &c.

dakushe, *vide* [kas kaifi](#).

ḍakwora, *Acacia Senegal*, Willd. (Leguminosæ); a thorny acacia, with spikes of white flowers and grey bark; the source of the true “gum-arabic.” Ar. *hashab*. *vide* also [yawa](#) and [medi](#). The name includes the similar *Acacia Dudgeoni*, Craib.

dalaka, a variety of kola nut; *vide* under [goro](#).

dali (Kano, Katsina, &c.), also **dala**, *Commiphora Kerstingii*, Engl. (*Burseraceæ*). A soft-wooded tree with smooth green bark, planted around native compounds. Syn. **bazana** (Kano and Zaria), **gurzun dali** (Katagum, &c.), **hana gobara** (Zanfara, from the wood and foliage being difficult to ignite). **ka ƙi ganin bula** (Zanfara); also **bar na gada** (because long-lived and inherited).

dalo, *Combretum glutinosum*, Perr. (*Combretaceæ*); a tree resembling [chiriri](#) and [taramniya](#), *q.v.*

damaigi, *Chrozophora senegalensis*, A. Juss. (*Euphorbiaceæ*); a common weed with small red flowers; used medicinally. Syn. [bauren kiyashi](#), *q.v.* One of the ingredients in the native prescription [rigya kafi](#), *q.v.*

damana biyu, *vide* [dan arbain](#), a variety of bean.

damba = ?*Andropogon tectorum*, Sch. et Th. (*Gramineæ*); a tall grass of marshes, &c., used as fodder when young, and for *zana* when mature.

damro or **dauro**, a variety of millet (*Pennisetum spicatum*, B. and S.), similar to [maiwa](#), *q.v.* *cf.* [gero](#).

dan arbain, a variety of bean planted near water and supposed to ripen in 40 days. Syn. **damana biyu** (Sok. and Kano), and **kaka biyu** (Gobir).

ɗan damana, a variety of date; *vide* under [dabino](#).

dandami, *vide* under [lallen shamuwa](#).

dandana, *Schwenkia americana*, Linn. (Solanaceæ); a herb with narrow tubular flowers; used medicinally. Syn. **parpatse** or **farfatse** (Kano).

ɗan ɗata (**ɗan ɗwata**), *vide* [ɗataniya](#), a bitter grass. *Thelepogon elegans*, Roth.

ɗan farkami (Sok.), *Monechma hispida*, Hochst. (Acanthaceæ); a common weed of pastures, with rough leaves and white flowers. Syn. ? **fiso** (Sok. and Kats.), **fisawa** (Katagum).

ɗan garraza = flowers of the tamarind tree—(*hudar* [tsamiya](#)).

ɗan kaɗafi or **hankaɗafi**, the name of a crab-louse, hence applied to more than one plant with seeds which adhere to the clothing like burs. (Etym. similar to “Cleavers”). Chiefly = *Desmodium lasiocarpum*, DC. (Leguminosæ). Syn. [maɗaɗafi](#), *q.v.* Also **Triumfetta pentandra**, A. Rich. (Tiliaceæ), *vide* [suren fadama](#).

dankali (Kano, &c.), *Ipomœa Batatas*, Lam. (Convolvulaceæ). Sweet Potato. Red and white varieties are known. Syn. **dukuma** and **kudaku** (Sok. and Zanfara), generally = the red one; **lawur** = the white one. *kugundugu*, a name used on the Benue, Yola, &c. = Yor. *kukun duku*.

dankon kuyangi, dried leaves of the convolvulus *Ipomœa pilosa*, Sweet, and other species; *vide* [yako](#) and [barmatabo](#); used medicinally.

danko maiwari, *Ficus* sp. a tree in the south, yielding an inferior rubber.

ḍan kwataho, a variety of kola nut; *vide* under [goro](#).

ḍan kwoloje, a variety of bean; *vide* under [wake](#).

ḍan marike (Katagum, &c.), *Indigofera secundiflora*, Poir. (Leguminosæ). *vide* under [marike](#).

ḍan Tunuga or **kajiji ḍan Tunuga**; the fragrant tuber of a sedge, *Cyperus* sp. (Tunuga = a town in French Borgu). Probably *Cyperus rotundus*, cf. [aya aya](#) and [kajiji](#).

ḍan Uda or **Ba-Ude**, a variety of bean, half white half black; (cf. a variety of sheep of the same name. *Udawa* a section of Fulani); *vide* under [wake](#).

danya, *Spondias* sp. (Anacardiaceæ); a tree with pinnate leaves and yellow plum-like fruit of pleasant flavour. The fruit is called *nunu*. cf. also [tsadar Masar](#).

ḍanyen gumi = husked but unboiled rice; *vide* [gumi](#) and [shinkafa](#).

danyi (Sok.), *vide* [dayi](#).

ḍan zago, a kind of bean, *vide* under [ḥarankachi](#).

darambuwa = armlets made of plaited grass, hence applied to several species of grass; *vide* [karani](#), [gaji](#), [jema](#), &c.

dargāza, *Grewia mollis*, Juss. (Tiliaceæ); a shrub with small yellow flowers; the bark is mucilaginous and used in soup, and occasionally to harden mud floors.

dashi, *Balsamodendron africanum*, A. Rich. (Burseraceæ). “African Myrrh.” “African Bdellium.” A shrub with the habit of the Blackthorn, yielding a fragrant gum-resin used medicinally and as a scent for clothing. *namijin dashi*, *Balsamodendron pedunculatum*, Kotschy. et Peyr. A shrub somewhat similar to the above but less fragrant.

dashishi, *vide* under [alkama](#).

ḍata or **ḍwata**, a small bitter native tomato; *vide* under [gauta](#).

ḍataniya or **ḍwatana**, *Thelepogon elegans*, Roth. (Gramineæ); a bitter grass given to horses as a tonic. Syn. **gishirin ḍawaki** and **ḍan ḍata**. (Etym. from the bitter taste).

datsi, *Aristida Sieberiana*, Trin. (Gramineæ); a long-awned grass, common in the north. **jan datsi** *vide* [jan bako](#).

dauda or **kwardauda**, *Dicoma tomentosa*, Cass. (Compositæ); a small thistle-like weed. Syn. **farin dayi**. (Etym. perhaps from use as a local application to putrescent wounds).

daudar Maguzawa, ?*Blepharis linearifolia*, Pers. (Acanthaceæ); a prickly plant with blue flowers. Syn. [faskara toyi](#), and ?[gigi](#), *q.v.*

daudar ruwa, *vide* [limniya](#).

daudawa (Sok.), *vide* [daddawa](#) and [dorowa](#); *vide* also under [kiriya](#).
daudawa beso, seeds of [yakuwa](#) (*Hibiscus Sabdariffa*, Linn.), *q.v.*
boiled and prepared either for food or as a medicinal vehicle,
daudawar kuka, seeds of *kuka* (*Adansonia digitata*), made into cakes, &c.

dauro, *vide* [damro](#).

dawa, *Sorghum vulgare*, Pers. (Gramineæ). “Guinea Corn.” “Great Millet.” “Durra.”

The following are some of the numerous varieties:—*abantoko* (Illo); *a chi da gero*—grows rapidly and is ripe with the *gero*;

a chi da kara, matures at the same season as sugar-cane (*takanɗa*);

a chi da nono (like *farafara*), a soft grain only used for *kunu* and not for *tuwo*;

akwuya, a yellow grain used for horses;

bakin kada, a variety with a long head;

bakin raɗumi (from the slender quivering habit), the same as *kerama*;

bugundare or *Ba-Gwandare*, a variety with a compact head; (*cf.* a variety of cotton; *vide* [abduga](#));

farafara, a white variety;

giwa kamba, a white variety larger than *farafara*, late maturing;

hannun giwa, white with a large head of grain;

janjari (Sok. = *jigari*, Ful.) or *janari*, a red inferior grain which makes red *kunu* and *tuwo*;

jar dawa, a red grain used for horses;

kaura, considered the best for horses, common in Zarfara; in two varieties, viz.:—*kaura mai farin kwono* (or *mai farin soshia*), and *kaura mai baƙin kwono*;

ƙerama, a red grain with loose nodding panicle (= *bakin raƙumi*);

maikeri, early maturing and considered one of the best;

makafo da wayo, a soft sweet variety, a luxury (*dawar sarakuna*);

malle (Sokoto West), planted in wet places;

mallen Kabi, the same as *ƙerama*;

mallen mama or *mallen Zarfara*, a larger nodding variety like the last;

marmare, a soft sweet variety, nearly the same as *makafo da wayo*; eaten whole;

masakowa or *mazakwa* (Ful. *maskwari*), a dry-season corn, grown in alluvial soil left as the rivers fall; (chiefly in Adamawa and Bornu); sometimes eaten whole after cooking;

wayo, a red or yellow variety;

zago, the same as *kaura*.

Burtuntuna = *Ustilago* sp. a guinea corn smut, forming a black powder in the ear; also called *ƙatsa ƙatsa*, and *bunsuru*.

gyamro = secondary shoots of guinea corn from the roots left at harvest; said to be injurious to animals.

domana, a gummy blight; (?Aphis Sorghi).

karan dafi, the red leaf sheaths of certain forms of *dawa*, used as a red dye.

kusumburuwa, corn growing up anywhere from stray seeds; sometimes popularly believed to grow from an unhusked grain and not always maturing. The stems are used for flutes (*sarewa*).

sambara, *dawa* or *gero* half-grown at harvest and left to mature later. *cf.* also *karmami* and *yabainya*.

dawa dawa or **dadawa**, a grass; *vide* [gyazama](#).

dawar kada (**d. rafi**, **d. dorina**, &c.), *Sorghum halepense*, Pers. a very tall riverside grass with pith in the stems; the probable ancestor of cultivated *dawa*; one of several called “Elephant Grass.”

dawo (?Hausa; Yoruba *ai-da*), *Tetrapleura Thonningii*, Benth. (Leguminosæ); a large tree with thick 4-angled pods sold as a market drug in the south; *cf.* [kalangon daji](#) and [sandan mayu](#).

dayi, *Centaurea Calcitrapa*, Linn. (Compositæ). “Star-thistle.” A thistle with long straight spines, common in fields, &c.; eaten by camels; one of the plants sometimes called “caltrop;” *cf.* [Tsaido](#). Syn. **ɗanyi** (Sok.), and **surendi** (Kats.). *namijin dayi*, *Lactuca* sp. a species of wild lettuce; probably including several field plants of the Nat. Ord. (Compositæ).

dayin giwa, *vide* under [sare gwiwa](#).

ḍeidoḍa (**ḍoidoḍa** or **ḍoḍoḍa**), *Ocimum americanum*, Linn. (Labiatae); a fragrant herb allied to basil. (The name includes other introduced species planted near houses:—*Ocimum viride*, Willd. Fever plant of S. Leone and Liberia. *Oc. basilicum*, Linn. Sweet Basil. *Æolanthus Buettneri*, Gürke, &c.)

ḍeidoḍar kare or **ḍ. fadama**, *Hyptis Spicigera*, Lam. (Labiatae). A weed of waste places. Syn. **riḍin kada**. **ḍ. gona**, *Leucas martinicensis*, R. Br. (Labiatae). An odorous weed with whorls of small white flowers. Syn. **sarakuwar sauro** (Kats.).

dinkin, the young leaves of certain plants used fresh with ground-nuts, salt, pepper, &c. made up as food; chiefly **ḍ. ḍinya** (v. [ḍinya](#)); also of [zuwo](#), *q.v.* and sometimes used of **rama** and other plants with edible leaves.

ḍinya (Kano), **ḍumya** (Sok.), *Vitex Cienkowskii*, Kotschy et Peyr. (Verbenaceae); a common tree with digitate leaves, fragrant flowers, and a black plum-like fruit used in making *maḍi*; *vide* under [dinkin](#); *ḥurzu* or *ḥurzun ḍinya* = *ḥwalon ḍinya*, the stone of the fruit.

ḍinyar biri, *Vitex diversifolia*, Bak., a shrub or small tree with fragrant leaves, and flowers similar to those of **ḍinya**.

dirin da rani (Kano), a variety of [rama](#), *q.v.*

ḍiwa, *Rhytachne congoensis*, Hack., a tall grass; used for making screens, *zana*, &c.

ḍiyan hanwawa (Sok.), *Ctenolepis cerasiformis* Hook. f. (Cucurbitaceæ). A twiner with scarlet berries; (*hanwawa* or *hawainya* = chamæleon); syn. **namijin garafuni**.

ḍoḍoriya, *Vitis quadrangularis*, Linn. (Ampelideæ), vide [ḍaḍori](#).

ḍoidoya or **ḍoḍoya**, vide [ḍeidoya](#).

doka, *Isoberlinia doka*, Craib. et Stapf (Leguminosæ); a large tree with white flowers, shining leaves and large flat pods; very abundant in central Hausaland. *fara doka*, *Isoberlinia Dalzielii*, Craib. et Stapf, a large tree closely allied to the last, with paler leaves and bark.

domana, a gummy blight on Guinea Corn and other cereals; (?*Aphis Sorghi*).

domashi, *Vernonia Kotschyana*, Schultz. (Compositæ); an under-shrub with bitter root, used as a tonic-medicine, &c. *domashin maza?* (Katagum), vide under [matsarmama](#).

ḍorowa or **ḍorawa**, *Parkia filicoidea*, Welw. (Leguminosæ). “African Locust Bean Tree;” a large acacia-like tree with pendulous balls of deep-red flowers and bunches of pods; the seeds and the mealy yellow pulp of the pods are used as food. *kaluwa* = seeds of *ḍorowa*, which are made into black fermented cakes called *daudawa* (Sok.) or *daddawa* (Kano), and also *takaluwa*; *makuba* = fermented extract of

husks of *ḍorowa* pods, used for hardening beaten floors, sides of indigo pits, &c. *saḥada* or *safada* (Kano) = young fruiting heads of *ḍorowa* (etym. from resemblance in shape and surface to a plaited garment of that name). *tutu* (or *turu-turu*) = the red pendulous flower-balls (sucked by boys); *gundar tutu* = the unexpanded flower-buds; *garda* = the unripe pods when bright brown in colour and beginning to form seeds (the name of a brown-winged dove). The successive stages from bud to pod are:—*kashin awaki*, *kashin raḡuma*, *tutu*, *safada*, *garda*. *harawan ḍorawa* = the membranous lining of the pods used as a fibre for tying arrows, &c.

doya, *Dioscorea sativa*, Linn. *D. prehensilis*, Benth. *D. abyssinica*, Hochst. *D. alata*, L. (Dioscorideæ). Cultivated yams. *vide* also [sakata](#), and [ḡarasa](#) (**doyar kudu**).

doyar bisa, the edible solid bulbs in the leaf-axils of certain species of *Dioscorea*. Syn. *tuwon biri*.

doyar daji, wild species of *Dioscorea*.

doyar kurege, *Curculigo gallabatensis*, Schweinf. (Amaryllideæ); a yellow-flowered herb with a stout vertical rhizome. Syn. [muruchin makeruwa](#), *q.v.*

doyar giwa, *vide* [ḡayar giwa](#).

dufuwa, a dense thorny thicket, *cf.* [gumbi](#) and [ḡumchi](#); generally applied to the acacia called [sarḡakiya](#), *q.v.*

dukki or **dunki** (Sok. and Kats.), *Celtis integrifolia*, Lam. (Urticaceæ); “Nettle Tree;” a large tree with serrate leaves somewhat like those of

the nettle; the young leaves are used in soup and as fodder. Syn. **zuwo** (Kano, Zaria, &c.). cf. also [dinkin](#).

dukuma, vide under [dankali](#).

dulu, *Ficus* sp. a tree with large figs; common in ravines.

duma, *Lagenaria vulgaris*, Ser. (Cucurbitaceæ). “Bottle Gourd,” “Club Gourd” or “White Pumpkin;” the common white-flowered cultivated gourd with soft foliage and variously shaped fruits known by different names:—*buta*, *gora*, and *gyandama*, common water-bottle gourds; *jallo*, a small pear-shaped one used to carry *ruwan alwalla*; *koḳo*, *kwokwo* or *kwachiya*, a small-sized calabash used as a cup; *kumbu*, ditto with cover, used as a small box for snuff, &c.; *kwariya*, common larger calabash; *masaki* and *mabakachi*, the largest-sized calabash used at market, and for separating grain from husk, &c., &c. *ludai* or *luddai* (Sok.), bottle gourd with narrow neck, split to form spoons, ladles, &c. *kololo*, similar to *luddai*, with hollow neck; *gako* (Sok.), like *luddai* with solid neck; *moda*, larger bottle gourd with curved neck which serves as a handle, the body pierced for use as a dipper or handled pot; *shantu*, long narrow gourd used as a musical instrument; *bututu*, the narrow portion of *shantu* or *luddai*, &c. used as a blowing horn; *jemo*, a short wide-mouthed club-shaped or large pear-shaped gourd, used to hold milk, &c.; *zuru* and *zunguru*, club-shaped or cylindrical gourds used in the application of *lalle* to the hand; *kurtu*, bottle or club-shaped with narrow neck, the wider portion used for immersing the hand in staining with henna, the narrow half used as a blowing horn; *kwoton tadawa*, an ovoid tubercled gourd, used for native ink-pots, &c. vide also [kulbutu](#) or [tsana](#) (Sok.), an edible variety resembling a cucumber, and *kurzunu*, a tubercled variety of the same.

dumar dutsi, *vide* under [gadaukuka](#).

dumar kada, **d. rafi**, *Ipomœa repens*, Lam. (Convolvulaceæ); a common trailing convolvulus with broad round leaves and purple flowers.

dumar kwadi, *Ipomœa* sp. a var. of convolvulus.

ɗumya (Sok.), *vide* [ɗinya](#) (Kano).

ɗunɗu, *Dichrostachys nutans*, Br. (Leguminosæ); a thorny shrub like an acacia, with pendulous lilac-coloured flower-spikes, and clusters of twisted pods; fibre from the root-bark. *vide* under [medi](#) and [yawa](#).

dunki, *vide* [dukki](#).

durumi, *Ficus Syringifolia*, Werb. (Urticaceæ); a very familiar species of fig-tree with small figs and heart-shaped shining leaves, affording splendid shade.

dushe (Kano), **dussa** (East Hausa), *Acacia Seyal*, Del. (Leguminosæ); the “Talh” gum-acacia; a thorny tree with yellow flower-balls and an ochrey powder on the bark. Syn. **jimshi** (Sok.), and ?**gishishiya** (Zanfara).

duza (Sok. and Zanf.), *Setaria aurea*, Hochst. (Gramineæ). “Bristly Fox-tail Grass;” a grass of damp places, used for thatch. Syn. **kyasuwar rafi** or **ƙ. ta fadama**. *cf.* [kyasuwa](#).

ḍwata or **ḍata**, a small native bitter tomato; *vide* under [gauta](#).

ḍwatana, *vide* [ḍataniya](#).

F

fafewa (Sok. and Zanf.), *Pennisetum unisetum*, Benth. (Gramineæ); a tall grass with hollow stems and sharp leaf-edges. (Etym. because it rasps the hand—*fafe* = to scrape.) Syn. **karan kauje** and **korkoro** (Kontagora).

falfoli (Sok.), *Æschynome sensitiva*, Swartz. (Leguminosæ); a tall slender plant of marshes, with spongy pith used for floats (*karu*), &c. Syn. **gombiliki**, and **bambamko** (East Hausa).

fankaso or **punkaso**, *vide* under [alkama](#).

fara doka, *Isoberlinia Dalzielii*, Craib. et Stapf (Leguminosæ); a large tree; *vide* under [doka](#).

farafara, a white var. of [dawa](#), *q.v.*

fara geza, *Combretum aculeatum*, Vent. (Combretaceæ); a shrub with white flowers (somewhat resembling hawthorn), and 4-angled fruit.

fara ɓaya, *Acacia Sieberiana*, DC. (Leguminosæ); a gum-yielding acacia with long white thorns, dark foliage, and white flower-balls. Syn. **bauji** (East Hausa).

fara saura, *Pulicaria crispa*, Clarke (Compositæ); a white-leaved weed with yellow flowers, common in fields. (Etym. *saura* or *sabra* = fallow fields). Syn. [bafuri](#), and [balbela](#), *q.v.*

farfatse or **parpatse**, *vide* [dandana](#).

fari, *vide* under [abduga](#).

fari, a var. of Water Melon; *vide* under [guna](#).

farichin shafo, or **ḵumbar shafo** (= “falcon’s claw”); a tall acacia with strong curved thorns, the same as or closely similar to [ḵarkara](#), *q.v.* *Acacia campylacantha*, Hochst. or nearly allied species.

farin gammo, *Ipomœa argenteaurata*, Hall. f. (Convolvulaceæ); a trailing convolvulus with whitish flowers and silvery-hairy leaves. Syn. **ka fi boka**. (Etym. *ganmo*, *gammo* or *ganwo* = a head-pad).

farin sansami (Sok. and Kats.), *Lonchocarpus laxiflorus*, G. et P. (Leguminosæ); a tree with purple flowers. The leaves are capable of affording a dye like indigo. *cf.* [talaki](#). Syn. **shunin biri**, and *cf.* [halshen sa](#).

faru, *Odina Barteri*, Oliv. (and other spp. Anacardiaceæ); a large tree with pinnate leaves and small berries; the bark yields a resin. Syn. **tuḍi** (Zanfara), or **farun biri** (Sok.). In Sokoto **faru** or **farun mutane** = *Odina* sp. different from the above, with paler and smoother foliage.

farun makiyaya, a wild vine; *vide* under [tsibiri kinkini](#).

fasa daga, the seeds of the tree [kawo](#), q.v. *Afzelia africana*, Sm. (Leguminosæ), sold as a medicine or charm in fight, &c. (Etym. from its use as a charm in battle—*daga*—to put the enemy to flight, suggested by the explosive dehiscence of the pods scattering the seeds). Also called **fasa maza**.

fasa kabba, or **fasa kumburi**, *Portulaca oleracea*, L. and other spp. (Portulacaceæ). “Purslane.” A weed with succulent leaves, used as a local application to swellings. (Etym. “disperse swellings”). Syn. **sarikin jibji**, and **harshen saniya** or **dabrin saniya**; cf. [gadon machiji](#) and vide [rigya kafi](#).

fasa kwari, *Zanthoxylum senegalense*, DC. (Rutaceæ); a thorny tree with pinnate leaves, found in ravines in the Benué district; the fragrant bark is sold as a medicine and spice.

faskara giwa, *Ormocarpum bibracteatum*, Baker (Leguminosæ); a shrub with tough flexible branches, small pinnate leaves and purple flowers. (Etym. from the tough texture of the wood which the elephant cannot break). In Zanfara this is sometimes called [tsa](#) q.v.

faskara toyi, *Blepharis linearifolia*, Pers. (Acanthaceæ); a prickly herb with blue flowers and spiny leaves used to trace ornamental lines on earthenware. Syn. **gigi?** **daudar Maguzawa?** (Etym. because it often remains unburnt when the grass is fired).

fatakka, *Pergularia tomentosa*, L. (Asclepiadeæ); a plant with orbicular hoary leaves and milky juice; used by tanners as a “bating” bath after unhairing and before tanning. Syn. **kwotowa** (Sok.).

fate fate, a medicine or love potion used by women, made from the leaves of [shiwaka](#), &c. (*Vernonia amygdalina*), *q.v.* Also a food prepared from various plants, e.g. flowers of [tsamiya](#), or leaves of [rama](#), [yadiya](#) or [zobarodo](#).

fedda, screens made usually of the bulrush [shalla](#), *q.v.*

fidda hakukuwa, *Dyschoriste Perrottetii*, O. Kunth. (Acanthaceæ); a water-side plant. (Etym. from the use of the seed to remove spicules of grass, &c. from the eye, the foreign particle adhering to the mucilaginous coat of the seed when placed in the eye).

fidda sarts, or **fidda saruta** (Gobir), *Euphorbia lateriflora*, Sch. et Thon. A shrub with milky juice much used for hedges. (Etym. from its use as a poultice to extract a splinter).

fideli, *Cassia Absus*, L. (Leguminosæ). “Four-leaved Senna;” an undershrub with viscous foliage used medicinally.

filasko, *Cassia obovata*, Collad. (Leguminosæ). “Italian,” “Senegal” or “Tripoli Senna;” a low shrub with yellow flowers and flat sickle-shaped transversely ribbed pods; one of the varieties of commercial senna.

filfil, a spice; probably a var. of *Capsicum* (Arab. *felfel*).

fisawa or **fiso**? *vide* [ḍan farkami](#).

fita, Clinogyne filipes, Benth. (= Donax filipes, Schaumann) (Scitamineæ); a water-plant with spear-head-shaped leaves commonly used to wrap up food.

fiyaka, vide [jibda kassa](#) and [gadaukuka](#).

fuda or **huda** = young flower-buds of any tree; cf. [tofo](#) and [labaye](#). **hudar awaki**, vide [gedar awaki](#).

fular tsofo, Polycarpæa linearifolia, DC. (Caryophylleæ); a herb with heads of white chaffy flowers. Syn. [magudiya](#), q.v. cf. [bakin suda](#).

fura, a grass, Pennisetum pedicellatum. Syn. [kyasuwa](#), q.v.

fure = a flower; (when unqualified generally = flowers of the tobacco plant).

furen gadu (f. **gyado**), vide [awarwaro](#).

furen yan sariki, Lonchocarpus sp.? a tree with panicles of blue or purple flowers; used as a charm by one who hopes to be king.

furfura ta gyatumi (or **jatumi**), Ærua tomentosa, Forst. (Amaranthaceæ); a hoary white erect plant; vide [alhaji](#). (Etym.

“hoary locks”). The name is loosely applied to some other plants of white habit.

G

gaba chara (Sok. and Zanf.), *Acacia Dalzielli*, Craib. (Leguminosæ); a tree with panicles of yellow flower-balls. (Etym. the name of the yellow-breasted thrush *Cossypha albicapilla*). Syn. **gwanno**.

gabara (Sok.), *Arundo Donax*, L. (Gramineæ). “Spanish Reed;” a very tall grass of river-banks, with hollow stem and large silky flowering head; stems used for flutes and pipe-stems. Syn. [machara](#), *q.v.* and **wutsiyar giwa**.

gabarua, syn. [bagaruwa](#), *q.v.* *Acacia arabica*, Willd.

gabu, *vide* under [albasa](#).

gaḍakuka or **gaḍaukuka** (Katagum, &c. the Ful. name); *Aristolochia albida*, Duch. (Aristolochiaceæ); a twiner with oddly shaped lurid black-purple flowers; sometimes confused with [jibda ƙassa](#), *q.v.*, and the bitter root sold as such; a remedy for Guinea-worm, &c. and a bitter tonic. Syn. **maḍachin ƙassa**, **dumar dutsi**, and **?fiyaka**.

gadagi, *Alysicarpus vaginalis*, DC. (Leguminosæ); a common herb, used when ripe as a fodder for horses; (including the similar *A. rugosus*, DC.).

gadon machiji (Sok.), *Trianthema monogyna*, L. and *T. pentandra*, L. (Ficoideæ). “Horse Purslane;” two very similar and common succulent weeds, forming a thick growth in waste places. Synonyms are **hana taḳama** (because one has to walk warily amongst it), and **dabrin saniya** (= “cow’s lip” but cf. [halshen saniya](#) or [fasa ḳabba](#)). The name is elsewhere commonly applied to a species of convolvulus, [yambururu](#), q.v.

gadu (Zanfara), *Pavetta Barteri*, Dawe (Rubiaceæ); a shrub the leaves of which are used by some pagan tribes as food, with *kunu* of cereals, &c.

gagayi, an aphrodisiac prescription of 12 ingredients; vide [gangawari](#); applied also to several plants supposed to have the same property, e.g. **baḳin gagayi** = *Fadogia agrestis*, Schweinf. (Rubiaceæ), an erect plant with a tough root.

gaji (Sok.), a grass used for plaiting armlets, &c. (Syn. ?**karani** and **darambuwa**).

gajiri, *Cymbopogon hirtus* (Gramineæ); a tall grass used for thatching, for *zana*, &c. Syn. **jimfi**, or **jimpa jimpa** (Sok. Kats. and Zanf.). The name probably includes more than one species.

gamba, *Andropogon Guyanus*, Kunth. (Gramineæ); a very common tall grass with bifid flowering spikes; perhaps the most commonly used grass for *zana*.

gamji or **ganji** (Kano), *Ficus platyphylla* Del. (Urticaceæ). “Gutta-percha Tree;” a large tree with broad conspicuously veined leaves and small edible figs (vide [lubiya](#)). The latex forms an inferior kind of rubber (“Red Kano rubber”).

gamma faɗa (Kano, &c.), *Cassia Kotschyana*, Oliv. (Leguminosæ); a tree with laburnum-like yellow flowers and long cylindrical pods which do not split. Syn. **malga** or **marga** (Sok. Gobir, &c.). Also *Cassia Sieberiana*, DC. and perhaps other species (very similar to the “Pudding Pipe Tree”—*Cassia fistula*). The dark pulp around the seeds is a laxative drug. Scarcely distinguished in Hausa from the somewhat similar *Cassia Arereh*, *Swartzia madagascariensis*, Oliv. and others whose pods split longitudinally. vide under [bayama](#), [bogo zage](#), and [haɗa fuɗa](#). The pods of some of these are sometimes used as a fish-poison, vide under [ago](#) and [baina](#). (Etym. *gamma faɗa* —“leading to feud,” from unskilled or improper use as a drug.)

gamma gari, vide under [goro](#).

gamma sanwa, vide [bakin mutum](#).

gammon bawa, *Merremia angustifolia*. Syn. **yamɓururu**. (Etym. the equivalent of a Beri Beri name—“slave’s head-pad”).

gandi, a var. of kola nut; vide under [goro](#).

gangamau, *Curcuma longa*, L. (Scitamineæ); Turmeric, a plant like ginger; the rhizome is sold in the form of slices and used as a yellow

dye for leather, &c. Syn. **turri**. (Kanuri *kurgum*, Arabic and Hebrew *kurkum*). cf. [zabibi](#).

gangame (Sok.), the expanded fronds of the palms [goriba](#) or [giginya](#), &c. Syn. **kari** (Kano); nearly the same as [kaba](#), q.v.

gangawari, the thickened root of a sedge or grass; one of the constant ingredients of the aphrodisiac [gagayi](#), q.v.

ganji (Kano). Syn. [gamji](#), q.v. *Ficus platyphylla*, Del.

ganji gaga, a var. of kola nut; *vide* under [goro](#).

ganwon rama = coils of undressed hemp fibre, *vide* under [rama](#).

garafuni, *Momordica balsamina*, L. (Cucurbitaceæ). “Balsam Apple;” a twiner of the cucumber family, with yellow flowers and orange-yellow tubercled fruits; used medicinally and in soup, and as a soap forming a viscid solution in water.

namijin garafuni, *Ctenolepis cerasiformis*, Hook. f. a twiner of the same family, with scarlet cherry-like fruit. Syn. *ḍiyan hanwawa* (Sok.).

garafunin fadama or **g. kwata**, *vide* [gautan kwado](#).

garamani (Sok.), *Sida cordifolia*, L. (Malvaceæ); a hard-stemmed weed with soft cordate leaves and yellow flowers; (a pest in Sokoto, &c.). Syn. **farin garamani** as distinct from **baḳin garamani** or [ramaniya](#), q.v. In East Hausa sometimes called **mai-ḳafo** (from the

paired long processes on the carpels); also **kardafi** (Katagum). The bark yields a fibre.

garaji, a fodder grass with edible grain. ?The same as [baya](#) and [sabe](#), *q.v.*

garangarma, *vide* under [guna](#).

garasa, *vide* [katsaimu](#).

gardayi, *Acacia macrostachys*, Reich. (Leguminosæ); a gum-yielding acacia common in Sokoto province.

garicha (Zanfara), *Ficus* sp. (Urticaceæ). *vide* [haguguwa](#) and [uwar yara](#).

gasaya (Kano, &c.), *Gynandropsis pentaphylla*, DC. (Capparideæ); a common herb near habitations, with 5-foliate leaves and white flowers; used as a pot-herb. Syn. **yar unguwa** (Sok.). The name *namijin gasaya* is applied loosely to several weeds, e.g. *Amaranthus polygamus*, L. (Amaranthaceæ), *Polanisia viscosa*, DC. (Capparideæ), *Croton lobatus*, L. (Euphorbiaceæ), &c.

gatarin kurege (Sok.), *Gloriosa superba*, L. a climbing lily, more generally known as [baurairai](#), *q.v.*

gatarin zomo, *Tacca pinnatifida*, Forst. more commonly known as [giginyar biri](#), *q.v.*

gaton kariya or **chuchun kariya**, *vide* [gujiyar hankaka](#).

gaude, *Gardenia erubescens*, Stapf and Hutch. (Rubiaceæ); a shrub, common in the bush, with fragrant white tubular flowers, tough wood and yellowish ovoid edible fruit. The fruit is used by women in the preparation of a form of the black cosmetic [katambiri](#), q.v.

gauden dutsi (Sok.), *Gardenia Sokotensis*, Hutch. a low shrub with white flowers, found on rocky hills.

gauden kura, *Gardenia ternifolia*, Thunberg (= *G. Thunbergii*, Linn. f.), a shrub similar to **gaude**, with coarse not edible fruit.

gaugayi, vide [kuduji](#).

gauta, *Solanum* sp. Native bitter tomato; probably a var. of *Solanum Melongena*. *ḍata* or *ḍwata* (*gautan ḍwachi*) is a small very bitter variety, scarlet when ripe, and usually lobed; used in soup; *kulufita*, smaller than **gauta**; *yalo*, a large var. scarlet when ripe, often eaten raw = *Solanum Melongena*, var. *inerme*, Hiern. (N.B. The “Brinjal” or “Aubergine” or “Egg Plant” is *S. Melongena*, Linn.).

gautan bagirmi, vide [gorgo](#).

gautan kaji, *Solanum nodiflorum*, Jacq. (= *S. nigrum*, var. *guineense*, Linn.) “Black Nightshade;” an erect branching weed of waste places with white flowers and small black berries. cf. [gautan tsuntsu](#).

gautan kura, *Solanum incanum*, L. a prickly undershrub with hoary leaves, a yellow tomato-like fruit, and white or lilac-purple flowers; a

deliriant poison. The name includes other poisonous species of *Solanum* in different districts. Sometimes called *idon saniya* = “ox-eye,” from the Ful. name *giti nai*.

gautan kwaḍo, *Cardiospermum Halicacabum*, L. (Sapindaceæ). “Balloon Vine,” “Winter Cherry,” or “Heart Pea;” a straggling plant of damp and waste places, with tendrils and graceful foliage, small white flowers and bladdery 3-angled capsule. Syn. **garafunin fadama** or **garafunin kwata** (*kwata* = water-side); *vide* also [godar zomo](#).

gautan tsuntsu, *Solanum scalare*, C. H. Wright; a plant of the native tomato tribe, with small red edible berries, cultivated near houses. (The name is often confused with [gautan kaji](#), *q.v.*).

gautan zomo, *Mukia scabrella*, Arn. (Cucurbitaceæ); a rough-leaved twining plant (like Bryony), with small red berries. Syn. [malami](#), *q.v.*

gawasa, *Parinarium macrophyllum*, Sabine (Rosaceæ). “Ginger-bread Plum;” a broad-leaved tree found in the northern provinces, bearing a dry plum-like fruit.

gawo, *Acacia albida*, Del. (Leguminosæ); a large acacia-tree very common in the north; bearing creamy-white flower-spikes and orange-yellow twisted pods; it is leafless during the rains and blooms from October onward; foliage a good camel food. A sort of pack-saddle called *tasshi* (East Hausa), is made from the bark.

gayan gayan, a sort of twining bean. (?*Vigna membranacea*, A. Rich.), *vide* [waken barewa](#).

gazara, a tall grass, used for arrow-shafts.

gazari, a var. of kola nut; *vide* under [goro](#).

gazari or **gizeri** (Hadeija), *Mærua* sp. (Capparideæ); a tree with smooth bark, whitish flowers and small beaded pods.

geḍa (Kano, &c.), **gyaḍa** (Sok.), *Arachis hypogæa*, L. (Leguminosæ). “Ground Nut.” “Monkey Nut.” “Archides.” “Earth-pea.” In Sokoto usually called [gujiya](#), *q.v.* Eaten raw or roasted or prepared in various ways. *man geḍa* = the expressed oil, used for cooking and as an illuminant; *harawar geḍa*, ground-nut hay, a valuable dry-season fodder; *kwalli kwalli*, balls or rings like doughnuts, made of ground-nut paste fried in oil. *gujiya kolanche* (Sok.), a var. of **geḍa** with long pods.

geḍar awaki, common leguminous weeds of fields, with yellow flowers and inflated pods, used as fodder. Syn. **hudar awaki**, **biranar awaki**, &c. (*Crotalaria cylindrocarpa*, DC. *C. atrorubens*, Hochst. *C. macrocalyx*, Benth. *C. maxillaris*, Hochst. and other species).

geḍar kurumi, *Pterocarpus esculentus*, Sch. et Thon. (Leguminosæ); a tree of river banks and forests in the south, with yellow flowers and short irregularly shaped 2-seeded pods; the seeds—called also *gunduru*—are roasted and eaten in scarcity.

geḍar ruwa, *Trapa bispinosa*, Roxb. (Onagrariæ). “Water Chestnut.” “Water Caltrop.” An aquatic plant with floating leaves and edible horned fruit, cultivated in ponds. (Scarcely known in Hausa; the name

is the equivalent of the Ful. *biriji diam*). Syn. **kwankwarita** (East Hausa).

gemen kusu or **g. ɓera**, *Fimbristylis exilis*, R. and S. (and other spp. Cyperaceæ); a small tufted sedge with very slender leaves and slightly fragrant root. Syn. **riɗin tuji**.

gero, *Pennisetum typhoideum*, Rich. (= *P. spicatum*, R. and S.). “Bulrush Millet.” “Pearl Millet.” cf. [maiwa](#) (*P. spicatum*, var.), and [damro](#); (vide also under [karmami](#) and [yabainya](#)).

Some of the varieties of **gero** are:—

idon hawanya, with a large grain concealed in the husk;

haɓorin machiji (North of Kano), a long spike with abundant hard very small grains;

zango, with a very long fruiting spike;

zamfaruwa; *bazaume* or *bazarme* (a corruption of *Ba-Zabarme*);

girgera or *gargasa*, a white-grained variety like *maiwa*, but considered one of the best or most elegant (= *farin gero* or *geron Adar*, because common in French territory);

ba anguri (East Hausa), the same as or a near variety to *girgera*;

tarnekuwa; *wuyan bajimi*, a short thick spike with hard grain and much chaff;

tamangaji, a variety with pointed grains;

lawur, a short variety quickly ripe;

shibra or *shura* (*Pennisetum Bentharii*, Steud. var.?), a short and thin-stemmed variety early maturing; (also applied to infertile spikes

not maturing, stripped while young and used in *kunu* or soup, &c.).

Lesser variations are:—

halshen damo, with a bifid spike;

gero mai geme, when the lower part of the flowering spike is compound;

gero mai gashi, a bristly spike, (considered of value because birds cannot plunder), and called *gargasa* (= hirsute) in Kano; the same as *girgera*;

gumba = **gero** cleaned, husked and winnowed, and ground up for eating uncooked with milk and other food.

Geron tsuntsaye, 1. *Phyllanthus pentandrus*, Sch. and Thon. (and other similar species of Euphorbiaceæ); a common slender-branched weed with minute capsular fruit eaten by birds; syn. **hatsin tsuntsaye**. 2. The fruiting head of a species of bulrush (*Typha australis*), called [shalla](#), *q.v.*

gewayen tsamiya, usually = *Vitis quadrangularis*, vide [dadori](#), but sometimes applied to several other plants growing under or climbing upon the tamarind-tree.

geza, *Combretum* sp. probably *C. altum*, Perr. (Combretaceæ); a shrub or small tree with white flowers and 4-winged fruit, well known in the north.

fara geza, *Combretum aculeatum*, Vent. a shrub with 4-winged fruit and clusters of white flowers; (a different species from the above).

gigi? (Sok.), *vide* [faskara toyi](#).

giginya, *Borassus flabellifer*, var. *æthiopum*, Warb. (Palmeæ).

“Deleb Palm,” “Fan” or “Palmyra Palm;” common straight-stemmed palm with fan-like leaves.

muruchi = the young germinating shoots, eaten as a vegetable; *shedari* = a mat made of the unexpanded fronds—(called *murlin giginya*, *vide* under [murli](#)).

ḡodago, the nut, and the kernel *kwalshi*, *vide* under [goriba](#). *cf.* also [gangame](#), [kankāmi](#) and *ḡarari*. *ḡarri* (Kano) = fronds of *giginya*, *cf.* [kaba](#).

[ḡundu](#) (Kano) = the bulging of the *giginya* stem.

giginyar biri, *Tacca pinnatifida*, Forst. (= *T. involucrata*, Sch. and Thon.) (Taccaceæ). A perennial herb with a superficial resemblance to a small palm, having a long-stalked divided leaf and an umbel of greenish flowers and yellow succulent fruit. The large starchy tuber is an important article of food in some countries; a var. of “arrowroot” is prepared from it in the Pacific Islands and elsewhere; *vide* under [amara](#). Boys call the tall flowering stems *sandan yan bori*, *sandan biri*, or *sandan dutsi*, and use them as toy spears. Other names for the plant are **gatarin zomo** and ?**yayu** or **tara yaya** (Katagum).

girgera, a var. of [gero](#), *q.v.*

giri giri, 1. In Sokoto = [aya aya](#), *q.v.* the tuber of a sedge. 2. In Kano, Hadeija, &c. = ?*Pachyrhizus tuberosus*, Spreng. “Yam Bean” or “Manioc Pea;” a bean with a starchy tuberous root. (*vide* also [sa baba](#)

[sata](#)). The name includes *Vigna ornata*, Welw. a tuberous-rooted bean, with handsome pink flowers, in the Benué district (Munchi-*ahoma*). A speckled variety of the seeds is called *kashin kaza*.

gishirin dawaki, a grass; *vide* [dataniya](#).

gishishiya? (Zanfara), a species of acacia; *vide* [dussa](#).

giwa kamba, a var. of [dawa](#), *q.v.*

giyeya or **giyaiya**, *Mitragyne africana*, Korth. (Rubiaceæ); a tree with spherical heads of flowers, abundant in damp localities.

gizaki (Zanfara), *Carissa edulis*, Vahl. (Apocynaceæ); a scrambling shrub with black sweet berries. The root is put in the *goran ruwa* to render water agreeable. Syn. ?**uwa banza**.

gizari, *vide* [gazari](#).

gizgiri, *Cyperus auricomus*, Spreng. (Cyperaceæ); a tall sedge with tuberous slightly fragrant root which is used like [kajiji](#), *q.v.* Syn. **kajijin fadama**; (possibly the same as [dan Tunuga](#), *q.v.*).

gizgin kaba, *vide* under [goriba](#).

godar zomo, *Tinnea Barteri*, Gürke (Labiateæ); an undershrub with a deep-purple flower and inflated calyx. (Etym. “hare-bell”). (Also applied to *Cardiospermum Halicacabum*, *vide* [gautan kwado](#), on account of the inflated capsule).

goga jiki, Combretum sp. ?C. leonense, Engl. and Diels.; a tree with rough fissured bark. (Etym. from the chafing of the skin when faggots are carried in the arms). A gum-yielder. ?Syn. [wuyan damo](#), q.v. [gogin damo](#) (Zanfara).

goga masu, Mitracarpum scabrum, Zucc. (Rubiaceæ); a weed with small white flowers, used as a medicine for hair-lice, itch, &c. (Etym. “smear spears,” from its superstitious use as a preventive against wounds). Syn. **harwatsi** (Sok.).

goge (?Hausa), Feretia canthioides, Hiern. (Rubiaceæ). Syn. [kurukuru](#), q.v. and **lallen suri**.

gogin damo, vide [goga jiki](#).

goji, pumpkin, vide under [kabewa](#).

gojin jima or **gunar jima**, Adenopus breviflorus, Benth. (Cucurbitaceæ); a wild pumpkin-like twiner growing on trees, with ovoid mottled fruit used by tanners for dehairing.

gombiliki (Sok.), vide [falfoli](#).

gongola or **gwongola**, a canoe-pole of the [tukuruwa](#) palm, q.v. (*gwangwala* = the Nupé name for the palm *Raphia vinifera*).

gora, a var. of the bottle-gourd; vide under [duma](#).

gora, *Oxytenanthera abyssinica*, Monro (Gramineæ); a kind of bamboo, common in ravines.

gorgo (?Kanuri), *Solanum* sp.; the flowers of a plant like the native tomato (**gauta**), used to rub the teeth. Syn. **gautan bagirmi** and **jaudari** (East Hausa).

goriba, *Hyphæne Thebaica*, Mart. (Palmeæ). “Dum Palm.” “Gingerbread Palm.” Common palm with forked stems. [kaba](#), *q.v.* = the fronds, used for plaiting various articles; *gizgin kaba* = the thickened root of *giginya*; *kwalshi* = the edible kernel of the unripe nut eaten raw; *ḳodago* or *ḳwalu* = the ripe hard nut; the rind is used as food and in making *maḍi* (molasses) and *allewa* (a sweetmeat); *zaḳi birri* (East Hausa or Kanuri) = the rind made into cakes (*waina*, &c.). Fibre is got from the root, *vide* under [meḍi](#). *cf.* also [gangame](#), [kankāmi](#), [ḳarari](#) and [murli](#).

goriya, *vide* under [goro](#).

goro, Kola Nut; the seed of *Cola acuminata*, Schott. and Endl. and other species (Sterculiaceæ). (The true Kola has the seed divisible into 2 sections (cotyledons), in the other species there are usually 3 or 4. “Genuine” Kola nut = *C. acuminata* (Gold Coast). “False” Kola nut = *C. Johnsoni* and *C. verticillata* (Gold Coast). “Bitter Kola seeds” = *Garcinia Conrauana*, Engl. (Guttiferæ) (N. and S. Nigeria), eaten but not a stimulant). Imported from Gold Coast, Lagos, and Adamawa; cultivated in some southern provinces. Some of the numerous trade varieties are:—

goriya, pl. *goriye*, the largest nuts; *marsa*, the second size of nuts; *minu*, the smallest; *labuje*, a large pale var. from Gwanja and grown in Bida, said to be the best; *ḍan kwataho*, the best in Adamawa, Benué, from Ngaumdere, Bamyo, &c.; *ataras*, a Gwanja nut; *hannu ruwa*, a cheap pale variety divisible into 3 or more sections, from Bamyo, &c. (name from the viscid juice); *ḍalaka* or *ḍan laka*, a larger nut resembling *hannu ruwa*; *sandalu*, also a pale nut of similar type; *ganji gaga*, pale with about 4 sections, of inferior quality; from Bafum, &c.; *gazari*, an inferior var. viscid like *hannu ruwa*, from Bafum, &c.; *ibi*, an inferior var. got from Yoruba, not reddening the mouth (sometimes classed as *goron biri*); *gandi*, an inferior pale var. like *ibi*; *jan karago*, an early maturing rough-skinned var.; *gamma gari*, mature at the height of the season; *nata*, red and smooth, usually small.

ḥare = half a kola nut; *gutsuri* = pieces of kola nut handed round a company.

saran waga = 100 nuts of mixed sizes; *farsa* = the separated sections.

mijin goro, *Sterculia* or *Cola*, or *Garcinia* sp. (*vide* above), “Wild Kola,” “False Kola,” used medicinally. *vide* also [sarawan goro](#).

goron biri or **g. ruwa**, *Irvingia Smithii*, Hook. f. (*Simarubeæ*); a large evergreen tree by streams and in ravines, with scarlet plum-like fruit.

goron yan makaranta, an insect gall on the grass called [katsaimu](#), *q.v.*

guda (Kano) or **gudaji** (Sok.), a bulb; the common onion, one of the varieties of [albasa](#), *q.v.*

guḍe guḍe, *Dactyloctenium ægyptiacum*, Willd. (*Gramineæ*). “Comb Fringe Grass;” a small grass with 4-rayed spikes; a good horse fodder.

gudumar biri, *vide* [katsaimu](#).

gudumar zomo (East Hausa), a name for *Gloriosa superba*, L. *vide* [baurairai](#).

gujiya (Kano &c.), *Voandzeia subterranea*, Thouars. (Leguminosæ); a kind of ground-bean; the so-called “Bambarra Ground Nut.” Syn. [kwaruru](#), *q.v.* N.B. In Sokoto and some other districts *gujiya* is also used for *geḍa* (*Arachis hypogæa*)—*kwaruru* or *Voandzeia subterranea* being distinguished as *g. dukkus* (Sok. and West), etym. from the dwarf habit—; similarly *g. ƙwaraskwaras* (Sok. and Kano); *g. tsugunne* (Kano)—etym. *tsugunna* = to squat—*gujiya al kuluga*, and *g. maikwokwo* (from the resemblance of the pods to the smallest calabash) are names in East Hausa; *g. kolanche* (Sok.) = a long variety of *Arachis* or [geḍa](#), *q.v.* *bidi* = one of the varieties of *gujiya* with spotted and mottled seeds.

gujiyar awaki, *vide* [geḍar awaki](#).

gujiyar dawaki (Zanfara), *Polygala arenaria*, Willd. *vide* [sa hankaki dako](#).

gujiyar hankaka (Katagum), *Indigofera echinata*, Willd. (Leguminosæ); a weed with small prickly pods, eaten by goats, &c. Syn. **kwankwan dafi** (Sok. and Kats.); also **chuchun kariya** or **gaton kariya**.

gumba, *vide* under [gero](#).

gumbi, loosely applied to several plants which form thorny thickets; e.g. in Sokoto **gumbi** generally = *Mimosa asperata*, a thorny shrub very abundant on river-banks. *vide* [kaidaji](#) and *cf.* [dufuwa](#) and [kumchi](#).

gumi = rice boiled and dried (in which form it is commonly sold); **ɗanyen gumi** = husked but still unboiled rice. *vide* under [shinkafa](#).

guna, *Citrullus vulgaris*, Schrad. (Cucurbitaceæ). The “Water-Melon” (a very variable species). *gunar mutane* or *kankana* = the edible or garden water-melon, with red pulp and black or red seeds; *gunar shanu* = the common half wild and cultivated var. with deeply cut leaves, and spherical fruit with green variegated stripes when unripe; *fari* (Kano and East) = a large water-melon, usually white-fleshed; *kwokiya* = a smaller sweet melon; *tamna geɗa* = a small melon like *kwokiya*, but only eaten cooked (= *garangarma*, East Hausa); *bambus* = a variety known in the north; *agushi* (Yoruba *egushi*) = seeds of water-melon, sold for various uses—chewing, medicine, oil, and food.

gunar jima, *vide* [gojin jima](#).

gunar kura, *Cucumis Figarei*, Del. (Cucurbitaceæ); a wild prostrate gourd with ovoid slightly prickly fruit; better known as [tsuwawun zaki](#), *q.v.*; also called **maɓaimi**.

gunda, **gundar kabewa** = the small immature fruits of the pumpkin (*vide* [kabewa](#)), used in soup. **gundar turu turu** = unexpanded flower-buds of [dorowa](#), *q.v.*

gunduru, *vide* under [geɗar kurumi](#).

gunguma, a long-leaved plant (?Amaryllideæ), used to stupefy birds, and sometimes added to arrow-poison. ?Syn. **murtsunguwa**.

guntsu = seeds of [kuka](#), q.v.

gurasa, *vide* under [alkama](#).

gurdugu, *Grewia* sp. (Tiliaceæ); a shrub with small yellow flowers and sweet edible berries. Syn. [kamu mowa](#), q.v. and ?**kimbar dutsi**.

gurguzu = seeds of the “Red Sorrel” or [yakuwa](#), q.v.

guriya (Sok.) = seeds of cotton; *vide* under [abduga](#).

gurji, *Cucumis Melo*, Linn. var. *agrestis*, Naud. (Cucurbitaceæ); a small prostrate gourd with ovoid striped fruit used in soup; much used in East Hausa and Bornu; probably more than one variety; e.g. *kwantal* or *gurji kwantal*—a smaller one less used. Syn. **gwalli** (Sok.). *gurjin daji*, applied to some wild gourds, e.g. *Cephalandra indica*, Naud. a wild climber with white flowers and cucumber-like fruit turning red and succulent; not edible.

gurjiya, *Bombax buonopozense*, Beauv. (Malvaceæ). “Red-flowered Silk Cotton Tree;” a tree like [rimi](#), q.v. but smaller, with red tulip-like flowers and stout thorns on the branches. The silky hairs are used to stuff pack-saddles, armour-quilts &c. Syn. **kuriya** (Sok. and Zanf.).

guro (Sok.), *Hibiscus esculentus*, Linn. The okra. Syn. [kubewa](#), q.v.

gursami, a plant with radiate tuberous roots eaten in scarcity.

gusu? (Zanfara). Syn. for [tsa](#), q.v. a shrub—*Phyllanthus reticulatus*.

gutsuri, vide under [goro](#).

gwabsa (Sok. Kats. and Zanf.), *Cussonia nigerica*, Hutch. sp. nov. (Araliaceæ); a tree with large digitate leaves, corrugated bark and odorous sap; often called [takandar giwa](#), q.v.; also **hannun kuturu** (from the bare leafless branches in the dry season). *namijin gwabsa* (or *takandar giwa*, Sok. Kats. and Zanf.) = *Hannoa undulata*, Planch. (Simarubeæ); a tree with pinnate leaves, fragrant white blossoms, and black plum-like fruit.

gwaḍayi or **gwoḍeyi**, *Hippocratea obtusifolia*, var. *Richardiana*, Loes. (Celastrineæ); a twining shrub with tough stems used as tie-tie for *tanka*, &c., resisting white ants. (Perhaps several plants of similar habit and use are included in the Hausa name; cf. [kana kana](#)). cf. the expression *gwaḍayi*, *ba saranka*, *ba ja*—if not cut first it cannot be broken by pulling.

gwaigwaya? (Katagum &c.), *Cyperus exaltatus*, Retz. (Cyperaceæ); a tall sedge of wet places, with 3-angled stem, and radiating numerous flower-spikes. Syn. **karan masallachin kogi**.

gwalli, vide [gurji](#).

gwanda or **g. Masar**, *Carica Papaia*, Linn. (Papayaceæ). The “Pawpaw” or “Melon Tree.”

gwandar daji, *Anona senegalensis*, Pers. (Anonaceæ); a species of Custard Apple common in the bush, with yellow edible fruit and fragrant leaves.

gwandayi (Kano &c.), *Stylochiton Dalzielii*, N.E. Br. sp. nov. (Aroideæ); a plant of the Arum-lily family, with arrow-head leaves and a yellow root; young leaves and root sometimes eaten as a pot-herb after prolonged boiling to remove the acrid principle. Syn. **kinchiya** (Sok. and Kats.).

Gwanja kusa, a name for several plants supposed to have properties resembling kola and other economic products of Gwanja in G. Coast, N. Terr. e.g. often applied to the “Akee Apple”—*Blighia sapida*, Koenig. (vide [alale](#)), which has scarlet fruit reminiscent of kola; also *Parinarium curatellæfolium* (vide [rura](#)), a tree the young leaf of which is sometimes chewed and reddens the mouth; the flowers of *Trichilia emetica* (vide [jan saye](#)), similarly used; the herb *Heliotropium Zeylanicum*, Lam. (Boragineæ), used as a tonic, and staining the lips like kola. Also several plants which turn black in drying (chiefly Scrophularineæ), and are sometimes mixed with indigo, e.g. *Cycnium camporum*, Eng. with white petunia-like flowers.

gwanno (Sok. and Zanf.), vide [gabachara](#).

gwano rafi, *Olax subscorpioidea*, Oliv. (Olacineæ); an evergreen shrub with an unpleasant odour; (**gwano** = the stink ant).

gwaska, itchen gwaska, *Erythrophlœum guineense*, Don. (Leguminosæ). “Sasswood.” “Ordeal Tree.” A forest tree; the bark (“sassy bark”) is used by some pagan tribes in an ordeal brew and as an occasional ingredient in arrow-poison.

gwaza, *Colocasia antiquorum*, Schott. (Aroideæ). The “Koko yam” (Yoruba—*koko*); an aroid plant with huge arrow-head leaves, cultivated for the starchy tuber. *gwazar giwa*, one of many names for an aroid with large lurid purple flower-spathe, a much-divided leaf and a bulky tuber with acrid juice; called also *hansar giwa* (“elephant’s breast”), *kunnen jaki*, *buran jaki*, and sometimes [kinchiya](#), q.v.) = *Amorphophallus dracontoides*, N.E. Br.

gwazkiya (Zanf.), vide [bogo zage](#).

gwoḍeyi, vide [gwadayi](#).

gwolon zaki, vide [tsuwawun zaki](#).

gwundi, a var. of cotton; vide under [abduga](#).

gyaḍa, the ground-nut, vide [geḍa](#).

gyamro, vide under [dawa](#).

gyandama, a var. of the bottle-gourd, vide under [duma](#).

gyazama, *Rottbœllia exaltata*, Linn. fil. (Gramineæ); a tall harsh-leaved grass, eaten by horses; called also **dadawa** and **dawa dawa**.

H

haḍa fuḍa (Sok.), a name for *Cassia Kotschyana*, Oliv. (Leguminosæ), and probably other species of *Cassia*; *vide* under [gamma faḍa](#). (?a corruption of a Fulani name).

haguguwa, a species of *Ficus*; *vide* [uwar yara](#).

haki, pl. **hakukuwa**, any kind of grass or weed.

hakin furtau (Sok.), *Sporobolus festivus*, Hochst. (Gramineæ); a small slender grass with delicate panicle of small purplish flowers; sometimes mixed with others for thatching. (Etym. *furtau* = a quail).

haḳorin kada, *Argemone Mexicana*, Linn. Yellow prickly poppy; *vide* under [kwarko](#).

haḳorin kare, *Panicum fluitans*, Retz. (Gramineæ); a grass with hollow stem, in wet places; used as fodder. (Etym. “dog’s tooth,” from the shape of the flower spikelets.)

haḳorin machiji, *Achryanthes aspera*, L. (Amaranthaceæ); a troublesome weed of waste places, with small sharply pointed reflexed flowers; commonly also called [ḳaimin ḳadangare](#), *q.v.*

halshen saniya, 1. In Sok. Kats. Bauchi, &c. = *Portulaca oleracea*, Linn. “Purslane,” a common weed of waste places, with yellow flowers and succulent spathulate leaves, commonly called [fasa kabba](#), *q.v.* and *cf.* also [dabrin saniya](#), *vide* under [gadon machiji](#). 2. In Zanfara, &c. **halshen sa** = a name for *Lonchocarpus laxiflorus*, G. et P. a leguminous tree with purple flowers; leaves given to goats as fodder. *vide* [shunin biri](#) and [farin sansami](#).

halshen damo, a var. of [gero](#), *q.v.*

hana gobara (Zanfara), *vide* under [dali](#).

hana takama, *vide* under [gadon machiji](#).

hanjin rago, *Oxystelma bornouense*, R. Br. (Asclepiadeæ); a slender twiner with milky juice and white and purple flowers, commonly growing on bushes by streams.

hankufa, *Waltheria americana*, Linn. (Buettneriaceæ); a common erect weed or undershrub with soft leaves and small yellow flowers; used medicinally.

hannu biat or **yatsa biat**, a plant with 5-digitate leaves; used medicinally.

hannun giwa, a var. of [dawa](#), *q.v.*

hannun kuturu, *vide* under [gwabsa](#).

hannun marini, a var. of bean, *vide* under [wake](#).

hannu ruwa, a var. of kola nut; *vide* under [goro](#).

hano (Sok. and Kats., &c.), *Boswellia Dalzielii*, Hutch. sp. nov. and *Boswellia odorata*, Hutch. sp. nov. (Burseraceæ). Two closely similar species of “Frankincense Tree” (the former more in Sokoto, Kontagora, Zaria, &c., the latter in Yola province, &c.). Syn. **ararabi** (Katsina, &c.), **basamu** (Sok. and Zanf.). The fragrant gum-resin is used medicinally and as a fumigation for clothing, houses, &c. (Etym. from *hana*, to prevent, from a prejudice some have against it, believing that it prevents success in trade, &c.; a form of deceit is to adulterate or substitute it for other resins such as *ḡaron maje*, &c. *cf.* the name [ba samu](#) indicating the same idea).

hansar gada, **hansar giwa**, names given to several Aroid plants; *vide* [tsakara](#), [gwazar giwa](#), &c.; (*hansa* = the breast).

hanza, *vide* [anza](#).

harawa, stem and leaf of bean and ground-nut plants, used as fodder, **harawan wake**, **harawan geḡa**. **harawan ḡorowa**, *vide* under [ḡorowa](#).

harḡiya, *Digitaria debilis*, Willd. (Gramineæ); a common fodder grass, 1½ to 2 feet high, with several slender flower rays. “Finger Grass.”

harwatsi (Sok.), *Mitracarpum scabrum*, Zucc. (Rubiaceæ); a common weed. Syn. [goga masu](#), *q.v.*

hatsin manoma (Sok.), *Pancratium trianthum*, Herb. (Amaryllideæ); a bulbous herb with beautiful white lily-like flowers appearing with the early rains; (sometimes called “Spider Lily”).

haujeri (Katagum, &c.), **haujerin mutane**, *Capparis corymbosa*, Lam. (Capparideæ). A climbing thorny shrub, with white flowers and yellow fruit like a small orange, sometimes eaten. The leaves are sometimes used as food. *haujerin raḳumi*, *Capparis tomentosa*, Lam. A thorny woody climber similar to the last, more common and with larger fruit, not eaten. Generally called *ḳabdodo* (Sok. Kats., &c.); ?*chauchaka* (Zanfara).

haukat yaro, *Datura Metel*, Linn. (Solanaceæ). “Hairy Thorn Apple.” *vide* [zakami](#), and [babba juji](#). A large weed of waste places, with long trumpet-shaped white flowers. (Etym. from its deliriant property).

hawayen zaki, *Anaphrenium abyssinicum*, Hochst. (= *Rhus insignis*, Del.) (Anacardiaceæ). A tree with milky juice; the stems are commonly used as sticks to apply *kwoili*.

huda, *vide* [fuda](#); **hudar awaki**, *vide* under [geda](#) and [biya rana](#).

I

ibi, a var. of kola nut; *vide* under [goro](#).

iburu (or **aburu**), a common cereal much planted in Zaria and other districts.

idon saniya (Kano and East), *Solanum incanum*, Linn. and other species of *Solanum*; (the equivalent of the Ful. name *giti nai* or “ox-eye”).
vide [gautan kura](#).

idon zakara, *Abrus precatorius*, Linn. (Leguminosæ). “Prayer Beads,” “Jequirity,” “Bird’s Eye” (S. Leone). A twiner with pinnate leaves and clustered pods containing small scarlet seeds with a black spot; used chiefly as a medicinal charm. Syn. **tandara** (Kano and Kats.), **taga rana** (Kano market), (*idon zakara* is also used for the scarlet seeds of [minjiriya](#), q.v. *Erythrina senegalensis*).

ingidido, *Cratæva Adansonii*, G. et P. (Capparideæ); a tree with 3 fol. leaves, white flowers and a yellow-shelled fruit.

ingirichi = chopped-up hay as fodder.

intaya, vide [acha](#), a small grass cultivated as a cereal.

innuwar ɓauna, *Morelia senegalensis*, A. Rich. (Rubiaceæ); an evergreen shrub with white flowers, common on the banks of streams.

innuwar gada, *Opilia celtidifolia*, Endl. (Olacineæ); a climbing shrub with fragrant whitish flowers; used medicinally for horses, &c.; sometimes called **namijin lemu**.

innuwar tufi (Sok.), a floating plant in pools, &c. (*tufi* = a sp. of fish). ?
Æschynome crassicaulis, Harms. vide [kaidajin ruwa](#).

itchen gado, *Fluggea microcarpa*, Blume (Euphorbiaceæ); a shrub the stems of which are used for native beds, &c.; more generally called [tsa](#), *q.v.*

itchen kurḍi, 1. In Sokoto = *Melia Azedarach*, Linn. (Meliaceæ). “Pride of India,” “Persian” or “African Lilac.” A tree with twice-pinnate leaves, bunches of lilac flowers and ovoid yellow fruit. (Etym. “*taḅa ni ka samu kurḍi*,” from a supposed virtue as a charm). Syn. [kurnan nasara](#) (Kontagora, East Hausa, &c.), *q.v.* 2. *Burkea africana*, Hook. (Leguminosæ); a large tree with pale twice-pinnate leaves, spikes of creamy flowers and small flat pods. *vide* [kurḍi](#).

itchen Masar, *Croton Zambesicus*, Müell. Arg. (Euphorbiaceæ); a shrub sometimes planted in native compounds; (name given to several exotic plants).

J

jallo, a small var. of bottle-gourd; *vide* under [duma](#).

jan baƙo (Sok. and Zanf.), a name given to certain thatching grasses which turn red in colour when mature; e.g. *Andropogon apricus*, var. *africanus*, Hack. and *Andropogon exilis*, Hochst. (*vide* [jan rauno](#)). Syn. **jan bauje**, **jan datsi**; *vide* also [labanda](#).

jan itache, *vide* [jan yaro](#).

janjari (Sok.), a var. of [dawa](#), *q.v.*

jan karago, *vide* under [goro](#).

jan rauno (or **jan ramno**, Sok.), *Andropogon exilis*, Hochst. (Gramineæ). A grass about 1½ to 2 feet high, turning russet-red in autumn; used for thatch, and chopped up to mix with building clay; also a fodder grass. Syn. **jan bauje**; *cf.* also [jan baƙo](#), and *vide* [ramno](#).

jan saye (Sok., Zanf., Kontagora), *Trichilia emetica*, Vahl. (Meliaceæ). A tree common in central Hausaland. The seeds yield a less important oil; root used in native medicine. *vide* [Gwanja kusa](#).

jan yaro (or **jan itache**), *Hymenocardia acida*, Tul. (Euphorbiaceæ). A shrub or small tree with a reddish bark.

jaudari (East Hausa), *Solanum* sp. Syn. [gorgo](#), *q.v.*

jawul = Myrrh, the gum-resin of *Balsamodendron myrrha*, Nees. (Burseraceæ); brought by Arabs; (possibly also that of *Odina Wodier*, Roxb. called *jewul* or *jiyal* in India).

jema, *Vetiveria zizanioides*, Stapf. (Gramineæ). “Vetiver” or “Cus Cus,” a tall clump-grass of marshy places; used for *zana*, and for plaiting straw armlets called [darambuwa](#), *q.v.* In some districts the large swamp-grass with red-purple flowering heads—*Rhytachne gigantea*, Stapf.—is included.

jemo, a short club-shaped var. of the bottle-gourd; *vide* under [duma](#).

jibda ƙassa, *Cissampelos Pareira*, Linn. (Menispermaceæ). “Velvet-leaf” of “False Pareira Brava.” An ivy-like twiner with greyish velvety leaves; the bitter root is sold as a medicine for many purposes, and is considered *sarikin ɗachi* as *zuma* is *sarikin zaƙi*. (The name is sometimes corrupted into **judar ƙas**). Also called **fiyaka** or **piyaka**. *vide* also under [gaɗaukuka](#).

jigari (Ful.), a var. of [dawa](#), *q.v.*

jimbiri, “haricots verts,” uncooked bean pods used for food, *vide* under [wake](#).

jimfa, *vide* [majimfa](#).

jimfi or **jimpa jimpa** (Kats. Sok. and Zanf.), *vide* [gajiri](#).

jimshi, vide [dussa](#).

jina jina (Sok. and Zanf.), vide [bajini](#).

jinin mutum, *Arnebia Hispidissima*, DC. (Boragineæ); a rough-leaved weed with small yellow flowers and a red root capable of use as a dye.

jirga (Sok. and Kats.), *Bauhinia rufescens*, Lam. (Leguminosæ). A shrub with small bifid leaves and black twisted pods; used medicinally and as a charm. Syn. **tsatsagi** (Sok. Zaria, Kano, &c.) or **matsagi**.

jiri, *Stereospermum Kunthianum*, Cham. (Bignoniaceæ). A tree with beautiful pink flowers, smooth bark and slender pendulous pods; more commonly called [sansami](#), *q.v.*

K

kaba, the fronds of the [goriba](#), *q.v.* or “Dum Palm,” *Hyphæne Thebaica*, Mart. (less applied to other palms, e.g. *kabar giginya*); used for plaiting mats, baskets, cordage, &c. *cf.* [gangame](#), [kankami](#), and *karri*.

kabar giwa (Kano and East), *Aloe Barteri*, Baker? (Liliaceæ); an aloe with speckled succulent sharp-pointed leaves and yellow or red flowers. Syn. [zabo](#) (Sok.), *q.v.*

ḡabdodo or **ḡaudodo** (Sok. and Kats.), or **ḡwododo**, *Capparis tomentosa*, Lam. (Capparideæ); a thorny shrub of climbing habit

with a small orange-like fruit. *vide* [haujeri](#) (Katagum, &c.), and ? **chauchaka** (Zanfara), also ?**chizaki**.

kabewa (Kano, &c. = **kubewa**, Sok. but not [kubewa](#), the okra, *q.v.*) Cucurbita Pepo, DC. (Cucurbitaceæ). Pumpkin or Pompion; (probably also C. maxima, Duch. Squash Gourd) a large cultivated gourd with harsh foliage and yellow flowers. Syn. **goji** (Zaria). *kabushi* (Sok.), or *ruguguwa* (Kano) = a long var. (var. *ovifera*) the Vegetable Marrow. *gundar kabewa* = the small immature fruits, used in soup; *cf.* under [dorowa](#).

kabido, a long waterproof hood, made usually from palm-leaf of [tukuruwa](#), *q.v.*

kachalla (Kanuri), *vide* [shalla](#) or [salla](#).

kaḍa (Sok.), Cotton or the Cotton Plant; *vide* [abduga](#).

kaḍa kaḍa (Kontagora), Cienfuegosia heteroclada, Sprague, (Bixineæ). A low shrub with pink flowers appearing from the base, and pods with a rusty wool resembling cotton.

kaḍanya or **kaḍai**, Butyrospermum Parkii, Kotschy. (Sapotaceæ). Shea Butter Tree. *ḱwara* = the kernel, used for production of the fat by boiling and skimming; *man kaḍai* = shea butter used as food, as an illuminant, and as a vehicle for medicines. The soft fleshy part of the fruit is edible. (*hanchin kaḍai*, *vide* [kanumfari](#)). *namijin kaḍai*, or *mijin kaḍai* = Lophira alata, Banks. (Dipterocarpeæ). “Meni Oil Tree.” A tree with white flowers and foliage which resembles that of

kaḍanya. Bark medicinal, and leaf a common ju-ju or charm amongst some pagan tribes. The tree is sometimes (erroneously) called “African Oak.” Syn. *kujeme*?

kaḍanyar rafi or **kaḍanyar kurumi**, *Adina microcephala*, Hiern. (Rubiaceæ); a large tree with spherical heads of flowers, found on the banks of streams. (In the Benué region the name *kaḍanyar kurumi* or *kiriyar kurumi* has been applied to a different hard-wooded forest-tree.)

kadaura (Kano, Zaria, &c.), *Pardaniellia oliveri*, Rolfe (= *Daniellia thurifera*, Bennett), (Leguminosæ). West African or Ilorin Copaiba Balsam Tree. Wood oil Tree. A large tree, the source of much of the West African copal. Syn. [maje](#) (Sok., &c.), *q.v.*

kaḍai, *vide* [kaḍanya](#).

ka fafogo, *Uapaca guineensis*, Muell. Arg. (Euphorbiaceæ); a tree resembling a fig-tree, with broad shining leaves and yellowish ovoid fruit; sometimes an ingredient in arrow poison.

ḵafar fakara, or **ḵafar gauraka** (Sok. and Kats.), *Chloris breviseta*, Benth. (Gramineæ) (and *C. virgata*, Sw.). A grass about 2 feet high with radiating flower-spikes; seeds edible. Syn. **sawun gauraka** (Katagum &c.).

ḵafar kaza (Sok. and Zanf.), *Ipomœa pterygocaulos*, Hall fil. (Convolvulaceæ); a twiner with white flowers, winged stems and a divided leaf.

ḵafar mutuwa, *Mallotus oppositifolius*, Muell. Arg. (Euphorbiaceæ); a shrub growing on river-banks, with heart-shaped leaves used as a vermifuge.

ka fi boka, *Ipomœa argenteaurata*, Hall fil. (Convolvulaceæ); a trailing convolvulus with whitish flowers and silvery hairy leaves. (Etym. from its use as a medicinal charm). Syn. **farin gammo**.

ka fi malam, *Evolvulus alsinoides*, Linn. (Convolvulaceæ). A small herb with pale blue flowers. (Etym. from its many uses as a medicine, love charm, &c.)

ka fi rama (Kano, &c.), *Urena lobata*, Linn. (Malvaceæ). An undershrub with pink flowers and bark yielding a fibre. Syn. [ramaniya](#) (Sok., Kats., &c.), *q.v.* vide also under [garamani](#).

ḵafon baḍi or **ḵ. batsi** (Kano), a plant eaten in famine at the end of the dry season. Probably some of the tuberous Asclepiads or “Milkweeds” and others related, e.g. *Cryptolepis nigriflora*, N.E. Br. (Apocynaceæ), an erect slender-branched undershrub with milky juice and a thickened root, is so named.

ḵaguwa (Kano and East), or **aguwa** (Sok., Kats., &c.), *Euphorbia sepium*, N.E. Br.; a variety of “Milk Hedge,” a shrub with milky juice, planted as a hedge; very common in the north; (different from [fidda sarts](#), *q.v.*). Syn. **aliyara** (Gobir); **waiyaro** (Katagum). Used medicinally chiefly for horses.

ƙaidaji (Kano), **ƙardaji** (Sok.), *Mimosa asperata*, Linn. (Leguminosæ). A thorny mimosa abundant on river-banks with pinkish balls of flowers and slightly sensitive leaves. (Etym. a corruption of *ƙaya da jini*). In Sokoto sometimes spoken of as [gumbi](#), *q.v.*

ƙaidajin ruwa, *Æschynome crassicaulis*, Harms. (Leguminosæ); a trailing water-plant with pinnate leaves and yellow flowers, on the surface of pools or muddy swamps. ?Syn. [innuwar tufi](#) (Sok.), *q.v.* and **yaron kogi** (Katagum).

ƙaiƙai, *Parinarium polyandrum*, Benth. (Rosaceæ); a tree with bunches of purple grape-like fruit; (scarcely distinct in Hausa from [rura](#), *q.v.*).

ƙaiƙai ƙoma ƙan mashikiya, *Indigofera astragalina*, DC. (Leguminosæ); an erect hairy weed, used as a medicinal charm against poison and other injury. (Etym. “Oh chaff, return upon the winnower”!—intended injury returning to the evildoer’s hurt).

kaikwaiyo, *vide* under [aduwa](#).

ƙaimin ƙadangare, *Achryanthes aspera*, Linn. (Amaranthaceæ). A weed with reflexed sharply spiked flowers. Syn. [haƙorin machiji](#), *q.v.*

kain ƙarawo or **kain mutum**, *Leonotis pallida*, Benth. (Labiatæ). A tall herb with large globular whorls of flowers. Syn. **tsikar sabra** or **tsikar gida** (Sok.).

kain fakara, *Cucumis Prophetarum*, Linn. (Cucurbitaceæ). A ground trailer with striped gooseberry-like fruit, covered with soft prickles. Used medicinally. Syn. **kanchekulkul** (Kano, Kats. and East), and **ya manya** (Sok.).

kain mutum, *vide* [kain ɓarawo](#).

kai nuwa, *Pistia Stratiotes*, Linn. (Aroideæ). “Water Lettuce.” A floating plant filling stagnant pools.

kaiwa (Sok.), or **kanya** (Kano), *Diospyros mespiliformis*, Hochst. (Ebenaceæ). African Ebony Tree or Monkey Guava. A tree with very dark foliage and bark; the yellowish fruit with a brittle rind is edible and used for making *maɗi*.

kajiji (Kanuri), *Cyperus articulatus*, Linn. A sedge with fragrant tuberous root, wild and cultivated in Bornu, &c., much used as a perfume for clothing, &c., and as a medicine.

kajiji ɗan Tunuga, *Cyperus* sp. A sedge with a fragrant tuber similarly used. (*Tunuga* = a town in French Borgu). Other varieties of false *kajiji* are species of *Cyperus* with fragrant roots. *vide* [gizgiri](#).

kajinjiri, a small species of palm; *vide* [dabinon biri](#).

kaka biyu, a var. of bean; *vide* under [wake](#).

kaka or (yaya) **kai ka fitto**, *Sida linifolia*, Cav. (Malvaceæ). A weed with hard stem. (Etym. from growing in hard soil; probably used for

several different plants).

ka ƙi ganinbila, *vide* under [hana gobara](#) and [dali](#).

ka ƙi ruwan Allah, *vide* [kwarko](#).

ka ƙi zuwa Hausa, *Costus afer*, Ker. (Scitamineæ); a plant of the ginger family found in shaded ravines. (Etym. because supposed not to grow in Hausaland).

kakuma, a grass of marshes and river-banks; used to form tie-tie for *zana*, &c.

kalangon daji, a tree with large 4-angled pods. ?*Tetrapleura* sp. *cf.* [dawo](#) and [sandan mayu](#).

kalgo, *vide* [kargo](#).

kaluwa = seeds of [dorowa](#), *q.v.*

kama, a tuber, somewhat like [risga](#), planted in marshy ground; (different from [gwaza](#) and [tumuku](#)).

kamu mowa, *Grewia* sp. (Tiliaceæ); a shrub with small yellow flowers and sweet berries. Syn. **gurdugu** and ?**kimbar dutsi**.

kana kana (Sok. and Zanf.), *Paullinia pinnata*, Linn. (Sapindaceæ). A woody twiner with white flowers and scarlet capsular fruit; stems used

as *tanka* for houses and fences, &c.; (perhaps included also under [gwodeyi](#), q.v.).

ka nannaḍe (Kano), **ka nannaḍo** (Sok. Kats. and Gobir), a var. of bean with curled pods, used as food; the beans are small but broad, with pale brown speckling.

kanawa, a var. of cotton; *vide* under [abduga](#).

kanchekulkul (Kano, Kats., &c.), *Cucumis Prophetarum*, Linn. (Cucurbitaceæ); *vide* [kain fakara](#).

kandari, *Terminalia macroptera*, G. et P. (Combretaceæ); a large tree with flat-winged and embossed fruits; (very similar to [baushe](#), q.v. but a different species).

kanju, coast Hausa for Cashew, *Anacardium occidentale*.

kankami = the withered fronds of any palm, burnt by pagans in several districts (e.g. Fogha), to extract a sort of inferior salt.

kankana, water-melon; *vide* under [guna](#).

kansuwa, a grass; *vide* [kyasuwa](#).

ḱanumfari = cloves, the flower-buds of *Eugenia caryophyllata*, Thunb. (Myrtaceæ); brought from the north. Called also *hanchin kaḍai*, from the resemblance to the peduncle of the shea fruit. (Etym. Arab. *karanfal*).

kanya (Kano), or **kaiwa** (Sok.), *q.v.* *Diospyros mespiliformis*, Hochst. (Ebenaceæ). “African Ebony Tree.”

ḡarama anta, *Withania somnifera*, Dunal. (Solanaceæ). A shrub sometimes planted near houses, with small red berries within an inflated calyx (like the Cape Gooseberry); used medicinally.

ḡarama mowa (Sok. and Kats.). A wild var. of [rama](#), *q.v.* *Hibiscus cannabinus*, Linn. (Malvaceæ). A tall plant chiefly of damp places, having large yellow flowers with a purple centre (similar to **rama**) and a harsh almost prickly surface. (Etym. “little beloved,” said to be from the spicular pubescence which clings to the clothing). Synonyms of the same or allied varieties are:—*ramar rafi*, *ramar ruwa*, *yakuwar daji*, *yakuwar kwaḡi*, *yakuwar ḡaimamowa*, *yakuwar ḡaya*, &c.

karan dafi = the red leaf-sheaths of a var. of *Sorghum* (*vide* [dawa](#)), used chiefly as a dye for leather.

ḡarangiya, *Cenchrus catharticus*, Del. (Gramineæ). Prickly bur grass. A good fodder; seeds edible. **ḡarangiya gumba**, the uncooked seeds pounded and eaten raw, or prepared as *fura*.

ḡarangiyyar kusu (Kano), or **maḡaḡaḡafin kusu** (Sok.), *Cyathula prostrata*, Blume (Amaranthaceæ). A luxuriant weed of waste places, with a prickly bur. Also called [tsatsarar ḡera](#), *q.v.*

karani, *Digitaria Guyana*, Kunth. a pale grass with white silvery flowering spikes; also called [Ba-Fillatani](#), *q.v.* Syn. ?**gaji** (Sok.). *vide* [darambuwa](#).

karan kaḅau, *Andropogon (Arthrolepis) sp. nov.* (Gramineæ). A tall grass with rather broad leaves. Syn. **shamrayi** (Gando).

karan kauji, *vide* [fafewa](#).

karan masallachi, *Caralluma Dalzielii*, N.E. Br. (Asclepiadeæ). A leafless succulent plant with the habit of a small cactus, wild or planted near mosques, &c. Syn. **wutsiyar damo** (Sok. West), from the resemblance of the tapering young shoots to the tail of the *damo*, a large lizard, *Varanus exanthematicus*.

karan masallachin kogi, a name sometimes given to the taller sedges in pools, &c. *vide* [gwaigwaya](#), (*Cyperus exaltatus*, Retz. &c.).

karan sariki, a name for [rake](#), a sugar-cane. *Saccharum officinarum*, Linn.

karara, *Mucuna pruriensis*, DC. (Leguminosæ). “Cowitch” or “Cowhage.” A herbaceous climber with 3-foliate leaves; the pods especially are covered with rusty pungent hairs which cause intense irritation of the skin. (A species of “Velvet-bean”).

karari = the fibrous veins of palm fronds (chiefly [giginya](#) and [goriba](#)), used for cordage, brooms, &c.

karasa, 1. In Gobir, Daura, &c. = Bitter Cassava, *Manihot utilissima*, *vide* under [rogo](#). 2. In Kano, &c. = the tuber of a species of yam = **doyar kudu** (“southern yam”) planted south of Kano, and in Zanfara, &c.; not eaten as *sokwara* (cooked mashed yam).

kardafi, *vide* under [garamani](#).

ḡardaji, *vide* [ḡaidaji](#).

ḡare aiki, a var. of [rama](#), *q.v.*

kargo or **kalgo**, *Bauhinia reticulata*, DC. (Leguminosæ). A very common shrub in the bush, with bifid leaves and brown pods; bark used as cordage.

ḡariya, *Adenium Honghel*, DC. (Apocynaceæ). A peculiar shrub planted near dwellings, with pink flowers; leafless at the time of flowering. (Etym. “the falsehood,” because rarely seen in fruit—**ḡariya fure ta ke yi yaya ba ta yi ba**).

kariye galma (“break hoe”), *Combretum herbaceum*, Don, an undershrub with a hard root; *vide* [taru](#). Several very different plants with fibrous tufted roots are sometimes called by this name, the peculiar structure of the *galma* rendering it liable to injury; e.g. *Aneilema beniniensis*, and others; *vide* under [tsidaun kare](#).

kariye gatari (“break axe”), a name given to some hard-wood trees, e.g. [maḡarfo](#) and [kurḡi](#), *q.v.*

ḡarḡara (Kano, &c.), *Acacia campylacantha*, Hochst. (= *A. Catechu*, Willd. Leguminosæ); a thorny acacia which yields a good gum used in commerce and medicinally. Syn. **karkī** (Sok. Kats. and Zanf.), and **ḡayar raḡumi**; also **ḡaro** (Kano, Sok. and Kats. the name merely

meaning gum and applied to other trees). *vide* also [farichin shafo](#) or [kumbar shafo](#).

karkashi or **kalkashi**, *Ceratotheca sesamoides*, Endl. (Pedaliaceæ). A prostrate herb with viscid juice and flowers similar to [ridi](#), or beni seed, *q.v.* Leaves used in soup, &c. Syn. [yaudo](#), Sok. *q.v.*

karkashin zomo, *Indigofera bracteolata*, G. et P. (Leguminosæ). A very common plant in the bush, with small leaves and red flowers.

karki, *vide* [karkara](#).

karro, *vide* under [karkara](#). (A name chiefly applied to *Acacia campylacantha*, but sometimes to other gum or resin-producing trees, e.g. **kadaura**, &c.); *vide* under [maje](#).

kasara, *Chloris robusta*, Stapf, a tall grass with white radiating flower-spikes, found in the beds of rivers.

karmami = leafy shoots of [dawa](#), [gero](#), &c.

karri = palm fronds; chiefly applied to [giginya](#); *vide* [kaba](#) and [gangame](#).

kasfiya (Sok. Kats. and Zanf.), *Crossopteryx Kotschyana*, Fenzl. (Rubiaceæ). A tree with bunches of whitish flowers and small hard black fruit. Also called **kashin awaki** (from the appearance of the fruit).

kashe kaji, *vide* under [kaskawami](#).

kashi kashi ?(Kontagora), a large leguminous tree; *vide* [kolo](#).

kashin gwanki, one of the names for Cucumis Figarei, Del. a prostrate weed of the gourd family; *vide* [gunar kura](#) or [tsuwawun zaki](#).

kashin kaza, a kind of bean; *vide* under [giri giri](#).

kaskaifi, *Uraria picta*, Desv. (Leguminosæ). A low perennial plant with long cylindrical flower-spike. (Etym. from its use as a medicinal charm against cutting weapons). Syn. **dakushe**, Sok. (Etym. “to be blunt”)—name probably applied to several plants, or to the prescription so used. *cf.* [miya tsanya](#).

kaskawami, *Psorospermum senegalense*, Spach. (Hypericineæ). A shrub with red berries and dotted leaves. The leaves and bark are used as a remedy for itch, &c. also called **kashe kaji**.

kasmakaru, *Aristida mutabilis*, Trin. and Rupr. (Gramineæ). A grass with 3-rayed sharp awns, injurious to horses. (Etym. from injury to the jaw caused by the sharp awns)—name probably applied to several grasses.

katambiri, 1. A tree with a ribbed fleshy fruit full of small seeds used to prepare a black cosmetic; (probably several species of *Randia*, and *Gardenia*, Nat. Ord. Rubiaceæ, e.g. *Randia malleifera*, Benth. et Hook. fil.). 2. The cosmetic prepared from this or from the fruit of [gaude](#), *q.v.*

katsaimu (Sok. Kats. and East), *Aristida stipoides*, Lam. (Gramineæ).

A tall grass with graceful panicle of sharply awned florets; commonly used for thatching, &c. Syn. **garasa** (Sok. and West); also **wutsiyar jaki** (Sok., &c.), and **tsintsiyar kogi** or **ts. maza** (Katagum). An insect-gall forming a top-shaped swelling on the stem of this grass is variously named, [kunda](#), *q.v. mazarin kyanwa*, *gudumar biri*, or *goron yan makaranta*.

ḡatsa ḡatsa = **burtuntuna**, a Guinea-corn blight; *vide* under [dawa](#).

katsami = **daudawar kuka**, *vide* under [kuka](#).

katsāri, *Albizzia Chevalieri*, Harms. (Leguminosæ); a tree of the acacia type, with loose balls of whitish fragrant flowers and flat brown pods; the bark is used by tanners in some districts.

kauchi, *Loranthus pentagona*, DC. (and *L. dodoneæfolius*, DC. and other spp.) (Loranthaceæ). A parasitic shrub commonly growing on various trees; e.g. on **ḡadanya** called **kauchin kaḡai**. Used medicinally and as a charm. *vide* also under [sansami](#). Sometimes called W. Indian Mistletoe.

ḡaudodo, *vide* [ḡabdodo](#).

kaura, a var. of [dawa](#), *q.v.*

kawo, *Afzelia africana*, Smith (Leguminosæ); one of the African Mahoganies or “Mahogany Bean,” a large shade tree, with thick very

hard pods and large black seeds. The seeds are sold as a medicinal charm called [fasa daga](#), *q.v.* The leaves are used as a cattle food.

kawuri, *Ficus kawuri*, Hutch. (Urticaceæ); a large tree of the fig family, yielding a white latex collected as rubber. (*Ficus glumosa*, Del. is included).

kayar giwa, a ground-trailer with thorny stem and a tuberous root edible when cooked; sometimes used in famine. Syn. **doyar giwa**.

kayar kadangare, *Asparagus Pauli-Guilelmi*, Solms. and Laub. and other spp. (Liliaceæ); a straggling half-climbing plant with prickles and acicular leaves. Syn. **masun kadangare** (“lizard’s spears”); more commonly called [tsatsarar bera](#), but *vide* also [karangiyar kusu](#). Stems used for traps, &c.

kayar kusu? *vide* [kwaranga](#).

kayar rakumi, *vide* under [karkara](#).

kekasheshe, 1. Syn. **tsiyayi** = peeled stems of [rama](#), *q.v.* used in medicine and magic; also after scotching applied as a black pigment in wall decoration; (*cf.* [zamarke](#)). 2. The name of one or more different plants in the bush.

kerama, a var. of [dawa](#), *q.v.*

kerana (Kano, &c.), *Euphorbia Barteri*, N.E. Br. a tall branched cactus-like tree with angled prickly stem and milky juice. The name includes

other species commonly classed as *E. abyssinica*, Gmelin, used as a fence.

kibiyar daji, *vide* under [tsika](#).

kilili = flowers of the date palm; *vide* under [dabino](#).

kimba, *Xylopia æthiopica*, A. Rich. (Anonaceæ). “African,” “Guinea,” or “Negro Pepper.” A tree; the small cylindrical black pods are sold as a medicine and spice.

kimba kimba or **kimbar dawaki**, &c., *Hyptis pectinata*, Poir (Labiatae). An erect odorous weed of damp places.

kimbar dutsi, *vide* [kamu mowa](#).

kimbar mahalba (Sok. Kats. and Zanf.), *Lantana salvifolia*, Jacq. (Verbenaceæ). An undershrub with fragrant leaves and flowers used to flavour food, milk, &c.

kimbar rafi, ?*Platystonia africana*, P. Beauv. (Labiatae). A luxuriant weed of river-beds with slightly fragrant leaves; used medicinally.

kinchiya (Sok. and Kats.), *Stylochiton Dalzielii*, N.E. Br. (Aroideæ).
Syn. [gwandayi](#), *q.v.*

kini (Sok. and Kats.), *Tephrosia purpurea*, Pers. (Leguminosæ). A branched undershrub with soft leaves and pink flowers; used medicinally. Syn. **maraguwa** (Katagum, &c.).

kiri kiri, *Cynodon dactylon*, Pers. (Gramineæ). “Dub Grass.” “Bermuda Grass.” A small creeping grass with narrow radiating flower-spikes; a good fodder; capable of forming turf and binding sand. Syn. **tsarkiyar zomo** (Sok.).

kiriya, *Prosopis oblonga*, Benth. (Leguminosæ); an acacia-like tree with white flowering spikes and brown pods; the seeds called *akiye* or *akwiye* (Nupe *piye*), are used to make [daudawa](#), q.v.

namijin kiriya, vide [kolo](#).

kiriyar kurumi or *kaɗanyar kurumi*, a name given to a hard-wooded forest tree of the Benué region, not known in Hausa.

kirni (Kano), or **kisni** (Sok. and Zanf.), *Briedelia ferruginea*, Benth. (Euphorbiaceæ). A shrub, the root of which is in some districts used as an antidote to arrow-poison. *makubar mahalba* = a fermented extract of the bark used sometimes for hardening floors; (vide under [dorowa](#)).

kirtani, a strong twine made from fibre of [yawan wake](#), [tumfafiya](#), and [yadiya](#), q.v.

ki taɓewa, a medicine; sold in the form of small tuberous pieces with rootlets (probably the root of a grass); used in fumigation as a charm, love-potion, &c. (Etym. “fail me never”).

ƙoɗagaya, a kind of bean; ?*Canavalia ensiformis*, DC. Cultivated as a climber on fences and trees, &c.

ḵodago or (**ḵwalo**), the hard-shelled nut of the Dum palm, *vide* under [goriba](#).

kokara, a hard-wooded tree; walking-sticks and cudgels called *umara*, are made from it.

ko karani, a var. of [rama](#), *q.v.*

ḵoḵiya, *Strychnos spinosa*, Lam. (Loganiaceæ). A tree with yellow hard-shelled fruit a little larger than an orange; the acid pulp is edible, the seeds are poisonous.

namijin ḵoḵiya, *Strychnos alnifolia*, Baker, and *S. triclisioides*, Baker; two very similar shrubs with smaller fruit than **ḵoḵiya**; not edible.

ḵoḵiyar biri (Kontagora), *Voacanga obtusa*, K. Schum. (Apocynaceæ). A tree with paired capsular fruit, which grows in damp ravines.

koko, *vide* under [duma](#).

kokochiko, *Oncoba spinosa*, Forsk. (Bixaceæ); a thorny tree with white rose-like flowers and a hard globular fruit which is used as a rattle. (Etym. *kokochiko* = a child's rattle).

kokuwa (Sok. and West), *Limonia* sp. (Rutaceæ); a tree with hard green orange-like fruit.

kolo (Zanfara), *Amblygonocarpus Schweinfurthii*, Harms. (Leguminosæ); a large tree with twice-pinnate leaves and brown 4-angled pods. Syn. **namijin kiriya** (Sok.), **kashi kashi** ?(Kontagora).

kololo, a var. of the bottle-gourd; *vide* under [duma](#).

komaya (Kano), *Eragrostis tremula*, Hochst. (Gramineæ). A common wild fodder grass; grain eaten in scarcity. Syn. **burburwa** (Sok.). *komaya ta fadama*, *Eragrostis biformis*, Kunth. and other spp.; taller grasses of wet places, resembling [komaya](#).

komfa or **chitta komfa**, a var. of spice; *vide* under [chitta](#).

korkoro (Kontagora), a grass, *vide* [fafewa](#). *cf.* also [kwarkoro](#), *vide* under [kwarko](#).

kosai, *vide* under [wake](#).

kosain rogo, *Dioscorea dumetorum*, Pax. (Dioscorideæ); a species of wild yam with 3-fol. leaves. Syn. **rogon biri**.

kosfa = the shell or pod of a dehiscent fruit.

kuḅewa, *Hibiscus esculentus*, Linn. (Malvaceæ). Okra. A broad-leaved malvaceous plant cultivated for its mucilaginous capsules used as a vegetable. Syn. **guro** (Sok.);

takeyi (East Hausa) = soup of okra (from the Ful. name *takeiyeji*). (**kubewa**, pumpkin, *vide* [kabewa](#)).

kubla (Sok.), or **kulla**, *Thonningia sanguinea*, Vahl. (Balanophoreæ); a parasitic plant found in the bush, with an aromatic root used as a spice.

kudaku (Sok. Zanf., &c.). Sweet Potato. *vide* [dankali](#).

ḱuduji, *Striga senegalensis*, Benth. (Scrophularineæ). A red-flowered parasitic weed common in cultivated fields. It is believed to destroy the growing [dawa](#), and hence is called **makasar dawa** or **makasha**. Syn. **wuta wuta**; **gaugayi** ?(Gobir).

kufi, an oily extract made from the seeds of **zurma** (Castor Oil, *Ricinus communis*), **chi ni da zugu** (Physic Nut, *Jatropha Curcas*), and **aduwa** (*Balanites ægyptiaca*); used as an application for sores in domestic stock.

kugundugu, *vide* under [dankali](#).

kujeme, *vide* under [kadanya](#).

kuka, *Adansonia digitata*, B. Juss. (Malvaceæ). “Baobab,” “Monkey Bread Tree,” “Sour Gourd.” Inner bark used for rope, strings of musical instruments, &c. The acid and mucilaginous pulp of the fruit is used in various ways as food and drink. *kwaikwaiyo* (Kano) = the husk or shell of the indehiscent fruit; *garin kuka* = the mealy acid pulp around the seeds; *guntsu* (Kano) = seeds of kuka (Ful. *gorgomi*); *daudawar kuka* = fermented cakes made from the seeds (as with [dorowa](#), q.v.), also called *katsami* (Kano and East); *chusar doki* = pounded leaves of *kuka*, with *dusa* and *kanwa*, used as food or

medicine for horses; *miyar kuka* or *kalun kuka* = the leaves used for soup; *kumbali* = the Baobab flower.

kukuki, *Sterculia tomentosa*, Guill. et Perr. (Sterculiaceæ); a common tree which yields a gum like tragacanth; the bark contains an almost tasteless watery juice which is sucked by thirsty carriers, &c.

kulbutu, *vide* [tsana](#).

kulla, *vide* [kubla](#).

kuloko (Sok., &c.) = a black dye for leather, prepared as a fermented extract of “Sant Pods” ([bagaruwa](#), *q.v.* *Acacia arabica*), and *kwan mukera* (blacksmiths’ refuse of fused iron oxide and carbon), and mixed with honey or syrup.

kulufita, a small prolific var. of the native bitter tomato; *vide* under [gauta](#). (Etym. *kullum fita*).

kumbali = the flower of the Baobab; *vide* under [kuka](#).

ḵumbar shafo, *vide* [farichin shafo](#).

kumbu, *vide* under [duma](#).

ḵumchi (Sok. and Zanf.), *vide* [majiriyar kurumi](#).

kunda (Sok. and Kats.), an insect-gall forming a swelling on the stem of the grass [katsaimu](#), *q.v.* used as a toy dart to shoot birds.

ḵundu, *vide* [giginya](#).

ḵunḵushewa, *Gymnosporia senegalensis*, Loes. (Celastrineæ); a common shrub in the bush, with spines and delicate white flowers. Syn. **namijin tsada**.

kunnen zomo, *vide* [takalmin zomo](#).

kununguru (East Hausa), *Commelyna nudiflora*, Linn.; a common weed, better known as [balasa](#), *q.v.*

ḵurar shanu, *Euphorbia ægyptiaca*, Boiss. (Euphorbiaceæ); a small weed of pastures with milky juice; used medicinally. Syn. **rapasa** (Kano).

kurḍi, *Burkea africana*, Hook. (Leguminosæ); a large hard-wooded tree with black bark and pale twice-pinnate leaves; sometimes called **baḵin maḵarfo**. (In Sokoto **itchen kurḍi** = *Melia Azedarach*, *vide* [kurnan nasara](#)). *cf.* also [kariye gatari](#).

kurḍin machiji (Katagum), *Ipomœa* sp. (Convolvulaceæ). A twining convolvulus with purple and white flowers. (Etym. perhaps from the resemblance of the ripe capsules to cowrie shells).

kurgum (Kanuri) = turmeric; *vide* [gangamau](#).

kuringa, *vide* [kwaranga](#).

kuriya (Sok. and Zanf.), *Bombax buonopozense*, Beauv. (Malvaceæ).
“Red-flowered Silk Cotton Tree.” Syn. [gurjiya](#), *q.v.*

kurna, *Zizyphus Spina-Christi*, Willd. (Rhamnaceæ). A thorny tree with brownish edible berries, common in towns. *cf.* [magariya](#).

kurnan nasara (Kontagora, &c.), *Melia Azedarach*, Linn. (Meliaceæ).
“Pride of India,” “Persian or Egyptian Lilac,” or “Bead Tree.” A tree with twice-pinnate leaves and panicles of lilac flowers, often planted in towns. (The ovoid yellow fruit has a superficial resemblance to that of [kurna](#). Etym. from its exotic origin; *nasara* = Christian). In Sokoto called **itchen kurḍi** or **taḅa ni ka samu (kurḍi)** from some belief in luck associated with it; seeds called *yayan tasbaha* because used for rosary beads.

kurtu or **kurtun lalle**, *vide* under [duma](#).

kurukubi, *Grewia* sp. (Tiliaceæ); a shrub with rough leaves and edible berries.

ḱurukuru (Sok. Kats. Katagum, &c.), *Feretia canthioides*, Hiern. (Rubiaceæ); a shrub with fragrant jasmine-like white flowers. Syn. **lallen suri** or **lallen jibba** (from its common habitat near ant-hills); **goge** (?Hausa); *vide* [rigyakafi](#).

ḱurzun ḱinya, *vide* under [ḱinya](#).

kurzunu, a tubercled variety of an edible gourd like a cucumber; (?a var. of the bottle-gourd *Lagenaria vulgaris*, *vide* under [duma](#)).

kusumburuwa, *vide* under [dawa](#).

kututu, *vide* under [masara](#).

kwachiya, a small calabash; *vide* under [duma](#).

kwagiri, a woody creeper, a sort of jointed cane used for walking sticks, &c.

kwaikwaiyo, *vide* under [kuka](#) and [aduwa](#).

kwakwa, *Elaeis guineensis*, Jacq. (Palmeæ). Oil Palm. *man ja* = palm oil derived from the outer fleshy pulp of the nut; the kernel yields a different oil.

kwakwar Attagara, *Cocos nucifera*, Linn. Coco-nut Palm (from the name of an Igara town on the lower Niger).

kwalli kwalli, *vide* under [geda](#).

kwalo = the ripe hard-shelled nut of the palm [goriba](#), *q.v.* Syn. **kodago**.

kwalshi = the edible kernel of the unripe nut of [goriba](#) chiefly (but also of [giginya](#)); *q.v.*

kwama (Sok. and Gobir), a var. of the common bean; *vide* under [wake](#).

kwandariya, a thorny acacia yielding gum; (?*Acacia caffra*, Willd.); stems used for walking-sticks; said to be so thorny that *biri ya kwana a*

ḱassa.

kwankwani, *Strophanthus hispidus*, DC. and *S. sarmentosus*, DC. (Apocynaceæ). Arrow-poison plants. The former is a shrub with lax branches, frequently cultivated, with long narrow beaked pods; the latter a tall woody climber growing on trees, &c. chiefly in ravines, and has stout obtuse pods. The seeds are the chief and the only essential ingredient in N. Nigerian arrow-poison. Syn. **tantsiya** (Sok. Ful. *tantsiyari*). **yab̩i** (East Hausa) = arrow-poison (from *yab̩e* to daub or smear); syn. **zabgai**.

kwankwan dafi (Sok. and Kats.), *Indigofera echinata*, Willd. (Leguminosæ). *vide* [gujiyar hankaka](#).

kwankwarimi (Zanfara), *Wissadula rostrata*, Planch. (Malvaceæ). A tall stiff undershrub with small yellow flowers; the bark yields a hemp-like fibre. Sometimes called **ramar kurimi**.

kwankwarita (East Hausa), *Trapa bispinosa*, Roxb. (Onagrarieæ). “Water Chestnut.” *vide* under [geḁar ruwa](#). The name includes the rhizome of [bădo](#), *q.v.*

kwanta Ali da zugu, a var. of the cotton shrub; *vide* under [abduga](#).

kwantal (Sok.), or **gurji kwantal**; *vide* [gurji](#).

kwaranga or (**kuringa**), **kwarangar wofi**, *Smilax Kraussiana*, Meisn. (Liliaceæ); a prickly twiner with 5-nerved leaves and a tuberous root

used medicinally; related to Sarsaparilla. (Etym. “bastard ladder”).
Syn. ?**ḱayar kusu**.

ḱwaras ḱwaras, the same as [kwaruru](#) but *vide* under [gujiya](#).

kwardauḁa, *vide* [dauḁa](#).

kwari, a slender soft-wooded tree with long broad leaves, in ravines, sometimes called “Cabbage Tree.” (Etym. *kwari* = a quiver, because used for making quivers). *Anthocleista nobilis*, G. Don. (= *A. Vogelii*, Planch.) and *A. parviflora*, Baker (Loganiaceæ).

ḱwariya, the common calabash; *vide* under [duma](#).

kwarko (Kano), or **kwarkoro**, *Argemone mexicana*, Linn. (Papaveraceæ). “Yellow Mexican Poppy,” a common prickly poppy of fields and waste places near houses. Syn. **haḱorin kada** (from the Ful. name); **ya** (or **ka**) **ḱi ruwan Allah** (because essentially a dry-season plant, and because the glaucous leaves throw off rain or dew); (*kada ka taḁa yaro* is a Yoruba equivalent). The root is used for cotton spools, and as a stimulant by drummers, &c.

kwaruru, *Voandzeia subterranea*, Thouars. (Leguminosæ). The Bambarra Ground Nut. Syn. [gujiya](#), *q.v.* A species of ground bean cultivated like [geḁa](#) and like it developing its pods underground. It differs from **geḁa** in having 3-foliate leaves (4 leaflets in **geḁa**), and spherical usually one-seeded pods with variegated seeds. The allied *Kerstingiella geocarpa*, Harms. is cultivated in some districts in Nupé and the south. *yaro da dariya* = the seeds cracked and roasted

(etym. from the gaping cracks); *abakuru* (Yoruba *obokuru*) = cooked ovoid cakes or balls with pepper, salt, &c. fried in oil (prepared preferably from *kwaruru* because it keeps better on a journey, &c.). *lubatu* = a kind of food made from *kwaruru*. (Etym. Yor. *epa roro* = round ground nut).

ḱwiwa or **ḱwiya**, *Adenodolichos* sp. nr. *A. Auchietas*, Harms. (Leguminosæ); a tall undershrub with 3-foliate leaves and slender straight branches used for *tanka*, &c.

ḱwododo, *vide* [ḱabdodo](#).

ḱwododon kwaḱo (Kano), *Amorphophallus* Barteri, N.E. Br. (and other similar species of Aroideæ), an oddly shaped plant of the Arum lily family, with a flat lurid purple spathe. Syn. [maḱworin](#) [maḱwododo](#) and [buran kare](#), *q.v.*

kwokiya, a var. of melon; *vide* under [guna](#).

kwokwo or **ḱoḱo**, a small var. of calabash; *vide* under [duma](#).

kwosusu, the second annual crop of indigo, said to be better than the first; *vide* under [baba](#).

kwoton tadawa, *vide* under [duma](#).

kwotowa (Sok.), *Pergularia tomentosa*, Linn. (Asclepiadeæ); *vide* [fatakka](#).

kyamro or **kyauro**, **k. kibiya**, *Saccharum spontaneum*, Linn. (Gramineæ). A tall grass of river-banks and wet places with white plume-like flowering panicle. Stems commonly used for arrow-shafts. Syn. **sheme**, and ?**sansari** (Illo; used for arrows with detachable head). Sometimes referred to as *abokin kibiya*.

kyara, *Cymbopogon Ruprechtii*, Hack. (Gramineæ). A very common tall grass with sharp long-awned spikelets; used for *zana* after the spikelets have fallen.

kyasuwa or **kansuwa**, *Pennisetum pedicellatum*, (and *P. setosum*) (Gramineæ). A coarse tall grass with fluffy flowering heads; a common pest in waste places in towns, &c. Syn. **fura** (Kano and East). Sometimes distinguished from a somewhat similar grass of wet places as **k. tudu** or **k. waje**. cf. [duza](#).

L

labaye = [tofo](#), *q.v.* sprouting leaves of any plant; (*sabon ganye mai tofo*).

labayi, a var. of cotton; *vide* under [abduga](#).

labanda, a name given to several varieties of grass used for thatching; in Sokoto and Zanfara generally = *Andropogon apricus*, var. *africanus*, Hack. *vide* [jan bako](#).

labsur or **lausur**, *Lepidium sativum*, Linn. (Cruciferæ). “Common” or “Garden Cress.” Cultivated in Kano, &c. The seeds are a native medicine called [algarif](#), *q.v.*

labuje, a var. of kola nut; *vide* under [goro](#).

ladiko? a species of bean; *vide* [barankachi](#). (Possibly = *lalego* (Kano), a sort of hand-rattle used by women).

laka, *vide* under [shalla](#).

lalaki (Sok.), *vide* under [shinkafa](#).

lalemo (Sok.), a grass for thatching.

lalle, *Lawsonia alba*, Lam. (Lythrarieæ). “Egyptian Privet” or “*Henna*,” a small shrub planted for the sake of the leaves which are used all over the Sudan, in Egypt and the East, to dye the nails, &c.

lallen jibba or **lallen suri**, *vide* [kurukuru](#).

lallen shamuwa (Sok.), *Gisekia pharnaceoides*, Linn. (Ficoideæ); a common spreading weed. (Etym. probably from the ruddy tinge of the plant). Syn. ?**dandami**.

lalu, *Corchorus tridens*, L. and *C. trilocularis*, L. (Tiliaceæ); common weeds related to jute, used as pot-herbs. Syn. **turgunuwa**; (including also the wild form of *C. olitorius*, *vide* under [malafiya](#)).

lanya, *vide* [limniya](#).

lausur, *vide* [labsur](#).

lawashi, *vide* under [albasa](#).

lawur, 1. = Sweet Potato, *vide* [dankali](#). 2. A var. of [gero](#), *q.v.*

lemu, Citrus Medica, var. acida, Brandis (Aurantiaceæ). The Lime. A naturalized shrub in Nigeria. *babban lemu* or *lemun Maka*, The Orange (Citrus Aurantium, Linn.). *lemun yan sariki*, *lemun magajiya* or *lemun Masar*, The Citron (Citrus Medica, Linn.); rare but half naturalized near Sokoto. *namijin lemu*, *vide* [innuwar gada](#).

liḍi, *vide* [ridi](#).

limniya or **lanya** = green algæ forming a slimy growth in stagnant water. Syn. **dauḍar ruwa**.

limniyar kwaḍi or **lanyar kwaḍi**, Kœmpferia æthiopica, Benth. (Scitamineæ); a plant with a conspicuous delicate purple flower growing in shady places (commonly mistaken for an orchid). Etym. = “frog-spawn,” from the slimy juice.

loda or **lodar marina**, Vitis pallida, Baker (Ampelideæ). Syn. [dafara](#), *q.v.* A vine. The viscid extract of the root-bark gives a smooth surface to native cement used for dye-pits, &c. N.B. In Sokoto the name *loda* is also used for the plant with viscid juice, Rogeria adenophylla, J. Gay (Pedaliaceæ), *vide* [baba rodo](#).

lojiya, *vide* [rojiya](#).

loko, *Chlorophora excelsa*, Benth. and Hook. fil. (Urticaceæ). *Iroko* (S. Nigeria), or *Odum* (Gold Coast); a large timber tree; used for canoes, building, &c.

lubiya, *vide* [rubiya](#).

luddai, a var. of the bottle-gourd; *vide* under [duma](#).

lubatu, a kind of food made from the ground-bean [kwaruru](#), *q.v.*

M

mabakachi, a large calabash; *vide* under [duma](#).

machara, a name for more than one species of grass with hollow stems; chiefly = the tall reed-grass *Arundo Donax*, Linn. from which flageolets are made. Syn. [gabara](#), *q.v.* Also the smaller *Panicum proliferum*, Lam. var. *longijubatum*, Stapf; used by boys to make small whistles.

maḍachi or **maḍwachi** (Sok.), *Khaya senegalensis*, A. Juss. (Meliaceæ). A large timber tree; one of the species of “African Mahogany.” The bark is much used medicinally. (Etym. from the bitter bark).

maḍachin ƙassa, *Aristolochia albida*. Syn. **dumar dutsi**; *vide* under [gaḍaukuka](#).

maḍaḍafi, *Desmodium lasiocarpum*, DC. (Leguminosæ); an undershrub the seeds of which are covered with minute hooked hairs which adhere to the clothing; *vide* [ḍan kaḍafi](#).

maḍaḍafin kusu, *vide* [ḵarangiyyar kusu](#).

maḍas or **maḍat**, a poison usually made from [tururibi](#), *q.v.* used for killing fish and vermin, as well as criminally.

madobia, *Pterocarpus erinaceus*, Poir. (Leguminosæ). An “African Rosewood” or “Bloodwood.” A large tree with yellow flowers and flat winged fruit with soft prickles. The blood-red resin from the trunk is a variety of “African Kino,” or “Dragon’s Blood,” a medicinal astringent. The bark is in some districts used as a red dye or cosmetic like [majigi](#), *q.v.* where the latter is scarce.

maga, a var. of date; *vide* under [ḍabino](#).

maganin kunama (Katagum), the local name for a leguminous weed with yellow flowers and inflated pods, used as a remedy for scorpion bite; *Crotalaria atrorubens*, Hochst.

magariya, *Zizyphus jujuba*, Lam. (Rhamnaceæ). “Jujube Tree.” A thorny shrub, resembling [kurna](#), *q.v.* with pale brown edible berries.

magariyar kura, *Zizyphus mucronata*, Willd. (Rhamnaceæ). “Buffalo-horn.” A thorny scrambling shrub with red-brown berries; not edible.

magiumfa (Zanfara), *vide* [majimfa](#).

magudiya (Kano, Sok., &c.), *Polycarpæa linearifolia*, DC. (Caryophyllæ). A common herb with heads of small scarious flowers; a common medicinal charm and ingredient of love-philtres, &c. (*maganin farin jini*). Syn. **fular tsofo**. *cf.* [bakin suda](#). Also called **mai-nasara**, when used as a charm in hunting or war.

mai-farin kai (Sok.), *Tricholæna rosea*, Nees. var. *sphacelata*; a grass about 2 feet high with silvery fluffy flowering panicle.

mai-kain dubu (Sok.), *Alternanthera sessilis*, Br. (Amaranthaceæ); a prostrate weed with numerous small clusters of inconspicuous flowers.

maikeri, a var. of [dawa](#), *q.v.*

mai-lalita, *vide* under [matsarmama](#).

mai-nasara, *vide* under [magudiya](#).

maiwa, *Pennisetum spicatum*, R. and S. var. a var of millet; *cf.* [gero](#) and [damro](#); less wholesome than **gero**, and said to be injurious to horses.

maje (Sok., &c.), *Pardaniellia Oliveri*, Rolfe, (*Daniellia Thurifera*, Bennett), “West Afr. Copaiba Balsam Tree.” Syn. [kadaura](#) (Kano, Zaria, &c.), *q.v.* Both names are equally well known; sometimes loosely included under the name [karo](#), *q.v.* *ḱaron maje* (in Sokoto sometimes also called *ḱaron darma*) = the exuded balsam or oleo-

resin, a variety of West Afr. copal, used as scent to fumigate clothing, to impart a gloss to beaten dyed cloth, &c.

majigi, *Baphia pubescens*, Hook. fil. (Leguminosæ). Camwood, a tree the wood of which is used as a red dye and cosmetic. (Also probably *B. nitida*, Afzel. in the south). cf. [madobia](#).

majimfa or **magiumfa** (or **jimfa**), *Tephrosia Vogelii*, Hook. fil. (Leguminosæ); an erect shrub cultivated near houses; the leaves are much used as a poison to stupefy fish. **baina** (Kano) = the fish-poison prepared from it. cf. [ago](#).

majiriya (Sok. and Kats.), or **minjiriya** (Kano, &c.), *Erythrina senegalensis*, DC. (Leguminosæ). “Coral Tree;” a prickly tree with brilliant scarlet flowers and 3-foliate leaves. The scarlet seeds are sometimes called [idon zakara](#), *q.v.*

majiriyar kurumi (Kano), *Phyllanthus floribundus*, Muell. Arg. (Euphorbiaceæ); a thorny scrambling shrub with small red berries. (The term **ḡumchi**, Sok. and Zanf. is sometimes applied to this, and more widely to any thorny thicket; cf. [gumbi](#) and [dufuwa](#)).

maka = dried bean leaves; *vide* under [wake](#).

makafo, **makafo da wayo**, a var. of [dawa](#), *q.v.*

maḡaimi, *vide* [tsuwawun zaki](#).

maḵarfo, *Afrormosia laxiflora*, Harms. (Leguminosæ); a hard-wooded tree with smooth bark and shining foliage; the wood is used for axe-handles, &c.; the bark and root are used medicinally. (Etym. probably *ḵarifi*—from the hardness of the wood). Sometimes also called **kariye gatari** (“break axe”). cf. **baḵin maḵarfo**, vide [kurḍi](#).

makari, *Digitaria* sp.? A grass cultivated in some districts with a small grain like [acha](#), q.v.

makarin dafi = any antidote to arrow-poison, usually vegetable substances containing tannin. cf. [bi ta ka tsira](#).

makarin faḵo, *Panicum falciferum*, Trin. (Gramineæ). A wild grass 1½ to 2 feet high, with golden hairy flowering spike; seeds edible, sometimes gathered for food.

makasar dawa and **makasha**, vide [ḵudujjī](#).

makuba, vide under [dorowa](#).

makubar mahalba, vide under [kirni](#).

maḵworin maḵwododo, vide [ḵwododon kwado](#).

malafiya (or **marafiya**), *Corchorus olitorius*, L. (Tiliaceæ). “Jews’ Mallow.” One of the jute plants, cultivated in N. Nigeria more as a vegetable than for fibre. (Arab. *molukhiya*).

malami or **malami na mata**, *Mukia scabrella*, Arn. (Cucurbitaceæ); a small twiner with rough leaves and red berries resembling Bryony. (Etym. from its frequent use as a love-charm). Syn. **gautan zomo**.

malamkochi, *vide* [zaḳi banza](#).

malga or **marga**, *vide* [gamma faḍa](#).

malle, **m. kabi**, **m. mama**, **m. Zanfara**; varieties of [dawa](#), *q.v.*

malmo, *Eugenia owariensis*, Beauv. (Myrtaceæ); an evergreen tree with fragrant flowers and leaves, and black or purple berries; common by streams and pools.

mangoro, the name given to the mango, *Mangifera indica*, Linn. (Anacardiaceæ).

manta uwa, 1. A medicine given to a child at weaning, or to prevent a slave running away (etym. “forget mother”); the name is applied to several plants; (in Katagum the species was *Crotalaria arenaria*, R. Br. Leguminosæ, a low weed with small yellow flowers and inflated pods). 2. A name for some epiphytic orchids, e.g. *Ansellia congoensis*, Rodiges, &c. (etym. because growing on trees away from the ground). *vide* [muruchin bissa](#).

marafiya, *vide* [malafiya](#).

maraguwa, *vide* [kini](#).

marasiri, *vide* under [ridi](#).

marga or **malga**, *vide* [gamma faḍa](#).

marike, *Anogeissus leiocarpus*, Guill. et Perr. (Combretaceæ). A tree with small pale leaves and balls of whitish flowers; a good timber; it yields a soluble gum; the fruit is used as a vermifuge for horses, &c. “Chew-stick Tree.” **ḍan marike** (Katagum, &c.), *Indigofera secundiflora*, Poir. (Leguminosæ). A weed or low undershrub with pale pinnate leaves covered with a gummy glandular secretion.

marin kusu, *Pupalia lappacea*, Juss. (Amaranthaceæ); a straggling spiny weed of waste places, resembling [kaimin kadangare](#), *q.v.* (Etym. “mouse’s irons”).

marmare, a var. of [dawa](#), *q.v.*

marsa, a var. of kola nut; *vide* under [goro](#).

masaki, a large calabash; *vide* under [duma](#).

masakowa or **mazakwa**, a dry-season var. of Guinea-Corn; *vide* under [dawa](#).

masara, *Zea Mays*, Linn. (Gramineæ). Maize. Indian Corn. Varieties are:—*m. wada*, a dwarf variety; *m. Fulani*; *m. kwona*, tall with about 3 corn cobs with large white grain; *kain masara* or *maburkaki* = the terminal male inflorescence; *goyon masara* = the lateral fruiting spike

or mealie cob; *toton masara* (Sok.), or *kututu* (Kano and East) = the cob after removal of seeds, used to make pipe-stems.

mashayi, *Clerodendron capitatum*, Sch. and Thonn. (Verbenaceæ). A shrub with bunches of tubular white flowers and purple berries; the pithy branches are used for pipe-stems. Etym. instrument used for smoking; cf. syn. [tataba](#) (Sok.).

mashin zomo, *Ophioglossum vulgatum*, Linn. (Filices). “Adder’s tongue fern,” a small fern with simple leaf and erect fruiting spike. (Etym. “hare’s spear”).

masoro, “West Afr. Black Pepper,” “Benin Pepper;” small dried berries sold for spice and medicinal use; the fruit of *Piper Clusii*, Cas. DC. (?*P. guineense*, Piperaceæ); a climbing plant on trees in the South.

masun ƙadangare, vide [tsatsarar ɓera](#).

matakashi, a plant resembling *sesame* (vide [ridi](#)); used for soup.

matsagi or **matsatsagi**, vide [jirga](#).

matsarmama, *Physalis angulata*, L. and *P. minima*, L. (Solanaceæ); common weeds of waste places with inflated calyx enclosing a small berry; (related to the Cape Gooseberry, *P. peruviana*); used medicinally. Etym. *matsarmama* = gall-bladder; also called **mai-lalita** —*lalita* = a small leather pouch. Syn. ?**domashin maza** (Katag.).

maye, vide under [shiwaka](#).

mazakwa, a dry-season var. of Guinea Corn; *vide* under [dawa](#).

mazarin kyanwa, an insect-gall on the grass [katsaimu](#), *q.v.*

medi, a fibre from the root-bark of the shrub [duḍu](#), *q.v.* and from other acacias, root of the “dum” palm &c. *cf.* [yawa](#), and *vide* [ḍakwora](#), [goriba](#), &c. Used for network bags, &c., mending calabashes, &c.

mijin kaḍai, *vide* under [kaḍanya](#).

mijin goro, *vide* under [goro](#).

minjiriya, *vide* [majiriya](#).

minu, the smallest kola nuts, *vide* under [goro](#).

miya tsanya (Sok. and Kats.), *Sida rhombifolia*, L. (Malvaceæ); an undershrub or perennial weed with small yellow flowers and a fibrous bark. (Etym. “grasshoppers’ greens”). It is one of the plants included in [kaskaifi](#), *q.v.*

moda, *Sansevieria* sp. (Liliaceæ). “African Bowstring Hemp;” a stemless plant with long straight mottled leaves affording a useful fibre; root and leaf used medicinally.

murli = the unexpanded fronds of any palm (*kwakwa*, *giginya*, *goriba*, *tukuruwa*). *shedari* = a mat made from *murlin giginya*.

murtsunguwa, a long-leaved stemless plant, sometimes added to arrow-poison. Syn. ?**gunguma**.

muruchi, the young germinating shoots of the Fan Palm, *vide* [giginya](#), used as a vegetable.

muruchin bisa or **m. sama**, a name for several species of orchid, growing as epiphytes on trees,—*Ansellia congoensis* and other spp. *vide* [manta uwa](#).

muruchin daji, a name for some ground orchids with long straight leaves; usually *Habenaria* spp. growing in wet places.

muruchin jibba or **m. jibji**, a species of fungus; *vide* under [tumukun suri](#).

muruchin makaruwa, *Curculigo gallabatensis*, Schweinf. (*Amaryllideæ*). A stemless plant with straight grass-like leaves, yellow flowers, and a thickened root-stock; syn. **doyar kurege**.

N

naman kaza (**naman angulu**, &c.), *Agaricus campestris*, the edible mushroom. (Etym. from the pale fleshy appearance of the cut surface, but sometimes also called **naman ƙassa**).

nanafu, *Celosia trigyna*, Linn. (*Amaranthaceæ*). An erect weed with white scarious flowers. Used as a medicine for tapeworm, &c.

nanare (Sok.), *vide* under [shinkafa](#).

nanake, *Aspilia Kotschyi*, Benth. and Hook. (Compositæ). A plant in the bush with rough foliage and deep purple flowers.

nata, *vide* under [goro](#).

nobe, *Cymbopogon sennariensis*, var. *proximus*, Stapf (Gramineæ). A fragrant grass, 2 to 3 feet high, with very narrow leaves; much used for thatch. *cf.* [tsabre](#).

nome (Sok., &c.), *Sesamum indicum*, Linn. Sesame or Beni seed; *vide* [ridi](#).

nonon ḅariya, *Lactuca taraxacifolia*, Sch. and Thonn. (Compositæ). A field weed with pale yellow flowers and milky juice. (*ḅariya* = a species of gazelle).

nonon giwa, *vide* [rahaina](#).

nonon gwanki, *Ficus* sp. A tree of the fig tribe with milky juice.

nonon kura, *Cucumis metuliferus*, E. Mey. (Cucurbitaceæ). A climber with a cucumber-shaped fruit covered with large spines, scarlet when ripe. Also called **buran zaki**.

nonon kurchiya, *Euphorbia hirta*, Linn. (= *E. pilulifera*, &c.), a prostrate weed with clusters of small inconspicuous flowers and milky juice; used medicinally. (Allied species are included, e.g. *E. convolvuloides*, Hochst. &c.)

nunu (Sok. and Kano), the fruit of the tree [danya](#), *q.v.*

P

parpatsi or **farfatsi**, *vide* [dandana](#).

pasa daga, *vide* [fasa daga](#).

pasa ƙabba, *vide* [fasa ƙabba](#).

pasa ƙwari, *vide* [fasa ƙwari](#).

piyaka or **fiyaka**, *vide* [jibda ƙassa](#).

punkaso, *vide* under [alkama](#).

R

Raḓa, *Cyanotis lanata*, Benth. (Commelynaceæ); a somewhat succulent herb growing amongst grass, which is said to cause eczema of horses' muzzles. (Etym. from *raḓa* = dew, which is supposed to have a similar effect).

rahaina, *Kigelia æthiopica*, Decne, var. *bornuensis*, Sprague (Bignoniaceæ). "Sausage-tree." A large shade tree with pendulous lurid purple flowers, and huge cucumber-shaped fruit. Syn. **rawuya** (Sok.), and **nonon giwa**.

rai dore, *Cassia occidentalis*, Linn. (Leguminosæ). An erect shrubby plant with pinnate leaves and yellow flowers, of the senna tribe; used medicinally for fevers, &c. (Etym. from attributed restorative powers). Syn. **sanga sanga** (Sok. and West), and **Ba-Zanfare** (Katagum and East).

rake (Kano, &c.), (*Saccharum officinarum*), Linn. (Gramineæ). One of the species of sugar-cane, grown near streams; **arakke** (Sok.). Called also **karan sariki**. cf. [takanda](#).

raken giwa (or **takanḍar giwa**), *Peucedanum* sp. (Umbelliferæ); a shrub with pinnate leaves and fragrant sap; used as a scented fumigation for clothing. cf. [takanḍar giwa](#).

rama, *Hibiscus cannabinus*, Linn. (Malvaceæ), and perhaps *H. lunariifolius*, Willd. “Bastard Jute,” “Indian Hemp.” A tall straight annual grown for its bark fibre from which cordage is made; leaves acid, used in soup. Black, white and red varieties are recognized according to the tint of the bark—*jar rama*, *farar rama*; *ḡare aiki* (Sok.), with black and red varieties (etym. because considered the last agricultural labour of the season); or *koka rani* (Katsina), and *dirin da rani* (Kano), *jirin da rani* (Bauchi), *ganwon rama* = coil of *rama* bark or fibre. *ḡinkin rama* = leaves of *rama* used for soup; vide under [ḡinya](#). *ḡekasheshe* or *tsiyayi* = peeled stems of *rama*, used in medicine in occult practice and as a sooty application when burnt applied for mural decoration. *ramar rafi*, &c. wild varieties of the same botanical species; vide [ḡarama mowa](#). *ramar kurumi*, vide [kwankwarimi](#); *rama rama*, vide [ramaniya](#).

ramaniya (Sok. Kats., &c.), *Urena lobata*, Linn. (Malvaceæ). A hard erect shrub, 2 to 3 feet high with pink flowers; the bark yields a strong fibre. Syn. **rama rama**, or **ka fi rama**; (**baḳin garamani** and **jan tsu**, *vide* under [garamani](#) and [tsu](#)). *cf.* also [uwar maganni](#).

ramno (Sok.), or **rauno** (Kano), chopped grass mixed with building clay to act as mortar. *cf.* [jan raumo](#).

rapasa, *vide* under [ḳurar shanu](#).

rariyar ḳassa (Kontagora), *Chrysanthellum procumbens*, Pers. (Compositæ); a small wayside weed with yellow flowers.

rauma fada, *vide* [roma fada](#).

rawaya, *Cochlospermum tinctorium*, Rich. (Bixaceæ); a common shrub with yellow rose-like flowers and a yellow root used as a dye and in cooking. Syn. *zunzuna*.

rawuya, *vide* [rahaina](#).

riḍi, or **liḍi**, *Sesamum indicum*, Linn. (Pedaliaceæ). Sesame, Gingelly, Beni Seed. *Simsim* (Arab.). An annual with white or red flowers, cultivated for its oily seeds; leaves and seeds used as food. Syn. **nome**, *cf.* [karkashi](#). *marasiri* (Ful. West) = sesame porridge. *samsam* or *samsamum* (Arab. *simsim*), an extract probably of sesame, used as an eye medicine.

riḍin barewa or **nomen barewa**, *Sesamum alatum*, Thonn. (Pedaliaceæ). A wild species with divided leaves and beaked pods; not eaten.

riḍin kada, *vide* [ḍeḍḍoyar kare](#).

riḍin tuji, *Fimbristylis exilis*, R. and S. (Cyperaceæ). A small sedge; *vide* [gemen kusu](#).

rigyar biri, *vide* [tsuwawun biri](#).

rigya kafi (Sok.), a native prescription and reputed remedy for syphilis composed of the plants [damaigi](#), [fara biya rana](#), [fasa kabba](#) and [kuru kuru](#), *q.v.*

rimani = the fruit of the pomegranate, *Punica Granatum*, L. *cf.* [ruman](#), the flowers of the same.

rimi (Kano, &c.) or **rini** (Sok.), *Eriodendron orientale*, Steud. (Malvaceæ). White Silk Cotton Tree. The silky floss around the seeds forms the upholstery material called “Kapok;” **rimin Masar**, a variety without thorns on the branches when young, and with a superior cotton.

rimin agwada, *Sopubia simplex*, Hochst. and other spp. (Scrophularineæ). An erect herb in the bush with narrow leaves and pink flowers. (*agwada* = Rock dassie, *Procavia* sp.).

rimin samari, *Oldenlandia grandiflora*, Hiern. (Rubiaceæ). A common slender-branched herb of fields and waste places, with bright red 4-partite flowers. Also *O. senegalensis*, Hiern. a similar plant with smaller less conspicuous flowers. Used as a love-potion or charm for popularity.

rimni (Sok.), *Salix* sp. (Salicaceæ). A common species of willow on river-banks. Syn. [ba ruwana](#), q.v.

risga, a cultivated plant with an edible tuber. *Plectranthus* sp. (Labiatae); like the “Kaffir Potato,” *P. esculentus*, N.E. Br.

risgar kurege, *Asclepias lineolata*, Schl. (Asclepiadeæ). A shrub with milky juice and umbels of purple flowers; the spindle-shaped root tubers are used medicinally.

roba, *Panicum pyramidale*, Lam. (Gramineæ). A tall grass of marshy places; (probably applied to several grasses).

rogo, *Manihot palmata*, Muell. Arg. (Euphorbiaceæ). Sweet Cassava or Manioc; and *Manihot utilissima*, Pohl. Bitter Cassava. The former or non-poisonous species is the one chiefly cultivated in Nigeria, cf. [karasa](#). *rogon sabara* or *r. magariya* (Sok.) are terms used for Cassava grown in arid areas ([sabara](#) and [magariya](#), q.v. being shrubs of dry scrub districts).

rogon biri, vide [kosain rogo](#).

rogon daji, a species of vine with thickened roots; *vide* [tsibiri kinkini](#); (also applied to other twiners with thickened roots, e.g. a wild species of yam, *Dioscorea* sp., a species of *Clematis*, &c.).

rojiya or **lojiya**, a perennial herb (*Asclepiadeæ*), with long narrow leaves milky juice and an edible succulent tuberous root-stock. *rojiyar mahalba*, *Xysmalobium Heudelotianum*, Decne (*Asclepiadeæ*); a somewhat similar plant with milky juice, short leaves, lateral umbels of small flowers, and a harder tuberous root edible when cooked. (The names *bauje*, *saniya* and *daiyo*, probably refer to the same or allied *Asclepiad* plants or “Milkweeds,” with tuberous roots, e.g. *Schizoglossum Petherickianum*, Oliv. which has short broad leaves and umbels of white flowers).

roko, a var. of bean; *vide* under [wake](#).

rubiya or **lubiya** = the edible figs of several species of *Ficus*:—[baure](#), [chediya](#), [durumi](#), [gamji](#), *q.v.* (The name is sometimes extended to include other fruits of similar shape, &c. e.g. dates, the grapes of [dafara](#), *q.v.*, &c.).

ruguguwa, *vide* under [kabewa](#).

rukubu, *vide* [zaki banza](#).

roma fada or **rauma fada**, *Scoparia dulcis*, L. (*Scrophularineæ*). “Sweet Broom Weed.” A common herb with small white flowers. (Etym. from use as a charm to ensure “court favour;” *roma* = *rakiya*, to act as companion or sponsor). *namijin roma fada*, *Heliotropium*

zeylanicum, Lam. (Boragineæ); a weed used medicinally; *vide* under [Gwanja kusa](#); (probably applied to several plants with some resemblance to **roma fada**).

ruman = flowers of pomegranate; *vide* [rimani](#); (*ruman*, the Indian name).

rumana, *Gladiolus spicatus*, Klatt. *G. quartinianus*, A. Rich. *G. unguiculatus*, Baker, and other species (Irideæ). Common gladioli with edible corms.

rumanan doki, a plant with a larger bulb used as a medicine for horses. A large species in the Benué district is sold for making a sweet food *kunun zaḳi*.

rumaya, a slender grass with tough stems, used for cordage, tying thatch, &c.

rumfar gada, *Cassytha guineensis*, Sch. et Thon. (Lauraceæ), a parasitic leafless and rootless twiner like dodder, with wiry stems and small clusters of white flowers and berries. Syn. ?**siliyar sulkwa**.

runhu or **rumfu**, *Cassia goratensis*, Fres. (Leguminosæ); a small tree with yellow flowers; an infusion of the leaves and pods is used as a wash in parturition, and for fever. *cf.* [rai dore](#).

rura, *Parinarium curatellæfolium*, Planch. (Rosaceæ); a small tree with an edible mealy pear-shaped fruit; *vide* under [Gwanja kusa](#) and [kai kai](#).

S

sa baba sata, a species of cultivated bean; ?the “yam bean,” *vide* [giri giri](#).

sabada or **safada**, *vide* under [dorowa](#).

sabani, *Tephrosia elongata*, Hook. (Leguminosæ); a tall slender plant with pink flowers and pinnate leaves; used as a medicinal charm. Syn. **samachi**. (Etym. “rupture of friendship”—if a leaflet be sharply pulled apart it tears in a forked manner suggesting the parting of roads or disagreement, such as occurs when one challenges another to split it straight), *cf.* [shege](#).

sabara, *Guiera senegalensis*, Lam. (Combretaceæ). A shrub with whitish dusty-looking leaves, very abundant in dry infertile regions; a typical plant of dry scrub localities with a small rainfall. Leaves used in various ways as medicine and also as food in some northern districts; burnt to fumigate cattle-pens, &c. to keep off flies; as *maganin rongomi* by women after parturition; in Sokoto a recognized prophylactic of leprosy; &c., &c.

sabi, *vide* [baya](#), *Panicum albidulum*, Kunth. (Gramineæ). A wild grass with edible grain gathered by sweeping a calabash across the heads. (Etym. from the method of gathering *sabi*, and thus perhaps applied to more than one species). *cf.* [garaji](#).

sabi or **shiḡa** = carded cotton; *vide* under [abduga](#).

sabko (or **sauko**) **bubukuwa**, *vide* [bubukuwa](#).

sabulun kuyangi, *Zornia diphylla*, Pers. (Leguminosæ), a low herb with paired leaflets; sometimes used as fodder and medicinally; said to form a slight lather with water. (Etym. “slaves’ soap”). Syn. **sabulun sallo**.

sabulum mata (Sok. Zanf. and Kats.), *Vernonia primulina*, O. Hoffm. (Compositæ). An erect plant, 1 to 2 feet high, with blue thistle-like flowers. Syn. **tozalin kura**.

safa (Sok.), or **shafa** (Kano and East), spring onion; *vide* [albasa](#).

sa furfura (Sok.), *Crotalaria polychotoma*, Taub. (Leguminosæ). A small herb with yellow flowers and pale pubescent leaves; supposed, if accidentally given to an infant, to cause the hair to turn grey before puberty. ?Syn. [yauki](#), *q.v.*

sagagi (Katagum), *Indigofera simplicifolia*, Lam. (Leguminosæ). A stiff-branched undershrub with small narrow pods.

sa hankaki dako, *Polygala arenaria*, Willd. (Polygalaceæ). A small field herb, used medicinally in cases of serious internal disease, syphilis, &c. (Etym. “cause the crows to wait,” because supposed to be very poisonous). Syn. **sha ni ka san ni**; and **gujiyar dawaki** (Zanfara).

sainya (Kano, Kats., &c.), *Securidaca longipedunculata*, Fres. (Polygalaceæ). A shrub with purple flowers and a winged seed. The root has a rank smell and is used medicinally in many ways, as a purge, worn as a charm, &c. Syn. **uwar magunguna** (Sok., &c. —“mother of medicines”). It is an occasional ingredient in some prescriptions for arrow-poison.

sakata, a var. of yam, said to be inferior to others and not used for *sokwara*. (*Dioscorea alata*, L.). cf. [doya](#).

salla, *vide* [shalla](#).

samachi, *vide* [sabani](#).

samarin danga, a name for the tree *Moringa pterygosperma* (*vide* [zogalagandi](#)), because commonly planted as a compound fence.

sambara = [dawa](#) or [gero](#), &c. half-grown at harvest, and left to mature later.

samberu, a tree the leaves of which are poisonous to cattle.

samsam, *vide* under [ridi](#).

sandalu, *vide* under [goro](#).

sandan biri, s. **dutsi**, or s. **yan bori**, *vide* under [giginyar biri](#).

sandan mayu, a name for more than one tree with magical uses; *vide* under [bakin mutum](#) and [dawo](#).

sanga sanga (Sok. and West), *Cassia occidentalis*, Linn. Syn. [rai dore](#), *q.v.*

saniya, an Asclepiad plant with milky sap; *vide* under [rojiya](#) and [tafo ka sha mama](#).

sankachen dawa, s. gero = corn reaped and laid out in lines to dry.

sankwo (Kano), *Syncolostemon ocymoides*, Sch. et Thon. (Labiataë); a wild herb related to [tumuku](#), *q.v.* with wrinkled leaves, spikes of deep red flowers, and a tuberous root. Syn. **tumukun biri**.

sansami (or **sasāmi**), *Stereospermum Kunthianum*, Cham. (Bignoniaceæ). A small tree with smooth bark, beautiful pink flowers and long narrow pendulous pods. The bark is used medicinally. Syn. **jiri**. (This tree is apparently held in much respect; in Sokoto, &c. called *ḍan sarikin itatuwa*, and not cut for firewood). *kauchin sansami*, the parasitic plant *Loranthus* (*vide* [kauchi](#)), when growing on this species is considered a lucky find.

farin sansami, *vide* [shunin biri](#), and [halshen sa](#).

sansami (Sok. and Kats.) = foliage.

sansari, *vide* under [kyamro](#).

sarakuwar sauro (Katsina, &c.), *Leucas martinicensis*, R. Br. (Labiatae); an odorous weed with whorls of small white flowers. (Etym. because supposed to be incompatible with mosquitoes). Syn. **deidoyar gona**.

saran waga, *vide* under [goro](#).

sarawan goro, *cf.* proverb *sarawan goro a zanche ni*—2 calabashes of kola nuts being bought by two persons are divided for fairness into equal halves, either buyer taking one-half of each.

sare gwiwa, *Hygrophila spinosa*, T. Anders. (Acanthaceae); an erect hard plant of damp places with blue flowers and long spines. (Etym. “prick the knee”). Syn. **zazar giwa**, and **dayin giwa**.

sarikin jibji (s. **juji**), *vide* under [fasa kabba](#) and [babba juji](#). (Species of *Boerhaavia*, *Trianthema*, and *Portulaca* are all somewhat succulent weeds of waste places and rubbish heaps, and their names are often interchangeable).

sarḳaḳiya, *Dichrostachys platycarpa*, Welw. (Leguminosae); a very thorny scrambling shrub in the bush forming dense thickets; a sort of “wait a bit thorn.” Sometimes loosely called [dufuwa](#), [baḳin gumbi](#) and [ḳumchi](#), *q.v.*

sarri? (Bauchi), a plant used as a neutralizing bath in tanning leather. (? = **katsari**).

sasabani (Hadeija, &c.), *Parkinsonia aculeata*, L. (Leguminosæ).

“Jerusalem Thorn.” (Arab. *sasaban*, *Sesbania ægyptica*, Poir.). An exotic tree with yellow flowers and narrow pinnate leaves, planted in towns. In Sokoto called by the Ful. name *sharan labbi*. cf. [alambo](#).

sawaye, *vide* under [abduga](#).

sawu dubu, *Ipomœa dissecta*, Willd. (Convolvulaceæ). A small ground trailer with white flowers and deeply divided leaves. (Etym. “1000 foot-prints,” from the numerous dissect leaves).

sawun gauraka, *vide* [kafar fakara](#).

sawun gwanki, a flat-leaved stemless herb, used as a medicine for hunters.

shafa (Kano), or **safa** (Sok.). A variety of onion; *vide* [albasa](#).

shair (Arab.), *Hordeum sativum*, Pers. Barley; rarely grown in N. Nigeria.

sha ka sani, *vide* [sa hankaki dako](#).

shalla (Kano and East), or **salla** (Sok.). A tall reed with light stems growing in marshes in the north; stems used for screens called *feḍḍa*, &c. A bulrush. *Typha australis*, Sch. and Thonn. *bambana* = the flowering or fruiting head, called also *geron tsuntsaye* (Kano), or *tumun shalla*. *laka* = the soft edible core of the immature flowering head.

shamrayi, *vide* [karan kabau](#).

shanshera, unhusked rice; *vide* under [shinkafa](#).

shantu, a long narrow var. of the bottle-gourd; *vide* under [duma](#).

sharan labbi (Sok. Ful.), *vide* [sasabani](#).

sha shatau, a malam's charm to secure favour, hence applied to some plants with a similar use, e.g. *Jussiaea villosa*, Lam. (Onagraceæ), an erect weed of wet places with yellow flowers, used as a medicine or charm by wrong-doing slaves and others. (Etym. *shashasha* = simpleton or irresponsible person who is treated with lenient ridicule rather than seriously).

shedari, a mat made from the unexpanded fronds of the Fan Palm, *vide* [giginya](#) and [murli](#).

shege, a term similar to [sabani](#), *q.v.* applied to several leguminous weeds with leaves which tear in an irregular manner.

sheḡani or **sheḡar zomo**, *Vernonia* sp. near *V. pumila*, (Compositæ); a low herb with thistle-like flower and broad flat leaves; the root-tubers are bitter and used medicinally for venereal and other diseases. (Syn. **ba gashi**? Kontagora—from the bristly pappus).

sheme, *vide* [kyamro](#).

shiḡa or **sabi** = carded cotton; *vide* under [abduga](#).

shibra or **shura**, *vide* under [gero](#).

shinaka (Sok. Kats., &c.), *Ctenium elegans*, Kunth. (Gramineæ). A grass about 2 feet high with a single one-sided bristly flower-spike. Syn. **wutsiyar kusu**. (The name includes the similar species *Schœnefeldia gracilis*, Kunth. with several one-sided flower-spikes). Used in thatching.

shinkafa, *Oryza sativa*, Linn. (Gramineæ). Rice; cultivated in marshes and inundated localities. *shanshera* or *burungu* = rice grain in the husk; *ɗanyen gumi* = husked but unboiled rice; *gumi* = husked rice boiled and dried; *bawu* (Sok. Ful.?), or *shinkafa wutsiya* = rice unsown but growing sporadically from fallen grains; often harvested and eaten.

shinkafe, or **lalaki** (Sok.), *Oryza silvestris*, Stapf. Wild Rice; common in marshes and pools; much used for thatch and eaten in scarcity; (= Ful. *nanare*, name used equally by Hausas in Sokoto). Syn. **shinkafar rishi** (Katsina and East; *rishi* = wart-hog, *gadu* or *mugun dāwa*, which eats the roots).

shirinya, *Ficus* sp. (Urticaceæ). Narrow-leaved fig-tree. A large tree with milky juice and small figs. Syn. **shiriya** (Sok.).

shiwaka, *Vernonia amygdalina*, Delile (Compositæ). A shrub with whitish flowers, wild and commonly planted in compounds; the root is used as a tooth-stick and bitter tonic, and the leaves medicinally in various ways. *maye* (Sok.), or *fatte* (Kano), or *fate fate* (East Hausa), is a secret medicine of women, prepared from the leaves along with other native drugs.

shiwakar jan garigari, a shrub with bitter properties like the above. (Etym. because said to grow in places of red soil). *Anaphrenium pulcherrimum*, Schweinf. (Anacardiaceæ), and probably others.

shuni, prepared indigo; the blue dye-stuff extracted from [baba](#), usually sold as blue cones or lumps.

shunin biri (Kontagora), *Lonchocarpus laxiflorus*, G. et P. (Leguminosæ). A small tree with bunches of purple flowers. Syn. **farin sansami** (Sok. and Kats.), **halshen sa** (Zanfara). In some pagan districts this is called **babar talaki**, and used as a dye; *vide* [talaki](#).

shura or **shibra**, *vide* under [gero](#).

siliyar sulkuwa, *vide* under [rumfar gada](#).

siyayi or **tsiyayi** = **kekasheshe**; *vide* under [rama](#).

soso, *Luffa ægyptiaca*, Mill. (Cucurbitaceæ). “Loofah gourd;” a climber with yellow flowers and cucumber-shaped fruit with a fibrous vascular skeleton used as a scrubber or strainer, &c. Pulp of immature fruit eaten cooked. *soson yama*, *Luffa acutangula*, Roxb. a species with larger fruit with longitudinal ridges; (called also *soson wanka*, because more used as a loofah in washing).

subtu or **sutu**; cotton before carding, pulled by hand after removal of the seeds by a roller on a stone; *vide* under [abduga](#).

sunasar = a food made from wheat; *vide* under [alkama](#).

sure (Sok.) = [yakuwa](#), q.v. Hibiscus Sabdariffa, Linn. “Red Sorrel.”

suren fadama (Sok.), Triumfetta pentandra, A. Rich. (Tiliaceæ); an erect branching undershrub with small echinate fruits which adhere to the clothing; *vide* [dan kadafi](#). The leaves are sometimes used as *chusar doki*; *vide* under [kuka](#).

surendi, *vide* [dayi](#).

sutura, a species of Euphorbia with milky juice; called also **tutar yan sariki**; (*vide* also under [zakami](#)).

T

Taba, Nicotiana tabacum, Linn. (Solanaceæ). Tobacco. Cultivated in most parts of *N. Nigeria* in alluvial soil; used for smoking and in the form of powder for chewing and as snuff. Flowers rubbed on the teeth while chewing certain varieties of kola nut, to give a red colour; *fure* = a flower, when unqualified generally means tobacco flowers.

taḅa ni ka samu, a name applied to several trees affording useful products; e.g. Ficus Vogelii, Miq. of which the latex forms a variety of rubber. *cf.* [kurnan nasara](#), and [zagalagandi](#).

tabar angulu, **tabar kura**, a species of fungus; *vide* [tumukun suri](#).

tabarman zomo, *vide* [takalmin zomo](#).

tafarnuwa, *Allium sativum*, Linn. (Liliaceæ). Garlic. Cultivated like the onion; *vide* [albasa](#), from which it differs in having flat leaves (hollow or fistular in the onion), and the bulb divided into several lesser bulblets. Only used as a medicine, commonly for fevers and stomach complaints.

tafasa, *Cassia tora*, Linn. (Leguminosæ). An undershrub of the senna tribe with yellow flowers; leaves used in soup and as a mild laxative.

tafashia, *Sarcocephalus Russegeri*, Kotschy (Rubiaceæ). A shrub with large balls of white flowers and a red edible fruit; bark and root used medicinally; a common “Chew-stick.”

tafo ka sha mamarka, *Schizoglossum* sp. nr. *S. Petherickianum*, Oliv. (Asclepiadeæ). A small herb with umbels of white flowers and milky juice. (Etym. “come and take the breast;” probably used for others of the same Natural Order, the “milkweed” family; *vide* [tatarida](#), [saniya](#), and [rojiya](#).)

taga rana, *vide* [idon zakara](#).

takalmin zomo (Kano, Sok., &c.), *Cadalvena Dalzielii*, C. H. Wright (Scitamineæ). A low stemless herb of the ginger family, with 4 flat succulent leaves and yellow flowers. Syn. **tabarman zomo** (Zaria), and **kunnen zomo**.

takaluwa, a synonym for [daddawa](#), *q.v.*

takanda, *Sorghum vulgare*, *var. saccharatum* (Gramineæ). One of the species of sugar-cane; grown like Guinea Corn to which it is botanically akin. *cf.* [rake](#).

takandar giwa (Kats. Sok. and Zanf.), *Hannoa undulata*, Planch. (Simarubeæ). A tree with pinnate leaves, white fragrant blossoms and black plum-like fruit. Syn. **namijin gwabsa** (Kontagora, &c.). N.B. In many districts the name is applied to the tree *Cussonia nigerica*, Hutch. or [gwabsa](#), *q.v.* *cf.* also [raken giwa](#).

takeyi, *vide* under [kubewa](#).

talaki or **talakin Yarubawa**, *Lonchocarpus cyanescens*, Benth. (Leguminosæ). “West African Indigo.” “Yoruba Wild Indigo.” A woody climber. The indigo dye prepared from the leaves, better than that from [baba](#), is imported into N. Nigeria (e.g. to Sokoto from Illorin), and dyeing is done in pots not in pits. *vide* also [shunin biri](#).

taliya, a sort of macaroni made from flour of [alkama](#), *q.v.* (Etym. probably from Italy).

tamangaji, *vide* under [gero](#).

tamaseki, *vide* under [baba](#).

tamba, *Eleusine corocana*, Gaertn. (Gramineæ). A grass about 2 feet high, wild and cultivated as a kind of millet; flowering head with many crowded rays, “Kurakan”—Ceylon; “Marua” or “Ragi” Millet—India.

tambari, a herb; ?*Grangea maderaspatana*, Poir. (Compositæ). A weed with small solid heads of yellow flowers and divided leaves.

tamna gedā, a small var. of water-melon; *vide* under [guna](#).

tamraro or **tauraro**, *Anthericum* sp. (Liliaceæ). A small liliaceous plant with yellowish stems and white flowers opening in the evening; somewhat resembling “Star of Bethlehem.” (Etym. “star.”). In Zanfara used also for *Cyanotis cæspitosa*, Kotschy. et Peyr. (Commelynaceæ), a small stemless plant with azure blue flowers (and probably other species).

tandara, *vide* [idon zakara](#).

tankwa (Sok.), red pepper; *vide* [barkono](#).

tantaroba, *Indigofera diphylla*, Vent. (Leguminosæ). A low spreading herb with 2-foliate leaves and pink flowers; used medicinally.

tantsiya, *vide* [kwankwani](#).

taramniya, *Combretum verticillatum*, Eng. and Diels, and several other species (Combretaceæ). A tree with white spikes of flowers and 4-winged fruit; a source of gum. (*C. geitonophyllum*, Diels, and others).

tara yaya, *vide* [giginyar biri](#).

tarin gida (Sok., &c.), *Glossonema nubicum*, Decne. (Asclepiadeæ).

A low branched herb of fields and waste places in the north, with milky juice and follicles covered with soft prickles. Syn. **tatarida**. (Etym. of both names from the pods crowded to bursting with silky seeds). Sometimes called [tafo ka sha mama](#), *q.v.* Eaten by goats and capable of being used as a vegetable.

tarnekuwa, a var. of [gero](#), *q.v.*

taru, *Combretum herbaceum*, Don. (Combretaceæ). A low undershrub with 4-winged fruit and hard root (hence also called [kariye galma](#), *q.v.*, or “break hoe”).

tasshi, *vide* under [gawo](#).

tataba (Sok.). Syn. [mashayi](#), *q.v.*

tatarida, *vide* [tarin gida](#).

tatasai, large chillie peppers; *vide* under [barkono](#).

taura, *Detarium senegalense*, Gmel. (Leguminosæ). A small tree with white flowers and flattened oval fruit; the latter is used with that of [kanya](#) and [dinya](#) to make a sort of molasses (*maḍi*).

tawatsa or **tawassa**, *Entada sudanica*, Schweinf. (Leguminosæ); a common tree of the acacia type with white spikes of flowers and curious jointed and embossed pods; it yields an inferior gum; fibre is got from the root-bark; *vide* [yawa](#) and [medi](#).

tazargadi, a native medicine; the pounded fragrant leaves of a plant (*Artemisia* sp.?); brought by Arabs.

terkon ɓera, *vide* [tsatsarar ɓera](#).

tinya or **tunya** (Kano), **tumniya** (Sok. and Zanf.), *Euphorbia unispina*, N. E. Brown. a cactus-like shrub, with an acrid milky juice; a common accessory ingredient of arrow-poison. (E. Poissoni, Pax, and perhaps other species are included).

tofa or **toha**, *Imperata arundinacea*, Cyrill (*Gramineæ*). A stiff-leaved grass with a white cottony flower-spike, growing up in fields, &c. after harvest or burning, especially in damp situations; used for thatch and stuffing cushions.

zakaran tofa = the sharp young shoots which pierce the heel.

tofo or **toho**, the young leaf-buds or sprouting of any tree or grass. Syn. **labaye**. *cf.* [fuda](#).

toshshi or **twashshi**, *vide* under [barkono](#).

toton masara, *vide* under [masara](#).

tozalin barewa (Katagum), *Vernonia pauciflora*, Less. (*Compositæ*); a field-herb with blue thistle-like flowers.

tozalin kura, *vide* [sabulun mata](#).

tsa or **tswa** (Sok.), *Fluggea microcarpa*, Blume (Euphorbiaceæ). A slender-branched small-leaved shrub with white berries; the tough stems are used for making wicker traps, native beds, &c. (hence also called *itchen gado*); occasionally planted near houses. vide [faskara giwa](#).

tsabre or **tsaure**, *Cymbopogon giganteum*, Stapf (Gramineæ); a tall fragrant grass, used for *zana*, screens, &c.; (sometimes confused with the narrow-leaved grass [nobe](#), q.v.).

tsada or **tswada** (Sok.), *Ximenia americana*, Linn. (Olacineæ); a shrub with small yellow plum-like fruit of acid taste.

tsadar **Lamarudu** or **tsadar Masar**, *Spondias lutea*, Linn. (Anacardiaceæ); “Hog Plum;” “Yellow Spanish” or “Jamaica Plum.” A tree with alternate pinnate leaves, warty bark and a yellow drupaceous fruit with acid aromatic taste. (Benué region and the south. *Lamarudu* was a historic king in the time of the Prophet).

tsaido or **tsidau** (Kano, &c.), **tsaida** (Sok.), *Tribulus terrestris*, Linn. (Zygophylleæ). “Caltrop;” (cf. [dayi](#)). A prostrate yellow-flowered weed with a strongly-spined fruit that injures the foot; a common pest of paths and waste places. (Etym. probably = “stop”).

tsakara, *Anchomanes Dalzielii*, N. E. Brown, and other allied species (Aroideæ); an aroid with a large much divided leaf on a tall prickly stem; the tuber is eaten in scarcity after prolonged boiling to remove the acidity. cf. also [hansar gada](#)?

tsamiya, *Tamarindus indica*, Linn. (Leguminosæ). Tamarind Tree. A large tree with pinnate leaves and yellowish or red-striped flowers; the acid pulp of the pods is used in various ways as food and drink and as a laxative medicine. (The tree is the host of one of the species of wild silkworm—*Anaphe* sp. also called *tsamiya*). *ɗan garraza* (Kano), *tun jamjam*? (East Hausa) = flowers of **tsamiya** eaten fresh and made up into comestibles.

tsamiyar makiyaya, **ts. mahalba**, or **ts. ɓassa**, *Nelsonia campestris*, R. Br. (Acanthaceæ); a soft-leaved prostrate weed with slightly acid leaves and close spikes of small pink flowers.

tsana, an edible cucumber-shaped var. of the bottle-gourd? *vide* under [duma](#).

tsarariya, a var. of the common country bean, [wake](#), *q.v.*

tsarkiyar kusu, *Stachytarpheta jamaicensis*, Vahl. (Verbenaceæ). “Devil’s coach-whip.” A weed with a long narrow spike of pale blue flowers; used medicinally. Syn. **wutsiyar kusu** (or **w. ɓera**), and sometimes **wutsiyar ɗadangare**.

tsarkiyar zomo (Sok.). Dub Grass, *vide* [kiri kiri](#).

tsatsagi, *vide* [jirga](#).

tsatsarar ɓera, or **terkon ɓera**, *Asparagus Pauli-Guilelmi*, Solms. and Laub., *A. africanus*, Lam. and other spp. (Liliaceæ). A straggling half-climbing prickly plant with graceful fronds and very narrow

leaves; tough stems used to make snares and traps for small animals. (Etym. *tsatsara*, a basket-like fish trap). Syn. [kayar kadangare](#), *q.v.* and [masun kadangare](#). *cf.* also [karangiyar kusu](#).

tsatsarar kura, *Vitis quadrangularis*, Linn.; *vide* [dadori](#).

tsaure, *vide* [tsabre](#).

tsawa, *vide* under [bagayi](#).

tsibiri kinkini, *Ampelocissus Grantii*, Planch. (Ampelidæ); a vine with edible berries and a thickened root, hence also called [rogon daji](#), *q.v.* Used medicinally. Syn. **farun makiyaya**. Other species of *Cissus* and *Ampelocissus* are included, e.g. the “Forest Grape,” *A. Bakeri*, Planch.

tsibra or **tsura** (Sok.), *Randia nilotica*, Stapf (Rubiaceæ); an erect thorny shrub or small tree. Syn. **barbaji** (East Hausa).

tsidau, *vide* [tsaido](#).

tsidaun kare, *Aneilema beniniensis*, Kunth. *A. Schweinfurthii*, C. B. Clarke, and other species of Commelynaceæ; weeds with delicate blue flowers and tufted fibrous roots. *cf.* [kariye galma](#).

tsidufu, small hot chillie peppers; *vide* under [barkono](#).

tsikar daji (Sok.), or **tsikar dawa**; also **kibiyar daji** *Cymbopogon diplandrum*, Hack. var. a tall grass covering large areas of

uncultivated ground; used for thatch, &c. (Etym. from the recurved pointed flowering spikes). Syn. [tuma da gobara](#), *q.v.* (Other tall species of the same genus are probably included).

tsikar gida or **tsikar sabra** (**ts. saura**) (Sok.), *Leonotis pallida*, Benth. (Labiatae); a tall weed better known as [kain mutum](#) or [kain ɓarawo](#), *q.v.*

tsintsiya, 1. *Panicum subalbidulum*, Kunth. (Gramineae). A grass 3 to 4 feet high; used for thatching and for brooms, and planted as a field boundary.

2. *Eragrostis* sp. (?*E. biformis*, Kunth.). A grass of wet places, used for thatch; the species commonly sold for brooms.

tsira faɓo, *Stylosanthes erecta*, Beauv. (Leguminosae). A herb with fragrant viscid leaves and small yellow flowers. (Etym. from growing up on hard bare areas).

tsiyayi = **keɓasheshe**; *vide* under [rama](#).

tsu or **farin tsu**, *Pavonia hirsuta*, Guill. et Perr. (Malvaceae). A shrub with broad harshly hairy leaves and large yellow flowers with purple centre. (*Urena lobata*, Linn. Malvaceae, is sometimes distinguished as **jan tsu**; *vide* [ramaniya](#)).

tsuku or **tsuwuku** (Kano), *Biophytum sensitivum*, DC. (or *Oxalis sensitiva*, Geraniaceae); a small pinnate-leaved herb with the habit of a tiny palm and salmon-pink flowers; as in the “Sensitive Plant” the

leaves contract when touched. (Popular names are *mata gara* *ƙafafunki*, *rufe rumbu*, *ka buɗi ka noƙe*, &c. (*noƙewa* = contracting or withdrawing).

tsura, *vide* [tsibra](#).

tsuwawun biri, *Vitis cornifolia*, Bak. (Ampelideæ), an erect plant of the vine family, with ovoid pointed berries; root medicinal. Syn. ? **rigyar biri**.

tsuwawun zaki (Sok. Kats. and Zanf.), *Cucumis Figarei*, Del. (Cucurbitaceæ). A wild ground trailer of the gourd family with ovoid slightly prickly fruit. Syn. **maƙaimi** (Katagum), **kashin gwanki**, **gunar kura**; **gwolon zaki** (East Hausa). Used medicinally and as a medicinal charm for chickens.

tswa, *vide* [tsa](#).

tswada, *vide* [tsada](#).

tubani, a food prepared from beans; *vide* under [wake](#).

tubanin dawaki, *Peristrophe bicalyculata*, Nees. (Acanthaceæ). An erect annual with pink flowers; can be used as fodder.

tuɗi, *vide* under [faru](#).

tugandi, large mild chillies; *vide* under [barkono](#).

tuji or **chiyawar tuji**, *Eleusine indica*, Gaertn. (Gramineæ). A coarse tufted grass with digitate flower-spikes; resembling but smaller than [tamba](#), q.v. a good fodder and capable of being used as food.

tukurra (Sok.), *Melochia corchorifolia*, Linn. (Malvaceæ). An erect plant of wet places; 2 to 4 feet high; stems used for *tanka*; bark used for cordage, and leaves sometimes used in soup.

tukuruwa, *Raphia vinifera*, Pal. Beauv. (Palmeæ). “Bamboo Palm.” “Wine Palm.” Stems used for roofing, canoe-poles, &c. (= *gongola*; *gwangwala*, the Nupé name for this palm); leaf for various plaited articles (e.g. [kabido](#), q.v. a kind of waterproof hood; and *kororo*, cowrie bags); *bami* or palm-wine is usually made from this species in N. Nigeria. *vide* also [murli](#), [gangame](#), &c.; a mealy layer between the husk and the hard nut is eaten in Munchi as a food and medicine, &c.

tuma da gobara (Sok. and Zanf.), *Cymbopogon diplandrum*, Hack. var. A tall grass with reflexed flower-spikes, very abundant in the bush; used for thatch. (Etym. from the crackling and jerking of the dry spikes when burnt). Syn. [tsikar daji](#), q.v.

tumbin jaki, *Paspalum scorbiculatum*, Linn. (Gramineæ); a wild grass used in some districts as a cereal; a sort of “hungry rice” or “bastard millet.” (Etym. probably from observed unwholesome effects).

tumfafiya, *Calotropis procera*, R. Br. (Asclepiadæ). “Dead Sea” or “Sodom Apple.” (Arab. *ashur*, and closely related to the Indian *mudar* or *ak*—*Calotropis gigantea*). A large “Milkweed,” a common shrub of peculiar appearance with broad hoary-white leaves and milky juice, umbels of pink and purplish flowers and bladdery capsular fruit; only found near habitations and used in many ways, medicinally, for cordage, &c.

tumkiya, a grass; (applied loosely to several plants with white flowers or pale foliage). cf. [Ba-Fillatani](#), and [karani](#).

tumkiyar rafi (Sok., &c.), *Heliotropium ovalifolium*, Forsk. (Boragineæ). A coarse weed with small white flowers; used medicinally.

tumniya, vide [tinya](#).

tumu, ears of early ripening [gero](#) or [maiwa](#) and other cereals excluding maize, eaten roasted (not boiled, &c.).

tumuku, *Coleus dysentericus*, Baker (Labiatae). A cultivated annual with tuberous potato-like root.

tumukun biri, *Syncolostemon ocymoides*, Sch. et Thon. (Labiatae). A wild plant very similar to the above, with small tubers. Syn. ? **sankwo** (Kano).

tumukun suri, *Potaxon pistillaris*, Fr. An erect club-shaped fungus with brown dusty spores as in the puff-ball, commonly found on ant-hills. Synonyms numerous, e.g. **muruchin jibba** or **m. jibji** (Kano), **wutar barewa** (the Beri Beri equivalent, from the smoke-like cloud of spore-dust when burst), **tabar angulu**, **tabar kura**, **geron kantu**.

tumun shalla, *vide* [shalla](#).

tuna (often pronounced **tunam** or **tunas**), *Pseudocedrela Kotschyi*, Harms. (Meliaceae). A tree with undulate-edged leaves like the oak; a good timber; bark used medicinally.

tun jamjam (?Hausa), flowers of the tamarind-tree; *vide* under [tsamiya](#).

turgunuwa, *vide* [lalu](#).

turri, a dye; generally a synonym for [gangamu](#) or turmeric, *q.v.*

tursuje (Ful.), *Hæmatostaphis Barteri*, Hook. f. (Anacardiaceæ). A tree with pendulous racemes of purple plum-like edible fruit; bark used medicinally. “Blood Plum.”

tururubi, *Lasiosyphon Kraussii*, Meisn. (Thymeleæ). A small erect herb with yellow heads of flowers and a thickened root; leaf and root are very poisonous.

turu turu, *vide* under [.dorowa](#).

tutar yan sariki, *vide* [sutura](#).

tutubidi, *vide* [babar more](#).

tuwon biri, *vide* under [doya](#).

tuwon ɓaure, *vide* under [alkama](#).

twashshi, *vide* under [barkono](#).

U

umara, *vide* [kokara](#).

uwa banza?, *vide* [gizaki](#).

uwar maganni, *Urena sinuata*, Linn. (Malvaceæ). A shrub 6 to 8 feet high with pink flowers and deeply lobed leaves, planted in compounds (Sokoto West) for its strong fibrous bark used for cordage. (Etym. ?

uwar magami, “mother of joinings”). This species is scarcely distinguishable from the wild *U. lobata*, or [ramaniya](#), *q.v.* and is often so named.

uwar mangunguna (Sok. Zanf., &c.), *Securidaca longipedunculata*, Fres. (Polygalaceæ). *vide* [sainyia](#). (Etym. “mother of medicines”).

uwar yara (Kano, Katagum, &c.); *Ficus capensis*, Thunb. (Urticaceæ). A species of fig-tree with dense clusters of edible figs growing on the trunk and older branches. (Etym. from the abundant fruiting clusters). Syn. **haguguwa** (Kano, Bauchi, &c.), **garicha** (Zanfara), and **farin ɓaure**.

W

wadda, *Rauwolfia Welwitschii*, Stapf. (Apocynaceæ); a tree somewhat resembling the shea-butter tree, with milky sap; (Benué district and south).

wa or **ya** (Sok.), *Ficus* sp. (Urticaceæ). A species of fig-tree with rounded cordate leaves and large single figs. **wan kurumi**, another species of *Ficus*.

waiyaro, *vide* [kaguwa](#).

wake, *Vigna sinensis*, Endl. (*V. Catjang*, Walp.), and perhaps other species. The common cultivated bean of the country. *Chowlee* (India), *Tow Kok* (China).

Numerous varieties are recognized, some of them probably of different species:—

farin wake, and *jan wake*, *waken damana*;

kwama (Sok. and Gobir) = small brown beans usually given to horses but also used as human food;

tsarariya, also a brown bean, sometimes mottled;

zaḳo, *mai zaḳi*, or *ba-zaḳa* (Gobir), a well-flavoured bean which can be cooked without salt;

ḍan Uda, or *Ba-Ude* (Kano), a bean which is half black or brown and half white like a similarly marked variety of sheep (*Udawa*, a Fulani tribe); *roko*, also a piebald bean;

yaro da manda, a spotted black and white bean;

hannun marini, with a blue pod and seeds black-speckled;

ḍan kwoloje, a larger white bean;

ḍan arbain, planted in damp places and said to be ripe in 40 days after planting;

damana biyu or *kaka biyu*, perhaps the same as *ḍan arbain*, because two crops can be grown in one season;

[*ka nannade*](#), *q.v.* a brown-speckled bean in curled pods; *bidi*, also a speckled bean.

Beans are used as food in the following ways:—

1. Fresh leaves used as a vegetable or in soup.
2. Young pods eaten raw or cooked.
3. Beans eaten boiled; the husks given to cattle.

4. *Tubani*, dried beans pounded, *kanwa* added, tied up in folded palm or other leaf and boiled.
5. *Ɗan wake*, bean meal with *kanwa* boiled in lumps and balls, eaten with a soup or sauce of ground-nuts, salt, pepper, &c. (*romon geɗa*).
6. *Ƙosai*, dried beans soaked in cold water, ground moist, and then boiled in ground-nut oil and made into balls or dough-nuts; (mucilage of [yodo](#), q.v. may be added for cohesion); *ƙosai* of beans nearly corresponds with *kwalli kwalli* of ground-nuts, and *abakuru* of [kwaruru](#), q.v.
7. *Wasa wasa*, porridge of ground beans.
8. *Maka* (East Hausa), bean leaves dried and used in soup.

harawan wake = bean straw used as fodder.

kowar wake = bean pods or husks.

jimɓirin wake = immature bean pods used as a vegetable often uncooked.

The following saying is applied to the bean:—“*na gazawa garkuwar maiƙi niƙa, ka ƙi fari uku, ka ƙi a gona, ka ƙi a tukunya, ka ƙi a chiki.*” These are nicknames for the bean, which is both an unprofitable crop and an inconvenient and coarse kind of food, but the stranger goes home and describes them as novelties which he has seen—the bane of the indolent who will not take the trouble to grind it—in the field it occupies more space than its value—in the pot it requires long cooking—in the stomach it disagrees.

waken Ankwai, waken bisa, a large climbing bean, cultivated in some districts; probably the white-seeded var. of *Canavalia ensiformis*, DC. “Sword Bean,” *vide* under [barankachi](#). (*Ankwai*, a pagan tribe in Muri).

waken baibayi or **waken Gwari**, *Dolichos Lablab*, Linn. A cultivated climbing bean on fences, trees near houses, or on hut roofs, &c.; called also **w. damfami**, **w. darni**, &c.

waken barewa or **waken damo**, *Vigna membranacea*, A. Rich. and other spp. Wild twining beans in fields &c. *vide* [gayan_gayan](#). (*Vigna vexillata*, Benth. *Vigna pubigera*, Baker, &c.).

waken gizo, *Vigna triloba*, Walp. A bean twining on fences, &c. greatly resembling the common cultivated bean; eaten by goats, &c. The saying *ka yi ñiya ka watsas*, is used of this (from the scattering of the seeds when the pods burst).

waken tumka, *vide* [yawa](#).

waken Turawa or **waken Masar**, W. Stambul, &c. *Cajanus indicus*, Spreng. “Congo Pea,” “Pigeon Pea.” An erect shrub introduced for cultivation. A form of Indian “dal.”

walkin tsofo or **walkin wawa**, *Trichodesma africanum*, R. Br. (Boragineæ); a coarse herb with white flowers, common near villages, &c. (Etym. “old man’s” or “fool’s apron”).

wasawa, a food made of beans; *vide* under [wake](#).

wayo, a var. of [dawa](#), *q.v.*

wutar barewa, a species of fungus; *vide* under [tumukun suri](#).

wuta wuta, *vide* [kuduji](#).

wutsiyar ɓera, *vide* [tsarkiyar kusu](#).

wutsiyar damo, *vide* [karan masallachi](#).

wutsiyar giwa, *vide* [gabara](#).

wutsiyar jaki, *vide* [katsaimu](#).

wutsiyar ɓadangare, *vide* [tsarkiyar kusu](#).

wutsiyar kurege or **bundin kurege**, a grass about 12 to 18 inches high, with a bottle-brush-like flowering spike. A name somewhat loosely applied, and including *Trichopteryx hordeiformis*, Stapf, and *Perotis latifolia*, Ait.

wutsiyar kusu or **w. ɓera**, *vide* [tsarkiyar kusu](#) and [shinaka](#).

wutsiyar raɓumi, *Platycoryne paludosa*, Rolfe (Orchideæ). A small ground orchid with orange-coloured flowers. (Etym. from the long spur of the flower; probably applied to several orchids with spurred flowers).

wuyan bajimi, a var. of [gero](#), *q.v.*

wuyan damo, *Combretum leonense*, Engl. and Diels. and perhaps other spp. (Combretaceæ). A tree with corrugated bark and 4-winged fruit; a gum yielder; bark used as an astringent medicine. (Etym. from

the rough scaly bark resembling the skin of the large lizard, *damo*, *Varanus exanthematicus*).

Y

ya, a species of fig-tree; *vide* [wa](#).

yaḅi = arrow-poison; *vide* [kwankwani](#). (*yaḅa* = to smear). Syn. **zabgai**.

yabainya (Kano), the young plants of [dawa](#) or [gero](#), (which contain prussic acid and are in some circumstances highly poisonous until they reach a certain stage of growth).

yaḍiya, *Leptadenia lancifolia*, Decne. (Asclepiadeæ). A common twiner with half-succulent leaves and a thick greenish sap; leaves and flowers used as food, and bark for fibre.

yaḍiyar kada, *Taccazea Barteri*, Baill. (Apocynaceæ). A twiner with milky juice, common on trees, &c. near streams; (including other species).

yaji or **yan yaji**, a general name for spice; *vide* [chitta](#), [kubla](#), &c.

ya ḱi ruwan Allah, *vide* under [kwarko](#).

yako (Sok. and Kats.), *Ipomœa pilosa*, Sweet, and other spp. (Convolvulaceæ). A rough-leaved convolvulus common on fences, &c. in towns; *vide* under [barmatabo](#). The dried leaves form a medicine called *dankon kuyangi*.

yakuwa, Hibiscus Sabdariffa, Linn. (Malvaceæ). “Red Sorrel,” “Rosella.” A cultivated plant with acid leaves and succulent calyx (usually red in colour), used as a vegetable. Syn. **sure** (Sok.). *gurguzu* = seeds of **yakuwa**; *daudawar beso* = seeds boiled and crushed and the oil extracted, used for soup and as a medicinal vehicle. *zoḅarodo* = the fleshy calyces of **yakuwa** used in food, as a beverage, &c.

yakuwar fatake or **y. mahalba**, vide [ayana](#) and [buda yau](#).

yakuwar ɓaya, **y. kwaɗi**, **y. daji**, **y. ɓaimamowa**, &c. = wild varieties of Hibiscus cannabinus, Linn. a very variable plant; vide [karama mowa](#) and [rama](#).

yalo, a variety of the native tomato; vide under [gauta](#).

yama, a common tall grass of meadows, &c. Cymbopogon rufus, Kunth. used for *zana* and thatch.

yamɓururu (Sok.), Merremia angustifolia, Hill. fil. (Convolvulaceæ). A prostrate convolvulus with narrow leaves, wiry stems, and small pale yellowish flowers. In some districts called [gadon machiji](#), q.v. Syn. [gammon bawa](#), q.v. The name **yamɓururu** in Kontagora and elsewhere = Ipomœa eriocarpa, R. Br. and other spp.; the smaller variety of twining convolvulus common on fences, &c.

ya manya (Sok.), vide [kain fakara](#).

yanbama (Sok.), Pennisetum Bentharii, Steud. *var.* (Gramineæ), a tall grass, 6 to 8 feet high, with cylindrical flower-spike like a smaller [gero](#). “Elephant Grass.” *cf.* [dawar kada](#).

yandi, a large tree used in native house-building. Ficus sp.

yan guriya = cotton seed; *vide* under [abduga](#).

yar gari, a var. of cotton; *vide* under [abduga](#).

yaro da dariya, *vide* under [kwaruru](#).

yaro da manda, a var. of bean; *vide* under [wake](#).

yaron kogi, *vide* under [kaidajin ruwa](#).

yar unguwa, *vide* [gasaya](#).

yaryaḍi, 1. Ipomœa sp. (Convolvulaceæ). A convolvulus or “Morning glory” (probably including several species). 2. **yaryaḍi** or **yaryaḍin gona**, a wild leguminous twiner with hairy leaves and pods in clusters. Vigna luteola, Benth. *var.* villosa, Baker.

yaryaḍin kura (Katagum), Gymnema sylvestre, R. Br. (Asclepiadeæ). A twiner with milky juice.

ya tabshi, a var. of the cotton plant; *vide* under [abduga](#).

yatsa biat, *vide* [hannu biat](#).

ya tsauro, a var. of the cotton plant; *vide* under [abduga](#).

yaudo, **yabdo**, or **yodo** (Sok.), *Ceratotheca sesamoides*, Endl. (Pedaliaceæ). A herb related to sesame (*vide* [ridi](#)), with mucilaginous juice and pink flowers; used in soup and medicinally; added to cereals and pulses to give cohesion in preparing various comestibles. (Etym. probably from the viscid sap). Syn. **karkashi**.

yaui (Kontagora), ?*Crotalaria polychotoma*, Taub. (Leguminosæ). A low pubescent herb with small yellow flowers; used medicinally. *vide* [sa furfura](#).

yawa, fibre from various sources. 1. Chiefly that from a var. of the cultivated bean, *Vigna sinensis*, Endl. grown for the strong fibrous bark of the flowering peduncles, used for fishing lines, nets, horse-girths, &c. Syn. **waken tumka** (Sok.), **waken tuka** (Gobir), **waken tuka** (Kano). 2. the root-bark of the acacia [dakwora](#), *q.v.* (*Acacia Senegal*), and other species of acacia, e.g. [dundu](#) and [twatsa](#), *q.v.* used for strong ropes, &c. *cf.* [medi](#). 3. Applied also to the fibre of *Polygala butyracea*, Hack. (*cheyi* of Kabba, *enyigi* of Nupé), grown by pagans in the south, Munchi, Togo, &c.

yaya kai ka fito, *vide* [kaka kai ka fito](#).

yayan dara, seeds of various trees used in the game *dara*, and hence applied to a leguminous tree in the south, with prickly pods containing two large round seeds—*Cæsalpinia Bonducella*, Fleming.

yazawa or **zazawa**, an undershrub, wild or planted in compounds; the root is an acrid poison and is used for making tribal marks, and as an ingredient in some recipes for arrow-poison.

yodo, *vide* [yaudo](#).

Z

zabgai, arrow-poison; syn. **yabi**; *vide* [kwankwani](#).

zabibi, a plant with a tuberous rhizome yielding a yellow dye. *Curcuma* sp. (Scitamineæ). *cf.* [gangamau](#).

zabiya, a variety of date; *vide* under [dabino](#).

zabo (Sok.), *Aloe* sp.—probably *A. Barteri*, Baker (Liliaceæ). An aloe with stiff speckled and hard pointed leaves; two varieties occur; 1. a bush variety with orange-yellow flowers. 2. *zabon dafi*, a cultivated variety planted near houses, having bright red flowers and becoming very succulent; used as an ingredient of arrow-poison; also called *zabo ko*. Syn. **kabar giwa** (Kano, Zaria, &c.).

zago, a var. of [dawa](#), *q.v.*

zaki, *Datura Metel*, Linn. (Solanaceæ). “Metel” or “Hairy Thorn Apple.” A coarse branched annual with broad leaves and long white trumpet-shaped flowers, common in waste places about towns, &c. The seeds, in globular prickly capsules, are a deliriant poison. Syn. **haikat yaro** (from its use as an excitant to youths at *sharo* contests).

In Sokoto and Katsina called [babba jibji](#), *q.v.* The epithet *sutura* (East Hausa) is applied to this plant (from the folding of the unopened corolla).

zaḳi banza, *Amaranthus viridis*, Linn. (Amaranthaceæ). A common weed with spikes of inconspicuous greenish flowers; a form of native spinage used as a vegetable and sometimes cultivated. (Etym. from the insipid taste). Syn. **rukūḅu** (Sok. and Kats.), and **malamkochi** (Katsina).

zaḳi birri, *vide* under [goriba](#).

zaḳo, a var. of bean; *vide* under [wake](#).

zamarke, *Sesbania punctata*, DC. (Leguminosæ). A tall slender leguminous shrub of wet places, with pinnate leaves and yellow flowers; a sooty pigment got by scorching the stems is used to decorate huts; the stems are used for arrow-shafts. Syn. **checheko** (East Hausa) *cf.* also [alambo](#).

zamfaruwa, a var. of [gero](#), *q.v.*

zango, a var. of [gero](#), *q.v.*

zayi? (Katagum, &c.), *Boscia senegalensis*, Lam. (Capparideæ); a low shrub with bunches of small whitish flowers and berry fruit; leaves and berries used as food. *cf.* [anza](#).

zazar giwa or **zazar gwiwa**, *vide* [sare gwiwa](#).

zazawa, *vide* [yazawa](#).

zindi (Katagum, Kanuri?), *Combretum* sp. nr. *C. Hartmannianum*, Schweinf. (Combretaceæ); a tree with shining foliage and 4-winged fruit; probably the same as [chiriri](#) (*C. Kerstingii*, Engl. and Diels.), *q.v.*

zoḅarado, the calyces of the “Red Sorrel” or [yakuwa](#) (*Hibiscus Sabdariffa* Linn.), *q.v.* used as food, medicine, and a beverage.

zagalagandi, *Moringa pterygosperma*, Gaertn. (Moringaceæ). “Horse-radish Tree.” A tree with graceful foliage white flowers and long pendulous pods, frequently planted around houses, and therefore also called **samarin danga**. The winged seeds yield an oil (“Oil of Ben”). Syn. **bagaruwar Makka** (Sok.), **barambo** (Gobir), also sometimes called [taḅa ni ka samu](#), *q.v.* (*cf.* [kurnan nasara](#)). The roots can be used as horse-radish and the young leaves as a vegetable.

zugu, *vide* under [abduga](#).

zunguru, a var. of the bottle-gourd; *vide* under [duma](#).

zunzuna, *vide* [rawaya](#).

urma, *Ricinus communis*, Linn. (Euphorbiaceæ). “Castor Oil Plant.” A tall shrub with large broad leaves and erect racemes of spiny capsules containing the seed from which castor oil is made; commonly planted in compounds or growing in waste places. The oil is chiefly used externally by Hausas, for sores on camels, &c. *kufi* = a dark oily

extract from the mixed seeds of **zurma**, [bi ni da zugu](#), and [aduwa](#),
q.v.

zuru, a var. of the bottle-gourd; *vide* under [duma](#).

zuwo, *Celtis integrifolia*, Lam. (Urticaceæ). A large tree. “Nettle-tree.”
Syn. [dukki](#), *q.v.* *cf.* also [dinkin](#).

INDEX TO GENERA AND POPULAR NAMES

REFERENCE

A

Abrus	<i>idon zakara</i> .
Acacia	<i>bagaruwa</i> , <i>dakwora</i> , <i>dushe</i> , <i>fara kaya</i> , <i>farichin shafu</i> , <i>gaba chara</i> , <i>gardayi</i> , <i>gawo</i> , <i>karkara</i> , <i>kwandariya</i> , <i>yawa</i> .
Achryanthes	<i>hakorin machiji</i> .
Adansonia	<i>kuka</i> .
Adenium	<i>kariya</i> .
Adenodolichos	<i>kwiwa</i> .
Adenopus	<i>gojin jima</i> .
Adina	<i>kadanyar rafi</i> .
Æolanthus	<i>deidoya</i> .
Ærua	<i>alhaji</i> .

Æschynome	<u>falfoli</u> , <u>kaidajin ruwa</u> .
Afrormosia	<u>ba-jini</u> , <u>makarfo</u> .
Afzelia	<u>kawo</u> .
Agaricus	<u>naman kaza</u> .
Albizzia	<u>katsari</u> .
Alchornea	<u>bambami</u> .
Algæ	<u>limniya</u> .
Allium	<u>albasa</u> , <u>tafarnuwa</u> .
Aloe	<u>zabo</u> .
Alternanthera	<u>mai-kain dubu</u> .
Alysicarpus	<u>gadagi</u> .
Amaranthus	<u>alayafu</u> , <u>zaki banza</u> .
Amblygonocarpus	<u>kolo</u> .
Ambrosia	<u>babar more</u> .
Amomum	<u>chitta</u> .
Amorphophallus	<u>gwazar giwa</u> , <u>kwododon kwado</u> .
Ampelocissus	<u>tsibiri kinkini</u> .
Anacardium	<u>kanju</u> .
Anaphrenium	<u>hawayen zaki</u> , <u>shiwakar jan garigari</u> .
Anchomanes	<u>tsakara</u> .
Andropogon	<u>bayan mariya</u> ,

	<u>damba</u> ,
	<u>gamba</u> ,
	<u>labanda</u> ,
	<u>jan bako</u> , &c.
Aneilema	<u>tsidaun kare</u> .
Anogeissus	<u>marike</u> .
Anona	<u>gwandar daji</u> .
Ansellia	<u>manta uwa</u> .
Anthericum	<u>tamraro</u> .
Anthocleista	<u>kwari</u> .
APPLE—	
AKEE	<u>alale</u> .
BALSAM	<u>garafuni</u> .
CUSTARD WILD	<u>gwandar daji</u> .
HAIRY THORN	<u>zakami</u> .
DEAD SEA or SODOM	<u>tumfafiya</u> .
Arachis	<u>geda</u> ,
	<u>gujiya</u> .
Argemone	<u>kwarko</u> .
Aristida	<u>datsi</u> ,
	<u>kasmakaru</u> ,
	<u>katsaimu</u> .
Aristolochia	<u>gadakuka</u> .
Arnebia	<u>jinin mutum</u> .
ARROW-POISON	<u>kwankwani</u> .
ARROWROOT, SOUTH SEA	<u>amara</u> .
Artemisia	<u>tazargadi</u> .

Artocarpus	<u>barabutu.</u>
Arundo	<u>gabara.</u>
Asclepias	<u>risgar kurege.</u>
Asparagus	<u>tsatsarar ɓera.</u>
Aspilia	<u>nanake.</u>
AUBERGINE	<u>gauta.</u>

B

Balanites	<u>aduwa.</u>
Balsamodendron	<u>dashi,</u> <u>jawul.</u>
BAMBOO	<u>gora.</u>
BANANA	<u>ayaba.</u>
BAOBAB	<u>kuka.</u>
Baphia	<u>majigi.</u>
BARLEY	<u>shair.</u>
BASIL, SWEET	<u>deidoya.</u>
Bauhinia	<u>jirga,</u> <u>kargo.</u>
BDELLIUM, AFRICAN	<u>dashi.</u>
BEAD TREE	<u>kurnan nasara.</u>
BEAN	<u>wake.</u>
MAHOGANY	<u>kawo.</u>
“OVERLOOK”	<u>ɓarankachi.</u>

SWORD	<u>barankachi</u> , <u>waken Ankwai</u> .
YAM	<u>giri giri</u> .
BENISEED	<u>ridi</u> .
Bergia	<u>bushi</u> .
BETU, OIL OF	<u>aduwa</u> .
Biophytum	<u>tsuku</u> .
BIRD'S EYE	<u>idon zakara</u> .
Blepharis	<u>faskara toyi</u> .
Blighia	<u>alale</u> , <u>Gwanja kusa</u> .
BLOODFLOWER	<u>albasar kwadi</u> .
BLOOD PLUM	<u>tursuje</u> .
BLOODWOOD	<u>madobia</u> .
Boerhaavia	<u>babba juji</u> .
Bombax	<u>gurjiya</u> .
Borassus	<u>giginya</u> .
Boscia	<u>anza</u> , <u>zayi</u> .
Boswellia	<u>hano</u> .
BREAD-FRUIT	<u>barabutu</u> .
BREAK-AXE	<u>kariye gatari</u> .
BREAK-HOE	<u>kariye galma</u> .
Briedelia	<u>kirni</u> .
BRINJAL	<u>gauta</u> .
BROOM-WEED, SWEET	<u>roma fada</u> .
BRYONY	<u>gautan zomo</u> .

BUFFALO-HORN

[magariyar kura.](#)

BULRUSH

[shalla.](#)

Burkea

[kurdi.](#)

Butyrospermum

[kaḁanya.](#)

C

CABBAGE TREE

[kwari.](#)

Cadaba

[bagayi.](#)

Cadalvena

[takalmin zomo.](#)

Cæsalpinia

[yayan dara.](#)

Cajanus

[waken Turawa.](#)

CALTROP

[tsaido,](#)

[dayi.](#)

WATER

[gedar ruwa.](#)

CAMWOOD

[majigi.](#)

Canavalia

[ḁarankachi,](#)

[kodagaya,](#)

[waken Ankwai.](#)

Capparis

[haujeri,](#)

[ḁabdodo.](#)

Capsicum

[barkono.](#)

Caralluma

[karan masallachi.](#)

Cardiospermum

[gautan kwado.](#)

Carica

[gwanda.](#)

Carissa	<u>gizaki.</u>
Carpodinus	<u>alubada.</u>
CASSAVA	<u>rogo.</u>
Cassia	<u>bagaruwar kassa,</u> <u>fideli,</u> <u>filasko,</u> <u>gamma fada,</u> <u>rai dore,</u> <u>runhu,</u> <u>tafasa.</u>
Cassytha	<u>rumfar gada.</u>
CASTOR OIL	<u>zurma.</u>
Celosia	<u>alayaƙu (farin),</u> <u>nanafo.</u>
Celtis	<u>zuwo.</u>
Centaurea	<u>dayi.</u>
Cenchrus	<u>karangiya.</u>
Cephalandra	<u>barkonon biri,</u> <u>gurjin daji.</u>
Ceratotheca	<u>karkashi.</u>
CHESTNUT, WATER	<u>geɗar ruwa.</u>
CHEW-STICK TREE	<u>marike,</u> <u>tafashia.</u>
CHILLIES	<u>barkono.</u>
Chloris	<u>kafar fakara,</u> <u>kasara.</u>
Chlorophora	<u>loko.</u>

Chrozophora	<u>damaigi.</u>
Chrysanthellum	<u>rariyar ƙassa.</u>
Cienfuegosia	<u>ƙaɗa ƙaɗa.</u>
Cissampelos	<u>jibda ƙassa.</u>
Citrullus	<u>agushi,</u> <u>guna.</u>
Citrus	<u>lemu.</u>
CLEAVERS	<u>ɗan ƙaɗafi.</u>
Clematis	<u>rogon daji.</u>
Clerodendron	<u>mashayi.</u>
Clinogyne	<u>fita.</u>
CLOVES	<u>ƙanumfari.</u>
Cochlospermum	<u>rawaya.</u>
Cocos	<u>kwakwar Attagara.</u>
Cola	<u>goro.</u>
Colocasia	<u>gwaza.</u>
Combretum	<u>chiriri,</u> <u>dalo,</u> <u>geza,</u> <u>goga jiki,</u> <u>kariye galma,</u> <u>taramniya,</u> <u>wuyan damo,</u> <u>zindi.</u>
Commelyna	<u>balasa.</u>
Commiphora	<u>dali.</u>
CONVOLVULUS, vide <u>Ipomœa.</u>	

COPAIBA BALSAM, WEST AFRICAN	<u>kadaura.</u>
CORAL TREE	<u>majiriya.</u>
Corchorus	<u>lalu,</u> <u>malafiya.</u>
Cordia	<u>aliliba.</u>
CORN, GUINEA	<u>dawa.</u>
INDIAN	<u>masara.</u>
Costus	<u>ka ƙi zuwa Hausa.</u>
COTTON	<u>abduga.</u>
COWHAGE or COWITCH	<u>karara.</u>
Crataeva	<u>ingidido.</u>
CRESS, COMMON OR GARDEN	<u>algarif,</u> <u>labsur.</u>
Crinum	<u>albasar kwaɗi.</u>
Crossopteryx	<u>kasfiya.</u>
Crotalaria	<u>biya rana,</u> <u>geɗar awaki,</u> <u>maganin kunama,</u> <u>manta uwa,</u> <u>sa furfura,</u> <u>yauki.</u>
Croton	<u>itchen Masar.</u>
Cryptolepis	<u>ƙafon baɗi.</u>
Ctenium	<u>shinaka.</u>
Ctenolepis	<u>ɗiyan hanwawa.</u>
CUCUMBER, AFRICAN	<u>kurzunu.</u>
Cucumis	<u>gurji,</u>

	<u>kain fakara,</u>
	<u>nonon kura,</u>
	<u>tsuwawun zaki.</u>
Cucurbita	<u>kabewa.</u>
Curculigo	<u>doyar kurege.</u>
Curcuma	<u>gangamau,</u>
	<u>zabibi.</u>
Cus Cus	<u>jema.</u>
Cussonia	<u>gwabsa.</u>
Cyathula	<u>karangiyar kusu.</u>
Cyanotis	<u>raḡa,</u>
	<u>tamraro.</u>
Cycnium	<u>Gwanja kusa.</u>
Cymbopogon	<u>gaḡiri,</u>
	<u>kyara,</u>
	<u>nobe,</u>
	<u>tsabre,</u>
	<u>tsikar daji,</u>
	<u>yama.</u>
Cynodon	<u>kiri kiri.</u>
Cyperus	<u>aya,</u>
	<u>aya-aya,</u>
	<u>ḡan Tunuḡa,</u>
	<u>gizgiri,</u>
	<u>gwaigwaya,</u>

[kajiji.](#)

D

Dactyloctenium

[gude gude.](#)

“DAL”

[waken Turawa.](#)

Daniellia

[kadaura.](#)

DATE

[dabino.](#)

DESERT

[aduwa.](#)

Datura

[babba juji,](#)

[zakami.](#)

Desmodium

[dan kadafi.](#)

Detarium

[taura.](#)

“DEVIL’S COACH-WHIP”

[tsarkiyar kusu.](#)

Dichrostachys

[dundu,](#)

[sarkakiya.](#)

Dicoma

[dauda.](#)

Digitaria

[acha,](#)

[harkiya,](#)

[karani,](#)

[makari.](#)

Dioscorea

[doya,](#)

[kosain rogo,](#)

[sakata.](#)

Diospyros

[kanya.](#)

Dolichos	<u>waken baibayi.</u>
Donax	<u>fita.</u>
DRAGON'S BLOOD	<u>madobia.</u>
DUB	<u>kiri kiri.</u>
DURRA	<u>dawa.</u>
Dyschoriste	<u>fidda hakukuwa.</u>

E

EBONY, AFRICAN	<u>kanya.</u>
EGG-PLANT	<u>gauta.</u>
Elais	<u>kwakwa.</u>
ELEMI, AFRICAN	<u>atillis.</u>
Eleusine	<u>tamba,</u> <u>tuji.</u>
Entada	<u>tawatsa.</u>
Eragrostis	<u>buddari,</u> <u>burburwa,</u> <u>tsintsiya.</u>
Eriodendron	<u>rimi.</u>
Erythrina	<u>majiriya.</u>
Erythrophlœum	<u>gwaska.</u>
Eugenia	<u>kanumfari,</u> <u>malmo.</u>
Euphorbia	<u>fidda sarts,</u>

Evolvulus

[kaguwa](#),
[kerana](#),
[kurar shanu](#),
[nonon kurchiya](#),
[sutura](#),
[tinya](#).
[ka fi malam](#).

F

Fadogia

[gagayi](#).

Feretia

[kurukuru](#).

FERN—

ELK'S HORN

[dafaddu](#).

HARE SPEAR

[mashin zomo](#).

MALE

[agugu](#).

Ficus

[baure](#),

[bijaje](#),

[chediya](#),

[dulu](#),

[durumi](#),

[gamji](#),

[garicha](#),

[kawuri](#),

[nonon gwanki](#),

	<u>rubiya,</u>
	<u>shirinya,</u>
	<u>taba ni ka samu.</u>
	<u>uwar yara,</u>
	<u>wa,</u>
	<u>yandi.</u>
Fimbristylis	<u>gemen kusu.</u>
Fluggea	<u>tsa.</u>
FRANKINCENSE TREE	<u>hano.</u>

G

Garcinia	<u>goro.</u>
Gardenia	<u>gaude,</u>
	<u>katambiri.</u>
GINGELLY	<u>ridi.</u>
GINGER	<u>chitta Afu.</u>
Gisekia	<u>lallen shamuwa.</u>
Gladiolus	<u>rumana.</u>
Gloriosa	<u>baurairai.</u>
Glossonema	<u>tarin gida.</u>
Gossypium	<u>abduga.</u>
GOURD—	
BOTTLE or CLUB	<u>duma.</u>

PROPHETS'	<u>kain fakara.</u>
SOUR	<u>kuka.</u>
SQUASH	<u>kabewa.</u>
GRAINS OF PARADISE	<u>chitta.</u>
Grangea	<u>tambari.</u>
GRAPES, FOREST	<u>tsibiri kinkini.</u>
GRASS—	
BERMUDA or DUB	<u>kiri kiri.</u>
BRISTLY FOX-TAIL	<u>duza.</u>
COMB FRINGE	<u>gude gude.</u>
CUS CUS or VETIVER	<u>jema.</u>
ELEPHANT	<u>yanbama,</u> <u>dawar kada.</u>
PRICKLY BUR	<u>karangiya.</u>
SPANISH REED	<u>gabara.</u>
Grewia	<u>dargaza,</u> <u>gurdugu,</u> <u>kurukubi.</u>
Guiera	<u>sabara.</u>
GUINEA GRAINS	<u>chitta.</u>
GUM ARABIC	<u>dakwora,</u> <u>bagaruwa.</u>
GUM ACACIA	<u>dushe,</u> <u>fara kaya,</u> <u>gardayi.</u>
GUTTA-PERCHA TREE	<u>gamji.</u>
Gymnema	<u>yaryadin kura.</u>

Gymnosporia	<u>kunkushewa.</u>
Gynandropsis	<u>gasaya.</u>
Gynura	<u>baba hun.</u>

H

Habenaria	<u>muruchin daji.</u>
Hæmanthus	<u>albasar kwadi.</u>
Hæmatostaphis	<u>tursuje.</u>
Hannoa	<u>takandar giwa.</u>
Heliotropium	<u>Ba-Fillatani,</u> <u>Gwanja kusa,</u> <u>tumkiyar rafi.</u>
HEMP—	
AFRICAN BOWSTRING	<u>moda.</u>
INDIAN	<u>rama.</u>
HENNA	<u>lalle.</u>
Heteropogon	<u>bunsurun daji.</u>
Hibiscus	<u>karama mowa,</u> <u>kuɓewa,</u> <u>yakuwa,</u> <u>rama.</u>
Hippocratea	<u>gwadayi.</u>
Holarrhena	<u>bakin mutum.</u>
Hordeum	<u>shair.</u>

HORSE-RADISH TREE

Hygrophila

Hymenocardia

Hyphaena

Hyptis

[zagalagandi.](#)

[sare gwiwa.](#)

[jan yaro.](#)

[goriba.](#)

[deidoyar kare,](#)

[kimba kimba.](#)

I

Imperata

INDIGO

Indigofera

[tofa.](#)

[baba,](#)

[talaki.](#)

[baba,](#)

[bakin bunnu,](#)

[dan marike,](#)

[gujiyar hankaka,](#)

[kaikai koma kan mashikiya,](#)

[karkashin zomo,](#)

[sagagi,](#)

[tantaroba.](#)

Ipomœa

[awarwaro,](#)

[barmatabo,](#)

[dankali,](#)

[dankon kuyangi,](#)

[dumar kada,](#)

	<u>d. kwadi,</u>
	<u>farin gammo,</u>
	<u>kafar kaza,</u>
	<u>kurɗin machiji,</u>
	<u>sawu dubu,</u>
	<u>yako,</u>
	<u>yambururu,</u>
	<u>yaryadi.</u>
IROKO	<u>loko.</u>
Irvingia	<u>goron biri.</u>
Isobertia	<u>doka.</u>

J

Jatropha	<u>bi ni da zugu.</u>
JEQUIRITY	<u>idon zakara.</u>
JUJUBE TREE	<u>magariya.</u>
Jussiaea	<u>sha shatau.</u>
JUTE	<u>lalu,</u>
	<u>malafiya.</u>

BASTARD

[rama.](#)

K

KAPOK

[rimi.](#)

Kerstingiella

[kwaruru.](#)

Khaya

[madachi.](#)

Kigelia

[rahaina.](#)

KINO, AFRICAN

[madobia.](#)

Kœmpferia

[limniyar kwadi.](#)

KOKO YAM

[gwaza.](#)

Kola

[goro.](#)

L

Lactuca

[dayi \(namijin\),](#)

[nonon bariya.](#)

Lagenaria

[duma.](#)

Landolphia

[chiwo.](#)

Lantana

[kimbar mahalba.](#)

Lasiosyphon

[tururubi.](#)

Lawsonia

[lalle.](#)

Leonotis	<u>kain barawo.</u>
Lepidium	<u>algarif,</u> <u>labsur.</u>
Leptadenia	<u>yadiya.</u>
LETTUCE, WATER	<u>kai nuwa.</u>
Leucas	<u>deidoyar gona.</u>
LILAC, AFRICAN OR PERSIAN	<u>kurnan nasara.</u>
LILY—	
CLIMBING	<u>baurairai.</u>
SPIDER	<u>hatsin manoma.</u>
WATER	<u>bado.</u>
LIME	<u>lemu.</u>
Limonia	<u>kokuwa.</u>
LOCUST BEAN, AFRICAN	<u>dorowa.</u>
Lonchocarpus	<u>furen yan sariki,</u> <u>shunin biri,</u> <u>talaki.</u>
Lophira	<u>kadanya (namijin).</u>
Loranthus	<u>kauchi.</u>
LOVE-LIES-BLEEDING	<u>alaya<u>fu</u>.</u>
Luffa	<u>soso.</u>

M

Mærua	<u>chichiwa,</u>
--------------	----------------------------------

	<u>gazari.</u>
MAHOGANY—	
AFRICAN	<u>madachi.</u>
BEAN	<u>kawo.</u>
MAIZE	<u>masara.</u>
Mallotus	<u>ƙafar mutuwa.</u>
MALLOW, JEWS’	<u>malafiya.</u>
Mangifera	<u>mangoro.</u>
MANGO	<u>mangoro.</u>
Manihot; MANIOC	<u>rogo.</u>
Melia	<u>kurnan nasara.</u>
Melochia	<u>tukurra.</u>
MELON—	
WATER	<u>guna.</u>
TREE	<u>gwanda.</u>
MENI OIL TREE	<u>ƙadanya (namijin).</u>
Merremia	<u>barmatabo,</u>
	<u>yambururu.</u>
METEL	<u>zakami.</u>
MILK-HEDGE	<u>fidda sartsɪ,</u>
	<u>ƙaguwa.</u>
MILKWEEDS	<u>fataka,</u>
	<u>hanjin rago,</u>
	<u>ƙafon badi,</u>
	<u>risgar kurege,</u>
	<u>rojiya,</u>
	<u>tarin gida,</u>

	<u>tumfafiya.</u>
MILLET—	
BASTARD	<u>tumbin jaki.</u>
BULRUSH or PEARL	<u>damro,</u>
	<u>gero,</u>
	<u>maiwa.</u>
GREAT	<u>dawa.</u>
“MARUA” or “RAGI”	<u>tamba.</u>
Mimosa	<u>kaidaji.</u>
EGYPTIAN	<u>bagaruwa.</u>
MISTLETOE, WEST INDIAN	<u>kauchi.</u>
Mitracarpum	<u>goga masu.</u>
Mitragyne	<u>giyeya.</u>
Momordica	<u>garafuni.</u>
Monechma	<u>dan farkami.</u>
Morelia	<u>innuwar bauna.</u>
Moringa	<u>zagalagandi.</u>
MORNING GLORY	<u>yako,</u>
	<u>yaryadi.</u>
Mucuna	<u>karara.</u>
Mukia	<u>gautan zomo.</u>
Musa	<u>ayaba.</u>
MUSHROOM	<u>naman kaza.</u>
MYRRH	<u>jawul.</u>

AFRICAN

[dashi.](#)

N

Nelsonia

[tsamiyar makiyaya.](#)

Nephrodium

[agugu.](#)

NETTLE TREE

[zuwo.](#)

Newbouldia

[aduruku.](#)

Nicotiana

[taba.](#)

NIGHTSHADE, BLACK

[gautan kaji.](#)

NUT—

BAMBARRA GROUND

[kwaruru.](#)

GROUND OR MONKEY

[geda.](#)

KOLA

[goro.](#)

PHYSIC OR PURGING

[bi ni da zugu.](#)

SHEA

[kadanya.](#)

TIGER

[aya.](#)

Nymphæa

[bado.](#)

O

OAK, AFRICAN

[kadanya \(namijin\).](#)

OATS, WILD	<u>bunsurun daji.</u>
Ocimum	<u>deidoya.</u>
Odina	<u>faru,</u> <u>jawul.</u>
ODUM	<u>loko.</u>
OKRA	<u>kuḡewa.</u>
Olax	<u>gwano rafi.</u>
Oncoba	<u>kokochiko.</u>
ONION	<u>albasa.</u>
Ophioglossum	<u>mashin zomo.</u>
Opilia	<u>innuwar gada.</u>
ORANGE	<u>lemu.</u>
ORCHID	<u>manta uwa,</u> <u>muruchin bissa,</u> <u>muruchin daji,</u> <u>wutsiyar rakumi.</u>
ORDEAL TREE	<u>gwaska.</u>
Ormocarpum	<u>faskara giwa.</u>
Oryza	<u>shinkafa.</u>
Oxalis	<u>tsuku.</u>
Oxystelma	<u>hanjin rago.</u>
Oxytenanthera	<u>gora.</u>

P

Pachyrhizus

[giri giri.](#)

PALM—

COCO-NUT

[kwakwar Attagara.](#)

DATE

[dabino](#) (cf. also [kajinjiri](#)).

DELEB, FAN or PALMYRA

[giginya.](#)

DUM or GINGER-BREAD

[goriba.](#)

OIL

[kwakwa.](#)

Pancratiun

[hatsin manoma.](#)

Panicum

[baya,](#)

[bubuchi,](#)

[burugu,](#)

[hakorin kare,](#)

[machara,](#)

[makarin fako,](#)

[roba,](#)

[tsintsiya.](#)

[kadaura.](#)

Pardaniellia

[jibda kassa.](#)

PAREIRA BRAVA, FALSE

Parinarium

[gawasa,](#)

[Gwanja kusa,](#)

[kaikai,](#)

[rura.](#)

Parkia

[dorowa.](#)

Parkinsonia

[sasabani.](#)

Paspalum

[tumbin jaki.](#)

Paullinia

[kana kana.](#)

Pavetta

[gadu.](#)

Pavonia	<u>tsu.</u>
PAWPAW	<u>gwanda.</u>
PEA—	
EARTH	<u>geda.</u>
HEART	<u>gautan kwaḁo.</u>
MANIOC	<u>giri giri.</u>
PIGEON	<u>waken turawa.</u>
Pennisetum	<u>damro,</u>
	<u>fafewa,</u>
	<u>gero,</u>
	<u>kyasuwa,</u>
	<u>maiwa,</u>
	<u>yanbama.</u>
PEPPER—	
AFRICAN, GUINEA or NEGRO	<u>kimba.</u>
BENIN, or WEST AFRICAN BLACK	<u>masoro.</u>
MELEGUETA	<u>chitta.</u>
RED or CHILLIE	<u>barkono.</u>
Pergularia	<u>fatakka.</u>
Peristrophe	<u>tubanin dawaki.</u>
Perotis	<u>wutsiyar kurege.</u>
Peucedanum	<u>raken giwa.</u>
Phœnix	<u>dabino.</u>
Phyllanthus	<u>geron tsuntsaye,</u>
	<u>majiriyar kurumi.</u>
Physalis	<u>matsarmama.</u>
PHYSIC NUT	<u>bi ni da zugu.</u>

Piper	<i>masoro.</i>
Pistia	<i>kai nuwa.</i>
PLANTAIN	<i>ayaba.</i>
Platycerium	<i>dafaddu.</i>
Platycoryne	<i>wutsiyar rakumi.</i>
Platystonia	<i>kimbar rafi.</i>
Plectranthus	<i>risga.</i>
Pleioceras	<i>bakin mutum.</i>
PLUM—	
GINGERBREAD	<i>gawasa.</i>
HOG, SPANISH OR JAMAICA	<i>tsadar Lamarudu.</i>
Polycarpæa	<i>bakin suda,</i> <i>magudiya.</i>
Polygala	<i>sa hankaki dako,</i> <i>yawa.</i>
POMEGRANATE	<i>rimani.</i>
POPPY, YELLOW MEXICAN	<i>kwarko.</i>
Portulaca	<i>fasa kabba.</i>
POTATO—	
KAFFIR	<i>risga.</i>
SWEET	<i>dankali.</i>
Potaxon	<i>tumukun suri.</i>
PRAYER BEADS	<i>idon zakara.</i>
PRIDE OF INDIA	<i>kurnan nasara.</i>
PRIVET, EGYPTIAN	<i>lalle.</i>
Prosopis	<i>kiriya.</i>
Pseudocedrela	<i>tuna.</i>

Psorospermum

[kaskawami.](#)

Pterocarpus

[geḍar kurumi,](#)

[madobia.](#)

Pulicaria

[balbela.](#)

PUMPKIN—

POMPION

[kabewa.](#)

WHITE

[duma.](#)

Punica

[rimani.](#)

Pupalia

[marin kusu.](#)

PURGING NUT

[bi ni da zugu.](#)

PURSLANE

[fasa kabba.](#)

HORSE

[gadon machiji.](#)

R

Randia

[katambiri,](#)

[tsibra.](#)

Raphia

[tukuruwa.](#)

Rauwolfia

[wadda.](#)

REED, SPANISH

[gabara.](#)

Rhytachne

[ḍiwa,](#)

[jema.](#)

RICE

[shinkafa.](#)

HUNGRY

[acha,](#)

[tumbin jaki.](#)

Ricinus	<u>zurma.</u>
Rogeria	<u>baba rodo.</u>
ROSELLA	<u>yakuwa.</u>
ROSEWOOD, AFRICAN	<u>madobia.</u>
Rottbœllia	<u>gyazama.</u>

S

Saccharum	<u>rake,</u>
	<u>kyamro.</u>
Salix	<u>rimni.</u>
Sansevieria	<u>moda.</u>
SANT PODS	<u>bagaruwa.</u>
Sarcocephalus	<u>tafashia.</u>
SARSAPARILLA	<u>kwaranga.</u>
SASSWOOD	<u>gwaska.</u>
SAUSAGE TREE	<u>rahaina.</u>
Schizoglossum	<u>rojiya,</u>
	<u>tafo ka sha mamarka.</u>
Schœnefeldia	<u>shinaka.</u>
Schwenkia	<u>dandana.</u>
Scoparia	<u>roma fada.</u>
Securidaca	<u>sainya.</u>
SEDGE	<u>aya,</u>
	<u>aya aya,</u>

	<u>dan Tunuga,</u>
	<u>gemen kusu,</u>
	<u>gizgiri,</u>
	<u>gwaigwaya,</u>
	<u>kajiji.</u>
SENNA	<u>fideli</u>
	<u>filasko.</u>
Sesamum	<u>ridi,</u>
	<u>ridin barewa.</u>
Sesbania	<u>alambo,</u>
	<u>zamarke.</u>
Setaria	<u>duza.</u>
SHEA BUTTER TREE	<u>kaɗanya.</u>
Sida	<u>garamani,</u>
	<u>ƙaƙa kai ka fitto,</u>
	<u>miya tsanya.</u>
SILK COTTON TREE	<u>rimi.</u>
RED FLOWERED	<u>gurjiya.</u>
Smilax	<u>kwaranga.</u>
Solanum	<u>gauta</u> &c.,
	<u>gorgo.</u>
Sopubia	<u>rimin agwada.</u>
Sorghum	<u>dawa,</u>
	<u>dawar kada,</u>
	<u>takanda.</u>
SORREL, RED	<u>yakuwa.</u>
Spermacoce	<u>alkaman tururuwa.</u>

SPIDER-WORT	<u>balasa.</u>
SPIDER LILY	<u>hatsin manoma.</u>
SPINAGE, NATIVE	<u>alayafu.</u>
Spondias	<u>danya,</u> <u>tsadar Lamarudu.</u>
Sporobolus	<u>hakin furtau.</u>
Stachytarpheta	<u>tsarkiyar kusu.</u>
Sterculia	<u>goro,</u> <u>kukuki.</u>
Stereospermum	<u>sansami.</u>
Striga	<u>kuduji.</u>
Strophanthus	<u>kwankwani.</u>
Strychnos	<u>kokiya.</u>
Stylochiton	<u>gwandayi.</u>
Stylosanthes	<u>tsira fako.</u>
SUGAR-CANE	<u>rake,</u> <u>takanda.</u>
Swartzia	<u>bayama,</u> <u>gamma fada.</u>
Syncolostemon	<u>tumukun biri.</u>

T

Tacca	<u>amara,</u> <u>giginyar biri.</u>
--------------	--

Taccazea	<u>yadiyar kada.</u>
TALH GUM-ACACIA	<u>dushe.</u>
Tamarindus	<u>tsamiya.</u>
Tephrosia	<u>kini,</u> <u>majimfa,</u> <u>sabani.</u>
Terminalia	<u>baushe,</u> <u>kandari.</u>
Tetrapleura	<u>dawo.</u>
Thelepogon	<u>dataniya.</u>
Thonningia	<u>kubla.</u>
Tinnea	<u>godar zomo.</u>
TOMATO, NATIVE	<u>gauta.</u>
Trapa	<u>gedar ruwa.</u>
Trianthema	<u>gadon machiji.</u>
Tribulus	<u>tsaido.</u>
Trichilia	<u>Gwanja kusa,</u> <u>jan saye.</u>
Trichodesma	<u>walkin tsofo.</u>
Tricholæna	<u>mai farin kai.</u>
Trichopteryx	<u>wutsiyar kurege.</u>
Tripogon	<u>bubukuwa.</u>
Triticum	<u>alkama.</u>
Triumfetta	<u>dan kadafi,</u> <u>suren fadama.</u>
Trochomeria	<u>akwalu.</u>
Turmeric	<u>gangamau.</u>

Typha

[shalla.](#)

U

Uapaca

[ka fafogo.](#)

Uraria

[kaskaifi.](#)

Urena

[ramaniya.](#)

Urginea

[albasar kura.](#)

Ustilago

[burtuntuna.](#)

V

Vangueria

[bi ta ka tsira.](#)

VEGETABLE MARROW

[kabewa.](#)

VELVET-BEAN

[karara.](#)

VELVET-LEAF

[jibda kassa.](#)

Vernonia

[burzu,](#)

[domashi,](#)

[sabulun mata,](#)

[shekani,](#)

[shiwaka,](#)

[tozalin barewa.](#)

Vetiveria

[jema.](#)

Vigna

[wake,](#)

[waken barewa,](#)

[waken gizo,](#)

[yaryadi.](#)

VINE

[ayana,](#)

[tsibiri kinkini,](#)

[dafara.](#)

BALLOON

[gautan kwado.](#)

EDIBLE-STEMMED

[dadori.](#)

RUBBER

[alubada,](#)

[chiwo.](#)

Vitex

[dinya.](#)

Vitis

[ayana,](#)

[dadori,](#)

[dafara,](#)

[tsuwawun biri.](#)

Voacanga

[kokiyar biri.](#)

Voandzeia

[gujiya,](#)

[kwaruru.](#)

W

Waltheria

[hankufa.](#)

WHEAT

[alkama.](#)

WILLOW

[rimni.](#)

WINTER CHERRY

[gautan kwaḍo.](#)

Wissadula

[kwankwarimi.](#)

Withania

[karama anta.](#)

WOOD-OIL TREE

[kadaura.](#)

X

Ximenia

[tsada.](#)

Xylopi

[kimba.](#)

Xysmalobium

[bauje,](#)

[rojiya.](#)

Y

YAM

[doya,](#)

[kosain rogo.](#)

“KOKO”

[gwaza.](#)

Z

Zanthoxylum

[fasa kwari.](#)

Zea

[masara.](#)

Zingiber

[chitta Afu.](#)

Zizyphus

[kurna,](#)

[magariya,](#)

[magariyar kura.](#)

Zornia

[sabulun kuyangi.](#)

Printed in Great Britain by
UNWIN BROTHERS, LIMITED
WOKING AND LONDON

Transcriber's note:

- pg [13](#) Changed: *Ipomæa pilosa* to: *Ipomœa*
- pg [15](#) Changed: *F. populifolia*, Vahl. (Urticacæ) to: Urticaceæ
- pg [24](#) Changed: *Sorghum halapense* to: *halepense*
- pg [25](#) Changed: *Vitex Cienkowskii*, Kotchy et Peyr. to: Kotschy
- pg [34](#) Changed: *Ctenolepis cerasiformis* to: *Ctenolepis*
- pg [41](#) Changed: species (Steruliaceæ) to: Sterculiaceæ
- pg [52](#) Changed: **haḍanyar rafi** or **kaḍanyar kurumi**, Adina to: **kaḍanyar rafi**
- pg [53](#) (x2) Changed: *Ipomæa* to: *Ipomœa*
- pg [55](#) Changed: **kal nuwa** to: **kai nuwa**
- pg [63](#) Changed: *Vocanga* to: *Voacanga*
- pg [65](#) Changed: *Ipomæa* to: *Ipomœa*
- pg [66](#) Changed: (Sok. Kats. Katugum, &c.) to: Katagum
- pg [78](#) Changed: *Sesamun indicum* to: *Sesamum*
- pg [84](#) Changed: *Vernonia primulina*, O. Hoffn. to: O. Hoffm.
- pg [86](#) Changed: *Ipomæa* to: *Ipomœa*
- pg [88](#) Changed: *Schœnefeldia gracilis* to: *Schœnefeldia*
- pg [89](#) **suren fadama** moved out of **sure** and made into its own entry, right below.
- pg [103](#) Changed: *Ipomæa* to: *Ipomœa*
- pg [104](#) (x2) Changed: *Ipomæa* to: *Ipomœa*
- pg [110](#) Changed: [**Aristida**] — *kasamakaru* to: *kasmakaru*
- pg [111](#) Changed: **Chrysanthella** to: **Chrysanthellum**
- pg [113](#) Changed: [**Grewia**] — *gurduzu* to: *gurdugu*
- pg [114](#) Changed: **Lasiosyphon** — *tuturubi.* to: *tururubi.*
- pg [117](#) Changed: **Platycorne** to: **Platycoryne**
- pg [118](#) Changed: **Sesasum** to: **Sesamum**
- pg [118](#) Changed: **Trichelia** to: **Trichilia**
- Minor changes in punctuation have been done silently.
- Other spelling inconsistencies have been left unchanged.

*** END OF THE PROJECT GUTENBERG EBOOK A HAUSA
BOTANICAL VOCABULARY ***

Updated editions will replace the previous one—the old editions will be renamed.

Creating the works from print editions not protected by U.S. copyright law means that no one owns a United States copyright in these works, so the Foundation (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg™ electronic works to protect the PROJECT GUTENBERG™ concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for an eBook, except by following the terms of the trademark license, including paying royalties for use of the Project Gutenberg trademark. If you do not charge anything for copies of this eBook, complying with the trademark license is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. Project Gutenberg eBooks may be modified and printed and given away—you may do practically ANYTHING in the United States with eBooks not protected by U.S. copyright law. Redistribution is subject to the trademark license, especially commercial redistribution.

START: FULL LICENSE

THE FULL PROJECT GUTENBERG™ LICENSE

PLEASE READ THIS BEFORE YOU DISTRIBUTE OR USE THIS WORK

To protect the Project Gutenberg™ mission of promoting the free distribution of electronic works, by using or distributing this work (or any other work associated in any way with the phrase “Project Gutenberg”), you agree to comply with all the terms of the Full Project Gutenberg License available with this file or online at www.gutenberg.org/license.

Section 1. General Terms of Use and Redistributing Project Gutenberg electronic works

1.A. By reading or using any part of this Project Gutenberg electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property (trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. “Project Gutenberg” is a registered trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg electronic works if you follow the terms of this agreement and help preserve free future access to Project Gutenberg electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation (“the Foundation” or PGLAF), owns a compilation copyright in the

collection of Project Gutenberg electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is unprotected by copyright law in the United States and you are located in the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg mission of promoting free access to electronic works by freely sharing Project Gutenberg works in compliance with the terms of this agreement for keeping the Project Gutenberg name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg work. The Foundation makes no representations concerning the copyright status of any work in any country other than the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg License must appear prominently whenever any copy of a Project Gutenberg work (any work on which the phrase “Project Gutenberg” appears, or with which the phrase “Project Gutenberg” is associated) is accessed, displayed, performed, viewed, copied or distributed:

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg™ License included with

this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

1.E.2. If an individual Project Gutenberg electronic work is derived from texts not protected by U.S. copyright law (does not contain a notice indicating that it is posted with permission of the copyright holder), the work can be copied and distributed to anyone in the United States without paying any fees or charges. If you are redistributing or providing access to a work with the phrase “Project Gutenberg” associated with or appearing on the work, you must comply either with the requirements of paragraphs 1.E.1 through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or remove the full Project Gutenberg License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up, nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg work in a format other than “Plain Vanilla ASCII” or other format used in the official

version posted on the official Project Gutenberg website (www.gutenberg.org), you must, at no additional cost, fee or expense to the user, provide a copy, a means of exporting a copy, or a means of obtaining a copy upon request, of the work in its original “Plain Vanilla ASCII” or other form. Any alternate format must include the full Project Gutenberg License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access to, viewing, displaying, performing, copying or distributing any Project Gutenberg works unless you comply with paragraph 1.E.8 or 1.E.9.

1.E.8. You may charge a reasonable fee for copies of or providing access to or distributing Project Gutenberg electronic works provided that:

- You pay a royalty fee of 20% of the gross profits you derive from the use of Project Gutenberg works calculated using the method you already use to calculate your applicable taxes. The fee is owed to the owner of the Project Gutenberg trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, “Information about donations to the Project Gutenberg Literary Archive Foundation.”
- You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg™ License. You must require such a user to return or destroy all copies of the works possessed in a physical medium and discontinue all use of and all access to other copies of Project Gutenberg™ works.
- You provide, in accordance with paragraph 1.F.3, a full refund of any money paid for a work or a replacement copy, if a defect in the electronic work is discovered and reported to you within 90 days of receipt of the work.

- You comply with all other terms of this agreement for free distribution of Project Gutenberg™ works.

1.E.9. If you wish to charge a fee or distribute a Project Gutenberg™ electronic work or group of works on different terms than are set forth in this agreement, you must obtain permission in writing from the Project Gutenberg Literary Archive Foundation, the manager of the Project Gutenberg™ trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread works not protected by U.S. copyright law in creating the Project Gutenberg™ collection. Despite these efforts, Project Gutenberg™ electronic works, and the medium on which they may be stored, may contain “Defects,” such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

1.F.2. LIMITED WARRANTY, DISCLAIMER OF DAMAGES - Except for the “Right of Replacement or Refund” described in paragraph 1.F.3, the Project Gutenberg Literary Archive Foundation, the owner of the Project Gutenberg™ trademark, and any other party distributing a Project Gutenberg™ electronic work under this agreement, disclaim all liability to you for damages, costs and expenses, including legal fees. YOU AGREE THAT YOU HAVE NO REMEDIES FOR NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY OR BREACH OF CONTRACT EXCEPT THOSE PROVIDED IN PARAGRAPH 1.F.3. YOU AGREE THAT THE FOUNDATION, THE TRADEMARK OWNER, AND ANY DISTRIBUTOR UNDER THIS AGREEMENT WILL NOT BE LIABLE TO YOU FOR ACTUAL, DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES

EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.

1.F.3. LIMITED RIGHT OF REPLACEMENT OR REFUND - If you discover a defect in this electronic work within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you 'AS-IS', WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the remaining provisions.

1.F.6. INDEMNITY - You agree to indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg™ electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg™ electronic works, harmless from all liability, costs and expenses, including legal fees, that arise directly or indirectly from any of the following which you do or cause to occur: (a)

distribution of this or any Project Gutenberg work, (b) alteration, modification, or additions or deletions to any Project Gutenberg work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg

Project Gutenberg is synonymous with the free distribution of electronic works in formats readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need are critical to reaching Project Gutenberg's goals and ensuring that the Project Gutenberg collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation information page at www.gutenberg.org.

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non-profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation's EIN or federal tax identification number is 64-6221541. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state's laws.

The Foundation's business office is located at 41 Watchung Plaza #516, Montclair NJ 07042, USA, +1 (862) 621-9288. Email contact

links and up to date contact information can be found at the Foundation's website and official page at www.gutenberg.org/contact

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg™ depends upon and cannot survive without widespread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be freely distributed in machine-readable form accessible by the widest array of equipment including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status of compliance for any particular state visit www.gutenberg.org/donate.

While we cannot and do not solicit contributions from states where we have not met the solicitation requirements, we know of no prohibition against accepting unsolicited donations from donors in such states who approach us with offers to donate.

International donations are gratefully accepted, but we cannot make any statements concerning tax treatment of donations received from outside the United States. U.S. laws alone swamp our small staff.

Please check the Project Gutenberg web pages for current donation methods and addresses. Donations are accepted in a number of other ways including checks, online payments and credit card donations. To donate, please visit: www.gutenberg.org/donate.

Section 5. General Information About Project Gutenberg electronic works

Professor Michael S. Hart was the originator of the Project Gutenberg concept of a library of electronic works that could be freely shared with anyone. For forty years, he produced and distributed Project Gutenberg eBooks with only a loose network of volunteer support.

Project Gutenberg eBooks are often created from several printed editions, all of which are confirmed as not protected by copyright in the U.S. unless a copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our website which has the main PG search facility: www.gutenberg.org.

This website includes information about Project Gutenberg, including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.