Applications

Trash

File System

Home

kali@kali: ~

File   Actions   Edit   View   Help

```
                TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING>  mtu 65536
        inet 127.0.0.1  netmask 255.0.0.0
        inet6 ::1  prefixlen 128  scopeid 0×10<host>
        loop  txqueuelen 1000  (Local Loopback)
        RX packets 4  bytes 240 (240.0 B)
        RX errors 0  dropped 0  overruns 0  frame 0
        TX packets 4  bytes 240 (240.0 B)
        TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0


┌──(kali㉿kali)-[~]
└─$ ping 192.168.50.101
PING 192.168.50.101 (192.168.50.101) 56(84) bytes of data.
64 bytes from 192.168.50.101: icmp_seq=1 ttl=64 time=0.127 ms
64 bytes from 192.168.50.101: icmp_seq=2 ttl=64 time=0.155 ms
64 bytes from 192.168.50.101: icmp_seq=3 ttl=64 time=0.136 ms
64 bytes from 192.168.50.101: icmp_seq=4 ttl=64 time=0.144 ms
64 bytes from 192.168.50.101: icmp_seq=5 ttl=64 time=0.124 ms
^C
── 192.168.50.101 ping statistics ──
5 packets transmitted, 5 received, 0% packet loss, time 4106ms
rtt min/avg/max/mdev = 0.124/0.137/0.155/0.011 ms

┌──(kali㉿kali)-[~]
└─$ █
```

Right Ctrl

Trash

File System

Home

kali@kali: ~

File   Actions   Edit   View   Help

```
PING 192.168.50.102 (192.168.50.102) 56(84) bytes of data.
64 bytes from 192.168.50.102: icmp_seq=1 ttl=128 time=0.143 ms
64 bytes from 192.168.50.102: icmp_seq=2 ttl=128 time=0.157 ms
64 bytes from 192.168.50.102: icmp_seq=3 ttl=128 time=0.147 ms
64 bytes from 192.168.50.102: icmp_seq=4 ttl=128 time=0.154 ms
64 bytes from 192.168.50.102: icmp_seq=5 ttl=128 time=0.176 ms
64 bytes from 192.168.50.102: icmp_seq=6 ttl=128 time=0.148 ms
64 bytes from 192.168.50.102: icmp_seq=7 ttl=128 time=0.145 ms
^C
── 192.168.50.102 ping statistics ──
7 packets transmitted, 7 received, 0% packet loss, time 6234ms
rtt min/avg/max/mdev = 0.143/0.152/0.176/0.010 ms

┌──(kali㉿kali)-[~]
└─$ ping 192.168.50.102
PING 192.168.50.102 (192.168.50.102) 56(84) bytes of data.
64 bytes from 192.168.50.102: icmp_seq=1 ttl=128 time=0.246 ms
64 bytes from 192.168.50.102: icmp_seq=2 ttl=128 time=0.188 ms
64 bytes from 192.168.50.102: icmp_seq=3 ttl=128 time=0.154 ms
64 bytes from 192.168.50.102: icmp_seq=4 ttl=128 time=0.196 ms
^C
── 192.168.50.102 ping statistics ──
4 packets transmitted, 4 received, 0% packet loss, time 3135ms
rtt min/avg/max/mdev = 0.154/0.196/0.246/0.032 ms

┌──(kali㉿kali)-[~]
└─$ █
```

Right Ctrl

```
             RX packets:39 errors:0 dropped:0 overruns:0 frame:0
             TX packets:128 errors:0 dropped:0 overruns:0 carrier:0
             collisions:0 txqueuelen:1000
             RX bytes:4848 (4.7 KB)  TX bytes:10489 (10.2 KB)
             Base address:0xd020 Memory:f0200000-f0220000

lo           Link encap:Local Loopback
             inet addr:127.0.0.1  Mask:255.0.0.0
             inet6 addr: ::1/128 Scope:Host
             UP LOOPBACK RUNNING  MTU:16436  Metric:1
             RX packets:134 errors:0 dropped:0 overruns:0 frame:0
             TX packets:134 errors:0 dropped:0 overruns:0 carrier:0
             collisions:0 txqueuelen:0
             RX bytes:26813 (26.1 KB)  TX bytes:26813 (26.1 KB)

msfadmin@metasploitable:~$ ping 192.168.50.100
PING 192.168.50.100 (192.168.50.100) 56(84) bytes of data.
64 bytes from 192.168.50.100: icmp_seq=1 ttl=64 time=0.150 ms
64 bytes from 192.168.50.100: icmp_seq=2 ttl=64 time=0.147 ms
64 bytes from 192.168.50.100: icmp_seq=3 ttl=64 time=0.146 ms

--- 192.168.50.100 ping statistics ---
3 packets transmitted, 3 received, 0% packet loss, time 1998ms
rtt min/avg/max/mdev = 0.146/0.147/0.150/0.014 ms
msfadmin@metasploitable:~$ _
```

Right Ctrl

```
             RX packets:134 errors:0 dropped:0 overruns:0 frame:0
             TX packets:134 errors:0 dropped:0 overruns:0 carrier:0
             collisions:0 txqueuelen:0
             RX bytes:26813 (26.1 KB)  TX bytes:26813 (26.1 KB)

msfadmin@metasploitable:~$ ping 192.168.50.100
PING 192.168.50.100 (192.168.50.100) 56(84) bytes of data.
64 bytes from 192.168.50.100: icmp_seq=1 ttl=64 time=0.150 ms
64 bytes from 192.168.50.100: icmp_seq=2 ttl=64 time=0.147 ms
64 bytes from 192.168.50.100: icmp_seq=3 ttl=64 time=0.146 ms

--- 192.168.50.100 ping statistics ---
3 packets transmitted, 3 received, 0% packet loss, time 1998ms
rtt min/avg/max/mdev = 0.146/0.147/0.150/0.014 ms
msfadmin@metasploitable:~$ ping 192.168.50.102
PING 192.168.50.102 (192.168.50.102) 56(84) bytes of data.
64 bytes from 192.168.50.102: icmp_seq=1 ttl=128 time=9.17 ms
64 bytes from 192.168.50.102: icmp_seq=2 ttl=128 time=0.134 ms
64 bytes from 192.168.50.102: icmp_seq=3 ttl=128 time=0.135 ms
64 bytes from 192.168.50.102: icmp_seq=4 ttl=128 time=0.149 ms

--- 192.168.50.102 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 2998ms
rtt min/avg/max/mdev = 0.134/2.397/9.173/3.912 ms
msfadmin@metasploitable:~$ _
```

Right Ctrl