Aim:

To implement client-side state management using HTTP cookies in Java Servlets by creating a preference system that remembers user's theme and language choices across browser sessions.

ALGORITHM:

1. UI Design Phase

- Create a preferences page with:
- Theme selection (light/dark) radio buttons
- Language selection dropdown (EN/ES/FR)
- Save preferences button
- Design dynamic page that reflects current preferences

2. Cookie Creation Phase

- On form submission:
- Extract theme and language parameters \square Create new Cookie objects for each preference \square Set cookie properties:
- maxAge = 1 year (persistent cookie)
- path = "/" (accessible across entire app)
- Add cookies to HTTP response

3. Preference Retrieval Phase

- For every page request:
- Check request for existing cookies

 If cookies exist:
- Read 'theme' and 'language' values
- Apply preferences to current page \square If no cookies found:
- Use default values (dark theme, English)

4. Client-Side Enhancement

- Implement JavaScript to:
- Provide instant theme preview
- Show language change effects without reload
- Display save confirmation
- **5.** Maintenance & Security □ Cookie validation checks □ Secure cookie attributes: O HttpOnly flag o SameSite policy
 - Fallback mechanism for cookie-disabled browsers

```
CODE:
 <!DOCTYPE html>
 <html lang="en">
 <head>
     <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
     <title>Neon Preferences</title>
     <style>
         :root {
            --neon-blue: #08f7fe;
            --neon-green: #09fbd3;
            --dark-bg: #0c0c15;
            --darker-bg: #07070e;
            --light-bg: #f5f5f5;
            --lighter-bg: #ffffff;
            --dark-text: #222;
             --glow: 0 0 10px;
        }
 body
       { background: var(--dark-bg);
        color: white;
            font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
            margin: 0; padding: 20px; min-height: 100vh; display: flex;
            flex-direction: column; align-items: center; transition: all
            0.5s ease; overflow-x: hidden;
 body.light-theme { background: var(--
         light-bg);
            color: var(--dark-text);
        }
         .container { max-width: 800px; width: 90%;
             background: rgba(12, 12, 21, 0.8); border-
             radius: 15px; padding: 30px; box-shadow: 0 0
             30px rgba(8, 247, 254, 0.2); border: 1px
             solid rgba(8, 247, 254, 0.3); backdrop-
            filter: blur(5px);
                                 position: relative;
            overflow: hidden; z-index: 1; animation:
            fadeIn 1s ease-out; transition: all 0.5s
            ease:
        }
         .light-theme .container { background:
             rgba(245, 245, 245, 0.9); border: 1px
             solid rgba(0, 0, 0, 0.1); box-shadow: 0
            0 30px rgba(0, 0, 0, 0.1);
        }
        @keyframes fadeIn { from { opacity: 0; transform:
        translateY(20px); } to { opacity: 1; transform:
         translateY(0); } }
```

```
h1 { color: var(--neon-blue); text-align: center; font-
        size: 2.5rem; margin-bottom: 30px; text-
                                    var(--neon-blue);
        shadow:
                    var(--glow)
        transition: all 0.5s ease;
        .light-theme
                       h1
            color:
                      #0066cc;
            text-shadow: none;
        }
        .preference-card { background: rgba(7, 7, 14,
            0.7); border-radius: 10px; padding: 20px;
            margin-bottom: 30px; border: 1px solid
            rgba(8, 247, 254, 0.2); transition: all
            0.3s ease:
        }
        .light-theme
                          .preference-card
            background: rgba(255, 255, 255, 0.9);
            border: 1px solid rgba(0, 0, 0, 0.1);
h2 { color: var(--neon-green); margin-top: 0; font-size:
        1.5rem; text-shadow: var(--glow) var(--neon-
        green); transition: all 0.5s ease;
        }
        .light-theme
                       h2
                      #009999;
            color:
            text-shadow: none;
        }
        .form-group { margin-bottom:
            20px;
label { display: block; margin-bottom:
        8px; color: var(--neon-blue);
        font-weight: bold; transition:
        all 0.5s ease;
        }
        .light-theme label {
            color: #0066cc;
select { width: 100%; padding: 12px; background:
        var(--darker-bg); border: 1px solid
        var(--neon-blue); border-radius: 5px;
                 white;
        color:
                           font-size:
                                         1rem;
        transition: all 0.3s ease;
```

```
border-color: var(--neon-green); box-shadow:
           0 0 15px var(--neon-green);
        .light-theme
                      select:focus { border-color:
        #009999; box-shadow: 0 0 15px rgba(0, 153, 153,
        0.5); }
input[type="submit"] { width: 100%; padding: 12px; background: linear-
        gradient(45deg, var(--neon-blue), var(--neon-
           color: var(--dark-bg);
green));
           font-weight: bold; cursor:
                    border: none;
           pointer;
           border-radius:
                                 5px;
           margin-top: 10px; text-
           transform:
                          uppercase;
           letter-spacing: 1px; font-
           size: 1rem; transition:
           all 0.3s ease;
        }
        .light-theme input[type="submit"] { background: linear-
           gradient(45deg, #0066cc, #009999); color: white;
input[type="submit"]:hover { transform: translateY(-2px);
        box-shadow: 0 5px 15px rgba(8, 247, 254, 0.4); }
        .light-theme input[type="submit"]:hover { box-
        shadow: 0 5px 15px rgba(0, 102, 204, 0.4); }
        .current-preferences {
           display: flex; gap:
           20px;
                       margin-
           bottom: 30px;
       }
        .preference-badge { flex: 1; padding:
           15px;
                      text-align:
                                    center;
           background: rgba(8, 247, 254, 0.1);
           border-radius: 8px; border: 1px
           solid var(--neon-blue); animation:
           float 4s ease-in-out infinite;
           transition: all 0.5s ease;
        .light-theme
                       .preference-badge
           background: rgba(0, 102, 204, 0.1);
           border: 1px solid #0066cc;
```

}

```
}
}
.preference-badge:nth-child(2)
    animation-delay:
                               border-
                       0.5s;
    color:
                    var(--neon-green);
    background: rgba(9, 251, 211, 0.1);
}
.light-theme .preference-badge:nth-child(2) {
    border-color:
                    #009999;
                                background:
    rgba(0, 153, 153, 0.1);
}
@keyframes float {
    0%, 100% { transform: translateY(0); }
    50% { transform: translateY(-10px); }
}
.preference-value { font-size:
    1.2rem; font-weight: bold;
    margin-top: 5px; color:
    var(--neon-green);
    transition: all 0.5s ease;
}
.light-theme .preference-value { color:
    #009999;
}
.theme-blue .preference-value { color:
    var(--neon-blue);
}
.light-theme .theme-blue .preference-value { color:
    #0066cc;
}
.home-link { display: inline-block;
    margin-top: 20px; color: var(--
    neon-blue); text-decoration: none;
    font-weight: bold; border: 1px
    solid var(--neon-blue); padding:
    10px 20px;
    border-radius: 5px; transition:
    all 0.3s ease;
.light-theme
               .home-link
    color: #0066cc; border:
    1px solid #0066cc;
```

```
}
        .home-link:hover { background: var(--neon-
           blue); color: var(--dark-bg); text-
            shadow: none; box-shadow: 0 0 15px
           var(--neon-blue);
       }
        .light-theme .home-link:hover {
           background: #0066cc; color:
           white:
           box-shadow: 0 0 15px #0066cc;
       }
              Language-specific
                                    styles
        body[lang="es"] .language-example::after {
        content: "¡Hola!"; color: var(--neon-
        green);
        }
                  .language-example::after
body[lang="fr"]
        content: "Bonjour!"; color: var(--neon-
        green);
body[lang="en"]
                  .language-example::after
                 "Hello!"; color: var(--neon-
        content:
        green);
        }
        .light-theme body[lang] .language-example::after { color:
           #009999;
        }
    </style>
</head>
<body class="${theme}-theme" lang="${language}">
    <div class="container">
        <h1>USER PREFERENCES</h1>
        <div class="current-preferences">
            <div class="preference-badge theme-blue">
                <div>Current Theme</div>
               <div class="preference-value">${theme}</div>
            </div>
            <div class="preference-badge">
```

}

```
<div>Current Language</div>
                <div class="preference-value">${language}</div>
            </div>
        </div>
        <div class="language-example" style="text-align: center; margin: 20px</pre>
0; font-size: 1.2rem;">
            Example greeting: <span></span>
        </div>
        <div class="preference-card">
            <h2>SET YOUR PREFERENCES</h2>
            <form method="post" action="preferences">
                <div class="form-group">
                    <label for="theme">Theme</label>
                    <select name="theme" id="theme" onchange="previewTheme()">
                         <option value="dark" ${"dark" == theme ? "selected" :</pre>
""}>Neon Dark Theme</option>
                        <option value="light" ${"light" == theme ? "selected"</pre>
: ""}>Light Theme</option>
                    </select>
                </div>
                <div class="form-group">
                     <label for="language">Language</label>
                     <select name="language" id="language"</pre>
onchange="previewLanguage()">
                        <option value="en" ${"en" == language ? "selected" :</pre>
""}>English</option>
                         <option value="es" ${"es" == language ? "selected" :</pre>
""}>Spanish</option>
                        <option value="fr" ${"fr" == language ? "selected" :</pre>
""}>French</option>
                    </select>
                </div>
                <input type="submit" value="Save Preferences">
            </form>
        </div>
        <a href="index.html" class="home-link">Back to Home</a>
    </div>
    <script>
        // Theme preview function function previewTheme() { const
        themeSelect
                                        document.getElementById('theme');
        document.body.classList.remove('dark-theme', 'light-theme');
        document.body.classList.add(themeSelect.value + '-theme'); }
```

```
// Language preview function function
         previewLanguage() { const langSelect
         document.getElementById('language');
         document.body.setAttribute('lang',
         langSelect.value); }
         //
              Initialize
                            with
                                    current
                                              theme
                                                       if
                                                             already
                                                                        set
         document.addEventListener('DOMContentLoaded', function() { const
         themeSelect = document.getElementById('theme'); if (themeSelect) {
         document.body.classList.add(themeSelect.value + '-theme'); }
                           document.getElementById('language');
const
         langSelect
         (langSelect)
                                   document.body.setAttribute('lang',
         langSelect.value); } });
     </script>
 </body>
 </html>
PreferenceServlet.java:
 package com.example.cookies;
import
         java.io.*;
                      import
 javax.servlet.*;
                      import
 javax.servlet.http.*;
public class PreferenceServlet extends HttpServlet
 {
protected void doGet(HttpServletRequest request, HttpServletResponse
 response) throws ServletException, IOException {
         response.setContentType("text/html");
        PrintWriter out = response.getWriter();
         // Read cookies
         String theme = "dark"; // default to dark theme for neon effect String
         language = "en"; // default
         Cookie[] cookies = request.getCookies(); if
         (cookies != null) { for (Cookie cookie :
                                                      if
                                   {
         (cookie.getName().equals("theme")) { theme =
         cookie.getValue();
                 } else if (cookie.getName().equals("language")) { language
                     = cookie.getValue();
                 }
             }
         }
                                                 styling
         //
              Generate
                          HTML
                                  with
                                          neon
         out.println("<!DOCTYPE
                                                html>");
         out.println("<html lang=\"" + language + "\">");
         out.println("<head>");
                                      out.println("<meta
         charset=\"UTF-8\">");
                                      out.println("<meta
         name=\"viewport\" content=\"width=device-width,
```

```
initial-scale=1.0\">"); out.println("<title>Neon Preferences</title>");
        out.println("<style>"); out.println(":root {"); out.println(" --neon-
                                out.println(" --neon-green:
                                                                 #09fbd3;");
                 #08f7fe;");
        out.println(" --dark-bg: #0c0c15;"); out.println("
        #07070e;"); out.println(" --light-bg: #f5f5f5;"); out.println(" --
                      #ffffff;"); out.println(" --dark-text:
        lighter-bg:
        out.println(" --glow: 0 0 10px;"); out.println("}"); out.println("");
        out.println("body {"); out.println(" background: var(--dark-bg);");
        out.println(" color: white;"); out.println(" font-family: 'Segoe UI',
        Tahoma, Geneva, Verdana, sans-
 serif;");
         out.println(" margin: 0;");
        out.println("
                            padding:
                                          20px;");
        out.println("
                          min-height:
                                          100vh;");
        out.println("
                            display:
                                           flex;");
        out.println("
                       flex-direction:
                                         column;");
        out.println("
                         align-items:
                                         center;");
        out.println(" transition: all 0.5s ease;");
        out.println("
                         overflow-x:
                                         hidden;");
        out.println(" background-image: ");
                         radial-gradient(circle at 20% 30%, rgba(8, 247, 254,
         out.println("
0.1) 0%, transparent 25%),");
         out.println("
                         radial-gradient(circle at 80% 70%, rgba(9, 251, 211,
 0.1) 0%, transparent 25%);");
                                          out.println("}");
        out.println(""); out.println(".container {"); out.println("
                                  out.println("
        max-width:
                      800px;");
                                                  width:
        out.println("
                        background:
                                     rgba(12,
                                                12,
                                                      21,
                                                            0.8);");
        out.println(" border-radius: 15px;"); out.println(" padding:
        30px;"); out.println(" box-shadow: 0 0 30px rgba(8, 247, 254,
        0.2);"); out.println(" border: 1px solid rgba(8, 247, 254,
                                    backdrop-filter:
                                                      blur(5px);");
                    out.println("
        out.println(" position: relative;"); out.println(" overflow:
        hidden;"); out.println("
                                             1;");
                                                       out.println("
                                     z-index:
                                    ease-out;");
        animation:
                     fadeIn
                               1s
                                                  out.println("}");
        out.println(""); out.println("@keyframes fadeIn {");
        out.println(" from { opacity: 0; transform: translateY(20px); }");
        out.println(" to { opacity: 1; transform: translateY(0); }");
        out.println("}"); out.println(""); out.println("h1 {"); out.println("
        color: var(--neon-blue);"); out.println(" text-align: center;");
        out.println(" font-size: 2.5rem;"); out.println(" margin-bottom:
        30px;"); out.println(" text-shadow: var(--glow) var(--neon-blue);");
        out.println("
                       animation:
                                     pulse 3s
                                                  infinite alternate;");
        out.println("}"); out.println(""); out.println("@keyframes pulse {");
        out.println(" 0% { text-shadow: 0 0 10px var(--neon-blue); }");
        out.println(" 100% { text-shadow: 0 0 20px var(--neon-blue), 0 0 30px
 var(--neon-green); }"); out.println("}"); out.println("");
        out.println(".preference-card {"); out.println("
        background: rgba(7, 7, 14, 0.7);"); out.println("
        border-radius: 10px;"); out.println(" padding:
        20px;"); out.println(" margin-bottom: 30px;");
        out.println(" border: 1px solid rgba(8, 247, 254, 0.2);");
        out.println(" transition: all 0.3s ease;"); out.println("}");
        out.println(""); out.println("h2 {"); out.println(" color:
```


```
var(--neon-green);"); out.println("
                                               margin-top:
                                                              0;");
        out.println(" font-size: 1.5rem;"); out.println(" text-
        shadow: var(--glow) var(--neon-green);"); out.println("}");
        out.println(""); out.println(".form-group {"); out.println("
       margin-bottom: 20px;"); out.println("}"); out.println("");
        out.println("label {"); out.println(" display: block;");
       out.println(" margin-bottom: 8px;"); out.println(" color:
        var(--neon-blue);"); out.println(" font-weight: bold;");
       out.println("}"); out.println("");
        out.println("select, input[type=\"submit\"] {");
        out.println(" width: 100%;"); out.println(" padding:
        12px;"); out.println(" background: var(--darker-
        bg);"); out.println(" border: 1px solid var(--neon-
                 out.println(" border-radius: 5px;");
        blue);");
       out.println(" color: white;");
       out.println(" font-size: 1rem;"); out.println(" transition: all 0.3s
                            out.println("}");
                                                         out.println("");
       out.println("select:focus {"); out.println(" outline: none;");
       out.println(" border-color: var(--neon-green);"); out.println("
        box-shadow: 0 0 15px var(--neon-green);"); out.println("}");
       out.println("");
                             out.println("input[type=\"submit\"]
       out.println(" background: linear-gradient(45deg, var(--neon-blue),
                       out.println(" color: var(--dark-bg);");
var(--neon-green));");
        out.println(" font-weight: bold;"); out.println(" cursor:
        pointer;"); out.println(" border: none;"); out.println(" margin-
              10px;"); out.println(" text-transform: uppercase;");
        top:
        out.println("
                       letter-spacing:
                                         1px;");
                                                    out.println("}");
       out.println(""); out.println("input[type=\"submit\"]:hover {");
        out.println(" transform: translateY(-2px);"); out.println(" box-
        shadow: 0 5px 15px rgba(8, 247, 254, 0.4);"); out.println("}");
        out.println("");
                            out.println(".current-preferences
       out.println(" display: flex;"); out.println(" gap: 20px;");
out.println(" margin-bottom: 30px;"); out.println("}");
        out.println("");
        out.println(".preference-badge {"); out.println(" flex:
        1;"); out.println(" padding: 15px;"); out.println(" text-
        align: center;"); out.println(" background: rgba(8, 247,
              0.1);"); out.println(" border-radius:
       out.println("
                     border:
                                1px solid var(--neon-blue);");
       out.println(" animation: float 4s ease-in-out infinite;");
       out.println("}"); out.println("");
       out.println(".preference-badge:nth-child(2)
        out.println(" animation-delay: 0.5s;"); out.println("
        border-color:
                        var(--neon-green);"); out.println("
        background: rgba(9, 251, 211, 0.1);"); out.println("}");
       out.println(""); out.println("@keyframes float {");
        out.println(" 0%, 100% { transform: translateY(0); }");
       out.println(" 50% { transform: translateY(-10px); }");
       out.println("}");
       out.println(""); out.println(".preference-value {"); out.println("
font-size: 1.2rem;"); out.println(" font-weight: bold;"); out.println("
               5px;");
                          out.println(" color:
                                                      var(--neon-green);");
margin-top:
out.println("}"); out.println(""); out.println(".home-link {"); out.println("
display: inline-block;"); out.println(" margin-top: 20px;"); out.println("
```

```
var(--neon-blue);");
                                out.println(" text-decoration:
color:
                                                                    none;");
out.println(" font-weight: bold;"); out.println(" border: 1px solid var(--
neon-blue);"); out.println(" padding: 10px 20px;"); out.println(" border-
radius: 5px;"); out.println(" transition: all 0.3s ease;"); out.println("}");
out.println(""); out.println(".home-link:hover {"); out.println(" background:
var(--neon-blue);"); out.println(" color: var(--dark-bg);"); out.println("
text-shadow: none;"); out.println(" box-shadow: 0 0 15px var(--neon-blue);");
out.println("}"); out.println(""); out.println("body[lang=\"es\"] .language-
example::after {"); out.println(" content: \"¡Hola!\";"); out.println(" color:
var(--neon-green);");
                               out.println("}");
                                                            out.println("");
out.println("body[lang=\"fr\"] .language-example::after {"); out.println("
          \"Bonjour!\";"); out.println(" color: var(--neon-green);");
out.println("}"); out.println(""); out.println("body[lang=\"en\"] .language-
example::after {"); out.println(" content: \"Hello!\";"); out.println(" color:
var(--neon-green);");
                           out.println("}");
                                                    out.println("</style>");
out.println("</head>"); out.println("<body class=\"" + ("dark".equals(theme)</pre>
? "dark-theme" : "light-theme") + "\" lang=\"" + language + "\">");
                         class=\"container\">");
out.println("<div
        out.println("<h1>USER
        PREFERENCES</h1>");
out.println("<div
                    class=\"current-preferences\">");
                                                         out.println("<div</pre>
        class=\"preference-badge
                                                          theme-blue\">");
        out.println("<div>Current
                                      Theme</div>");
                                                         out.println("<div
        class=\"preference-value\">"
                                               theme
                                                                "</div>");
        out.println("</div>");
                                  out.println("<div
                                                       class=\"preference-
                         out.println("<div>Current
        badge\">");
                                                         Language</div>");
        out.println("<div class=\"preference-value\">" +
                                                              language +
        "</div>"); out.println("</div>"); out.println("</div>");
out.println("<div class=\"language-example\" style=\"text-align:</pre>
         margin: 20px 0; font-size: 1.2rem;\">");
        out.println("Example greeting: <span></span>");
        out.println("</div>");
out.println("<div
                   class=\"preference-card\">"); out.println("<h2>SET
        YOUR PREFERENCES</h2>"); out.println("<form method=\"post\"
        action=\"preferences\">"); out.println("<div</pre>
                                                          class=\"form-
        group\">"); out.println("<label for=\"theme\">Theme</label>");
        out.println("<select
                                  name=\"theme\"
                                                       id=\"theme\">");
        out.println("<option value=\"dark\"" + ("dark".equals(theme) ? "</pre>
selected" : "") + ">Neon Dark Theme</option>"); out.println("<option</pre>
        value=\"light\"" + ("light".equals(theme) ? "
selected" : "") + ">Light Theme</option>"); out.println("</select>");
        out.println("</div>");
                                 out.println("<div
                                                         class=\"form-
                                                   out.println("<label</pre>
        group\">");
                                                  out.println("<select</pre>
        for=\"language\">Language</label>");
        name=\"language\" id=\"language\">");
                                                  out.println("<option</pre>
        value=\"en\"" + ("en".equals(language) ? "
selected"
          : "") + ">English</option>");
                                                  out.println("<option</pre>
        value=\"es\"" + ("es".equals(language) ? "
selected" : "") + ">Spanish</option>"); out.println("<option</pre>
        value=\"fr\"" + ("fr".equals(language) ? "
selected" : "") + ">French</option>");
        out.println("</select>");
        out.println("</div>");
```

```
out.println("<input type=\"submit\" value=\"Save Preferences\">");
        out.println("</form>"); out.println("</div>")
        out.println("<a href=\"index.html\" class=\"home-link\">Back to
Home</a>");
        out.println("</div>");
        out.println("<script>");
        out.println("// Theme preview function");
        out.println("function previewTheme() {");
        out.println(" const themeSelect =
document.getElementById('theme');");
                                                              out.println("
        document.body.classList.remove('dark-theme', 'light-
theme');"); out.println(" document.body.classList.add(themeSelect.value +
theme');");
        out.println("}");
        out.println("");
        out.println("//
        Language preview
        function");
        out.println("functio")
        n previewLanguage()
        {"); out.println("
        const langSelect =
document.getElementById('language');");
                                           out.println("
        document.body.setAttribute('lang',
langSelect.value);"); out.println("}");
                                           out.println(""); out.println("//
        Initialize
                      with
                               current
                                                     if
                                           theme
                                                            already
                                                                       set");
        out.println("document.addEventListener('DOMContentLoaded',
        function()
{"); out.println(" const themeSelect =
document.getElementById('theme');"); out.println(" if (themeSelect) {");
        out.println(" document.body.classList.add(themeSelect.value + '-
                 out.println("
theme');");
                                     }");
        out.println(" "); out.println("
        const langSelect =
document.getElementById('language');"); out.println(" if
        (langSelect) {"); out.println("
           document.body.setAttribute('lang',
langSelect.value);");
        out.println(" }");
        out.println("});");
        out.println("</script>");
        out.println("</body>");
        out.println("</html>");
    }
    protected void doPost(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
        String theme = request.getParameter("theme");
        String language = request.getParameter("language");
        Cookie themeCookie = new Cookie("theme", theme); Cookie
        languageCookie = new Cookie("language", language);
        themeCookie.setMaxAge(60 * 60 * 24 * 365);
        languageCookie.setMaxAge(60 * 60 * 24 * 365);
```

```
response.addCookie(themeCookie);
response.addCookie(languageCookie);
response.sendRedirect("preferences"); }
}
```

OUTPUT:



RESULT:

The experiment successfully demonstrated HTTP cookies as an effective mechanism for maintaining persistent user preferences.