



SOLIDProof
Bring trust into your projects

**Blockchain Security | Smart Contract Audits | KYC
Development | Marketing**


MADE IN GERMANY

Luna Maniacs

Audit

Security Assessment
14. November, 2022

For



SolidProof_io



@solidproof_io

Disclaimer	3
Description	5
Project Engagement	5
Logo	5
Contract Link	5
Methodology	7
Used Code from other Frameworks/Smart Contracts (direct imports)	8
Tested Contract Files	9
Source Lines	10
Risk Level	10
Capabilities	11
Inheritance Graph	12
CallGraph	13
Scope of Work/Verify Claims	14
Modifiers and public functions	24
Source Units in Scope	26
Critical issues	27
High issues	27
Medium issues	27
Low issues	27
Informational issues	27
Audit Comments	28
SWC Attacks	29

Disclaimer

SolidProof.io reports are not, nor should be considered, an “endorsement” or “disapproval” of any particular project or team. These reports are not, nor should be considered, an indication of the economics or value of any “product” or “asset” created by any team. SolidProof.io do not cover testing or auditing the integration with external contract or services (such as Unicrypt, Uniswap, PancakeSwap etc’...)

SolidProof.io Audits do not provide any warranty or guarantee regarding the absolute bug- free nature of the technology analyzed, nor do they provide any indication of the technology proprietors. SolidProof Audits should not be used in any way to make decisions around investment or involvement with any particular project. These reports in no way provide investment advice, nor should be leveraged as investment advice of any sort.

SolidProof.io Reports represent an extensive auditing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology. Blockchain technology and cryptographic assets present a high level of ongoing risk. SolidProof’s position is that each company and individual are responsible for their own due diligence and continuous security. SolidProof in no way claims any guarantee of security or functionality of the technology we agree to analyze.

Version	Date	Description
1.0	31. October 2022	<ul style="list-style-type: none">• Layout project• Automated- /Manual-Security Testing• Summary
1.1	14. November 2022	<ul style="list-style-type: none">• Reaudit

Network

Binance Smart Chain (BEP20)

Website

<https://www.lunamaniacs.com/>

Telegram

<https://t.me/LunaManiacsCoin>

Twitter

<https://twitter.com/LunaManiacsCoin>

Reddit

<https://reddit.com/r/LUNAManiacs/>

Youtube

<https://youtube.com/channel/UCLkCAQE7wqnOAuVz7FtXKNQ>

TikTok

<https://tiktok.com/@lunamaniacs>


Description

TBA

Project Engagement

During the 31st of October 2022, **Luna Maniacs Team** engaged Solidproof.io to audit smart contracts that they created. The engagement was technical in nature and focused on identifying security flaws in the design and implementation of the contracts. They provided Solidproof.io with access to their code repository and whitepaper.

Logo



Contract Link

v1.0

- <https://bscscan.com/address/0xF31492edbc6978Ad0Eb8F69a2add0348960d33d3>

v1.1

- <https://bscscan.com/address/0xC3855e3ab47a41A9294BF7a363EFBe4E5281B632#code>

Vulnerability & Risk Level

Risk represents the probability that a certain source-threat will exploit vulnerability, and the impact of that event on the organization or system. Risk Level is computed based on CVSS version 3.0.

Level	Value	Vulnerability	Risk (Required Action)
Critical	9 - 10	A vulnerability that can disrupt the contract functioning in a number of scenarios, or creates a risk that the contract may be broken.	Immediate action to reduce risk level.
High	7 – 8.9	A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.	Implementation of corrective actions as soon as possible.
Medium	4 – 6.9	A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.	Implementation of corrective actions in a certain period.
Low	2 – 3.9	A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.	Implementation of certain corrective actions or accepting the risk.
Informational	0 – 1.9	A vulnerability that have informational character but is not effecting any of the code.	An observation that does not determine a level of risk

Auditing Strategy and Techniques Applied

Throughout the review process, care was taken to evaluate the repository for security-related issues, code quality, and adherence to specification and best practices. To do so, reviewed line-by-line by our team of expert pentesters and smart contract developers, documenting any issues as there were discovered.

Methodology

The auditing process follows a routine series of steps:

1. Code review that includes the following:
 - i) Review of the specifications, sources, and instructions provided to SolidProof to make sure we understand the size, scope, and functionality of the smart contract.
 - ii) Manual review of code, which is the process of reading source code line-by-line in an attempt to identify potential vulnerabilities.
 - iii) Comparison to specification, which is the process of checking whether the code does what the specifications, sources, and instructions provided to SolidProof describe.
2. Testing and automated analysis that includes the following:
 - i) Test coverage analysis, which is the process of determining whether the test cases are actually covering the code and how much code is exercised when we run those test cases.
 - ii) Symbolic execution, which is analysing a program to determine what inputs causes each part of a program to execute.
3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts.

Used Code from other Frameworks/Smart Contracts (direct imports)

Imported packages:

```
IERC20  
IFactoryV2  
IV2Pair  
IRouter01  
IRouter02  
Protections  
Cashier
```


Tested Contract Files

This audit covered the following files listed below with a SHA-1 Hash.


A file with a different Hash has been modified, intentionally or otherwise, after the security review. A different Hash could be (but not necessarily) an indication of a changed condition or potential vulnerability that was not within the scope of this review.

v1.0


File Name	SHA-1 Hash
contracts/10-27-2022LunaManiacs.sol	28bcab269feb7e659d9c50c9fbd102aa50820329

Metrics

Source Lines v1.0



Risk Level v1.0



Capabilities

Components

Version	Contracts	Libraries	Interfaces	Abstract
1.0	1	0	7	0

Exposed Functions

This section lists functions that are explicitly declared public or payable. Please note that getter methods for public stateVars are not included.

Version	Public	Payable
1.0	98	6

Version	External	Internal	Private	Pure	View
1.0	90	71	1	6	33

State Variables


Version	Total	Public
1.0	48	23

Capabilities


Version	Solidity Versions observed	Experimental Features	Can Receive Funds	Uses Assembly	Has Destroyable Contracts
1.0	<code>>=0.6.0</code> <code><0.9.0</code>		yes		

Version	Transfers ETH	Low-Level Calls	DelegateCall	Uses Hash Functions	EC Recover	New/Create/Create2
1.0	yes					

Inheritance Graph v1.0



CallGraph v1.0



Scope of Work/Verify Claims

The above token Team provided us with the files that needs to be tested (Github, Bscscan, Etherscan, files, etc.). The scope of the audit is the main contract (usual the same name as team appended with .sol).

We will verify the following claims:

1. Is contract an upgradeable
2. Correct implementation of Token standard
3. Deployer cannot mint any new tokens
4. Deployer cannot burn or lock user funds
5. Deployer cannot pause the contract
6. Deployer cannot set fees
7. Deployer cannot blacklist/antisnipe addresses
8. Overall checkup (Smart Contract Security)

Is contract an upgradeable

Name	
Is contract an upgradeable?	No



Correct implementation of Token standard

ERC20				
Function	Description	Exist	Tested	Verified
TotalSupply	Provides information about the total token supply	✓	✓	✓
BalanceOf	Provides account balance of the owner's account	✓	✓	✓
Transfer	Executes transfers of a specified number of tokens to a specified address	✓	✓	✓
TransferFrom	Executes transfers of a specified number of tokens from a specified address	✓	✓	✓
Approve	Allow a spender to withdraw a set number of tokens from a specified account	✓	✓	✓
Allowance	Returns a set number of tokens from a spender to the owner	✓	✓	✓

Write functions of contract v1.0

multiSendTokens	setNewRouter
approve	setOperator
approveContractContingen...	setPriceImpactSwapAmount
claimPendingRewards	setProtectionSettings
enableTrading	setRatios
excludePresaleAddresses	setReflectorSettings
lockTaxes	setRewardsProperties
manualDeposit	setSwapSettings
manualProcess	setTaxes
removeSniper	setWallets
renounceOriginalDeployer	sweepContingency
renounceOwnership	sweepExternalTokens
setContractSwapEnabled	transfer
setDividendExcluded	transferFrom
setExcludedFromFees	transferOwner
setExcludedFromLimits	
setExcludedFromProtection	
setInitializers	
setLpPair	
setMaxTxPercent	
setMaxWalletSize	

Deployer cannot mint any new tokens

Name	Exist	Tested	Status
Deployer cannot mint	—	—	—
Max / Total Supply	100_000_000		




Deployer cannot burn or lock user funds

Name	Exist	Tested	Status
Deployer cannot lock	✓	✓	✓
Deployer cannot burn	—	—	—

Comments:

v1.0

- The “protections” contract was not provided to solidproof. DYOR here.



Deployer cannot pause the contract

Name	Exist	Tested	Status
Deployer cannot pause	—	—	—



Deployer cannot set fees

Name	Exist	Tested	Status
Deployer cannot set fees over 25%	✓	✓	✓
Deployer cannot set fees to nearly 100% or to 100%	✓	✓	✓



Deployer can antisnipe addresses

Name	Exist	Tested	Status
Deployer cannot antisnipe addresses	✓	✓	✗

Comments:

v1.0

- Antisnipe functionality exists



Overall checkup (Smart Contract Security)

Tested	Verified
✓	✓

Legend

Attribute	Symbol
Verified / Checked	✓
Partly Verified	⚠
Unverified / Not checked	✗
Not available	—

Modifiers and public functions

v1.0

▼	transferOwner
	Ⓜ onlyOwner
▼	renounceOwnership
	Ⓜ onlyOwner
	transferOperator
	renounceOriginalDeployer
	approve
▼	approveContractContingency
	Ⓜ onlyOwner
	transfer
	transferFrom
▼	setNewRouter
	Ⓜ onlyOwner
▼	setLpPair
	Ⓜ onlyOwner
▼	setInitializers
	Ⓜ onlyOwner
▼	setExcludedFromLimits
	Ⓜ onlyOwner
▼	setDividendExcluded
	Ⓜ onlyOwner
▼	setExcludedFromFees
	Ⓜ onlyOwner
▼	setExcludedFromProtection
	Ⓜ onlyOwner
▼	removeSniper
	Ⓜ onlyOwner
▼	setProtectionSettings
	Ⓜ onlyOwner
▼	setWallets
	Ⓜ onlyOwner
▼	lockTaxes
	Ⓜ onlyOwner
▼	setTaxes
	Ⓜ onlyOwner
▼	setRatios
	Ⓜ onlyOwner
▼	setMaxTxPercent
	Ⓜ onlyOwner
▼	setMaxWalletSize
	Ⓜ onlyOwner
▼	setSwapSettings
	Ⓜ onlyOwner
▼	setPriceImpactSwapAmount
	Ⓜ onlyOwner
▼	setContractSwapEnabled
	Ⓜ onlyOwner

▼	setRewardsProperties
	Ⓜ onlyOwner
▼	setReflectorSettings
	Ⓜ onlyOwner
▼	excludePresaleAddresses
	Ⓜ onlyOwner
▼	enableTrading
	Ⓜ onlyOwner
	manualProcess
▼	multiSendTokens
	Ⓜ onlyOwner
▼	manualDeposit
	Ⓜ onlyOwner
▼	sweepContingency
	Ⓜ onlyOwner
▼	sweepExternalTokens
	Ⓜ onlyOwner
	claimPendingRewards





Comments

- Deployer can set following state variables without any limitations
 - `_minReflection`
- Deployer can enable/disable following state variables
 - `lpPairs`
 - `_isExcludedFromDividends`
 - `_isExcludedFromLimits`
 - `_isExcludedFromFees`
 - `_isExcludedFromProtection`
 - `taxesAreLocked`
 - Can only be called once
 - `contractSwapEnabled`
 - `processReflect`
 - `piContractSwapsEnabled`
- Deployer can set following addresses
 - `lpPair`
 - `dexRouter`
 - `cashier`
 - `protections`
 - `marketingWallet`
- Existing Modifiers
 - `inSwapFlag`
 - `onlyOwner`
- Owner is able to call following “protections” function
 - `removeSniper`
 - `setProtections`
- Owner is able to
 - send multiple tokens to arbitrary addresses
 - Transfer address balance to his wallet with “sweepContingency” function
 - Transfer foreign tokens of his own wallet with “sweepExternalTokens” function
- The contract contains cashier functionalities. Do your own research here. The cashier contract was not provided to solidproof.

Please check if an `OnlyOwner` or similar restrictive modifier has been forgotten.

Source Units in Scope

v1.0

Type	File	Logic Contracts	Interfaces	Lines	nLines	nSLOC	Comment Lines	Complex. Score	Capabilities
	contracts/10-27-2022LunaManiacs.sol	1	7	809	707	582	20	599	
	Totals	1	7	809	707	582	20	599	

Legend

Attribute	Description
Lines	total lines of the source unit
nLines	normalised lines of the source unit (e.g. normalises functions spanning multiple lines)
nSLOC	normalised source lines of code (only source-code lines; no comments, no blank lines)
Comment Lines	lines containing single or block comments
Complexity Score	a custom complexity score derived from code statements that are known to introduce code complexity (branches, loops, calls, external interfaces, ...)

Audit Results

Critical issues

No critical issues

High issues

No high issues

Medium issues

No medium issues

Low issues

Issue	File	Type	Line	Description
#1	Main	Contract doesn't import npm packages from source (like OpenZeppelin etc.)	-	We recommend to import all packages from npm directly without flatten the contract. Functions could be modified or can be susceptible to vulnerabilities
#2	Main	Missing Zero Address Validation (missing-zero-check)	294	Check that the address is not zero
#3	Main	State variable visibility is not set	116, 117, 119, 176, 177, 179, 190	It is best practice to set the visibility of state variables explicitly
#4	Main	Missing Events Arithmetic	475, 480, 506, 523, 497	Emit an event for critical parameter changes

Informational issues

Issue	File	Type	Line	Description
#1	Main	State variables that could be declared constant (constable-states)	168	Add the `constant` attributes to state variables that never change

#2	Main	Functions that are not used	565	Remove unused functions. Before removing check the function, it could be possible, that you forget to implement it into the contract
#3	Main	Unused local variables	743	Remove unused local variables or use it in the function
#4	Main	Unused event	207	Event was not emitted. Emit the event or remove it.
#5	Main	Error message is missing	392, 393, 419, 525, 530, 531	Provide an error message for require statement

Alleviation

Floating pragma: The team is using floating pragma because of faster developing purposes. The dev will use the latest version of pragma version .

Audit Comments

We recommend you to use the special form of comments (NatSpec Format, Follow link for more information <https://docs.soliditylang.org/en/latest/natspec-format.html>) for your contracts to provide rich documentation for functions, return variables and more. This helps investors to make clear what that variables, functions etc. do.

14. November 2022:

- Cashier/Protections contract was not provided to solidproof
- Read whole report and modifiers section for more information

SWC Attacks

ID	Title	Relationships	Status
SW C-1 36	Unencrypted Private Data On-Chain	CWE-767: Access to Critical Private Variable via Public Method	PASSED
SW C-1 35	Code With No Effects	CWE-1164: Irrelevant Code	PASSED
SW C-1 34	Message call with hardcoded gas amount	CWE-655: Improper Initialization	PASSED
SW C-1 33	Hash Collisions With Multiple Variable Length Arguments	CWE-294: Authentication Bypass by Capture-replay	PASSED
SW C-1 32	Unexpected Ether balance	CWE-667: Improper Locking	PASSED
SW C-1 31	Presence of unused variables	CWE-1164: Irrelevant Code	NOT PASSED
SW C-1 30	Right-To-Left-Override control character (U+202E)	CWE-451: User Interface (UI) Misrepresentation of Critical Information	PASSED
SW C-1 29	Typographical Error	CWE-480: Use of Incorrect Operator	PASSED
SW C-1 28	DoS With Block Gas Limit	CWE-400: Uncontrolled Resource Consumption	PASSED

SW C-1 27	Arbitrary Jump with Function Type Variable	CWE-695: Use of Low-Level Functionality	PASSED
SW C-1 25	Incorrect Inheritance Order	CWE-696: Incorrect Behavior Order	PASSED
SW C-1 24	Write to Arbitrary Storage Location	CWE-123: Write-what-where Condition	PASSED
SW C-1 23	Requirement Violation	CWE-573: Improper Following of Specification by Caller	PASSED
SW C-1 22	Lack of Proper Signature Verification	CWE-345: Insufficient Verification of Data Authenticity	PASSED
SW C-1 21	Missing Protection against Signature Replay Attacks	CWE-347: Improper Verification of Cryptographic Signature	PASSED
SW C-1 20	Weak Sources of Randomness from Chain Attributes	CWE-330: Use of Insufficiently Random Values	PASSED
SW C-11 9	Shadowing State Variables	CWE-710: Improper Adherence to Coding Standards	PASSED
SW C-11 8	Incorrect Constructor Name	CWE-665: Improper Initialization	PASSED
SW C-11 7	Signature Malleability	CWE-347: Improper Verification of Cryptographic Signature	PASSED

SW C-11 6	Timestamp Dependence	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
SW C-11 5	Authorization through tx.origin	CWE-477: Use of Obsolete Function	PASSED
SW C-11 4	Transaction Order Dependence	CWE-362: Concurrent Execution using Shared Resource with Improper Synchronization ('Race Condition')	PASSED
SW C-11 3	DoS with Failed Call	CWE-703: Improper Check or Handling of Exceptional Conditions	PASSED
SW C-11 2	Delegatecall to Untrusted Callee	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
SW C-11 1	Use of Deprecated Solidity Functions	CWE-477: Use of Obsolete Function	PASSED
SW C-11 0	Assert Violation	CWE-670: Always-Incorrect Control Flow Implementation	PASSED
SW C-1 09	Uninitialized Storage Pointer	CWE-824: Access of Uninitialized Pointer	PASSED
SW C-1 08	State Variable Default Visibility	CWE-710: Improper Adherence to Coding Standards	NOT PASSED
SW C-1 07	Reentrancy	CWE-841: Improper Enforcement of Behavioral Workflow	PASSED
SW C-1 06	Unprotected SELFDESTRUCT Instruction	CWE-284: Improper Access Control	PASSED

SW C-1 05	Unprotected Ether Withdrawal	CWE-284: Improper Access Control	PASSED
SW C-1 04	Unchecked Call Return Value	CWE-252: Unchecked Return Value	PASSED
SW C-1 03	Floating Pragma	CWE-664: Improper Control of a Resource Through its Lifetime	PASSED
SW C-1 02	Outdated Compiler Version	CWE-937: Using Components with Known Vulnerabilities	PASSED
SW C-1 01	Integer Overflow and Underflow	CWE-682: Incorrect Calculation	PASSED
SW C-1 00	Function Default Visibility	CWE-710: Improper Adherence to Coding Standards	PASSED

*Solid
Proofed*

**Blockchain Security | Smart Contract Audits | KYC
Development | Marketing**


MADE IN GERMANY