



SOLIDProof

Bring trust into your projects

**Blockchain Security | Smart Contract Audits | KYC
Development | Marketing**

MADE IN GERMANY

AtomPad

Audit

Security Assessment
15. March, 2023

For



SolidProof_io



@solidproof_io

Disclaimer	3
Description	5
Project Engagement	5
Logo	5
Contract Link	5
Methodology	7
Used Code from other Frameworks/Smart Contracts (direct imports)	8
Tested Contract Files	9
Source Lines	10
Risk Level	10
Capabilities	11
Inheritance Graph	12
CallGraph	13
Scope of Work/Verify Claims	14
Modifiers and public functions	23
Source Units in Scope	25
Critical issues	26
High issues	26
Medium issues	26
Low issues	26
Informational issues	26
Commented Code exist	26
Audit Comments	27
SWC Attacks	28

Disclaimer

SolidProof.io reports are not, nor should be considered, an “endorsement” or “disapproval” of any particular project or team. These reports are not, nor should be considered, an indication of the economics or value of any “product” or “asset” created by any team. SolidProof.io do not cover testing or auditing the integration with external contract or services (such as Unicrypt, Uniswap, PancakeSwap etc’...)

SolidProof.io Audits do not provide any warranty or guarantee regarding the absolute bug- free nature of the technology analyzed, nor do they provide any indication of the technology proprietors. SolidProof Audits should not be used in any way to make decisions around investment or involvement with any particular project. These reports in no way provide investment advice, nor should be leveraged as investment advice of any sort.

SolidProof.io Reports represent an extensive auditing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology. Blockchain technology and cryptographic assets present a high level of ongoing risk. SolidProof’s position is that each company and individual are responsible for their own due diligence and continuous security. SolidProof in no way claims any guarantee of security or functionality of the technology we agree to analyze.

Version	Date	Description
1.0	28. February 2023	<ul style="list-style-type: none">• Layout project• Automated- /Manual-Security Testing• Summary
	15. March 2023	<ul style="list-style-type: none">• Mainnet address has been added

Network

Avalanche Snowtrace

Website

<https://www.atompad.io/>

Telegram

<https://t.me/atompad>

Twitter

https://twitter.com/atompad_io



Description

AtomPad is a diverse multichain De-Fi ecosystem which consists of a launchpad, contract auditing, blockchain gaming, token vesting and liquidity locking services.

AtomPad is the first platform that implemented NFTs into launchpad, investors will be able to purchase limited NFTs which will grant LIFETIME allocations for every project that launches on the platform.

Project Engagement

During the 25th of February 2023, **AtomPad Team** engaged Solidproof.io to audit smart contracts that they created. The engagement was technical in nature and focused on identifying security flaws in the design and implementation of the contracts. They provided Solidproof.io with access to their code repository and whitepaper.

Logo



Contract Link

v1.0

- Proxy
 - <https://testnet.snowtrace.io/address/0x238B05632f8c8D934d022C114CAaf9218D73838d#readProxyContract>
- Implementation
 - <https://testnet.snowtrace.io/address/0x49134EdF79188A4d3c34cC4Db11Bb9CB121a9caD#code>

v1.1

- Proxy
 - <https://bscscan.com/address/0xD89897B4e6D571eFf18D9b1F938ffA6a5533BeE4#readProxyContract>
- Implementation
 - <https://bscscan.com/address/0xf6d887ea05fe858126c8fafaffaa92db3b02cb10#code>

Vulnerability & Risk Level

Risk represents the probability that a certain source-threat will exploit vulnerability, and the impact of that event on the organization or system. Risk Level is computed based on CVSS version 3.0.

Level	Value	Vulnerability	Risk (Required Action)
Critical	9 - 10	A vulnerability that can disrupt the contract functioning in a number of scenarios, or creates a risk that the contract may be broken.	Immediate action to reduce risk level.
High	7 – 8.9	A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.	Implementation of corrective actions as soon as possible.
Medium	4 – 6.9	A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.	Implementation of corrective actions in a certain period.
Low	2 – 3.9	A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.	Implementation of certain corrective actions or accepting the risk.
Informational	0 – 1.9	A vulnerability that have informational character but is not effecting any of the code.	An observation that does not determine a level of risk

Auditing Strategy and Techniques Applied

Throughout the review process, care was taken to evaluate the repository for security-related issues, code quality, and adherence to specification and best practices. To do so, reviewed line-by-line by our team of expert pentesters and smart contract developers, documenting any issues as there were discovered.

Methodology

The auditing process follows a routine series of steps:

1. Code review that includes the following:
 - i) Review of the specifications, sources, and instructions provided to SolidProof to make sure we understand the size, scope, and functionality of the smart contract.
 - ii) Manual review of code, which is the process of reading source code line-by-line in an attempt to identify potential vulnerabilities.
 - iii) Comparison to specification, which is the process of checking whether the code does what the specifications, sources, and instructions provided to SolidProof describe.
2. Testing and automated analysis that includes the following:
 - i) Test coverage analysis, which is the process of determining whether the test cases are actually covering the code and how much code is exercised when we run those test cases.
 - ii) Symbolic execution, which is analysing a program to determine what inputs causes each part of a program to execute.
3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts.

Used Code from other Frameworks/Smart Contracts (direct imports)

Imported packages:

Dependency / Import Path	Count
@openzeppelin/contracts-upgradeable/access/OwnableUpgradeable.sol	1
@openzeppelin/contracts-upgradeable/proxy/utils/Initializable.sol	1
@openzeppelin/contracts-upgradeable/security/PausableUpgradeable.sol	1
@openzeppelin/contracts-upgradeable/security/ReentrancyGuardUpgradeable.sol	1
@openzeppelin/contracts-upgradeable/token/ERC20/utils/SafeERC20Upgradeable.sol	1
@openzeppelin/contracts-upgradeable/token/ERC721/IERC721ReceiverUpgradeable.sol	1
@openzeppelin/contracts-upgradeable/token/ERC721/IERC721Upgradeable.sol	1

Tested Contract Files

This audit covered the following files listed below with a SHA-1 Hash.


A file with a different Hash has been modified, intentionally or otherwise, after the security review. A different Hash could be (but not necessarily) an indication of a changed condition or potential vulnerability that was not within the scope of this review.

v1.0


File Name	SHA-1 Hash
contracts/interfaces/IAtpadNft.sol	34ed7d589089665609b93070697b6eedbd4e0b23
contracts/atompad.sol	29544c0fdcbf5d42a0f4c4f41442f4690d487e43
contracts/StakePoolStorage.sol	b3f921587c67b293795531177de164e6e8814fbc

Metrics

Source Lines v1.0



Risk Level v1.0



Capabilities

Components

Version	Contracts	Libraries	Interfaces	Abstract
1.0	2	0	1	0

Exposed Functions

This section lists functions that are explicitly declared public or payable. Please note that getter methods for public stateVars are not included.

Version	Public	Payable
1.0	35	0

Version	External	Internal	Private	Pure	View
1.0	31	20	1	1	16

State Variables

Version	Total	Public
1.0	20	10

Capabilities


Version	Solidity Versions observed	Experimental Features	Can Receive Funds	Uses Assembly	Has Destroyable Contracts
1.0	0.8.16				

Version	Transfers ETH	Low-Level Calls	DelegateCall	Uses Hash Functions	EC Recover	New/Create/Create2
---------	---------------	-----------------	--------------	---------------------	------------	--------------------

1.0	yes					
-----	-----	--	--	--	--	--


Inheritance Graph

v1.0



CallGraph

v1.0



Scope of Work/Verify Claims

The above token Team provided us with the files that needs to be tested (Github, Bscscan, Etherscan, files, etc.). The scope of the audit is the main contract (usual the same name as team appended with .sol).

We will verify the following claims:

1. Is contract an upgradeable
2. Deployer cannot mint any new tokens
3. Deployer cannot burn or lock user funds
4. Deployer cannot pause the contract
5. Deployer cannot set fees
6. Deployer cannot blacklist/antisnipe addresses
7. Overall checkup (Smart Contract Security)



Is contract an upgradeable

Name	
Is contract an upgradeable?	Yes

Comments:

v1.0

- Owner can deploy a new version of the contract which can change any limit and give owner new privileges
 - Be aware of this and do your own research for the contract which is the contract pointing to

Write functions of contract v1.0

1. addTier (0x01353d5a)
2. decreasePromoAllocPoints (0x78f27bea)
3. increasePromoAllocPoints (0x6da91293)
4. initialize (0xc4d66de8)
5. pause (0x8456cb59)
6. renounceOwnership (0x715018a6)
7. resetStakeToken (0x972cb8a7)
8. setDecimals (0x7a1395aa)
9. setDisableOrWithdraw (0x863d8031)
10. setEnableOrDisableStake (0xa0913865)
11. setMaxStakeOrWithdrawNft (0x96a876ce)
12. setMinStakingAmount (0x612d669e)
13. stake (0xa694fc3a)
14. stakeNft (0x28417f4c)
15. transferOwnership (0xf2fde38b)
16. unpause (0x3f4ba83a)
17. withdraw (0x2e1a7d4d)
18. withdrawAll (0x853828b6)
19. withdrawCollectedFee (0xd4d68e12)
20. withdrawNft (0xf544286e)

Deployer cannot mint any new tokens

Name	Exist	Tested	Status
Deployer cannot mint	—	—	—



Deployer cannot burn or lock user funds

Name	Exist	Tested	Status
Deployer cannot lock	✓	✓	✗
Deployer cannot burn	-	-	-

Comments:

v1.0

- Owner can lock user funds by
 - Setting min staking amount to a high value
 - Setting max stake or withdraw nft value to lowest value as possible
 - Pause the contract

Deployer cannot pause the contract

Name	Exist	Tested	Status
Deployer cannot pause	✓	✓	✗

Comments:

v1.0

- Owner can pause contract



Deployer cannot set fees

Name	Exist	Tested	Status
Deployer cannot set fees over 25%	—	—	—
Deployer cannot set fees to nearly 100% or to 100%	—	—	—



Deployer can blacklist/antisnipe addresses

Name	Exist	Tested	Status
Deployer cannot blacklist/antisnipe addresses	—	—	—



Overall checkup (Smart Contract Security)

Tested	Verified
✓	✓

Legend

Attribute	Symbol
Verified / Checked	✓
Partly Verified	⚠
Unverified / Not checked	✗
Not available	—

Modifiers and public functions

v1.0

- initialize
 - initializer
- stake
 - stakeEnabled
 - nonReentrant
 - whenNotPaused
- withdraw
 - withdrawEnabled
 - nonReentrant
 - whenNotPaused
- withdrawAll
 - withdrawEnabled
 - nonReentrant
 - whenNotPaused
- stakeNft
 - stakeEnabled
 - nonReentrant
 - whenNotPaused
- withdrawNft
 - nonReentrant
 - whenNotPaused
 - withdrawEnabled
- withdrawCollectedFee
 - onlyOwner
- resetStakeToken
 - onlyOwner
- addTier
 - onlyOwner
- increasePromoAllocPoints
 - onlyOwner
- decreasePromoAllocPoints
 - onlyOwner
- setEnabledOrDisableStake
 - onlyOwner
- setDisableOrWithdraw
 - onlyOwner
- setDecimals
 - onlyOwner
- setMaxStakeOrWithdrawNft
 - onlyOwner
- setMinStakingAmount
 - onlyOwner
- pause
 - onlyOwner
- unpause
 - onlyOwner

- renounceOwnership
 - onlyOwner
- transferOwnership
 - onlyOwner

Note: Functions from imported libraries were not listed below







Comments

- Deployer can set following state variables without any limitations
 - minStakingAmount
 - maxStakeOrWithdrawNft
 - decimals
 - promoAllocPoints
- Deployer can enable/disable following state variables
 - _paused
 - withdrawOn
 - stakeOn
- Deployer can set following addresses
 - stakeToken
- Existing Modifiers
 - stakeEnabled
 - withdrawEnabled
- Decimals value was used to check the minimum staking amount
- On some functions there are withdraw and pause state variables checked at the same time
- Owner can
 - add new tiers
 - Withdraw collected fee
 -

Please check if an OnlyOwner or similar restrictive modifier has been forgotten.

Source Units in Scope

v1.0

Type	File	Logic Contracts	Interfaces	Lines	nLines	nSLOC	Comment Lines	Complex. Score	Capabilities
	contracts/interfaces/IAtpadNft.sol	_____	1	11	10	4	2	5	_____
	contracts/atompad.sol	1	_____	670	579	307	158	216	
	contracts/StakePoolStorage.sol	1	_____	77	77	28	24	20	_____
	Totals	2	1	758	666	339	184	241	

Legend

Attribute	Description
Lines	total lines of the source unit
nLines	normalised lines of the source unit (e.g. normalises functions spanning multiple lines)
nSLOC	normalised source lines of code (only source-code lines; no comments, no blank lines)
Comment Lines	lines containing single or block comments
Complexity Score	a custom complexity score derived from code statements that are known to introduce code complexity (branches, loops, calls, external interfaces, ...)

Audit Results

Critical issues

No critical issues

High issues

No high issues

Medium issues

No medium issues

Low issues

Issue	File	Type	Line	Description
#1	Atompa d	Missing Events Arithmetic	617, 602, 632, 637, 642	Emit an event for critical parameter changes

Informational issues

No informational issues

Commented Code exist

There are some instances of code being commented out in the following files that should be removed:

File	Line	Comment
------	------	---------

Atompad	546-575	<pre> ///<notice !="address(0)," !collection");="" !index");="" "!stake");="" "stakepool:="" >="" <="" 0,="" <="" <dev="" <notice="" _collection,="" _stake,="" _tier,="" _tierindex)="" be="" called="" external="" for="" function="" is="" live="" memory="" not="" once="" onlyowner="" pre="" require(_collection="" require(_stake="" require(_tierindex="" requirement="" should="" stakepool="" staking="" this="" tiers.length,="" tiers[_tierindex]="_tier;" tiers[_tierindex].collection="_collection;" tiers[_tierindex].stake="_stake;" to="" uint256="" update="" updatecollection(address="" updatestakingreq(uint256="" updatetier(tier="" warning:="" {="" }=""> </notice></pre>
---------	---------	---

Recommendation

Remove the commented code, or address them properly.

Audit Comments

We recommend you to use the special form of comments (NatSpec Format, Follow link for more information <https://docs.soliditylang.org/en/latest/natspec-format.html>) for your contracts to provide rich documentation for functions, return variables and more. This helps investors to make clear what that variables, functions etc. do.

28. February 2023:

- There is still an owner (Owner still has not renounced ownership)
- Owner can deploy a new version of the contract which can change any limit and give owner new privileges
- Read whole report and modifiers section for more information

SWC Attacks

ID	Title	Relationships	Status
SW C-1 36	Unencrypted Private Data On-Chain	CWE-767: Access to Critical Private Variable via Public Method	PASSED
SW C-1 35	Code With No Effects	CWE-1164: Irrelevant Code	PASSED
SW C-1 34	Message call with hardcoded gas amount	CWE-655: Improper Initialization	PASSED
SW C-1 33	Hash Collisions With Multiple Variable Length Arguments	CWE-294: Authentication Bypass by Capture-replay	PASSED
SW C-1 32	Unexpected Ether balance	CWE-667: Improper Locking	PASSED
SW C-1 31	Presence of unused variables	CWE-1164: Irrelevant Code	PASSED
SW C-1 30	Right-To-Left-Override control character (U+202E)	CWE-451: User Interface (UI) Misrepresentation of Critical Information	PASSED
SW C-1 29	Typographical Error	CWE-480: Use of Incorrect Operator	PASSED
SW C-1 28	DoS With Block Gas Limit	CWE-400: Uncontrolled Resource Consumption	PASSED

SW C-1 27	Arbitrary Jump with Function Type Variable	CWE-695: Use of Low-Level Functionality	PASSED
SW C-1 25	Incorrect Inheritance Order	CWE-696: Incorrect Behavior Order	PASSED
SW C-1 24	Write to Arbitrary Storage Location	CWE-123: Write-what-where Condition	PASSED
SW C-1 23	Requirement Violation	CWE-573: Improper Following of Specification by Caller	PASSED
SW C-1 22	Lack of Proper Signature Verification	CWE-345: Insufficient Verification of Data Authenticity	PASSED
SW C-1 21	Missing Protection against Signature Replay Attacks	CWE-347: Improper Verification of Cryptographic Signature	PASSED
SW C-1 20	Weak Sources of Randomness from Chain Attributes	CWE-330: Use of Insufficiently Random Values	PASSED
SW C-11 9	Shadowing State Variables	CWE-710: Improper Adherence to Coding Standards	PASSED
SW C-11 8	Incorrect Constructor Name	CWE-665: Improper Initialization	PASSED
SW C-11 7	Signature Malleability	CWE-347: Improper Verification of Cryptographic Signature	PASSED

SW C-11 6	Timestamp Dependence	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
SW C-11 5	Authorization through tx.origin	CWE-477: Use of Obsolete Function	PASSED
SW C-11 4	Transaction Order Dependence	CWE-362: Concurrent Execution using Shared Resource with Improper Synchronization ('Race Condition')	PASSED
SW C-11 3	DoS with Failed Call	CWE-703: Improper Check or Handling of Exceptional Conditions	PASSED
SW C-11 2	Delegatecall to Untrusted Callee	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
SW C-11 1	Use of Deprecated Solidity Functions	CWE-477: Use of Obsolete Function	PASSED
SW C-11 0	Assert Violation	CWE-670: Always-Incorrect Control Flow Implementation	PASSED
SW C-1 09	Uninitialized Storage Pointer	CWE-824: Access of Uninitialized Pointer	PASSED
SW C-1 08	State Variable Default Visibility	CWE-710: Improper Adherence to Coding Standards	PASSED
SW C-1 07	Reentrancy	CWE-841: Improper Enforcement of Behavioral Workflow	PASSED
SW C-1 06	Unprotected SELFDESTRUCT Instruction	CWE-284: Improper Access Control	PASSED

SW C-1 05	Unprotected Ether Withdrawal	CWE-284: Improper Access Control	PASSED
SW C-1 04	Unchecked Call Return Value	CWE-252: Unchecked Return Value	PASSED
SW C-1 03	Floating Pragma	CWE-664: Improper Control of a Resource Through its Lifetime	PASSED
SW C-1 02	Outdated Compiler Version	CWE-937: Using Components with Known Vulnerabilities	PASSED
SW C-1 01	Integer Overflow and Underflow	CWE-682: Incorrect Calculation	PASSED
SW C-1 00	Function Default Visibility	CWE-710: Improper Adherence to Coding Standards	PASSED



SolidProof_io



@solidproof_io

*Solid
Proofed*

**Blockchain Security | Smart Contract Audits | KYC
Development | Marketing**


MADE IN GERMANY