

Blockchain Security | Smart Contract Audits | KYC Development | Marketing

MADE IN GERMANY

Moshnake

Audit

Security Assessment 16. September, 2022

For







Disclaimer	3
Description	5
Project Engagement	5
Logo	5
Contract Link	5
Methodology	7
Used Code from other Frameworks/Smart Contracts (direct imports)	8
Tested Contract Files	9
Source Lines	10
Risk Level	10
Capabilities	11
Inheritance Graph	12
CallGraph	13
Scope of Work/Verify Claims	14
Modifiers and public functions	24
Source Units in Scope	26
Critical issues	27
High issues	27
Medium issues	27
Low issues	27
Informational issues	27
Audit Comments	28
SWC Attacks	29

Disclaimer

<u>SolidProof.io</u> reports are not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. These reports are not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team. SolidProof.io do not cover testing or auditing the integration with external contract or services (such as Unicrypt, Uniswap, PancakeSwap etc'...)

SolidProof.io Audits do not provide any warranty or guarantee regarding the absolute bug- free nature of the technology analyzed, nor do they provide any indication of the technology proprietors. SolidProof Audits should not be used in any way to make decisions around investment or involvement with any particular project. These reports in no way provide investment advice, nor should be leveraged as investment advice of any sort.

SolidProof.io Reports represent an extensive auditing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology. Blockchain technology and cryptographic assets present a high level of ongoing risk. SolidProof's position is that each company and individual are responsible for their own due diligence and continuous security. SolidProof in no way claims any guarantee of security or functionality of the technology we agree to analyze.

Version	Date	Description
1.0	12. September 2022	Layout projectAutomated-/Manual-Security TestingSummary
1.1	16. September 2022	· Reaudit

Network

Binance Smart Chain (BEP20)

Website

https://moshnake.io/

Telegram

https://t.me/MoshnakeOfficial

Twitter

https://twitter.com/moshnakeToken

Description

Moshnake, a Play-to-Earn NFT game operating on top of BNB Smart Chain is inspired by the all-time classic hit game- Snake. Players can experience those good old days once again with Moshnake but with the added benefit of earning while playing anonymously.

Each player in the game will be able to manoeuvre their own Moshnake NFT to feed them with the different types of eggs and in-game NFT items lying in the arena while also battling with other snakes in the a battle royale arena.

Project Engagement

During the 12th of September 2022, **Moshnake Team** engaged Solidproof.io to audit smart contracts that they created. The engagement was technical in nature and focused on identifying security flaws in the design and implementation of the contracts. They provided Solidproof.io with access to their code repository and whitepaper.



Contract Link v1.0

· Provided as files

Vulnerability & Risk Level

Risk represents the probability that a certain source-threat will exploit vulnerability, and the impact of that event on the organization or system. Risk Level is computed based on CVSS version 3.0.

Level	Value	Vulnerability	Risk (Required Action)
Critical	9 - 10	A vulnerability that can disrupt the contract functioning in a number of scenarios, or creates a risk that the contract may be broken.	Immediate action to reduce risk level.
High	7 – 8.9	A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.	Implementation of corrective actions as soon aspossible.
Medium	4 – 6.9	A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.	Implementation of corrective actions in a certain period.
Low	2 – 3.9	A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.	Implementation of certain corrective actions or accepting the risk.
Informational	0 – 1.9	A vulnerability that have informational character but is not effecting any of the code.	An observation that does not determine a level of risk

Auditing Strategy and Techniques Applied

Throughout the review process, care was taken to evaluate the repository for security-related issues, code quality, and adherence to specification and best practices. To do so, reviewed line-by-line by our team of expert pentesters and smart contract developers, documenting any issues as there were discovered.

Methodology

The auditing process follows a routine series of steps:

- 1. Code review that includes the following:
 - i) Review of the specifications, sources, and instructions provided to SolidProof to make sure we understand the size, scope, and functionality of the smart contract.
 - ii) Manual review of code, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
 - iii) Comparison to specification, which is the process of checking whether the code does what the specifications, sources, and instructions provided to SolidProof describe.
- 2. Testing and automated analysis that includes the following:
 - i) Test coverage analysis, which is the process of determining whether the test cases are actually covering the code and how much code is exercised when we run those test cases.
 - ii) Symbolic execution, which is analysing a program to determine what inputs causes each part of a program to execute.
- 3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
- 4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts.

Used Code from other Frameworks/Smart Contracts (direct imports)

Imported packages:

Dependency / Import Path	Count
@openzeppelin/contracts-upgradeable/access/OwnableUpgradeable.sol	2
@openzeppelin/contracts-upgradeable/proxy/utils/Initializable.sol	1
@openzeppelin/contracts-upgradeable/token/ERC20/ERC20Upgradeable.sol	2
@openzeppelin/contracts-upgradeable/token/ERC20/IERC20Upgradeable.sol	1
@openzeppelin/contracts-upgradeable/token/ERC20/extensions/ERC20VotesUpgradeable.sol	1
@openzeppelin/contracts-upgradeable/token/ERC20/extensions/draft-ERC20PermitUpgradeable.sol	1
@openzeppelin/contracts/access/Ownable.sol	1
@openzeppelin/contracts/proxy/Clones.sol	1
@openzeppelin/contracts/token/ERC20/ERC20.sol	1
@openzeppelin/contracts/utils/math/SafeMath.sol	1

Tested Contract Files

This audit covered the following files listed below with a SHA-1 Hash.


A file with a different Hash has been modified, intentionally or otherwise, after the security review. A different Hash could be (but not necessarily) an indication of a changed condition or potential vulnerability that was not within the scope of this review.

v1.0

File Name	SHA-1 Hash
contracts/libs/SafeMathUint.sol	6b2ae8e97bac53066b65f5f7ac4c667250e6d346
contracts/libs/SafeMathInt.sol	bbbb2e33e3af95a5ff8525d554497899c3f5bb72
contracts/libs/IterableMapping.sol	97fce8527859afc664798ab48798d4bc6116df67
contracts/Moshnake.sol	a3b2651b76e61f8215dc8037eb639ad17e2860fc
contracts/DividendTokenDividendTracker.sol	e6b951b712f0725aa4257828b60f6d56f9f7bdb5

Metrics

Source Lines v1.0



Capabilities

Components

Version	Contracts	Libraries	Interfaces	Abstract
1.0	3	3	7	0

Exposed Functions

This section lists functions that are explicitly declared public or payable. Please note that getter methods for public stateVars are not included.

Ve	rsion	Public	Payable
1.0		127	5

Version	External	Internal	Private	Pure	View
1.0	98	95	5	19	50

State Variables

Version	Total	Public
1.0	39	28

Capabilities

Version	Solidity Versions observed	Experim ental Features	Can Receive Funds	Uses Assembl Y	Has Destroya ble Contract s
1.0	^0.8.1 3		yes		

Version	Transfer s ETH	Low- Level Calls	Deleg ateCa II	Uses Hash Function s	EC Rec ove r	New/ Create/ Create2
---------	-------------------	------------------------	----------------------	-------------------------------	-----------------------	----------------------------

1.0 yes	
---------	--


Inheritance Graph

v1.0



CallGraph

v1.0



Scope of Work/Verify Claims

The above token Team provided us with the files that needs to be tested (Github, Bscscan, Etherscan, files, etc.). The scope of the audit is the main contract (usual the same name as team appended with .sol).

We will verify the following claims:

- 1. Is contract an upgradeable
- 2. Correct implementation of Token standard
- 3. Deployer cannot mint any new tokens
- 4. Deployer cannot burn or lock user funds
- 5. Deployer cannot pause the contract
- 6. Deployer cannot set fees
- 7. Deployer cannot blacklist/antisnipe addresses
- 8. Overall checkup (Smart Contract Security)

Is contract an upgradeable

Name Is contract an upgradeable? Yes

Comments:


v1.0

- Owner can deploy a new version of the contract which can change any limit and give owner new privileges
 - Be aware of this and do your own research for the contract which is the contract pointing to

Correct implementation of Token standard

ERC20						
Function	Function Description					
TotalSupply	Provides information about the total token supply	\checkmark	√	\checkmark		
BalanceOf	Provides account balance of the owner's account	\checkmark	√	\checkmark		
Transfer	Executes transfers of a specified number of tokens to a specified address	√	√	√		
TransferFrom	Executes transfers of a specified number of tokens from a specified address	√	√	√		
Approve	Allow a spender to withdraw a set number of tokens from a specified account	1	√	√		
Allowance	Returns a set number of tokens from a spender to the owner	√	1	✓		

Write functions of contract v1.0



Deployer cannot mint any new tokens

Name	Exist	Tested	Status
Deployer cannot mint	√	√	√



Deployer cannot burn or lock user funds

Name	Exist	Tested	Status
Deployer cannot lock	\checkmark	√	\checkmark
Deployer cannot burn	√	√	X

Comments:

v1.0

- Tokens will be send to the contract address as "burnFee" but this is not burning the tokens itself. The owner must call the "burnFromFee" function in L737
- Owner is able to set the "maxTransactionAmount" to nearly 0 in the L612. "MaxWallet" is the same as above in the function in L612

Deployer cannot pause the contract

Name	Exist	Tested	Status
Deployer cannot pause	-	_	-



Deployer cannot set fees

Name	Exist	Tested	Status
Deployer cannot set fees over 25%	√	✓	X
Deployer cannot set fees to nearly 100% or to 100%	√	√	\checkmark

Comments:

v1.0

• Fees can be set up to 30%

Deployer can blacklist/antisnipe addresses

Name	Exist	Tested	Status
Deployer cannot blacklist/antisnipe addresses	-	-	-



Overall checkup (Smart Contract Security)




Legend

Attribute	Symbol
Verified / Checked	\checkmark
Partly Verified	×
Unverified / Not checked	X
Not available	-

Modifiers and public functions

v1.0



Note: Not listed functions/modifiers was imported from libraries.

Comments

- · Deployer can set following state variables without any limitations
 - minimumTokenBalanceForDividends
 - Can be set to 0 that nobody will get dividends
 - swapTokensAtAmount
- Deployer can enable/disable following state variables
 - tokenHoldersMap
 - excludedFromDividends

- isExcludedFromMaxTransactionAmount
- automatedMarketMakerPairs
- isExcludedFromMaxTransactionAmount
- _isExcludedFromFees
- Deployer can set following addresses
 - IpWallet
 - _operationWalletAddress
 - pancakeswapV2Pair
 - pancakeswapV2Router
 - baseTokenForPair
 - dividendTracker
- · Anyone can distribute tokens into the dividend token
- Anyone is able to call initialize function. Be aware of it. We recommend
 you secure this part with a modifier that the owner is the only one who
 can call it
- "_operationWalletAddress" will be excluded from fees. After updating the address it is not included back into the fee. Also while updating the address make sure to excluded it from fees and max transaction
- While transferring the ownership the old owner was not included back into the "isExcludedFromMaxTransactionAmount" state variable

Please check if an OnlyOwner or similar restrictive modifier has been forgotten.

Source Units in Scope

v1.0

Туре	File	Logic Contracts	Interfaces	Lines	nLines	nSLOC	Comment Lines	Complex. Score	Capabilities
*	contracts/libs/SafeMathUint.sol	1		9	9	8	1	3	
*	contracts/libs/SafeMathInt.sol	1		60	60	33	19	16	
*	contracts/libs/IterableMapping.sol	1		73	61	48	2	19	
Q	contracts/Moshnake.sol	1	5	1053	628	526	7	516	. <u>Š</u> &
Q	contracts/DividendTokenDividendTracker.sol	2	2	534	408	273	68	188	
≥Q	Totals	6	7	1729	1166	888	97	742	. <u>Š</u> .

Legend

Attribute	Description
Lines	total lines of the source unit
nLines	normalised lines of the source unit (e.g. normalises functions spanning multiple lines)
nSLOC	normalised source lines of code (only source-code lines; no comments, no blank lines)
Comment Lines	lines containing single or block comments
Complexity Score	a custom complexity score derived from code statements that are known to introduce code complexity (branches, loops, calls, external interfaces,)

Audit Results

Critical issues

No critical issues

High issues

No high issues

Medium issues

No medium issues

Low issues

Issue	File	Туре	Line	Description
#1	Moshna ke	Missing Zero Address Validation (missing- zero-check)	628	Check that the address is not zero

Informational issues

Issue	File	Type	Line	Description
#1	SafeMat hInt	Functions that are not used	51, 22, 10	Remove unused functions. Before removing check the function, it could be possible, that you forget to implement it into the contract
#2	Moshna ke	Wrong comment	472	You are able to pass 5 addresses but in the comment is 5 elements.
#3	All	NatSpec documentation missing	-	If you started to comment your code, also comment all other functions, variables etc.
#4	Dividen dToken Dividen dTracke r	Wrong error message	318	Withdraw dividend function was removed from the team. We recommend you to revert this removing and replace "BABYTOKEN" with your dividend tracker name

Audit Comments

We recommend you to use the special form of comments (NatSpec Format, Follow link for more information https://docs.soliditylang.org/en/v0.5.10/natspec-format.html) for your contracts to provide rich documentation for functions, return variables and more. This helps investors to make clear what that variables, functions etc. do.

12. September 2022:

- Owner can deploy a new version of the contract which can change any limit and give owner new privileges
- Read whole report and modifiers section for more information

SWC Attacks

ID	Title	Relationships	Status
<u>SW</u> <u>C-1</u> <u>36</u>	Unencrypted Private Data On-Chain	CWE-767: Access to Critical Private Variable via Public Method	PASSED
<u>SW</u> <u>C-1</u> <u>35</u>	Code With No Effects	CWE-1164: Irrelevant Code	PASSED
<u>SW</u> <u>C-1</u> <u>34</u>	Message call with hardcoded gas amount	CWE-655: Improper Initialization	PASSED
<u>SW</u> <u>C-1</u> <u>33</u>	Hash Collisions With Multiple Variable Length Arguments	CWE-294: Authentication Bypass by Capture-replay	PASSED
<u>SW</u> <u>C-1</u> <u>32</u>	Unexpected Ether balance	CWE-667: Improper Locking	PASSED
<u>SW</u> <u>C-1</u> <u>31</u>	Presence of unused variables	CWE-1164: Irrelevant Code	PASSED
<u>SW</u> <u>C-1</u> <u>30</u>	Right-To-Left- Override control character (U+202E)	CWE-451: User Interface (UI) Misrepresentation of Critical Information	PASSED
<u>SW</u> <u>C-1</u> <u>29</u>	Typographical Error	CWE-480: Use of Incorrect Operator	PASSED
<u>SW</u> <u>C-1</u> <u>28</u>	DoS With Block Gas Limit	CWE-400: Uncontrolled Resource Consumption	PASSED

<u>SW</u> <u>C-1</u> <u>27</u>	Arbitrary Jump with Function Type Variable	CWE-695: Use of Low-Level Functionality	PASSED
SW C-1 25	Incorrect Inheritance Order	CWE-696: Incorrect Behavior Order	PASSED
<u>SW</u> <u>C-1</u> <u>24</u>	Write to Arbitrary Storage Location	CWE-123: Write-what-where Condition	PASSED
SW C-1 23	Requirement Violation	CWE-573: Improper Following of Specification by Caller	PASSED
<u>SW</u> <u>C-1</u> <u>22</u>	Lack of Proper Signature Verification	CWE-345: Insufficient Verification of Data Authenticity	PASSED
<u>SW</u> <u>C-1</u> <u>21</u>	Missing Protection against Signature Replay Attacks	CWE-347: Improper Verification of Cryptographic Signature	PASSED
SW C-1 20	Weak Sources of Randomness from Chain Attributes	CWE-330: Use of Insufficiently Random Values	PASSED
<u>SW</u> <u>C-11</u> <u>9</u>	Shadowing State Variables	CWE-710: Improper Adherence to Coding Standards	PASSED
<u>SW</u> <u>C-11</u> <u>8</u>	Incorrect Constructor Name	CWE-665: Improper Initialization	PASSED
<u>SW</u> C-11 7	Signature Malleability	CWE-347: Improper Verification of Cryptographic Signature	PASSED

<u>SW</u> <u>C-11</u> <u>6</u>	Timestamp Dependence	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
<u>SW</u> <u>C-11</u> <u>5</u>	Authorization through tx.origin	CWE-477: Use of Obsolete Function	PASSED
<u>SW</u> <u>C-11</u> <u>4</u>	Transaction Order Dependence	CWE-362: Concurrent Execution using Shared Resource with Improper Synchronization ('Race Condition')	PASSED
<u>SW</u> <u>C-11</u> <u>3</u>	DoS with Failed Call	CWE-703: Improper Check or Handling of Exceptional Conditions	PASSED
<u>SW</u> <u>C-11</u> <u>2</u>	Delegatecall to Untrusted Callee	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
<u>SW</u> <u>C-11</u> <u>1</u>	Use of Deprecated Solidity Functions	CWE-477: Use of Obsolete Function	PASSED
<u>SW</u> <u>C-11</u> <u>O</u>	Assert Violation	CWE-670: Always-Incorrect Control Flow Implementation	PASSED
SW C-1 09	Uninitialized Storage Pointer	CWE-824: Access of Uninitialized Pointer	PASSED
<u>SW</u> <u>C-1</u> <u>08</u>	State Variable Default Visibility	CWE-710: Improper Adherence to Coding Standards	PASSED
SW C-1 07	Reentrancy	CWE-841: Improper Enforcement of Behavioral Workflow	PASSED
<u>SW</u> <u>C-1</u> <u>06</u>	Unprotected SELFDESTRUC T Instruction	CWE-284: Improper Access Control	PASSED

<u>SW</u> <u>C-1</u> <u>05</u>	Unprotected Ether Withdrawal	CWE-284: Improper Access Control	PASSED
<u>SW</u> <u>C-1</u> <u>04</u>	Unchecked Call Return Value	CWE-252: Unchecked Return Value	PASSED
<u>SW</u> <u>C-1</u> <u>03</u>	Floating Pragma	CWE-664: Improper Control of a Resource Through its Lifetime	PASSED
<u>SW</u> <u>C-1</u> <u>02</u>	Outdated Compiler Version	CWE-937: Using Components with Known Vulnerabilities	PASSED
<u>SW</u> <u>C-1</u> <u>01</u>	Integer Overflow and Underflow	CWE-682: Incorrect Calculation	PASSED
<u>SW</u> <u>C-1</u> <u>00</u>	Function Default Visibility	CWE-710: Improper Adherence to Coding Standards	PASSED







Blockchain Security | Smart Contract Audits | KYC Development | Marketing

