

Blockchain Security | Smart Contract Audits | KYC



VaccineZombieBlood

Audit

Security Assessment 25. August, 2022

For







Disclaimer	2
Description	5
Project Engagement	5
Logo	5
Contract Link	5
Methodology	7
Used Code from other Frameworks/Smart Contracts (direct imports)	8
Tested Contract Files	9
Source Lines	10
Risk Level	10
Capabilities	11
Inheritance Graph	11
CallGraph	12
Scope of Work/Verify Claims	13
Modifiers and public functions	24
Source Units in Scope	25
Critical issues	26
High issues	26
Medium issues	26
Low issues	26
Informational issues	27
Audit Comments	27
SWC Attacks	28

Disclaimer

<u>SolidProof.io</u> reports are not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. These reports are not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team. SolidProof.io do not cover testing or auditing the integration with external contract or services (such as Unicrypt, Uniswap, PancakeSwap etc'...)

SolidProof.io Audits do not provide any warranty or guarantee regarding the absolute bug- free nature of the technology analyzed, nor do they provide any indication of the technology proprietors. SolidProof Audits should not be used in any way to make decisions around investment or involvement with any particular project. These reports in no way provide investment advice, nor should be leveraged as investment advice of any sort.

SolidProof.io Reports represent an extensive auditing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology. Blockchain technology and cryptographic assets present a high level of ongoing risk. SolidProof's position is that each company and individual are responsible for their own due diligence and continuous security. SolidProof in no way claims any guarantee of security or functionality of the technology we agree to analyze.

Version	Date	Description
1.0	21.August,2022	Layout projectAutomated- /Manual-Security TestingSummary

Network

Binance (BSC)

Website

https://cryptosurvivornft.com

Twitter

https://twitter.com/CryptoSurvivorZ

Telegram

https://t.me/CryptoSurvivorNft

Instagram

https://www.instagram.com/cryptosurvivornft/

Discord

https://discord.com/invite/GNq4zy4M

TikTok

https://www.tiktok.com/@cryptosurvivor

YouTube

https://www.youtube.com/channel/UC1dzQHLDOkjYLGAYo5brNgQ

Description

Crypto Survivor is a latest generation Click to Earn game, which encompasses the best security standards in smart contracts and existing economy in the Blockchain. It has a fully decentralized ecosystem. Users will be able to mint NFTs under the ERC-1155 standard and earn rewards tied to the dollar in VZBL tokens. In addition, users have full control of the game assets, so they can trade or burn their NFTs at any time.

Crypto Survivor is based on a post-apocalyptic theme in which users will need to secure infected zones in the different cities that make up the world. To do this, it will be necessary to have squads composed of vehicles and survivors, survival kits and in some situations when your squads are totally weakened, the use of antidotes to bring them back to life.

Project Engagement

During the 21th of August 2022, **Crypto Survivor** team engaged Solidproof.io to audit the smart contracts that they created. The engagement was technical in nature and focused on identifying the security flaws in the design and implementation of the contracts. They provided Solidproof.io with access to their code repository and whitepaper.





Contract Links

v1.0

https://bscscan.com/address/0x90adA5790fF064e52810c8C371F13976DbFC3 0b7#code

Vulnerability & Risk Level

Risk represents the probability that a certain source-threat will exploit vulnerability, and the impact of that event on the organization or system. Risk Level is computed based on CVSS version 3.0.

Level	Value	Vulnerability	Risk (Required Action)
Critical	9 - 10	A vulnerability that can disrupt the contract functioning in a number of scenarios, or creates a risk that the contract may be broken.	Immediate action to reduce risk level.
High	7 – 8.9	A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.	Implementation of corrective actions as soon as possible.
Medium	4 – 6.9	A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.	Implementation of corrective actions in a certain period.
Low	2 – 3.9	A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.	Implementation of certain corrective actions or accepting the risk.
Informational	0 – 1.9	A vulnerability that have informational character but is not effecting any of the code.	An observation that does not determine a level of risk

Auditing Strategy and Techniques Applied

Throughout the review process, care was taken to evaluate the repository for security-related issues, code quality, and adherence to specification and best practices. To do so, reviewed line-by-line by our team of expert pentesters and smart contract developers, documenting any issues as there were discovered.

Methodology

The auditing process follows a routine series of steps:

- 1. Code review that includes the following:
 - Review of the specifications, sources, and instructions provided to SolidProof to make sure we understand the size, scope, and functionality of the smart contract.
 - ii) Manual review of code, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
 - iii) Comparison to specification, which is the process of checking whether the code does what the specifications, sources, and instructions provided to SolidProof describe.
- 2. Testing and automated analysis that includes the following:
 - i) Test coverage analysis, which is the process of determining whether the test cases are actually covering the code and how much code is exercised when we run those test cases.
 - ii) Symbolic execution, which is analyzing a program to determine what inputs causes each part of a program to execute.
- 3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
- 4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts.

Used Code from other Frameworks/Smart Contracts (direct imports)

Imported packages:

- @openzeppelin/contracts/token/ERC20/ERC20.sol
- @openzeppelin/contracts/access/Ownable.sol
- @openzeppelin/contracts/utils/math/SafeMath.sol

Tested Contract Files


This audit covered the following files listed below with a SHA-1 Hash.

A file with a different Hash has been modified, intentionally or otherwise, after the security review. A different Hash could be (but not necessarily) an indication of a changed condition or potential vulnerability that was not within the scope of this review.

File Name	SHA-1 Hash
contracts/CryptoSurvivorERC20.s ol	81e69fd21cde11b0910dcab1305b83413d5166 c5

Metrics

Source Lines



Capabilities

v1.0

Components




Exposed Functions

This section lists functions that are explicitly declared public or payable. Please note that getter methods for public stateVars are not included.




External	IIIterriai	Filvate	Fule	VICVV
5	8	0	0	0


StateVariables




Capabilities



Inheritance Graph



Call Graph



Scope of Work/Verify Claims

The above token Team provided us with the files that needs to be tested (Github, Bscscan, Etherscan, files, etc.). The scope of the audit is the main contract (usual the same name as team appended with .sol).

We will verify the following claims:

- 1. Is contract an upgradeable
- 2. Correct implementation of Token standard
- 3. Deployer cannot mint any new tokens
- 4. Deployer cannot burn or lock user funds
- 5. Deployer cannot pause the contract
- 6. Deployer can set fees
- 7. Deployer can blacklist/antisnipe address
- 8. Overall checkup (Smart Contract Security)

ls contract an upgradeable


Name	
Is contract an upgradeable?	No



Correct implementation of Token standard

	ERC20			
Function	Description	Exist	Tested	Verified
totalSupply	Provides information about the total token supply			
balanceOf	Provides account balance of the owner's account			
transfer	Executes transfers of a specified number of tokens to a specified address			
transferFrom	Executes transfers of a specified number of tokens from a specified address			
approve	Allow a spender to withdraw a set number of tokens from a specified account			
allowance	Returns a set number of tokens from a spender to the owner			

Write functions of contracts v1.0



Deployer cannot mint any new tokens

Name	Exist	Tested	Status
Deployer cannot mint			
Max / Total Supply	5.000.000		



Deployer cannot burn or lock user funds

Name	Exist	Tested	Status
Deployer cannot lock			
Deployer cannot burn			



Deployer cannot pause the contract

Name	Exist	Tested	Status
Deployer cannot pause			



Deployer can set fees

Name	Exist	Tested	Status
Deployer can set fees over 25%			
Deployer can set fees to nearly 100% or more			

Comments:

The fees can be set up to 30%.



Deployer cannot blacklist/antisnipe addresses

Name	Exist	Tested	Status
Deployer can blacklist/antisnipe addresses			

Comments:

Deployer can exclude wallets from maximum transfer amount.

Overall checkup (Smart Contract Security)


Tested	Verified

Legend

Attribute	Symbol
Verified / Checked	
Partly Verified	
Unverified / Not checked	
Not available	

Modifiers and public functions

v1.0



Comments:

- The deployer can set the max transfer amount but not less than 100.000 tokens
- The deployer can change the tax.
- Once a wallet address in included in the tax/fees by the deployer then there is no way to exclude it.

Source Units in Scope

v1.0

File	Logic Contracts	Interfaces	Lines	nLines	nSLOC	Comment Lines	Complex. Score
contracts/CryptoSurvivorERC20.sol	1		104	100	75	6	63
Totals	1		104	100	75	6	63

Legend

Attribute	Description
Lines	total lines of the source unit
nLines	normalized lines of the source unit (e.g. normalizes functions spanning multiple lines)
nSLOC	normalized source lines of code (only source-code lines; no comments, no blank lines)
Comment Lines	lines containing single or block comments
Complexity Score	a custom complexity score derived from code statements that are known to introduce code complexity (branches, loops, calls, external interfaces,)

Audit Results

AUDIT PASSED

Critical issues

No critical issues

High issues

No high issues

Medium issues

No medium issues

Low issues

No low issues

Informational issues

Issue	File	Type	Line	Description
#1	Main	NatSpec documentation missing		If you started to comment your code, also comment all other functions, variables etc.

Audit Comments

We recommend you to use the special form of comments (NatSpec Format, Follow link for more information https://docs.soliditylang.org/en/v0.5.10/natspec-format.html) for your contracts to provide rich documentation for functions, return variables and more. This helps investors to make clear what that variables, functions etc. do.

25. August, 2022:

- There is still an owner (Owner still has not renounced ownership)
- Read the whole report and modifiers section for more information.



SWC Attacks

I D	Title	Relationships	Status
SI W CI - 1 31 61	Unencrypted Private Data On-Chain	CWE-767: Access to Critical Private Variable via Public Method	PASSED
S W C 1 3 5	Code With No Effects	CWE-1164: Irrelevant Code	PASSED
S W C 1 3 4	Message call with hardcoded gas amount	CWE-655: Improper Initialization	PASSED
S W C 1 3 3	Hash Collisions With Multiple Variable Length Arguments	CWE-294: Authentication Bypass by Capture-replay	PASSED
S W C 1 3 2	Unexpected Ether balance	CWE-667: Improper Locking	PASSED
<u>S</u> <u>W</u> <u>C</u> :	Presence of unused variables	CWE-1164: Irrelevant Code	PASSED

1 3 1 S	Dista Tabata		
S W C : 1 3 0	Right-To-Left- Override control character (U+202E)	CWE-451: User Interface (UI) Misrepresentation of Critical Information	PASSED
S W C : 1 2 9	Typographical Error	CWE-480: Use of Incorrect Operator	PASSED
S W C 1 2 8	DoS With Block Gas Limit	CWE-400: Uncontrolled Resource Consumption	PASSED
S W C 1 2 7	Arbitrary Jump with Function Type Variable	CWE-695: Use of Low-Level Functionality	PASSED
S W C 1 2 5	Incorrect Inheritance Order	CWE-696: Incorrect Behavior Order	PASSED
<u>S</u> <u>W</u> <u>C</u> <u>-</u>	Write to Arbitrary	CWE-123: Write-what-where Condition	PASSED

1 2 4	Storage Location		
S W C : 1 2 3	Requirement Violation	CWE-573: Improper Following of Specification by Caller	PASSED
S W C 1 2 2	Lack of Proper Signature Verification	CWE-345: Insufficient Verification of Data Authenticity	PASSED
S W C 1 2 1	Missing Protection against Signature Replay Attacks	CWE-347: Improper Verification of Cryptographic Signature	PASSED
S W C : 1 2 0	Weak Sources of Randomness from Chain Attributes	CWE-330: Use of Insufficiently Random Values	PASSED
S W C : 1 1 9	Shadowing State Variables	CWE-710: Improper Adherence to Coding Standards	PASSED

S <u>W</u> C. 11 18	Incorrect Constructor Name	CWE-665: Improper Initialization	PASSED
S W C - 1 1 7	Signature Malleability	CWE-347: Improper Verification of Cryptographic Signature	PASSED
S W C 1 1 6	Timestamp Dependence	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
S W C 1 1 5	Authorization through tx.origin	CWE-477: Use of Obsolete Function	PASSED
S W C - 1 1 4	Transaction Order Dependence	CWE-362: Concurrent Execution using Shared Resource with Improper Synchronization ('Race Condition')	PASSED
S W C : 1 1 3	DoS with Failed Call	CWE-703: Improper Check or Handling of Exceptional Conditions	PASSED

S <u>W</u> C: 1 1 2	Delegatecall to Untrusted Callee	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
<u>S</u> <u>W</u> <u>C</u> : 1 1 1 1	Use of Deprecated Solidity Functions	CWE-477: Use of Obsolete Function	PASSED
S W C -1 1 0	Assert Violation	CWE-670: Always-Incorrect Control Flow Implementation	PASSED
S W C : 1 0 9	Uninitialized Storage Pointer	CWE-824: Access of Uninitialized Pointer	PASSED
S W C - 1 0 8	State Variable Default Visibility	CWE-710: Improper Adherence to Coding Standards	PASSED
S W C - 1 0 7	Reentrancy	CWE-841: Improper Enforcement of Behavioral Workflow	PASSED

S W C 1 0 6	Unprotected SELFDESTR UCT Instruction	CWE-284: Improper Access Control	PASSED
S W C : 1 0 5	Unprotected Ether Withdrawal	CWE-284: Improper Access Control	PASSED
S W C - 1 0 4	Unchecked Call Return Value	CWE-252: Unchecked Return Value	PASSED
S W C : 1 0 3	Floating Pragma	CWE-664: Improper Control of a Resource Through its Lifetime	PASSED
S W C : 1 0 2	Outdated Compiler Version	CWE-937: Using Components with Known Vulnerabilities	PASSED
S W C : 1 0 1	Integer Overflow and Underflow	CWE-682: Incorrect Calculation	PASSED

S W C : 1 0 0	Function Default Visibility	CWE-710: Improper Adherence to Coding Standards	PASSED
---------------	-----------------------------------	---	--------









Blockchain Security | Smart Contract Audits | KYC

