SOLIDProof

Bring trust into your projects

Blockchain Security | Smart Contract Audits | KYC

MADE IN GERMANY

Earnville

Audit

Security Assessment

20. May, 2022

For

Disclaimer

SolidProof.io reports are not, nor should be considered, an “endorsement” or “disapproval” of any particular project or team. These reports are not, nor should be considered, an indication of the economics or value of any “product” or “asset” created by any team. SolidProof.io do not cover testing or auditing the integration with external contract or services (such as Unicrypt, Uniswap, PancakeSwap etc’...)

SolidProof.io Audits do not provide any warranty or guarantee regarding the absolute bug- free nature of the technology analyzed, nor do they provide any indication of the technology proprietors. SolidProof Audits should not be used in any way to make decisions around investment or involvement with any particular project. These reports in no way provide investment advice, nor should be leveraged as investment advice of any sort.

SolidProof.io Reports represent an extensive auditing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology. Blockchain technology and cryptographic assets present a high level of ongoing risk. SolidProof’s position is that each company and individual are responsible for their own due diligence and continuous security. SolidProof in no way claims any guarantee of security or functionality of the technology we agree to analyze.

Version	Date	Description
1.0	20. May 2022	• Layout project • Automated- /Manual-Security Testing • Summary

Network
Binance Smart Chain (BEP20)

Website
https://earnville.org/

Telegram
https://t.me/Earn_Ville

Twitter
https://twitter.com/Earn_Ville

Medium
https://medium.com/@EarnVille

Discord
https://discord.gg/AuM525RX

Youtube
https://www.youtube.com/

Description

EarnVille is undertaking the Sphere auto staking and compounding protocol because we stand on the path of revolution and innovation in the Titano fork ecosystem.

Project Engagement

During the 19th of May 2022, **Earnville Team** engaged Solidproof.io to audit smart contracts that they created. The engagement was technical in nature and focused on identifying security flaws in the design and implementation of the contracts. They provided Solidproof.io with access to their code repository and whitepaper.

Logo

Contract Link

v1.0

- https://bscscan.com/address/0x608140e0b058C94F723D9fE3E0A7E08Aa3d31e3b#code

Vulnerability & Risk Level

Risk represents the probability that a certain source-threat will exploit vulnerability, and the impact of that event on the organization or system. Risk Level is computed based on CVSS version 3.0.

Level	Value	Vulnerability	Risk (Required Action)
Critical	9 - 10	A vulnerability that can disrupt the contract functioning in a number of scenarios, or creates a risk that the contract may be broken.	Immediate action to reduce risk level.
High	7 – 8.9	A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.	Implementation of corrective actions as soon aspossible.
Medium	4 – 6.9	A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.	Implementation of corrective actions in a certain period.
Low	2 – 3.9	A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.	Implementation of certain corrective actions or accepting the risk.
Informational	0 – 1.9	A vulnerability that have informational character but is not effecting any of the code.	An observation that does not determine a level of risk

Auditing Strategy and Techniques Applied

Throughout the review process, care was taken to evaluate the repository for security-related issues, code quality, and adherence to specification and best practices. To do so, reviewed line-by-line by our team of expert pentesters and smart contract developers, documenting any issues as there were discovered.

Methodology

The auditing process follows a routine series of steps:

1. Code review that includes the following:
    i) Review of the specifications, sources, and instructions provided to SolidProof to make sure we understand the size, scope, and functionality of the smart contract.
    ii) Manual review of code, which is the process of reading source code line-by-line in an attempt to identify potential vulnerabilities.
    iii) Comparison to specification, which is the process of checking whether the code does what the specifications, sources, and instructions provided to SolidProof describe.

2. Testing and automated analysis that includes the following:
    i) Test coverage analysis, which is the process of determining whether the test cases are actually covering the code and how much code is exercised when we run those test cases.
    ii) Symbolic execution, which is analysing a program to determine what inputs causes each part of a program to execute.

3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.

4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts.

Used Code from other Frameworks/Smart Contracts (direct imports)

Imported packages:



Tested Contract Files

This audit covered the following files listed below with a SHA-1 Hash.

A file with a different Hash has been modified, intentionally or otherwise, after the security review. A different Hash could be (but not necessarily) an indication of a changed condition or potential vulnerability that was not within the scope of this review.

v1.0

File Name	SHA-1 Hash
contracts/ERC20Detailed.sol	c3962f975ea0b92e5583e1d75e42ba4db0f739d3
contracts/library/SafeMathInt.sol	bbf3abb748711b4ec7c4bb661f2941824b4ca159
contracts/library/SafeMath.sol	c1b2c2d196a78ed9f1fdc44128b0a08a171fe8de
contracts/Ownable.sol	dc1be9413fab5f479519102e5bd7840e4bef190a
contracts/earnville.sol	568dab945c6418d666cdf864a8dec70e68ff1f2c
contracts/interface/IPancakeSwapPair.sol	d4e996ad28754c974dec019a54c8bc83d50ca92e
contracts/interface/IPancakeSwapRouter.sol	270c1e2f76f578cc640745f8709a36b6bf44b57f
contracts/interface/IPancakeSwapFactory.sol	aa2ae48f6fb131ea81069132c13ed7dba47d8f2e
contracts/interface/IERC20.sol	66a1dc40d211b4dfdb4214d75cb1faec5e080ae8

Metrics

Source Lines
v1.0



Risk Level
v1.0



Capabilities

Components

Version	Contracts	Libraries	Interfaces	Abstract
1.0	2	2	4	1

Exposed Functions

This section lists functions that are explicitly declared public or payable. Please note that getter methods for public stateVars are not included.

Version	Public	Payable
1.0	113	5

Version	External	Internal	Private	Pure	View
1.0	101	91	0	22	50

State Variables

Version	Total	Public
1.0	76	39

Capabilities

Version	Solidity Versions observed	Experimental Features	Can Receive Funds	Uses Assembly	Has Destroyable Contracts
1.0	`0.7.4`		`yes`	`yes` (1 asm blocks)	

Version	Transfers ETH	Low-Level Calls	DelegateCall	Uses Hash Functions	EC Recover	New/Create/Create2

1.0	yes					

Inheritance Graph

v1.0



CallGraph
v1.0



Scope of Work/Verify Claims

The above token Team provided us with the files that needs to be tested (Github, Bscscan, Etherscan, files, etc.). The scope of the audit is the main contract (usual the same name as team appended with .sol).

We will verify the following claims:

1. Correct implementation of Token standard
2. Deployer cannot mint any new tokens
3. Deployer cannot burn or lock user funds
4. Deployer cannot pause the contract
5. Overall checkup (Smart Contract Security)

Correct implementation of Token standard

ERC20				
Function	**Description**	**Exist**	**Tested**	**Verified**
TotalSupply	Provides information about the total token supply	✓	✓	✓
BalanceOf	Provides account balance of the owner's account	✓	✓	✓
Transfer	Executes transfers of a specified number of tokens to a specified address	✓	✓	✓
TransferFrom	Executes transfers of a specified number of tokens from a specified address	✓	✓	✓
Approve	Allow a spender to withdraw a set number of tokens from a specified account	✓	✓	✓
Allowance	Returns a set number of tokens from a spender to the owner	✓	✓	✓

Write functions of contract v1.0

1. approve
2. decreaseAllowance
3. increaseAllowance
4. manualSync
5. renounceOwnership
6. setAutoAddLiquidity
7. setAutoRebase
8. setBotBlacklist
9. setBuyBackWallet
10. setBuyFees
11. setFeeReceivers
12. setJackpotCashout
13. setJackpotHardBuyback
14. setJackpotHardLimit
15. setJackpotMinBuy
16. setJackpotTimespan
17. setLP
18. setPairAddress
19. setWhitelist
20. startRebase
21. transfer
22. transferFrom
23. transferOwnership
24. withdrawAllToTreasury

Deployer cannot mint any new tokens

Name	Exist	Tested	Status
Deployer cannot mint	–	–	–
Max / Total Supply			1000000

Deployer cannot burn or lock user funds

Name	Exist	Tested	Status
Deployer cannot lock	✓	✓	✗
Deployer cannot burn	-	-	-

Comments:

v1.0

- Owner can lock user funds by
    - blacklisting contract addresses

Deployer cannot pause the contract

Name	Exist	Tested	Status
Deployer cannot pause	–	–	–

Overall checkup (Smart Contract Security)

Tested	Verified
✓	✓

Legend

Attribute	Symbol
Verfified / Checked	✓
Partly Verified	⚑
Unverified / Not checked	✗
Not available	-

Modifiers and public functions

v1.0





Comments

- *Deployer can set following state variables without any limitations*
  - jackpotHardLimit
  - jackpotTimespan
  - jackpotMinBuy
  - jackpotHardBuyback
  - jackpotCashout
  - liquidityFee
  - earnVilleInsuranceFundFee
  - treasuryFee
  - jackpotFee

- *Deployer can enable/disable following state variables*
  - blacklist
  - _isFeeExempt
  - _autoAddLiquidity
  - _autoRebase

- *Deployer can set following addresses*
  - pairContract
  - pairAddress
  - autoLiquidityReceiver
  - treasuryReceiver
  - earnVilleInsuranceFundReceiver
  - buybackWallet

- *Existing Modifiers*
  - validRecipient
  - swapping
  - onlyOwner

Please check if an OnlyOwner or similar restrictive modifier has been forgotten.

Source Units in Scope
v1.0

Type	File	Logic Contracts	Interfaces	Lines	nLines	nSLOC	Comment Lines	Complex. Score	Capabilities
🎨	contracts/ERC20Detailed.sol	1	———	31	31	25	1	12	———
📚	contracts/library/SafeMathInt.sol	1	———	38	38	29	1	14	———
📚	contracts/library/SafeMath.sol	1	———	57	49	36	1	9	———
📝	contracts/Ownable.sol	1	———	45	45	34	1	20	———
📝	contracts/earnville.sol	1	———	857	766	624	19	488	💻💰💾
🔍	contracts/interface/IPancakeSwapPair.sol	———	1	111	12	9	1	55	———
🔍	contracts/interface/IPancakeSwapRouter.sol	———	1	206	5	3	1	61	💰
🔍	contracts/interface/IPancakeSwapFactory.sol	———	1	32	12	9	1	17	———
🔍	contracts/interface/IERC20.sol	———	1	31	5	3	1	13	🔆
📝 📚 🔍 🎨	**Totals**	**5**	**4**	**1408**	**963**	**772**	**27**	**689**	💻💰💾🔆

Legend

Attribute	Description
Lines	total lines of the source unit
nLines	normalized lines of the source unit (e.g. normalizes functions spanning multiple lines)
nSLOC	normalized source lines of code (only source-code lines; no comments, no blank lines)
Comment Lines	lines containing single or block comments
Complexity Score	a custom complexity score derived from code statements that are known to introduce code complexity (branches, loops, calls, external interfaces, ...)

Audit Results

AUDIT PASSED

Critical issues

No critical issues

High issues

No high issues

Medium issues

No medium issues

Low issues

Issue	File	Type	Line	Description
#1	Earnville	Contract doesn't import npm packages from source (like OpenZeppelin etc.)	-	We recommend to import all packages from npm directly without flatten the contract. Functions could be modified or can be susceptible to vulnerabilities
#2	Earnville	Missing Zero Address Validation (missing-zero-check)	716, 808, 810, 809, 832	Check that the address is not zero
#3	Earnville	State variable visibility is not set	26, 57-59, 73	It is best practice to set the visibility of state variables explicitly
#4	Earnville	Local variables shadowing	21-23	Rename the local variables that shadow another component

#5	Earnville	Missing Events Arithmetic	691 692 693 694 695 696 700 713 721 725	Emit an event for critical parameter changes

Informational issues

Issue	File	Type	Line	Description
#1	Earnville	State variables that could be declared constant (constable-states)	97	Add the `constant` attributes to state variables that never change
#2	SafeMathInt	Unused state variables	6	Remove unused state variables
#3	Earnville	Misspelling	See description	Change following words: - exteranlly L827 Make sure to change it everywhere else as well.
#4	Earnville	Error message is missing	29	Provide an error message for require statement
#5	Ownable	Error message is missing	23, 41	Provide an error message for require statement
#6	SafeMathInt	Error message is missing	All require statements	Provide an error message for require statement

Commented Code exist

There are some instances of code being commented out in the following files that should be removed:

File	Line	Comment
Earnville	140	// router = IPancakeSwapRouter(0x9Ac64Cc6e4415144C455BD8E4837Fea55603e5c3); // testnet

Recommendation
Remove the commented code, or address them properly.

Audit Comments
We recommend you to use the special form of comments (NatSpec Format, Follow link for more information https://docs.soliditylang.org/en/v0.5.10/natspec-format.html) for your contracts to provide rich documentation for functions, return variables and more. This helps investors to make clear what that variables, functions etc. do.

20. May 2022:
- Read whole report for more information

SWC Attacks

ID	Title	Relationships	Status
SWC-136	Unencrypted Private Data On-Chain	CWE-767: Access to Critical Private Variable via Public Method	PASSED
SWC-135	Code With No Effects	CWE-1164: Irrelevant Code	PASSED
SWC-134	Message call with hardcoded gas amount	CWE-655: Improper Initialization	PASSED
SWC-133	Hash Collisions With Multiple Variable Length Arguments	CWE-294: Authentication Bypass by Capture-replay	PASSED
SWC-132	Unexpected Ether balance	CWE-667: Improper Locking	PASSED
SWC-131	Presence of unused variables	CWE-1164: Irrelevant Code	NOT PASSED
SWC-130	Right-To-Left-Override control character (U+202E)	CWE-451: User Interface (UI) Misrepresentation of Critical Information	PASSED
SWC-129	Typographical Error	CWE-480: Use of Incorrect Operator	PASSED
SWC-128	DoS With Block Gas Limit	CWE-400: Uncontrolled Resource Consumption	PASSED

SWC-127	Arbitrary Jump with Function Type Variable	CWE-695: Use of Low-Level Functionality	PASSED
SWC-125	Incorrect Inheritance Order	CWE-696: Incorrect Behavior Order	PASSED
SWC-124	Write to Arbitrary Storage Location	CWE-123: Write-what-where Condition	PASSED
SWC-123	Requirement Violation	CWE-573: Improper Following of Specification by Caller	PASSED
SWC-122	Lack of Proper Signature Verification	CWE-345: Insufficient Verification of Data Authenticity	PASSED
SWC-121	Missing Protection against Signature Replay Attacks	CWE-347: Improper Verification of Cryptographic Signature	PASSED
SWC-120	Weak Sources of Randomness from Chain Attributes	CWE-330: Use of Insufficiently Random Values	PASSED
SWC-119	Shadowing State Variables	CWE-710: Improper Adherence to Coding Standards	NOT PASSED
SWC-118	Incorrect Constructor Name	CWE-665: Improper Initialization	PASSED
SWC-117	Signature Malleability	CWE-347: Improper Verification of Cryptographic Signature	PASSED

SWC-116	Timestamp Dependence	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
SWC-115	Authorization through tx.origin	CWE-477: Use of Obsolete Function	PASSED
SWC-114	Transaction Order Dependence	CWE-362: Concurrent Execution using Shared Resource with Improper Synchronization ('Race Condition')	PASSED
SWC-113	DoS with Failed Call	CWE-703: Improper Check or Handling of Exceptional Conditions	PASSED
SWC-112	Delegatecall to Untrusted Callee	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
SWC-111	Use of Deprecated Solidity Functions	CWE-477: Use of Obsolete Function	PASSED
SWC-110	Assert Violation	CWE-670: Always-Incorrect Control Flow Implementation	PASSED
SWC-109	Uninitialized Storage Pointer	CWE-824: Access of Uninitialized Pointer	PASSED
SWC-108	State Variable Default Visibility	CWE-710: Improper Adherence to Coding Standards	NOT PASSED
SWC-107	Reentrancy	CWE-841: Improper Enforcement of Behavioral Workflow	PASSED
SWC-106	Unprotected SELFDESTRUCT Instruction	CWE-284: Improper Access Control	PASSED

SWC-105	Unprotected Ether Withdrawal	CWE-284: Improper Access Control	PASSED
SWC-104	Unchecked Call Return Value	CWE-252: Unchecked Return Value	PASSED
SWC-103	Floating Pragma	CWE-664: Improper Control of a Resource Through its Lifetime	PASSED
SWC-102	Outdated Compiler Version	CWE-937: Using Components with Known Vulnerabilities	PASSED
SWC-101	Integer Overflow and Underflow	CWE-682: Incorrect Calculation	PASSED
SWC-100	Function Default Visibility	CWE-710: Improper Adherence to Coding Standards	PASSED

Blockchain Security | Smart Contract Audits | KYC

MADE IN GERMANY