

---

# Algorithmic Game Theory

## COMP6207

---

### Lecture 9: Optimal Auctions

Bahar Rastegari

[b.rastegari@soton.ac.uk](mailto:b.rastegari@soton.ac.uk)

Electronics and Computer Science

University of Southampton

# Learning Outcomes

By the end of this session, you should be able to

- **Define** optimal auctions.
- **Describe** an optimal (single-item) auction, in terms of its choice rule and payment function.
- **Analyse** optimal auctions.

# Optimal auctions for selling a single item

# Optimal Auctions

- So far we have ignored the mechanism's revenue (i.e. some of the payments made by the agents), except in attempting to keep it as close to zero as possible (budget balanced).

# Optimal Auctions

- So far we have ignored the mechanism's revenue (i.e. some of the payments made by the agents), except in attempting to keep it as close to zero as possible (budget balanced).
- But in some auctions, it is desirable to maximise the seller's revenue.

# Optimal Auctions

- So far we have ignored the mechanism's revenue (i.e. some of the payments made by the agents), except in attempting to keep it as close to zero as possible (budget balanced).
- But in some auctions, it is desirable to maximise the seller's revenue.
- A seller may be willing to risk failing to sell the item even when there is an interested buyer.
- A seller may be willing sometimes to sell to a buyer who didn't make the highest bid.

# Optimal Auctions

- So far we have ignored the mechanism's revenue (i.e. some of the payments made by the agents), except in attempting to keep it as close to zero as possible (budget balanced).
- But in some auctions, it is desirable to maximise the seller's revenue.
- A seller may be willing to risk failing to sell the item even when there is an interested buyer.
- A seller may be willing sometimes to sell to a buyer who didn't make the highest bid.
- Mechanisms which are designed to maximise seller's expected revenue are known as **optimal auctions**

# Optimal auctions setting

As we have assumed so far in this module

- Independent private valuations (IPVs)
- Risk-neutral bidders



# Optimal auctions setting

As we have assumed so far in this module

- Independent private valuations (IPVs)
- Risk-neutral bidders

Additionally we assume that

- Each bidder  $i$ 's valuation is drawn from some strictly increasing cumulative density function  $F_i(v)$  with a PDF  $f_i(v)$  that is continuous and bounded below
- We allow  $F_i \neq F_j$ : asymmetric auctions

# Optimal auctions setting

As we have assumed so far in this module

- Independent private valuations (IPVs)
- Risk-neutral bidders

Additionally we assume that

- Each bidder  $i$ 's valuation is drawn from some strictly increasing cumulative density function  $F_i(v)$  with a PDF  $f_i(v)$  that is continuous and bounded below
- We allow  $F_i \neq F_j$ : asymmetric auctions
- The seller knows each  $F_i$ .

# Optimal auctions setting

As we have assumed so far in this module

- Independent private valuations (IPVs)
- Risk-neutral bidders

Additionally we assume that

- Each bidder  $i$ 's valuation is drawn from some strictly increasing cumulative density function  $F_i(v)$  with a PDF  $f_i(v)$  that is continuous and bounded below
- We allow  $F_i \neq F_j$ : **asymmetric auctions**
- The seller knows each  $F_i$ .

**Optimal auction:** maximises seller's expected revenue subject to some form of individual rationality

# Example

- 2 bidders,  $v_i$  uniformly distributed on  $[0, 1]$
- Set reserve price  $R$  and then run a second price auction:
  - no sale if both bids below  $R$
  - sale at price  $R$  if one bid above reserve price and other below
  - sale at second highest bid if both bids are above reserve

## Example

- Still dominant strategy to bid true values, so

# Example

- Still dominant strategy to bid true values, so
  - no sale if both bids below  $R$  - happens with probability  $R^2$  and revenue =  $0$ .

# Example

- Still dominant strategy to bid true values, so
  - no sale if both bids below  $R$  - happens with probability  $R^2$  and revenue = 0.
  - sale at price  $R$  if one bid above reserve price and other below - happens with probability  $2(1 - R)R$  and revenue =  $R$ .

# Example

- Still dominant strategy to bid true values, so
  - no sale if both bids below  $R$  - happens with probability  $R^2$  and revenue = 0.
  - sale at price  $R$  if one bid above reserve price and other below - happens with probability  $2(1 - R)R$  and revenue =  $R$ .
  - sale at second highest bid if both bids are above reserve - happens with probability  $(1 - R)^2$  and revenue  $E[\min v_i | \min v_i \geq R] = \frac{1+2R}{3}$



## Example

- Still dominant strategy to bid true values, so
  - no sale if both bids below  $R$  - happens with probability  $R^2$  and revenue = 0.
  - sale at price  $R$  if one bid above reserve price and other below - happens with probability  $2(1 - R)R$  and revenue =  $R$ .
  - sale at second highest bid if both bids are above reserve - happens with probability  $(1 - R)^2$  and revenue  $E[\min v_i | \min v_i \geq R] = \frac{1+2R}{3}$
- Expected revenue =  $2(1 - R)R^2 + (1 - R)^2 \frac{1+2R}{3}$

## Example

- Still dominant strategy to bid true values, so
  - no sale if both bids below  $R$  - happens with probability  $R^2$  and revenue = 0.
  - sale at price  $R$  if one bid above reserve price and other below - happens with probability  $2(1 - R)R$  and revenue =  $R$ .
  - sale at second highest bid if both bids are above reserve - happens with probability  $(1 - R)^2$  and revenue  $E[\min v_i | \min v_i \geq R] = \frac{1+2R}{3}$
- Expected revenue =  $2(1 - R)R^2 + (1 - R)^2 \frac{1+2R}{3}$
- Expected revenue =  $\frac{1+3R^2-4R^3}{3}$

## Example

- Still dominant strategy to bid true values, so
  - no sale if both bids below  $R$  - happens with probability  $R^2$  and revenue = 0.
  - sale at price  $R$  if one bid above reserve price and other below - happens with probability  $2(1 - R)R$  and revenue =  $R$ .
  - sale at second highest bid if both bids are above reserve - happens with probability  $(1 - R)^2$  and revenue  $E[\min v_i | \min v_i \geq R] = \frac{1+2R}{3}$
- Expected revenue =  $2(1 - R)R^2 + (1 - R)^2 \frac{1+2R}{3}$
- Expected revenue =  $\frac{1+3R^2-4R^3}{3}$
- Maximising:  $0 = 2R - 4R^2$ , or  $R = \frac{1}{2}$

## Example

- Reserve price of  $1/2$  gives us revenue  $= 5/12$
- Reserve price of  $0$  gives us revenue  $= 1/3$ .

## Example

- Reserve price of  $1/2$  gives us revenue  $= 5/12$
- Reserve price of  $0$  gives us revenue  $= 1/3$ .
- Tradeoffs:
  - lose sales when both bids were below  $1/2$  - but low revenue then in any case and probability  $1/4$  of happening.

## Example

- Reserve price of  $1/2$  gives us revenue  $= 5/12$
- Reserve price of  $0$  gives us revenue  $= 1/3$ .
- Tradeoffs:
  - lose sales when both bids were below  $1/2$  - but low revenue then in any case and probability  $1/4$  of happening.
  - increase price when one bidder has low value other high: happens with probability  $1/2$

## Example

- Reserve price of  $1/2$  gives us revenue =  $5/12$
- Reserve price of  $0$  gives us revenue =  $1/3$ .
- Tradeoffs:
  - lose sales when both bids were below  $1/2$  - but low revenue then in any case and probability  $1/4$  of happening.
  - increase price when one bidder has low value other high: happens with probability  $1/2$
- Like adding another bidder: increasing competition in the auction.

# Designing optimal auctions

## Definition

Bidder  $i$ 's **virtual valuation** is  $\psi_i(v_i) = v_i - \frac{1 - F_i(v_i)}{f_i(v_i)}$ .



# Designing optimal auctions

## Definition

Bidder  $i$ 's **virtual valuation** is  $\psi_i(v_i) = v_i - \frac{1-F_i(v_i)}{f_i(v_i)}$ .

- Let us assume that this is increasing in  $v_i$  (e.g. in the case of uniform distribution on  $[0, 1]$  this is going to be  $2v_i - 1$ ).

# Designing optimal auctions

## Definition

Bidder  $i$ 's **virtual valuation** is  $\psi_i(v_i) = v_i - \frac{1-F_i(v_i)}{f_i(v_i)}$ .

- Let us assume that this is increasing in  $v_i$  (e.g. in the case of uniform distribution on  $[0, 1]$  this is going to be  $2v_i - 1$ ).

## Definition

Bidder  $i$ 's bidder-specific reserve price  $r_i^*$  is the value for which  $\psi_i(r_i^*) = 0$ .

# Myerson's theorem

## Theorem (Myerson (1981))

The *optimal (single-item) auction* is a sealed-bid auction in which every agent is asked to declare his valuation. The good is sold to the agent  $i = \operatorname{argmax}_i \psi_i(\hat{v}_i)$ , as long as  $\hat{v}_i \geq r_i^*$ . If the good is sold, the winning agent  $i$  is charged the smallest valuation that she could have declared while still remaining the winner; i.e.

$$\inf \{v_i^* : \psi_i(v_i^*) \geq 0 \text{ and } \forall j \neq i, \psi_i(v_i^*) \geq \psi_j(\hat{v}_j)\}$$

# Understanding Myerson's theorem

- Sealed-bid auction in which every agent is asked to declare his valuation.
- Declarations are used to compute a virtual (declared) valuation  $\psi_i(\hat{v}_i)$  for each agent  $i$ .

# Understanding Myerson's theorem

- Sealed-bid auction in which every agent is asked to declare his valuation.
- Declarations are used to compute a virtual (declared) valuation  $\psi_i(\hat{v}_i)$  for each agent  $i$ .
- The item is sold to the agent  $i$  whose virtual valuation is the highest, as long as this value is nonnegative; i.e.  $\hat{v}_i$  is no less than her reserve price  $r_i^*$ .
- If every agent's virtual valuation is negative, the seller keeps the item and achieves a revenue of zero.
- If the item is sold, the winning agent  $i$  pays an amount equal to the smallest valuation that she could have declared while still remaining the winner:

$$\inf\{v_i^* : \psi_i(v_i^*) \geq 0 \text{ and } \forall j \neq i, \psi_i(v_i^*) \geq \psi_j(\hat{v}_j)\}$$

# Analysing optimal auctions

## Optimal auction:

- winning agent  $i = \operatorname{argmax}_i \psi_i(\hat{v}_i)$ , as long as  $\hat{v}_i \geq r_i^*$ .
- $i$  is charged the smallest valuation that she could have declared while still remaining the winner:  
$$\inf\{v_i^* : \psi_i(v_i^*) \geq 0 \text{ and } \forall j \neq i, \psi_i(v_i^*) \geq \psi_j(\hat{v}_j)\}$$

Questions:

- Is this VCG?

# Analysing optimal auctions

## Optimal auction:

- winning agent  $i = \operatorname{argmax}_i \psi_i(\hat{v}_i)$ , as long as  $\hat{v}_i \geq r_i^*$ .
- $i$  is charged the smallest valuation that she could have declared while still remaining the winner:  
 $\inf\{v_i^* : \psi_i(v_i^*) \geq 0 \text{ and } \forall j \neq i, \psi_i(v_i^*) \geq \psi_j(\hat{v}_j)\}$

## Questions:

- Is this VCG?
  - No, it's not efficient.

# Analysing optimal auctions

## Optimal auction:

- winning agent  $i = \operatorname{argmax}_i \psi_i(\hat{v}_i)$ , as long as  $\hat{v}_i \geq r_i^*$ .
- $i$  is charged the smallest valuation that she could have declared while still remaining the winner:  
 $\inf\{v_i^* : \psi_i(v_i^*) \geq 0 \text{ and } \forall j \neq i, \psi_i(v_i^*) \geq \psi_j(\hat{v}_j)\}$

## Questions:

- Is this VCG?
  - No, it's not efficient.
- How should bidders bid?



# Analysing optimal auctions

## Optimal auction:

- winning agent  $i = \operatorname{argmax}_i \psi_i(\hat{v}_i)$ , as long as  $\hat{v}_i \geq r_i^*$ .
- $i$  is charged the smallest valuation that she could have declared while still remaining the winner:  
$$\inf\{v_i^* : \psi_i(v_i^*) \geq 0 \text{ and } \forall j \neq i, \psi_i(v_i^*) \geq \psi_j(\hat{v}_j)\}$$

## Questions:

- Is this VCG?
  - No, it's not efficient.
- How should bidders bid?
  - This is a second-price (Vickrey) auction with a reserve price, held in virtual valuation space.
  - Neither the reserve prices nor the virtual valuation transformation depends on the agent's declaration
  - Thus the proof that a Vickrey auction is dominant-strategy truthful applies here as well.

# Analysing optimal auctions

## Optimal auction:

- winning agent  $i = \operatorname{argmax}_i \psi_i(\hat{v}_i)$ , as long as  $\hat{v}_i \geq r_i^*$ .
- $i$  is charged the smallest valuation that she could have declared while still remaining the winner:  
$$\inf\{v_i^* : \psi_i(v_i^*) \geq 0 \text{ and } \forall j \neq i, \psi_i(v_i^*) \geq \psi_j(\hat{v}_j)\}$$

## Questions:

- What happens in the special case where all agents' valuations are drawn from the same distribution?

# Analysing optimal auctions

## Optimal auction:

- winning agent  $i = \operatorname{argmax}_i \psi_i(\hat{v}_i)$ , as long as  $\hat{v}_i \geq r_i^*$ .
- $i$  is charged the smallest valuation that she could have declared while still remaining the winner:  
$$\inf\{v_i^* : \psi_i(v_i^*) \geq 0 \text{ and } \forall j \neq i, \psi_j(v_i^*) \geq \psi_j(\hat{v}_j)\}$$

## Questions:

- What happens in the special case where all agents' valuations are drawn from the same distribution?
  - We will have a Vickrey auction with reserve price  $r^*$  satisfying  
$$r^* - \frac{1 - F_i(r^*)}{f_i(r^*)} = 0.$$

# Analysing optimal auctions

## Optimal auction:

- winning agent  $i = \operatorname{argmax}_i \psi_i(\hat{v}_i)$ , as long as  $\hat{v}_i \geq r_i^*$ .
- $i$  is charged the smallest valuation that she could have declared while still remaining the winner:  
$$\inf\{v_i^* : \psi_i(v_i^*) \geq 0 \text{ and } \forall j \neq i, \psi_i(v_i^*) \geq \psi_j(\hat{v}_j)\}$$

## Questions:

- What happens in the special case where all agents' valuations are drawn from the same distribution?
  - We will have a Vickrey auction with reserve price  $r^*$  satisfying
$$r^* - \frac{1 - F_i(r^*)}{f_i(r^*)} = 0.$$
- What happens in the general case?

# Analysing optimal auctions

## Optimal auction:

- winning agent  $i = \operatorname{argmax}_i \psi_i(\hat{v}_i)$ , as long as  $\hat{v}_i \geq r_i^*$ .
- $i$  is charged the smallest valuation that she could have declared while still remaining the winner:  
$$\inf\{v_i^* : \psi_i(v_i^*) \geq 0 \text{ and } \forall j \neq i, \psi_j(v_i^*) \geq \psi_j(\hat{v}_j)\}$$

## Questions:

- What happens in the special case where all agents' valuations are drawn from the same distribution?
  - We will have a Vickrey auction with reserve price  $r^*$  satisfying  
$$r^* - \frac{1 - F_i(r^*)}{f_i(r^*)} = 0.$$
- What happens in the general case?
  - The virtual valuations also increase weak bidders' bids, making them more competitive.
  - Low bidders can win, paying less.
  - However, bidders with higher expected valuations must bid more aggressively.

# Using optimal auctions in practice

**Are optimal auctions used in practice?**

# Using optimal auctions in practice

## **Are optimal auctions used in practice?**

Not really!

- They are not **detail free**! The seller needs to know bidders' distributions.

# Using optimal auctions in practice

## Are optimal auctions used in practice?

Not really!

- They are not **detail free**! The seller needs to know bidders' distributions.
- In a symmetric IPV setting, it is better to attract one additional bidder than to set an optimal reserve price.
- Intuitively, adding an extra bidder is similar to a reserve price (as her addition increases the competition among the other bidders) but different also (because she can buy the item herself).



# Using optimal auctions in practice

## Are optimal auctions used in practice?

Not really!

- They are not **detail free**! The seller needs to know bidders' distributions.
- In a symmetric IPV setting, it is better to attract one additional bidder than to set an optimal reserve price.
- Intuitively, adding an extra bidder is similar to a reserve price (as her addition increases the competition among the other bidders) but different also (because she can buy the item herself).
- Trying to **attract more bidders** may be **more important** than trying to figure out bidders' valuation distributions in order to run an optimal auction.

# Books

- **Twenty Lectures on Algorithmic Game Theory**, by Tim Roughgarden
- **Multiagent Systems: Algorithmic, Game-Theoretic, and Logical Foundations** by Yoav Shoham and Kevin Leyton-Brown
  - From now on we will refer to this book as **MAS**
- **Algorithmic Game Theory**, edited by Noam Nisan, Tim Roughgarden, Eva Tardos, Vijay V. Vazirani
  - From now on we will refer to this book as **AGT**

## Further reading/watching

- Read MAS chapter 11.1.8
- Watch [Game Theory II - Week 4 \(Auctions\): video 6](#)

# Acknowledgment

Some of the slides in this lecture were based on the slides by **Kevin Leyton-Brown**.