

Weighted Overall				Macro Overall			AF			SVT			Sinus Brady			Sinus Rhythm					
Rank	Feature Group	Architecture	Strategy	P	R	F1	P	R	F1	P	R	F1	P	R	F1	P	R	F1			
1	Autoencoder	MLP	-	0.911	0.911	0.911	0.823	0.826	0.825	0.913	0.906	0.909	0.560	0.580	0.570	0.953	0.969	0.961	0.868	0.849	0.858
2	Autoencoder	MLP	Weighted CE	0.906	0.898	0.901	0.783	0.844	0.806	0.927	0.868	0.896	0.423	0.679	0.521	0.948	0.969	0.958	0.836	0.861	0.848
3	Autoencoder	MLP	Focal	0.905	0.889	0.894	0.766	0.856	0.795	0.937	0.833	0.882	0.374	0.735	0.496	0.952	0.969	0.960	0.800	0.888	0.842
5	Autoencoder	MLP	SMOTEENN	0.887	0.854	0.861	0.728	0.843	0.758	0.937	0.758	0.838	0.321	0.747	0.449	0.957	0.945	0.951	0.696	0.922	0.793
17	Autoencoder	FT-Trans	-	0.592	0.634	0.586	0.427	0.411	0.385	0.689	0.733	0.711	0.000	0.000	0.000	0.598	0.828	0.694	0.421	0.082	0.137
19	Autoencoder	FT-Trans	Weighted CE	0.603	0.584	0.583	0.457	0.438	0.434	0.727	0.540	0.620	0.170	0.056	0.084	0.630	0.772	0.694	0.301	0.384	0.337
15	Autoencoder	FT-Trans	Focal	0.583	0.621	0.596	0.415	0.414	0.408	0.651	0.778	0.709	0.000	0.000	0.000	0.648	0.676	0.662	0.361	0.203	0.260
21	Autoencoder	FT-Trans	SMOTEENN	0.625	0.441	0.425	0.443	0.470	0.350	0.828	0.170	0.283	0.067	0.543	0.120	0.570	0.810	0.669	0.306	0.357	0.330
6	Autoencoder	ConvTran	-	0.839	0.861	0.849	0.639	0.637	0.637	0.832	0.898	0.864	0.000	0.000	0.000	0.925	0.958	0.941	0.799	0.693	0.742
10	Autoencoder	ConvTran	Weighted CE	0.831	0.765	0.785	0.650	0.766	0.656	0.882	0.645	0.745	0.167	0.753	0.273	0.904	0.925	0.914	0.646	0.743	0.691
9	Autoencoder	ConvTran	Focal	0.833	0.792	0.806	0.663	0.758	0.675	0.863	0.715	0.782	0.192	0.673	0.298	0.911	0.938	0.924	0.686	0.706	0.696
11	Autoencoder	ConvTran	SMOTEENN	0.853	0.751	0.768	0.654	0.788	0.649	0.945	0.545	0.691	0.163	0.790	0.271	0.915	0.936	0.926	0.592	0.882	0.708
14	Structured Pooling	MLP	-	0.788	0.701	0.687	0.654	0.690	0.626	0.967	0.447	0.612	0.287	0.562	0.380	0.630	0.997	0.772	0.732	0.752	0.742
7	Structured Pooling	MLP	Weighted CE	0.856	0.824	0.830	0.691	0.754	0.709	0.918	0.727	0.811	0.294	0.463	0.360	0.935	0.935	0.935	0.617	0.889	0.729
12	Structured Pooling	MLP	Focal	0.768	0.748	0.745	0.549	0.585	0.554	0.860	0.648	0.739	0.000	0.000	0.000	0.844	0.898	0.870	0.491	0.795	0.607
13	Structured Pooling	MLP	SMOTEENN	0.714	0.693	0.695	0.579	0.568	0.564	0.755	0.810	0.781	0.275	0.204	0.234	0.813	0.602	0.692	0.475	0.654	0.551
20	Structured Pooling	FT-Trans	-	0.389	0.480	0.427	0.241	0.302	0.267	0.527	0.573	0.549	0.000	0.000	0.000	0.437	0.635	0.518	0.000	0.000	0.000
22	Structured Pooling	FT-Trans	Weighted CE	0.194	0.441	0.270	0.110	0.250	0.153	0.441	1.000	0.612	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
23	Structured Pooling	FT-Trans	Focal	0.128	0.358	0.189	0.090	0.250	0.132	0.000	0.000	0.000	0.000	0.000	0.000	0.358	1.000	0.527	0.000	0.000	0.000
18	Structured Pooling	ConvTran	-	0.572	0.615	0.584	0.402	0.402	0.393	0.629	0.802	0.705	0.000	0.000	0.000	0.671	0.656	0.663	0.307	0.152	0.204
16	Structured Pooling	ConvTran	Weighted CE	0.635	0.568	0.589	0.477	0.516	0.472	0.727	0.653	0.688	0.159	0.401	0.228	0.715	0.506	0.592	0.307	0.502	0.381
8	Raw ECG	ConvTran	Raw 1 s	0.804	0.824	0.812	0.603	0.609	0.604	0.870	0.842	0.856	0.000	0.000	0.000	0.813	0.944	0.873	0.728	0.649	0.686
4	Raw ECG	ConvTran	Raw 2.5 s	0.878	0.887	0.876	0.781	0.678	0.673	0.897	0.888	0.893	0.500	0.019	0.036	0.908	0.968	0.937	0.819	0.837	0.828