1	The universal gravitational constant and the earth's permittivity
2	•
3	
4	
5	Author: Dong-il Song ¹
6	
7	Korea Meteorological Administration, Seoul, Republic of Korea
8	
9	Tel: 82-10-2605-0927
10	FAX: 82-42-826-2587
11	Email: songdi27@daum.net
12	
13	
14	
15	Abstract
16	The purpose of this study is to study the universal gravitational constant.
17	The method investigated the relationship between the universal gravitational constant and the
18	earth's permittivity.
19	Earth's constituent materials are soil, etc., but the exact value of the Earth's permittivity is not ye
20	known.
21	It was found that the value of the universal gravitational constant and the value of the earth'
22	permittivity were similar.
23	As a result, it was found that the universal gravitational constant was equal to the estimate of the
24	earth's permittivity.
25	In conclusion, the universal gravitational constant is derived from the Earth's permittivity.
26	
27	Keywords: Universal gravitational force, Universal gravitational constant, Earth's permittivity
28	
29	

 $^{^{\}rm 1}\,$ Korea Meteorological Administration (retire), Seoul, Republic of Korea

1. Introduction

Newton's formula of universal gravitation is F=GMm/r².

Although Newton discovered the law of universal gravitation ($F = GMm/r^2$), he did not know the value of the universal gravitational constant. Approximately 100 years after Newton discovered the law of universal gravitation, the universal gravitational constant was measured in an experiment conducted by Henry Cavendish of England.

However, it is still not known how this universal gravitational constant emerged.

In this research, it was found that the universal gravitational constant is related to the earth's permittivity and that the value of the earth's permittivity is similar to the value of the universal gravitational constant.

[permittivity of earth's constituent materials: The exact value of the Earth's permittivity is not yet known].

44 Henry Cave 45 and Coulon

Henry Cavendish of England measured the universal gravitational constant (G) using a torsion balance, and Coulomb of France also measured the electric force using such a balance and developed Coulomb's constant under Coulomb's law. This indicates that the measurement principle of the universal gravitational constant (G) and Coulomb's law for Coulomb's constant (K) are equal; this proves that the universal gravitational constant (G) is related to Coulomb's law.

All objects (substances) have a permittivity holding electric charges, and if there is a temperature difference between the surface and the center of an object, electric charges are transferred between the two points due to such a temperature difference².

The permittivity is related to the universal gravitational constant. When a substance has a temperature difference, the electric charges move due to such a difference, and an electromotive force is generated².

In the case of the earth, the earth's surface is positively charged, and the center (core) is negatively charged; therefore, an electric force is generated between the positive and negative charges.

2. The universal gravitational constant and the earth's permittivity.

A torsion balance, designed by John Michell in approximately 1750, was used by C. Coulomb to introduce Coulomb's law in 1785 (1777). In 1798, Henry Cavendish also used a balance to measure the density of the earth to assess the intensity of the gravitational force acting between two objects. He measured the universal gravitational constant (G) using a torsion balance, and Coulomb of France also used a torsion balance to measure the electric force and develop a Coulomb constant for Coulomb's law.

This indicates that the torsion balance used by Coulomb was also used in measuring the universal gravitational constant.

This means that the universal gravitational constant (G) and the electric force of Coulomb's law have the same measuring criteria, which can serve as evidence that the gravitational constant (G) and the electric force of Coulomb's law are related.

Substances have permittivity, an ability to hold charges, and for this permittivity, Coulomb's constant $K=8.988\times10^9$ is used by applying the permittivity in a vacuum state in Coulomb's law.

To calculate the permittivity of the Earth, the relative permittivity of a substance is used compared with the permittivity of a vacuum state being set as "1".

- Earth's components are composed of soil, rock, sand, iron, graphite, aluminum, water, etc.
- The relative permittivity of Earth's constituent materials is between 4 and 80 (see Table 1).
 - Due to materials such as iron and a small amount of water, the Earth's relative permittivity is

estimated to be 7.5375, which is equal to the value of the universal gravitational constant. 78

The permittivity of earth substances ranges from 3.541675×10⁻¹¹ to 11.0677×10⁻¹¹, as shown in "Table 1 Permittivity and Universal Gravitational Constant of Earth's Components."

81 82

83

84

85

86

87

79

80

Table 1 shows the permittivity and universal gravitational constant of Earth's components.

Since the gravitational constant $G=6.67384\times10^{-11}$ falls within the permittivity range of the Earth's components, it can be seen that the gravitational constant is derived from the Earth's permittivity.

Earth's components are composed of soil, rock, sand, iron, graphite, aluminum, water, etc. The relative permittivity of the substances (soil, rock, sand, graphite, aluminum, and water) ranges from 4 to 80.

88 89

90

91 92

93

94

95

96

97

The universal gravitational constant G=6.67384×10⁻¹¹ is included within the range of the permittivity of the earth components $(3.541675 \times 10^{-11})$ to 11.0677×10^{-11} .

This signifies that the value of the gravitational constant is the average permittivity of the earth.

This indicates that the universal gravitational constant is the exact value of the permittivity of the earth.

That is, the permittivity is relevant to the electric force and is the same as the universal gravitational constant and the predicted value of the earth's permittivity, so the electric force of positive and negative charges of an object is gravitational force.

Therefore, it can be judged that the universal gravitational constant G=6.67384×10⁻¹¹ is derived from the Earth's permittivity.

98 99 100

101

102 103 104

105 106

107

108 109

110

111

112

3 Discussion

The universal gravitational constant is derived from the Earth's permittivity.

The gravitational force of a celestial body arises from the temperature difference of the celestial

Earth and other celestial bodies of different constituent materials have different permittivities.

Therefore, the universal gravitational constant of celestial bodies needs to be reviewed.

In other words, since the gravitational force of a celestial body occurs inside the celestial body, it is necessary to review whether the use of the formula for gravitational force "F=GMm/r²" is appropriate. In conclusion,

The gravitational constant is equal to the predicted value of the Earth's permittivity.

Since the Earth's permittivity is not yet known, the predicted value of the Earth's permittivity is the Earth's permittivity value.

Therefore, the predicted value of the Earth's permittivity is equal to the value of the universal gravitational constant.

113 114 115

116

Data Availability: Data supporting the findings of this manuscript are available from the corresponding author upon reasonable request.

117 Further documentation about data processing is available at Electromotive Force Generated in All 118

Materials under Temperature Difference, 3-4. https://doi.org/10.21203.re.3.rs-1137728/v2

119 120

121

Code Availability: Custom codes that support the findings of this study are available at a dedicated

Github repository (https://github.com/DongilSong/UniversalGravitationalConstant)

Received: 17 January 2022. 122

24	
25	References
26	[1] Seebeck effect https://en.wikipedia.org/wiki/Thermoelectric_effect#Seebeck_effect Accessed on 8
27	September 2021.
.28	[2] Dong-il Song(2021), Electromotive Force Generated in All Materials under Temperature
29	Difference, 3-4. https://doi.org/10.21203.re.3.rs-1137728/v2
.30	
31	

- We would like to thank his wife, Yeong-suk Lee, and daughter, Ji-hyeon Song, who helped with the proofreading of this thesis. I am submitting this thesis as a retired individual from the National Weather Service. Therefore, we are not interested in any institution or company.

 The cost will be paid by the author himself.

 Author Contribution: The author (Dong-il Song) confirms sole responsibility for the following: study conception and design, data collection, analysis and interpretation of results, and manuscript
- study conception and design, data collection, analysis and interpretation of results, and manuscript preparation.
- 142 **Competing Interest:** The author declares that there is no competing interest. 143

Acknowledgement: I thank the reviewers for reviewing this paper.

132

144

Table 1. Permittivity and universal gravitational constant of Earth's components

Earth components	Relative permittivity	Permittivity	Coulomb constant (Electric constant)	Remark
Dry soil	4(3~5)	3.541675×10 ⁻¹¹	2.246883×10 ⁹	
Sand	4(3~5)	3.541675×10 ⁻¹¹	2.246883×10 ⁹	
Marble	6.4(3.5~9.3)			
Fluorspar	6.8			
Calcspar	8.3			
Aluminum	8.5			
Graphite	12.5(12~13)	11.0677×10 ⁻¹¹	0.71904×10°	
Water	80			
Range	4~80	3.541675×10 ⁻¹¹ ~11.0677×10 ⁻¹¹		
Earth	7.5375(estimate)	Eg=6.67384×10 ⁻¹¹ (G=6.67384×10 ⁻¹¹)	1.192376×10 ⁹	Earth permittivity Universal gravitational constant