


Siamang h2
chr23_hap2 (reverse)
context projected




Siamang h1
chr23_hap1 (reverse)
context annotated




Sumatran orangutan h2
chr5_hap2_hsa6
context projected




Sumatran orangutan h1
chr5_hap1_hsa6
context annotated




Gorilla h2
chr5_pat_hsa6
context projected




Gorilla h1
chr5_mat_hsa6
context annotated



Bonobo h2
chr5_pat_hsa6
context annotated




Bonobo h1
chr5_mat_hsa6
context projected




Chimpanzee h2
chr5_hap2_hsa6
context projected

Chimpanzee h1
chr5_hap1_hsa6
context annotated



Human CHM13
chr6
context annotated



MHC ortholog / annotation

F G H A J E C
B OKO DRA DRB3 DRB1 DRB5 DQA1
DQB1 DQA2 DQB2 DOB DMB DMA DOA
DPA1 DPB1 Pseudogene Other gene

Small arrows retain true spans and ortholog colors; enlarged heads retain shared rows.
Empty head slots do not establish gene absence.
VR1–VR3: published CHM13 regions; ape bars show chain-supported projections.
* pseudogene. Projected context: same-species Liftoff; exon coverage and identity >=95%.
Five alternatives recovered at >=95%; nine transfers remain unresolved.
Recoveries use shorter source isoforms; RNA support is partial and not haplotype-resolved.
Region boundaries and adjacent alignments are reconstructed; see the source notes.