Forge Desktop · Sessions

Conductor-style chats with agents, built into Forge. Two directions: A = Chat first, B = Board first.

Design doc: docs/design/sessions.md · Claude Design: claude.ai/design/p/f4c92c06-8b0e-46d1-a6b9-cd2b0499b4d9

Before: today's Orchestrator. No way to start a session or chat with an agent.

Forge ORCHESTRATOR · 2 agents · 5 hours 42% · Week 18% · Workflow Studio · Settings ⌘, · Stop ⌘.

AI TRADING BOT · LINEAR

On the anvil — 2 cards in flight

Everything your agents are working on in AI Trading Bot.

Live

2	0	412.6K	1h 18m
RUNNING	RETRYING	TOKENS TODAY	RUNTIME
1 more waiting for an agent	retry queue empty	across 6 runs	since Start at 20:08

RUNNING SESSIONS (3)

	CARD	STAGE	TURNS	WHAT IT'S DOING	HELPERS	ELAPSED	ATTEMPT
⌄	AIT-3 **Reject an order when the balance is too low**	In Progress	4	Writing the balance check in orders/v…	1 running	6m 22s	1
›	AIT-5 **Add a stop-loss to the momentum strategy**	In Progress	9	Running pytest on tests/test_momen…	None	12m 50s	1
›	AIT-4 **Log every fill to a CSV file**	AI Review	–	Waiting for a free agent	–	–	–

```
21:22:54   Found where orders are placed: orders/place.py
21:23:28   Sent a helper to write the tests
21:24:15   Helper finished: the wording matches the API docs
21:25:33   Editing orders/validate.py
now        Writing the balance check in orders/validate.py
```

YOUR TURN (1)

Human Review

Before: today's card detail. Only the last few activity lines of a running card.

AIT-3 In Progress

Done esc

Reject an order when the balance is too low

AGENT NOW

Writing the balance check in orders/validate.py

Turn 4 · attempt 1

HELPERS

Write the tests for the balance check — Running

Check the error message wording — Done

RECENT ACTIVITY

21:26 **Writing the balance check in orders/validate.py**

21:25 Editing orders/validate.py

21:24 Helper finished: the wording matches the API docs

21:23 Sent a helper to write the tests

21:22 Found where orders are placed: orders/place.py

CODE

Branch `forge/AIT-3`

Open pull request #3 | Open in Linear

WORKPAD

The agent's one running note on this card.

Forge Workpad

Plan

- [x] Reproduce: the login page accepts an empty password
- [x] Add the check and its error message
- [ ] Tests for both cases

Notes

Two helpers are writing the tests while the lead updates the docs.

Direction A, Chat first · a1 · Sessions screen: list grouped by Needs you / Working / Ready for review / Merged, and New session.

Forge
P personal
ORCHESTRATOR SESSIONS
2 agents
5 hours 42% · Week 18%
Workflow Studio
Settings ⌘,
Stop ⌘.

Search sessions
+ New session ⌘N

NEEDS YOU
- Fix the updater crash on 0.2.22
  Donnadieu/forge-desktop · donnad…
  Started by you

WORKING
- Add a Sessions screen
  Donnadieu/forge-desktop · donnad…
  Started by you
- AIT-3 Reject an order when the b…
  AI Trading Bot · forge/AIT-3
  Started by Forge
- AIT-5 Add a stop-loss to the mo…
  AI Trading Bot · forge/AIT-5
  Started by Forge

READY FOR REVIEW
- Reconnect Telegram after sleep
  Donnadieu/one · donnadieu/telegr…
  Started by you

MERGED
- Write the spec checklist
  Donnadieu/tandem · PR #2
  Started by you

Import from Conductor

NEW SESSION · PERSONAL

What should we build?

Donnadieu/forge-desktop
Branch from main

Message the agent…

+
Opus 5.5 · 1M · High
Send

Send creates a folder and branch for this session, then starts the first chat.

A · a2 · The chat: streaming, tool calls folded, a mid-turn steer, diff panel with a line comment, model and effort picker open.

Forge · P personal · ORCHESTRATOR · SESSIONS · 2 agents · 5 hours 42% · Week 18% · Workflow Studio · Settings ⌘, · Stop ⌘.

Search sessions

+ New session ⌘N

NEEDS YOU

- Fix the updater crash on 0.2.22
  Donnadieu/forge-desktop · donnad…
  Started by you

WORKING

- Add a Sessions screen
  Donnadieu/forge-desktop · donnad…
  Started by you
- AIT-3 Reject an order when the b…
  AI Trading Bot · forge/AIT-3
  Started by Forge
- AIT-5 Add a stop-loss to the mo…
  AI Trading Bot · forge/AIT-5
  Started by Forge

READY FOR REVIEW

- Reconnect Telegram after sleep
  Donnadieu/one · donnadieu/telegr…
  Started by you

MERGED

- Write the spec checklist
  Donnadieu/tandem · PR #2
  Started by you

Import from Conductor

Add a Sessions screen

Working

Donnadieu/forge-desktop · donnadieu/sessions-screen · Started by you

Build · Review · +

Add a Sessions screen to the workspace. Start with the list and New session; leave the Orchestrator as it is.

Thought for 12s

Read Sources/UI/OrchestratorScreen.swift

Searched TopBar · 6 files

Edited Sources/UI/SessionsScreen.swift

Ran make lint · passed ✓

The list is in. Sessions group by what they need from you: Needs you, Working, Ready for review, Merged. Next I'm wiring New session to the host so Send creates the branch and the first chat.

YOU · STEERED

ery file under 400 lines.

Splitting Ses

Editing

CLAUDE CODE · OMAR'S ACCOUNT

- ✓ Opus 5.5 · 1M
- Opus 5.5
- Sonnet 5.5
- Haiku

EFFORT

Low · Medium · High · Extra high · Max

Applies from the next turn

Message t

+ · Enter steers · ⌥Enter queues · Opus 5.5 · 1M · High · Context 18% · Stop ⌘⇧⌫ · Send

Changes · 6 files +412 −38

donnadieu/sessions-screen vs main

Commit and push · Create PR ⌘⇧P

A SessionsScreen.swift +184
A SessionList.swift +96
A SessionFeed.swift +71
M AppModel+Sessions.swift +38 −12
M TopBar.swift +14 −9
M Theme.swift +9 −17


Sources/UI/TopBar.swift

```
@@ -22,9 +22,14 @@ struct TopBar: View
22  22      HStack(spacing: 12) {
23  23        Wordmark()
24      -     Text("ORCHESTRATOR")
25      -       .font(.mono(11))
    24  +     WorkspaceChip(workspace: model.workspace)
    25  +     ScreenSwitch(selection: $model.screen)
    26  +     Text(model.screen.title.uppercased())
```


OD · YOU · LINE 26
Use SectionLabel here, not a raw Text

```
    27  +       .font(.mono(11))
26  28        Spacer()
27  29        AgentsPill(count: model.runningAgents)
```


A · a3 · A card's running session (AIT-3): anything you send steers it; Stop and take the wheel.




A · a4 · Two chats side by side; the left one asks a question as buttons.



A · a5 · Pull PR review comments: unresolved threads ticked, outdated and resolved marked.



A · a6 · Import from Conductor: open workspaces by repo, each into a Forge workspace.



Direction B, Board first · b1 · Sessions as Orchestrator-style tables, New session as a sheet.

Forge · P personal · SESSIONS · 2 agents · 5 hours 42% · Week 18% · Workflow Studio · Settings ⌘, · Stop ⌘.

PERSONAL · 3 REPOS · AI TRADING BOT

On the anvil — 3

Every chat you and Forge have open in persona

Import from Conductor · New session ⌘N

What should we build?

REPO: Donnadieu/forge-desktop

BRANCH FROM: main

Message the agent…

Opus 5.5 · 1M · High · Cancel · Send

NEEDS YOU

SESSION	PULL REQUEST
Fix the updater crash on 0.2.22	#64 Open · 1 check failing

WORKING

SESSION					ING	ELAPSED
Add a Sessions screen					ionsScreen.swift into the list a…	14m 05s
AIT-3 Reject an order when the balance is to…	Started by Forge	AI Trading Bot / forge/AIT-3	Opus 5.5 · High	Writing the balance check in orders/validat…		6m 22s
AIT-5 Add a stop-loss to the momentum stra…	Started by Forge	AI Trading Bot / forge/AIT-5	Sonnet 5.5 · Medium	Running pytest on tests/test_momentum.py		12m 50s

READY FOR REVIEW

Reconnect Telegram after sleep	Started by you	one / donnadieu/telegram-reconnect	6 review comments	#318 Open

MERGED THIS WEEK

Write the spec checklist	Started by you	Donnadieu/tandem		#2 Merged

B · b2 · The chat as its own page, one centred column, diff as a side sheet.

Forge | P personal | SESSIONS | 2 agents | 5 hours 42% · Week 18% | Workflow Studio | Settings ⌘, | Stop ⌘.

Sessions › Add a Sessions screen

Add a Sessions screen to the workspace. S
it is.

Thought for 12s

Read Sources/UI/OrchestratorScreen.swift

Searched TopBar · 6 files

Edited Sources/UI/SessionsScreen.swift

Ran make lint · passed ✓

The list is in. Sessions group by what they need from you: Nee
session to the host so Send creates the branch and the first c

Splitting SessionsScreen.swift into the list and the composer…

Editing Sources/UI/SessionList.swift

Message the agent…

+ Enter steers · ⌥Enter queues

Changes · 6 files

donnadieu/sessions-screen vs main

Commit and push | Create PR ⌘⇧P

A	SessionsScreen.swift	+184	
A	SessionList.swift	+96	
A	SessionFeed.swift	+71	
M	AppModel+Sessions.swift	+38	-12
M	TopBar.swift	+14	-9
M	Theme.swift	+9	-17

CHANGES +412 -38

PR —

CONTEXT 18%

Sources/UI/TopBar.swift

```
@@ -22,9 +22,14 @@ struct TopBar: View
22  22      HStack(spacing: 12) {
23  23        Wordmark()
24    -       Text("ORCHESTRATOR")
25    -         .font(.mono(11))
    24 +      WorkspaceChip(workspace: model.workspace)
    25 +      ScreenSwitch(selection: $model.screen)
    26 +      Text(model.screen.title.uppercased())
```

OD YOU · LINE 26
Use SectionLabel here, not a raw Text

```
    27 +        .font(.mono(11))
26  28        Spacer()
27  29        AgentsPill(count: model.runningAgents)
```

B · b3 · A card's running session as a page, opened from Running sessions.

Forge | P personal | ORCHESTRATOR | 2 agents | 5 hours 42% · Week 18% | Workflow Studio | Settings ⌘, | Stop ⌘.

Orchestrator › AIT-3

AIT-3 · In Progress

Reject an order when the balance is too low

Started by Forge · turn 4 · 1 helper running

Forge is working this card. Anything you send steers it. Stop to take the wheel.

› Found where orders are placed: orders/place.py

› Sent a helper to write the tests

Use the existing InsufficientFunds error, don't add a new one.

Got it. The balance check raises InsufficientFunds and the error list stays as it is.

› Helper finished: the wording matches the API docs

Editing orders/validate.py

WORKPAD
Plan · 2 of 3

CHANGES
+74 −4

PR
#3 Open

Open in Linear ↗

Steer AIT-3…

+ | Enter steers · ⌥Enter queues | Opus 5.5 · 1M · High | Context 18% | Stop and take the wheel | Send

B · b3 inset · The Orchestrator's expanded Running sessions row gains Open session.

Inset · the Orchestrator's Running sessions table, AIT-3 expanded with the new Open session button

CARD	STAGE	TURNS	WHAT IT'S DOING	HELPERS	ELAPSED	ATTEMPT
AIT-3 Reject an order when the balance is too low	In Progress	4	Writing the balance check in orders/validate.py	1 running	6m 22s	1

21:22:54 Found where orders are placed: orders/place.py
21:23:28 Sent a helper to write the tests
21:24:15 Helper finished: the wording matches the API docs
21:25:33 Editing orders/validate.py
now Writing the balance check in orders/validate.py

Open session →

AIT-5 Add a stop-loss to the momentum strategy	In Progress	9	Running pytest on tests/test_momentum.py	None	12m 50s	1

B · b4 · Chats as tabs, shown three across with Columns on.

Forge | P personal | SESSIONS | 2 agents | 5 hours 42% · Week 18% | Workflow Studio | Settings ⌘, | Stop ⌘.

Add a Sessions screen | Fix the updater crash | Reconnect Telegram | + | Columns

Add a Sessions screen

Working

forge-desktop · donnadieu/sessions-screen

Add a Sessions screen to the workspace. Start with the list and New session; leave the Orchestrator as it is.

› Thought for 12s

› Read Sources/UI/OrchestratorScreen.swift

› Searched TopBar · 6 files

› Edited Sources/UI/SessionsScreen.swift +184 -0

› Ran make lint · passed ✓

The list is in. Sessions group by what they need from you: Needs you, Working, Ready for review, Merged. Next I'm wiring New session to the host so Send creates the branch and the first chat.

YOU · STEERED

Keep every file under 400 lines.

Splitting SessionsScreen.swift into the list and the composer…

Editing Sources/UI/SessionList.swift

Message the agent…

+ | Opus 5.5 · 1M · High | Stop | Send

Fix the updater crash on 0.2.22

Needs you

PR #64 Open · 1 check failing

The app crashes after updating to 0.2.22. Find out why and fix it.

› Read Sources/Updater/Installer.swift

› Reproduced the crash with a slow download

NEEDS YOU

The crash comes from the zip being swapped while the app reads it. Which fix?

1 Download to a temp file, then swap

2 Retry the read three times

3 Something else…

Message the agent…

+ | Opus 5.5 · 1M · High | Send

Reconnect Telegram after sleep

Ready for review

PR #318 Open · 6 review comments

Telegram drops after the Mac sleeps. Make it reconnect on wake.

› Edited Sources/Telegram/Bridge.swift

› Added Sources/App/Wake.swift

› Pushed and opened the pull request

Done. The bridge reconnects when the Mac wakes. The pull request is up for review.

Message the agent…

+ | Opus 5.5 · 1M · High | Send

B · b5 · Pull PR review comments as a tray above the composer; Send with 4 comments.

Forge | P personal | SESSIONS | 2 agents | 5 hours 42% · Week 18% | Workflow Studio | Settings ⌘, | Stop ⌘.

Sessions › Reconnect Telegram after sleep

Telegram drops after the Mac sleeps. Make it reconnect on wake.

› Edited Sources/Telegram/Bridge.swift
› Added Sources/App/Wake.swift
› Pushed and opened the pull request

Done. The bridge reconnects when the Mac wakes. The pull request is up for review.

CHANGES
+128 -31

PR
Open

CONTEXT
27%

From PR #318 · 4 new review comments

- [x] AL Sources/Telegram/Bridge.swift:142 Don't retry forever; cap it at 5
- [x] AL Sources/Telegram/Bridge.swift:88 Log the reason before reconnecting
- [x] RB Sources/App/Wake.swift:31 NSWorkspace.didWakeNotification fires twice on some Macs
- [x] RB Tests/BridgeTests.swift:12 Add a test for sleep longer than the sign-in's life
- [ ] AL Sources/Telegram/Bridge.swift:60 Rename this to reconnectIfNeeded — Outdated
- [ ] RB Sources/App/AppDelegate.swift:19 Move this observer into Wake — Resolved

Fix these, then push.

+ Enter steers · ⌥Enter queues | Opus 5.5 · 1M · High | Send with 4 comments

B · b6 · Import from Conductor as a full page.

Forge | P personal | SESSIONS | 2 agents | 5 hours 42% · Week 18% | Workflow Studio | Settings ⌘, | Stop ⌘.

PERSONAL · SETUP

Bring your Conductor work over

Conductor stays as it is. Forge reads it and leaves every folder where it is.

REPO	SESSIONS	CHATS	INTO WORKSPACE
Donnadieu/forge-desktop	3	9	P personal
Donnadieu/one	4	8	P personal
Donnadieu/notarc	2	4	P personal
acme/rails-app	5	11	C ConstructEase Rails
5 more repos			

9 repos · 39 chats · 45,888 messages

Don't send to the same chat from Conductor and Forge at once.

Import 21 sessions | Not now