### 2019 Age, Income, Kids, Marry EV and EC of One Check

This is the example vignette for function: **snw\_evuvw19\_jmky** from the **PrjOptiSNW Package.** 2019 integrated over VU and VW

#### Test SNW EVUVW19 JMKY Defaults Dense

**Set Parameters** 

Call the function with defaults.

```
clear all;
st_solu_type = 'bisec_vec';
% Solve the VFI Problem and get Value Function
% mp_params = snw_mp_param('default_tiny');
% mp_params = snw_mp_param('default_dense');
mp_params = snw_mp_param('default_docdense');
mp_params('beta') = 0.95;
mp_controls = snw_mp_control('default_test');
% set Unemployment Related Variables
xi=0.5; % Proportional reduction in income due to unemployment (xi=0 refers to 0 labor income;
b=0; % Unemployment insurance replacement rate (b=0 refers to no UI benefits; b=1 refers to 100
TR=100/58056; % Value of a welfare check (can receive multiple checks). TO DO: Update with alte
mp_params('xi') = xi;
mp_params('b') = b;
mp_params('TR') = TR;
% Check Numbers
% n_incgrid=201; % Number of income groups
% n_incgrid_aux=round(0.75*n_incgrid);
% inc_grid1=linspace(0,4,n_incgrid_aux)'; % 4 refers to 4*58056=232224 dollars in 2012USD
% inc grid=[inc grid1;linspace(4+((7-4)/(n incgrid-n incgrid aux)),7,n incgrid-n incgrid aux)'
n_incgrid=201; % Number of income groups
inc_grid=linspace(0,7,n_incgrid)';
mp_params('n_incgrid') = n_incgrid;
mp_params('inc_grid') = inc_grid;
% Solve for Unemployment Values
mp_controls('bl_print_vfi') = false;
mp_controls('bl_print_vfi_verbose') = false;
mp_controls('bl_print_ds') = false;
mp_controls('bl_print_ds_verbose') = false;
mp_controls('bl_print_precompute') = false;
mp_controls('bl_print_precompute_verbose') = false;
mp controls('bl print a4chk') = false;
mp_controls('bl_print_a4chk_verbose') = false;
mp_controls('bl_print_evuvw20_jaeemk') = false;
mp_controls('bl_print_evuvw20_jaeemk_verbose') = false;
mp_controls('bl_print_evuvw19_jaeemk') = false;
mp_controls('bl_print_evuvw19_jaeemk_verbose') = false;
```

```
mp_controls('bl_print_evuvw19_jmky') = false;
```

#### Solve VFI and Distributon

```
% Solve the Model to get V working and unemployed
[V_ss,ap_ss,cons_ss,mp_valpol_more_ss] = snw_vfi_main_bisec_vec(mp_params, mp_controls);
```

Completed SNW VFI MAIN BISEC VEC; SNW MP PARAM=default docdense; SNW MP CONTROL=default test; time=509.6423

```
inc_VFI = mp_valpol_more_ss('inc_VFI');
spouse_inc_VFI = mp_valpol_more_ss('spouse_inc_VFI');
total_inc_VFI = inc_VFI + spouse_inc_VFI;
% COVID year tax
mp_params('a2_covidyr') = mp_params('a2_covidyr_manna_heaven');
% 2020 V and C same as V_SS and cons_ss if tax the same
if (mp_params('a2_covidyr') == mp_params('a2'))
   % mana from heaven
   V_ss_2020 = V_ss_3
    cons ss 2020 = \cos ss;
else
   % change xi and b to for people without unemployment shock
   % solving for employed but 2020 tax results
    % a2_covidyr > a2, we increased tax in 2020 to pay for covid and other
   % costs resolve for both employed and unemployed
    xi = mp_params('xi');
    b = mp_params('b');
    mp_params('xi') = 1;
    mp params('b') = 0;
    [V ss 2020,~,cons ss 2020,~] = snw vfi main bisec vec(mp params, mp controls, V ss);
    mp_params('xi') = xi;
    mp params('b') = b;
end
% Solve unemployment
[V unemp 2020,~,cons unemp 2020] = snw vfi main bisec vec(mp params, mp controls, V ss);
```

Completed SNW\_VFI\_MAIN\_BISEC\_VEC 1 Period Unemp Shock; SNW\_MP\_PARAM=default\_docdense; SNW\_MP\_CONTROL=default\_test; time

```
[Phi_true] = snw_ds_main(mp_params, mp_controls, ap_ss, cons_ss, mp_valpol_more_ss);
```

Completed SNW\_DS\_MAIN; SNW\_MP\_PARAM=default\_docdense; SNW\_MP\_CONTROL=default\_test; time=1919.9492

```
% Get Matrixes
cl_st_precompute_list = {'a', ...
    'inc', 'inc_unemp', 'spouse_inc', 'spouse_inc_unemp', 'ref_earn_wageind_grid', ...
    'ap_idx_lower_ss', 'ap_idx_higher_ss', 'ap_idx_lower_weight_ss', ...
    'inc_tot_ygroup_grid'};
mp_controls('bl_print_precompute_verbose') = false;
```

### **Pre-Compute Matrixes and YMKY Mass**

```
% Pre-compute
[mp_precompute_res] = snw_hh_precompute(mp_params, mp_controls, cl_st_precompute_list, ap_ss, F
```

Wage quintile cutoffs=0.4645 0.71528 1.0335 1.5632
Completed SNW HH PRECOMPUTE; SNW MP PARAM=default docdense; SNW MP CONTROL=default test; time cost=392.9394

inc\_tot\_ygroup\_grid = mp\_precompute\_res('inc\_tot\_ygroup\_grid');
% YMKY Mass
[Phi\_true\_jmky] = snw\_evuvw19\_jmky\_mass(mp\_params, mp\_controls, Phi\_true, inc\_tot\_ygroup\_grid);

SNW\_EVUVW19\_JMKY\_MASS Start

Completed SNW\_EVUVW19\_JMKY\_MASS;SNW\_MP\_PARAM=default\_docdense;SNW\_MP\_CONTROL=default\_test;time=12.1262

-----

CONTAINER NAME: mp\_outcomes ND Array (Matrix etc)

<i>,,,,,,,,,,,,,,,,,,</i> ,,,,,,,,,,,,,,,,,,	//////	$\mathcal{N}$	,,,,,,,,,,,,							
	i	idx	ndim	numel	rowN	colN	sum	mean	std	C
	_									-
Phi_true	1	1	6	4.37e+07	83	5.265e+05	45.793	1.0479e-06	1.5354e-05	
Phi_true_jmky	2	2	4	1.6482e+05	82	2010	45.787	0.0002778	0.0011362	

#### Solve for 2019 Evuvw With 0 and 2 Checks

Zero checks:

```
% Solve ev 19 JAEEMK
welf_checks = 0;
[ev19_jaeemk_check0, ec19_jaeemk_check0, ev20_jaeemk_check0, ec20_jaeemk_check0] = ...
    snw_evuvw19_jaeemk(...
    welf_checks, st_solu_type, mp_params, mp_controls, ...
    V_ss_2020, cons_ss_2020, V_unemp_2020, cons_unemp_2020, mp_precompute_res);
```

Completed SNW\_A4CHK\_WRK\_BISEC\_VEC; welf\_checks=0; TR=0.0017225; SNW\_MP\_PARAM=default\_docdense; SNW\_MP\_CONTROL=default\_tecCompleted SNW\_A4CHK\_UNEMP\_BISEC\_VEC; welf\_checks=0; TR=0.0017225; xi=0.5; b=0; SNW\_MP\_PARAM=default\_docdense; SNW\_MP\_CONTROL=default\_test; timeEUEC=8.1717 Completed SNW\_EVUVW19\_JAEEMK; SNW\_MP\_PARAM=default\_docdense; SNW\_MP\_CONTROL=default\_test; time=4955.5196

```
% Solve ev 19 JMKY
[ev19_jmky_check0, ec19_jmky_check0] = snw_evuvw19_jmky(...
mp_params, mp_controls, ...
ev19_jaeemk_check0, ec19_jaeemk_check0, ...
Phi_true, Phi_true_jmky, inc_tot_ygroup_grid);
```

Completed SNW\_EVUVW19\_JMKY;SNW\_MP\_PARAM=default\_docdense;SNW\_MP\_CONTROL=default\_test;time=19.7532

-----

CONTAINER NAME: mp\_outcomes ND Array (Matrix etc)

xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

	i	idx	ndim	numel	rowN	colN	sum	mean	std
	-								
Phi_true	1	1	6	4.37e+07	83	5.265e+05	45.793	1.0479e-06	1.5354e-05
Phi_true_jmky	2	2	4	1.6482e+05	82	2010	45.787	0.0002778	0.0011362
ec19_jaeemk	3	3	6	4.3173e+07	82	5.265e+05	1.9748e+08	4.5742	5.3282
ec19_jmky	4	4	4	1.6482e+05	82	2010	3.4598e+05	2.0992	2.156
ev19_jaeemk	5	5	6	4.3173e+07	82	5.265e+05	-1.2358e+08	-2.8623	20.212
ev19_jmky	6	6	4	1.6482e+05	82	2010	-4.2016e+05	-2.5492	15.7

Two checks:

```
% Solve ev 19 JAEEMK
```

```
welf_checks = 1;
[ev19_jaeemk_check2, ec19_jaeemk_check2, ev20_jaeemk_check2, ec20_jaeemk_check2] = ...
    snw_evuvw19_jaeemk(...
    welf_checks, st_solu_type, mp_params, mp_controls, ...
    V_ss_2020, cons_ss_2020, V_unemp_2020, cons_unemp_2020, mp_precompute_res);
```

Completed SNW\_A4CHK\_WRK\_BISEC\_VEC; welf\_checks=1; TR=0.0017225; SNW\_MP\_PARAM=default\_docdense; SNW\_MP\_CONTROL=default\_tectompleted SNW\_A4CHK\_UNEMP\_BISEC\_VEC; welf\_checks=1; TR=0.0017225; xi=0.5; b=0; SNW\_MP\_PARAM=default\_docdense; SNW\_MP\_CONTROL=default\_test; timeEUEC=7.7724 Completed SNW\_EVUVW19\_JAEEMK; SNW\_MP\_PARAM=default\_docdense; SNW\_MP\_CONTROL=default\_test; time=4795.4984

```
% Solve ev 19 JMKY
[ev19_jmky_check2, ec19_jmky_check2] = snw_evuvw19_jmky(...
mp_params, mp_controls, ...
ev19_jaeemk_check2, ec19_jaeemk_check2, ...
Phi_true, Phi_true_jmky, inc_tot_ygroup_grid);
```

 ${\tt Completed SNW\_EVUVW19\_JMKY;SNW\_MP\_PARAM=default\_docdense;SNW\_MP\_CONTROL=default\_test;time=20.0896}$ 

CONTAINER NAME: mp\_outcomes ND Array (Matrix etc)

	i	idx	ndim	numel	rowN	colN	sum	mean	std
	-								
Phi_true	1	1	6	4.37e+07	83	5.265e+05	45.793	1.0479e-06	1.5354e-05
Phi_true_jmky	2	2	4	1.6482e+05	82	2010	45.787	0.0002778	0.0011362
ec19_jaeemk	3	3	6	4.3173e+07	82	5.265e+05	1.975e+08	4.5745	5.3282
ec19_jmky	4	4	4	1.6482e+05	82	2010	3.4602e+05	2.0994	2.156
ev19_jaeemk	5	5	6	4.3173e+07	82	5.265e+05	-1.2325e+08	-2.8547	20.176
ev19_jmky	6	6	4	1.6482e+05	82	2010	-4.1902e+05	-2.5423	15.652

Differences between Checks in Expected Value and Expected Consumption

```
mn_V_U_gain_check = ev19_jmky_check2 - ev19_jmky_check0;
mn_MPC_U_gain_share_check = (ec19_jmky_check2 - ec19_jmky_check0)./(welf_checks*mp_params('TR'
```

#### **Dense Param Results Define Frames**

Define the matrix dimensions names and dimension vector values. Policy and Value Functions share the same ND dimensional structure.

```
% Grids:
age_grid = 18:99;
marry_grid = [0,1];
kids_grid = (1:1:mp_params('n_kidsgrid'))';
inc_grid = mp_params('inc_grid');
cl_mp_datasetdesc = {};
cl_mp_datasetdesc{1} = containers.Map({'name', 'labval'}, {'age', age_grid});
cl_mp_datasetdesc{2} = containers.Map({'name', 'labval'}, {'marry', marry_grid});
cl_mp_datasetdesc{3} = containers.Map({'name', 'labval'}, {'kids', kids_grid});
cl_mp_datasetdesc{4} = containers.Map({'name', 'labval'}, {'ylower', inc_grid});
```

# Analyze Marginal Value and MPC over Y(a,eta), Conditional On Kids, Marry, Age, Education

Income is generated by savings and shocks, what are the income levels generated by all the shock and savings points conditional on kids, marital status, age and educational levels. Plot on the Y axis MPC, and plot on the X axis income levels, use colors to first distinguish between different a levels, then use colors to distinguish between different eta levels.

Set Up date, Select Age 37, unmarried, no kids, lower education:

```
% NaN(n_jgrid,n_agrid,n_etagrid,n_educgrid,n_marriedgrid,n_kidsgrid);
% 38 year old, unmarried, no kids, lower educated
% Only Household Head Shock Matters so select up to 'n_eta_H_grid'
mn_V_W_gain_check_use = ev19_jmky_check2 - ev19_jmky_check0;
mn_C_W_gain_check_use = ec19_jmky_check2 - ec19_jmky_check0;
```

Select Age, Education, Marital, Kids Count:s


```
% Selections
it_age = 21; % +18
it_marital = 1; % 1 = unmarried
it_kids = 1; % 1 = kids is zero
% Select: NaN(n_jgrid-1,n_marriedgrid,n_kidsgrid,n_incgrid);
mn_C_W_gain_check_jemk = mn_C_W_gain_check_use(it_age, it_marital, it_kids, :);
mn_V_W_gain_check_jemk = mn_V_W_gain_check_use(it_age, it_marital, it_kids, :);
% Reshape, so shock is the first dim, a is the second
ar_C_W_gain_check_jemk = mn_C_W_gain_check_jemk(:);
ar_V_W_gain_check_jemk = mn_V_W_gain_check_jemk(:);
```

Marginal Value Gains, Color as Shock, Conditional on Age, Marital, Kids, and Education


How do shocks and a impact marginal value. First plot one asset level, variation comes only from increasingly higher shocks:

```
figure();
scatter(inc_grid, ar_V_W_gain_check_jemk, 100);
title({'MN\_V\_W\_GAIN\_CHECK(Y(A, eta)), Lowest A, J38M0E0K0', ...
    'Each Circle is A Different Shock Level'});
xlabel('Y(a,eta) = Spouse + Household head Income Joint');
ylabel('MN\_V\_W\_GAIN\_CHECK(A, eta)');
grid on;
grid minor;
```


## MN\_V\_W\_GAIN\_CHECK(Y(A, eta)), Lowest A, J38M0E0K0 Each Circle is A Different Shock Level




## MN\_V\_W\_GAIN\_CHECK(Y(A, eta)), Lowest A, J38M0E0K0 Each Circle is A Different Shock Level



Marginal Consumption Gains, Color as Shock, Conditional on Age, Marital, Kids, and Education Plot all asset levels:





```
figure();
scatter((inc_grid), log(ar_C_W_gain_check_jemk), 100);
title({'(MN\_C\_W\_GAIN\_CHECK(Y,eta)), All A (Savings) Levels, J38M0E0K0', ...
    'Color Represent different A Savings State, Circle-Group=Shock'});
xlabel('log of income(a,eps)');
ylabel('log of (MN\_V\_W\_GAIN\_CHECK(EM,J))');
grid on;
grid minor;
```

