2020 Full States EV and EC of One Check

This is the example vignette for function: **snw_evuvw20_jaeemk** from the **PrjOptiSNW Package.** 2020 integrated over VU and VW. Average C or V given unemployment probabilities.

Test SNW_EVUVW20_JAEEMK Defaults

Call the function with defaults.

```
clear all;
st_solu_type = 'bisec_vec';

% Solve the VFI Problem and get Value Function
mp_params = snw_mp_param('default_docdense');
mp_controls = snw_mp_control('default_test');

% set Unemployment Related Variables
xi=0.5; % Proportional reduction in income due to unemployment (xi=0 refers to 0 labor income;
b=0; % Unemployment insurance replacement rate (b=0 refers to no UI benefits; b=1 refers to 100
TR=100/58056; % Value of a welfare check (can receive multiple checks). TO DO: Update with alte

mp_params('xi') = xi;
mp_params('b') = b;
mp_params('TR') = TR;

% Solve for Unemployment Values
mp_controls('bl_print_vfi') = false;
mp_controls('bl_print_ds') = false;
mp_controls('bl_print_ds_verbose') = false;
mp_controls('bl_print_precompute') = false;
mp_controls('bl_print_precompute_verbose') = false;
mp_controls('bl_print_a4chk') = false;
mp_controls('bl_print_a4chk_verbose') = false;
mp_controls('bl_print_evuvw20_jaeemk') = false;
mp_controls('bl_print_evuvw20_jaeemk_verbose') = false;
```

Solve the model:

```
%% A. Solve VFI
% 2. Solve VFI and Distributon
% Solve the Model to get V working and unemployed
% solved with calibrated regular a2
[V_ss,ap_ss,cons_ss,mp_valpol_more_ss] = snw_vfi_main_bisec_vec(mp_params, mp_controls);
```

```
Completed SNW_VFI_MAIN_BISEC_VEC;SNW_MP_PARAM=default_docdense;SNW_MP_CONTROL=default_test;time=517.3877
----------------------------------------
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
CONTAINER NAME: mp_outcomes ND Array (Matrix etc)
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
```

	i	idx	ndim	numel	rowN	colN	sum	mean	std	coefvari
V_VFI	1	1	6	4.37e+07	83	5.265e+05	-1.5339e+08	-3.5101	26.119	-7.441
ap_VFI	2	2	6	4.37e+07	83	5.265e+05	1.4159e+09	32.402	36.798	1.1357
cons_VFI	3	3	6	4.37e+07	83	5.265e+05	2.1402e+08	4.8975	8.3294	1.7007

xxx TABLE:V_VFI xxxxxxxxxxxxxxxxx

	c1	c2	c3	c4	c5	c526496	c526497	c526498	c526499	c52650
r1	-346.51	-346.12	-343.63	-337.86	-328.51	21.702	21.852	22.003	22.154	22.30
r2	-334.38	-333.99	-331.51	-325.83	-316.83	21.724	21.869	22.015	22.163	22.31
r3	-322.45	-322.06	-319.6	-314.14	-305.6	21.745	21.885	22.027	22.171	22.31
r4	-310.63	-310.27	-307.99	-302.88	-294.87	21.767	21.903	22.041	22.182	22.32
r5	-299.94	-299.6	-297.46	-292.67	-285.12	21.775	21.907	22.042	22.18	22.32
r79	-9.9437	-9.9325	-9.8557	-9.6597	-9.3232	2.5394	2.5501	2.5602	2.5696	2.578
r80	-8.9023	-8.8911	-8.8143	-8.6183	-8.2818	2.3039	2.3121	2.3198	2.327	2.333
r81	-7.6363	-7.6251	-7.5484	-7.3524	-7.0159	2.0068	2.0124	2.0176	2.0226	2.027
r82	-5.9673	-5.9561	-5.8793	-5.6833	-5.3468	1.5958	1.5989	1.6018	1.6046	1.607
r83	-3.5892	-3.578	-3.5012	-3.3052	-2.9687	0.97904	0.98004	0.98097	0.98185	0.9826

xxx TABLE:ap_VFI xxxxxxxxxxxxxxxxx

	c1	c2	c3	c4	c5	c526496	c526497	c526498	c526499	c526500
r1	0	0	0.0005656	0.0075134	0.022901	114.75	120.41	126.27	132.38	138.8
r2	0	0	0.00051498	0.0065334	0.021549	114.86	120.53	126.41	132.54	138.95
r3	0	0	0.00051498	0.0049294	0.019875	114.97	120.65	126.56	132.7	139.12
r4	0	0	0.00051498	0.0047937	0.019672	115.73	121.42	127.34	133.51	139.92
r5	0	0	0.00048517	0.0046683	0.019484	116.5	122.21	128.15	134.32	140.74
r79	0	0	0	0	0	81.091	85.68	90.335	94.378	98.419
r80	0	0	0	0	0	76.669	80.563	84.304	88.04	91.693
r81	0	0	0	0	0	68.313	71.534	74.475	77.832	81.11
r82	0	0	0	0	0	50.126	53.467	56.953	58.745	60.587
r83	0	0	0	0	0	0	0	0	0	0

xxx TABLE:cons_VFI xxxxxxxxxxxxxxxxx

	c1	c2	c3	c4	c5	c526496	c526497	c526498	c526499	c
r1	0.036717	0.037251	0.040426	0.04363	0.048012	9.6491	9.817	9.9649	10.073	1
r2	0.036717	0.037251	0.040477	0.04461	0.049364	9.8118	9.9685	10.101	10.191	1
r3	0.036717	0.037251	0.040477	0.046214	0.051039	9.9779	10.12	10.234	10.302	1
r4	0.038144	0.038678	0.041903	0.047776	0.052666	10.131	10.258	10.354	10.405	1
r5	0.039534	0.040068	0.043323	0.04929	0.054241	10.272	10.384	10.463	10.5	
r79	0.2179	0.21844	0.22216	0.23228	0.25197	35.858	37.092	38.455	40.627	4
r80	0.2179	0.21844	0.22216	0.23228	0.25197	40.253	42.183	44.459	46.938	
r81	0.2179	0.21844	0.22216	0.23228	0.25197	48.587	51.19	54.266	57.123	6
r82	0.2179	0.21844	0.22216	0.23228	0.25197	66.755	69.238	71.77	76.192	8
r83	0.2179	0.21844	0.22216	0.23228	0.25197	116.87	122.69	128.71	134.92	1

```
% COVID year tax
mp_params('a2_covidyr') = mp_params('a2_covidyr_manna_heaven');
% 2020 V and C same as V_SS and cons_ss if tax the same
if (mp_params('a2_covidyr') == mp_params('a2'))
    % mana from heaven
    V_ss_2020 = V_ss;
    cons_ss_2020 = cons_ss;
else
    % change xi and b to for people without unemployment shock
    % solving for employed but 2020 tax results
    % a2_covidyr > a2, we increased tax in 2020 to pay for covid and other
    % costs resolve for both employed and unemployed
    xi = mp_params('xi');
    b = mp_params('b');
    mp_params('xi') = 1;
    mp_params('b') = 0;
```

```
    [V_ss_2020,~,cons_ss_2020,~] = snw_vfi_main_bisec_vec(mp_params, mp_controls, V_ss);
    mp_params('xi') = xi;
    mp_params('b') = b;
end

% Solve unemployment, with three input parameters, auto will use a2_covidyr
% as tax, similar for employed call above
[V_unemp_2020,~,cons_unemp_2020] = snw_vfi_main_bisec_vec(mp_params, mp_controls, V_ss);
```

```
Completed SNW_VFI_MAIN_BISEC_VEC 1 Period Unemp Shock;SNW_MP_PARAM=default_docdense;SNW_MP_CONTROL=default_test;time
----------------------------------------
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
CONTAINER NAME: mp_outcomes ND Array (Matrix etc)
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
```

	i	idx	ndim	numel	rowN	colN	sum	mean	std	coefvari
V_VFI	1	1	6	4.37e+07	83	5.265e+05	-1.7805e+08	-4.0743	27.116	-6.6554
ap_VFI	2	2	6	4.37e+07	83	5.265e+05	1.3789e+09	31.553	36.673	1.1622
cons_VFI	3	3	6	4.37e+07	83	5.265e+05	2.1097e+08	4.8277	8.3289	1.7252

xxx TABLE:V_VFI xxxxxxxxxxxxxxxxx

	c1	c2	c3	c4	c5	c526496	c526497	c526498	c526499	c52650
r1	-372.97	-371.47	-362.94	-349.52	-336.96	21.573	21.728	21.882	22.036	22.19
r2	-360.84	-359.34	-350.81	-337.39	-324.98	21.595	21.745	21.894	22.044	22.19
r3	-348.91	-347.41	-338.88	-325.46	-313.34	21.617	21.762	21.906	22.052	22.20
r4	-336.09	-334.7	-326.73	-314.01	-302.44	21.633	21.772	21.913	22.056	22.20
r5	-324.48	-323.18	-315.72	-303.62	-292.54	21.634	21.77	21.907	22.046	22.18
r79	-9.9437	-9.9325	-9.8557	-9.6597	-9.3232	2.5374	2.5482	2.5584	2.568	2.57
r80	-8.9023	-8.8911	-8.8143	-8.6183	-8.2818	2.3024	2.3107	2.3185	2.3259	2.332
r81	-7.6363	-7.6251	-7.5484	-7.3524	-7.0159	2.0057	2.0114	2.0168	2.0218	2.026
r82	-5.9673	-5.9561	-5.8793	-5.6833	-5.3468	1.5952	1.5984	1.6014	1.6042	1.606
r83	-3.5892	-3.578	-3.5012	-3.3052	-2.9687	0.97886	0.97987	0.98082	0.98171	0.9825

xxx TABLE:ap_VFI xxxxxxxxxxxxxxxxx

	c1	c2	c3	c4	c5	c526496	c526497	c526498	c526499	c526500
r1	0	0	0	0	0.0092181	110.06	115.71	121.55	127.62	133.93
r2	0	0	0	0	0.008238	110.03	115.68	121.54	127.62	133.95
r3	0	0	0	0	0.0066341	109.99	115.65	121.53	127.63	133.97
r4	0	0	0	0	0.0058019	110.28	115.95	121.84	127.96	134.33
r5	0	0	0	0	0.004998	110.58	116.27	122.17	128.31	134.69
r79	0	0	0	0	0	81.091	85.229	89.297	93.341	97.382
r80	0	0	0	0	0	75.865	79.539	83.28	87.016	90.669
r81	0	0	0	0	0	67.781	70.521	73.462	76.819	81.091
r82	0	0	0	0	0	50.126	53.467	56.108	57.742	60.587
r83	0	0	0	0	0	0	0	0	0	0

xxx TABLE:cons_VFI xxxxxxxxxxxxxxxxx

	c1	c2	c3	c4	c5	c526496	c526497	c526498	c526499	c
r1	0.018623	0.019158	0.022901	0.033062	0.04363	9.4708	9.6491	9.817	9.9649	1
r2	0.018623	0.019158	0.022901	0.033062	0.04461	9.6414	9.8118	9.9685	10.101	1
r3	0.018623	0.019158	0.022901	0.033062	0.046214	9.8179	9.9779	10.12	10.234	1
r4	0.019354	0.019888	0.023632	0.033792	0.047776	9.9825	10.131	10.258	10.354	1
r5	0.020066	0.020601	0.024344	0.034504	0.04929	10.135	10.272	10.384	10.463	
r79	0.2179	0.21844	0.22216	0.23228	0.25197	34.82	36.506	38.455	40.627	4
r80	0.2179	0.21844	0.22216	0.23228	0.25197	40.033	42.183	44.459	46.938	
r81	0.2179	0.21844	0.22216	0.23228	0.25197	48.106	51.19	54.266	57.123	5

```
    r82      0.2179     0.21844     0.22216     0.23228     0.25197     65.751     68.234     71.611     76.192     7
    r83      0.2179     0.21844     0.22216     0.23228     0.25197     115.87     121.69     127.71     133.93     1
```

```
%% B. Solve Dist
[Phi_true] = snw_ds_main_vec(mp_params, mp_controls, ap_ss, cons_ss);
```

```
Completed SNW_DS_MAIN_VEC;SNW_MP_PARAM=default_docdense;SNW_MP_CONTROL=default_test;time=876.6781
```

Previous code

```
% % Solve the Model to get V working and unemployed
% [V_ss,ap_ss,cons_ss,mp_valpol_more_ss] = snw_vfi_main_bisec_vec(mp_params, mp_controls);
% % Solve unemployment
% [V_unemp,~,cons_unemp,~] = snw_vfi_main_bisec_vec(mp_params, mp_controls, V_ss);
% [Phi_true] = snw_ds_main(mp_params, mp_controls, ap_ss, cons_ss, mp_valpol_more_ss);
```

Precompute

```
inc_VFI = mp_valpol_more_ss('inc_VFI');
spouse_inc_VFI = mp_valpol_more_ss('spouse_inc_VFI');
total_inc_VFI = inc_VFI + spouse_inc_VFI;
% Get Matrixes
cl_st_precompute_list = {'a', ...
    'inc', 'inc_unemp', 'spouse_inc', 'spouse_inc_unemp', 'ref_earn_wageind_grid'};
mp_controls('bl_print_precompute_verbose') = false;
[mp_precompute_res] = snw_hh_precompute(mp_params, mp_controls, cl_st_precompute_list, ap_ss, P
```

```
Wage quintile cutoffs=0.4645     0.71528      1.0335      1.5632
Completed SNW_HH_PRECOMPUTE;SNW_MP_PARAM=default_docdense;SNW_MP_CONTROL=default_test;time cost=318.8898
```

Solve for 2020 Evuvw With 0 and 2 Checks

```
% Call Function
welf_checks = 0;
[ev20_jaeemk_check0, ec20_jaeemk_check0] = snw_evuvw20_jaeemk(...
    welf_checks, st_solu_type, mp_params, mp_controls, ...
    V_ss_2020, cons_ss_2020, V_unemp_2020, cons_unemp_2020, mp_precompute_res);
```

```
Completed SNW_A4CHK_WRK_BISEC_VEC;welf_checks=0;TR=0.0017225;SNW_MP_PARAM=default_docdense;SNW_MP_CONTROL=default_te
Completed SNW_A4CHK_UNEMP_BISEC_VEC;welf_checks=0;TR=0.0017225;xi=0.5;b=0;SNW_MP_PARAM=default_docdense;SNW_MP_CONTR
Completed SNW_EVUVW20_JAEEMK;SNW_MP_PARAM=default_docdense;SNW_MP_CONTROL=default_test;timeEUEC=8.0778
```

```
% Call Function
welf_checks = 2;
[ev20_jaeemk_check2, ec20_jaeemk_check2] = snw_evuvw20_jaeemk(...
    welf_checks, st_solu_type, mp_params, mp_controls, ...
    V_ss_2020, cons_ss_2020, V_unemp_2020, cons_unemp_2020, mp_precompute_res);
```

```
Completed SNW_A4CHK_WRK_BISEC_VEC;welf_checks=2;TR=0.0017225;SNW_MP_PARAM=default_docdense;SNW_MP_CONTROL=default_te
Completed SNW_A4CHK_UNEMP_BISEC_VEC;welf_checks=2;TR=0.0017225;xi=0.5;b=0;SNW_MP_PARAM=default_docdense;SNW_MP_CONTR
Completed SNW_EVUVW20_JAEEMK;SNW_MP_PARAM=default_docdense;SNW_MP_CONTROL=default_test;timeEUEC=7.8452
```

Differences between Checks in Expected Value and Expected Consumption

```
mn_V_U_gain_check = ev20_jaeemk_check2 - ev20_jaeemk_check0;
```

```
mn_MPC_U_gain_share_check = (ec20_jaeemk_check2 - ec20_jaeemk_check0)./(welf_checks*mp_params('
```

Param Results Define Frames

Define the matrix dimensions names and dimension vector values. Policy and Value Functions share the same ND dimensional structure.

```
% Grids:
age_grid = 18:100;
agrid = mp_params('agrid')';
eta_H_grid = mp_params('eta_H_grid')';
eta_S_grid = mp_params('eta_S_grid')';
ar_st_eta_HS_grid = string(cellstr([num2str(eta_H_grid', 'hz=%3.2f;'), num2str(eta_S_grid', 'wz
edu_grid = [0,1];
marry_grid = [0,1];
kids_grid = (1:1:mp_params('n_kidsgrid'))';
% NaN(n_jgrid,n_agrid,n_etagrid,n_educgrid,n_marriedgrid,n_kidsgrid);
cl_mp_datasetdesc = {};
cl_mp_datasetdesc{1} = containers.Map({'name', 'labval'}, {'age', age_grid});
cl_mp_datasetdesc{2} = containers.Map({'name', 'labval'}, {'savings', agrid});
cl_mp_datasetdesc{3} = containers.Map({'name', 'labval'}, {'eta', 1:length(eta_H_grid)});
cl_mp_datasetdesc{4} = containers.Map({'name', 'labval'}, {'edu', edu_grid});
cl_mp_datasetdesc{5} = containers.Map({'name', 'labval'}, {'marry', marry_grid});
cl_mp_datasetdesc{6} = containers.Map({'name', 'labval'}, {'kids', kids_grid});
```

Analyze Difference in V and C with Check

The difference between V and V with Check, marginal utility gain given the check.

```
% Generate some Data
mp_support_graph = containers.Map('KeyType', 'char', 'ValueType', 'any');
mp_support_graph('cl_st_xtitle') = {'Savings States, a'};
mp_support_graph('st_legend_loc') = 'eastoutside';
mp_support_graph('bl_graph_logy') = true; % do not log
mp_support_graph('it_legend_select') = 21; % how many shock legends to show
mp_support_graph('cl_colors') = 'jet';
```

MEAN(MN_V_GAIN_CHECK(A,Z))

Tabulate value and policies along savings and shocks:

```
% Set
ar_permute = [1,4,5,6,3,2];
% Value Function
st_title = ['MEAN(MN_V_U_GAIN_CHECK(A,Z)), welf_checks=' num2str(welf_checks) ', TR=' num2str(m
tb_az_v = ff_summ_nd_array(st_title, mn_V_U_gain_check, true, ["mean"], 4, 1, cl_mp_datasetdesc
```

```
xxx  MEAN(MN_V_U_GAIN_CHECK(A,Z)), welf_checks=2, TR=0.0017225  xxxxxxxxxxxxxxxxxxxxxxxxxxxx
    group      savings      mean_eta_1    mean_eta_2    mean_eta_3    mean_eta_4    mean_eta_5    mean_eta_6    mean_
    _____    _________    __________    __________    __________    __________    __________    __________    ____

      1              0        1.1134       0.99534       0.88994       0.79581       0.71183       0.63701       0.
      2      0.00051498         1.098       0.98245        0.8792       0.78685       0.70433       0.63073       0.
      3       0.0041199       0.88037       0.80097       0.72635       0.65728       0.59416       0.53692       0.
      4        0.013905       0.63865       0.59083       0.54384       0.49875       0.45643       0.41724       0.
```

5	0.032959	0.44836	0.42078	0.3921	0.3635	0.33593	0.30995	0.
6	0.064373	0.32067	0.304	0.28585	0.26716	0.24873	0.23105	0.

```
% Consumption
st_title = ['MEAN(MN_MPC_U_GAIN_CHECK(A,Z)), welf_checks=' num2str(welf_checks) ', TR=' num2str
tb_az_c = ff_summ_nd_array(st_title, mn_MPC_U_gain_share_check, true, ["mean"], 4, 1, cl_mp_dat
```

```
xxx  MEAN(MN_MPC_U_GAIN_CHECK(A,Z)), welf_checks=2, TR=0.0017225  xxxxxxxxxxxxxxxxxxxxxxxxxxx
```

group	savings	mean_eta_1	mean_eta_2	mean_eta_3	mean_eta_4	mean_eta_5	mean_eta_6	mean_
1	0	0.99528	0.99037	0.98518	0.98297	0.98267	0.98334	0.98
2	0.00051498	0.99442	0.9886	0.98246	0.97995	0.97977	0.98071	0.98
3	0.0041199	0.87952	0.87675	0.87503	0.87358	0.87283	0.87252	0.87
4	0.013905	0.79582	0.78989	0.7857	0.78365	0.78356	0.78456	0.78
5	0.032959	0.70405	0.69975	0.69839	0.69882	0.69984	0.7011	0.70
6	0.064373	0.63337	0.6334	0.63405	0.63503	0.63635	0.63811	0.63

Graph Mean Values:

```
st_title = ['MEAN(MN\_V\_U\_GAIN\_CHECK(A,Z)), welf\_checks=' num2str(welf_checks) ', TR=' num2
mp_support_graph('cl_st_graph_title') = {st_title};
mp_support_graph('cl_st_ytitle') = {'MEAN(MN\_V\_U\_GAIN\_CHECK(a,z))'};
ff_graph_grid((tb_az_v{1:end, 3:end})', ar_st_eta_HS_grid, agrid, mp_support_graph);
```





Graph Mean Consumption (MPC: Share of Check Consumed):

```
st_title = ['MEAN(MN\_MPC\_U\_GAIN\_CHECK(A,Z)), welf\_checks=' num2str(welf_checks) ', TR=' nu
mp_support_graph('cl_st_graph_title') = {st_title};
mp_support_graph('cl_st_ytitle') = {'MEAN(MN\_MPC\_U\_GAIN\_CHECK(a,z))'};
ff_graph_grid((tb_az_c{1:end, 3:end})', ar_st_eta_HS_grid, agrid, mp_support_graph);
```





Analyze Marginal Value and MPC over Y(a,eta), Conditional On Kids, Marry, Age, Education

Income is generated by savings and shocks, what are the income levels generated by all the shock and savings points conditional on kids, marital status, age and educational levels. Plot on the Y axis MPC, and plot on the X axis income levels, use colors to first distinguish between different a levels, then use colors to distinguish between different eta levles.

Set Up date, Select Age 38, unmarried, no kids, lower education:

```
% NaN(n_jgrid,n_agrid,n_etagrid,n_educgrid,n_marriedgrid,n_kidsgrid);
% 38 year old, unmarried, no kids, lower educated
% Only Household Head Shock Matters so select up to 'n_eta_H_grid'
mn_total_inc_jemk = total_inc_VFI(20,:,1:mp_params('n_eta_H_grid'),1,1,1);
mn_V_W_gain_check_use = ev20_jaeemk_check2 - ev20_jaeemk_check0;
mn_C_W_gain_check_use = ec20_jaeemk_check2 - ec20_jaeemk_check0;
```

Select Age, Education, Marital, Kids Count:s

```
% Selections
it_age = 21; % +18
it_marital = 1; % 1 = unmarried
it_kids = 1; % 1 = kids is zero
it_educ = 1; % 1 = lower education
% Select: NaN(n_jgrid,n_agrid,n_etagrid,n_educgrid,n_marriedgrid,n_kidsgrid);
mn_C_W_gain_check_jemk = mn_C_W_gain_check_use(it_age, :, 1:mp_params('n_eta_H_grid'), it_educ,
mn_V_W_gain_check_jemk = mn_V_W_gain_check_use(it_age, :, 1:mp_params('n_eta_H_grid'), it_educ,
% Reshape, so shock is the first dim, a is the second
mt_total_inc_jemk = permute(mn_total_inc_jemk,[3,2,1]);
mt_C_W_gain_check_jemk = permute(mn_C_W_gain_check_jemk,[3,2,1]);
mt_C_W_gain_check_jemk(mt_C_W_gain_check_jemk<=1e-10) = 1e-10;
mt_V_W_gain_check_jemk = permute(mn_V_W_gain_check_jemk,[3,2,1]);
mt_V_W_gain_check_jemk(mt_V_W_gain_check_jemk<=1e-10) = 1e-10;
```

```
% Generate meshed a and shock grid
[mt_eta_H, mt_a] = ndgrid(eta_H_grid(1:mp_params('n_eta_H_grid')), agrid);
```

Marginal Value Gains, Color as Shock, Conditional on Age, Marital, Kids, and Education

How do shocks and a impact marginal value. First plot one asset level, variation comes only from increasingly higher shocks:

```
figure();
it_a = 1;
scatter((mt_total_inc_jemk(:,it_a)), (mt_V_W_gain_check_jemk(:,it_a)), 100);
title({'MN\_V\_W\_GAIN\_CHECK(Y(A, eta)), Lowest A, J38M0E0K0', ...
    'Each Circle is A Different Shock Level'});
xlabel('Y(a,eta) = Spouse + Household head Income Joint');
ylabel('MN\_V\_W\_GAIN\_CHECK(A, eta)');
grid on;
grid minor;
```




```
figure();
it_shock = 1;
scatter(log(mt_total_inc_jemk(:,it_a)), log(mt_V_W_gain_check_jemk(:,it_a)), 100);
title({'MN\_V\_W\_GAIN\_CHECK(Y(A, eta)), Lowest A, J38M0E0K0', ...
    'Each Circle is A Different Shock Level'});
xlabel(' of Y(a,eta) = Spouse + Household head Income Joint');
ylabel(' of MN\_V\_W\_GAIN\_CHECK(A, eta)');
grid on;
grid minor;
```



Plot all asset levels:

```
figure();
scatter((mt_total_inc_jemk(:)), (mt_V_W_gain_check_jemk(:)), 100, mt_a(:));
title({'(MN\_V\_W\_GAIN\_CHECK(Y,eta)), All A (Savings) Levels, J38M0E0K0', ...
    'Color Represent different A Savings State, Circle-Group=Shock'});
xlabel('income(a,eps)');
ylabel('MN\_V\_W\_GAIN\_CHECK(EM,J)');
grid on;
grid minor;
```




```
figure();
scatter((mt_total_inc_jemk(:)), log(mt_V_W_gain_check_jemk(:)), 100, mt_a(:));
title({'(MN\_V\_W\_GAIN\_CHECK(Y,eta)), All A (Savings) Levels, J38M0E0K0', ...
```

```
    'Color Represent different A Savings State, Circle-Group=Shock'});
xlabel('income(a,eps)');
ylabel('log of (MN\_V\_W\_GAIN\_CHECK(EM,J))');
xlim([0,7]);
grid on;
grid minor;
```



Marginal Consumption Gains, Color as Shock, Conditional on Age, Marital, Kids, and Education

How do shocks and a impact marginal value. First plot one asset level, variation comes only from increasingly higher shocks:

```
figure();
it_a = 50;
scatter(log(mt_total_inc_jemk(:,it_a)), mt_C_W_gain_check_jemk(:,it_a), 100);
title({'MN\_C\_W\_GAIN\_CHECK(Y(A, eta)), Given A Savings Level, J38M0E0K0', ...
    'Each Circle is A Different shock Level'});
xlabel('Y(a,eta) = Spouse + Household head Income Joint');
ylabel('MN\_C\_W\_GAIN\_CHECK(A, eta)');
grid on;
grid minor;
```



Plot all asset levels:

```
figure();
scatter((mt_total_inc_jemk(:)), (mt_C_W_gain_check_jemk(:)), 100, mt_a(:));
title({'(MN\_C\_W\_GAIN\_CHECK(Y,eta)), All A (Savings) Levels, J38M0E0K0', ...
    'Color Represent different A Savings State, Circle-Group=Shock'});
xlabel('income(a,eps)');
ylabel('MN\_C\_W\_GAIN\_CHECK(EM,J)');
grid on;
grid minor;
```




```
figure();
scatter(log(mt_total_inc_jemk(:)), log(mt_C_W_gain_check_jemk(:)), 100, mt_a(:));
title({'(MN\_C\_W\_GAIN\_CHECK(Y,eta)), All A (Savings) Levels, J38M0E0K0', ...
```

```
    'Color Represent different A Savings State, Circle-Group=Shock'});
xlabel('log of income(a,eps)');
ylabel('log of (MN\_V\_W\_GAIN\_CHECK(EM,J))');
grid on;
grid minor;
```



Analyze Kids and Marriage and Age

Aggregating over education, savings, and shocks, what are the differential effects of Marriage and Age.

```
% Generate some Data
mp_support_graph = containers.Map('KeyType', 'char', 'ValueType', 'any');
ar_row_grid = [...
    "k0M0", "K1M0", "K2M0", "K3M0", "K4M0", ...
    "k0M1", "K1M1", "K2M1", "K3M1", "K4M1"];
mp_support_graph('cl_st_xtitle') = {'Age'};
mp_support_graph('st_legend_loc') = 'best';
mp_support_graph('bl_graph_logy') = true; % do not log
mp_support_graph('st_rounding') = '6.2f'; % format shock legend
mp_support_graph('cl_scatter_shapes') = {...
    'o', 'd' ,'s', 'x', '*', ...
    'o', 'd', 's', 'x', '*'};
mp_support_graph('cl_colors') = {...
    'red', 'red', 'red', 'red', 'red'...
    'blue', 'blue', 'blue', 'blue', 'blue'};
```

MEAN(VAL(KM,J)), MEAN(AP(KM,J)), MEAN(C(KM,J))

Tabulate value and policies:

```
% Set
% NaN(n_jgrid,n_agrid,n_etagrid,n_educgrid,n_marriedgrid,n_kidsgrid);
ar_permute = [2,3,4,1,6,5];
% Value Function
```

```
st_title = ['MEAN(MN_V_U_GAIN_CHECK(KM,J)), welf_checks=' num2str(welf_checks) ', TR=' num2str(
tb_az_v = ff_summ_nd_array(st_title, mn_V_U_gain_check, true, ["mean"], 3, 1, cl_mp_datasetdesc
```

```
xxx  MEAN(MN_V_U_GAIN_CHECK(KM,J)), welf_checks=2, TR=0.0017225  xxxxxxxxxxxxxxxxxxxxxxxxxxx
```

group	kids	marry	mean_age_18	mean_age_19	mean_age_20	mean_age_21	mean_age_22	mean_age_23
1	1	0	0.033245	0.031982	0.030513	0.027957	0.025823	0.024029
2	2	0	0.045318	0.043648	0.041624	0.038035	0.035028	0.032489
3	3	0	0.052753	0.051115	0.049022	0.044815	0.041294	0.038324
4	4	0	0.059779	0.058053	0.055771	0.051	0.047008	0.04364
5	5	0	0.065493	0.063784	0.061427	0.056219	0.051865	0.048197
6	1	1	0.0098334	0.0093632	0.008915	0.008078	0.0073763	0.0067827
7	2	1	0.013114	0.012489	0.01189	0.010765	0.0098179	0.0090221
8	3	1	0.015745	0.015027	0.01433	0.012975	0.011838	0.010879
9	4	1	0.018816	0.017992	0.017173	0.015564	0.014209	0.013064
10	5	1	0.022802	0.021889	0.020957	0.019021	0.017394	0.016019

```
% Consumption Function
st_title = ['MEAN(MN_MPC_U_GAIN_CHECK(KM,J)), welf_checks=' num2str(welf_checks) ', TR=' num2st
tb_az_c = ff_summ_nd_array(st_title, mn_MPC_U_gain_share_check, true, ["mean"], 3, 1, cl_mp_dat
```

```
xxx  MEAN(MN_MPC_U_GAIN_CHECK(KM,J)), welf_checks=2, TR=0.0017225  xxxxxxxxxxxxxxxxxxxxxxxxxxx
```

group	kids	marry	mean_age_18	mean_age_19	mean_age_20	mean_age_21	mean_age_22	mean_age_23
1	1	0	0.054527	0.058931	0.069975	0.068541	0.066643	0.065914
2	2	0	0.061679	0.066745	0.079243	0.077437	0.076495	0.074679
3	3	0	0.069419	0.075436	0.090313	0.087902	0.086963	0.084214
4	4	0	0.073241	0.080862	0.095495	0.092897	0.09086	0.088896
5	5	0	0.078577	0.086033	0.10041	0.09783	0.095009	0.092812
6	1	1	0.084627	0.088189	0.090609	0.089711	0.088925	0.088472
7	2	1	0.086884	0.08995	0.093211	0.092146	0.090954	0.090142
8	3	1	0.090166	0.09473	0.099076	0.097712	0.096798	0.096232
9	4	1	0.092841	0.096367	0.10103	0.10024	0.099267	0.097844
10	5	1	0.097558	0.10223	0.1097	0.10567	0.10418	0.10352

Graph Mean Values:

```
st_title = ['MEAN(MN\_V\_U\_GAIN\_CHECK(KM,J)), welf\_checks=' num2str(welf_checks) ', TR=' num
mp_support_graph('cl_st_graph_title') = {st_title};
mp_support_graph('cl_st_ytitle') = {'MEAN(MN\_V\_U\_GAIN\_CHECK(KM,J))'};
ff_graph_grid((tb_az_v{1:end, 4:end}), ar_row_grid, age_grid, mp_support_graph);
```





Graph Mean Consumption (***MPC: Share of Check Consumed***):

```
st_title = ['MEAN(MN\_MPC\_U\_GAIN\_CHECK(KM,J)), welf\_checks=' num2str(welf_checks) ', TR=' r
mp_support_graph('cl_st_graph_title') = {st_title};
mp_support_graph('cl_st_ytitle') = {'MEAN(MN\_MPC\_U\_GAIN\_CHECK(KM,J))'};
ff_graph_grid((tb_az_c{1:end, 4:end}), ar_row_grid, age_grid, mp_support_graph);
```





Analyze Education and Marriage

Aggregating over education, savings, and shocks, what are the differential effects of Marriage and Age.

```
% Generate some Data
mp_support_graph = containers.Map('KeyType', 'char', 'ValueType', 'any');
ar_row_grid = ["E0M0", "E1M0", "E0M1", "E1M1"];
mp_support_graph('cl_st_xtitle') = {'Age'};
mp_support_graph('st_legend_loc') = 'best';
mp_support_graph('bl_graph_logy') = true; % do not log
mp_support_graph('st_rounding') = '6.2f'; % format shock legend
mp_support_graph('cl_scatter_shapes') = {'*', 'p', '*','p' };
mp_support_graph('cl_colors') = {'red', 'red', 'blue', 'blue'};
```

MEAN(VAL(EM,J)), MEAN(AP(EM,J)), MEAN(C(EM,J))

Tabulate value and policies:

```
% Set
% NaN(n_jgrid,n_agrid,n_etagrid,n_educgrid,n_marriedgrid,n_kidsgrid);
ar_permute = [2,3,6,1,4,5];
% Value Function
st_title = ['MEAN(MN_V_U_GAIN_CHECK(EM,J)), welf_checks=' num2str(welf_checks) ', TR=' num2str(
tb_az_v = ff_summ_nd_array(st_title, mn_V_U_gain_check, true, ["mean"], 3, 1, cl_mp_datasetdesc
```

```
xxx  MEAN(MN_V_U_GAIN_CHECK(EM,J)), welf_checks=2, TR=0.0017225  xxxxxxxxxxxxxxxxxxxxxxxxxxx
    group    edu    marry    mean_age_18    mean_age_19    mean_age_20    mean_age_21    mean_age_22    mean_age_23
    _____    ___    _____    ___________    ___________    ___________    ___________    ___________    ___________

      1       0       0       0.053096       0.051807       0.050213       0.047392       0.044883       0.042648
      2       1       0       0.049539       0.047626        0.04513       0.039818       0.035524       0.032023
      3       0       1         0.0171       0.016386        0.01569       0.014562        0.01357       0.012706
      4       1       1       0.015024       0.014318       0.013616       0.011999       0.010684      0.0096012
```

```
% Consumption
st_title = ['MEAN(MN_MPC_U_GAIN_CHECK(EM,J)), welf_checks=' num2str(welf_checks) ', TR=' num2st
tb_az_c = ff_summ_nd_array(st_title, mn_MPC_U_gain_share_check, true, ["mean"], 3, 1, cl_mp_dat
```

```
xxx  MEAN(MN_MPC_U_GAIN_CHECK(EM,J)), welf_checks=2, TR=0.0017225  xxxxxxxxxxxxxxxxxxxxxxxxxxx
    group    edu    marry    mean_age_18    mean_age_19    mean_age_20    mean_age_21    mean_age_22    mean_age_23
    _____    ___    _____    ___________    ___________    ___________    ___________    ___________    ___________

      1       0       0        0.06081       0.064362       0.073095       0.072607       0.072694       0.071887
      2       1       0       0.074167       0.082841        0.10108       0.097236       0.093694       0.090718
      3       0       1       0.083761       0.086559       0.088972       0.089128       0.088901       0.088933
      4       1       1       0.097069        0.10202        0.10848        0.10507        0.10315        0.10155
```

Graph Mean Values:

```
st_title = ['MEAN(MN\_V\_U\_GAIN\_CHECK(EM,J)), welf\_checks=' num2str(welf_checks) ', TR=' num
mp_support_graph('cl_st_graph_title') = {st_title};
mp_support_graph('cl_st_ytitle') = {'MEAN(MN\_V\_U\_GAIN\_CHECK(EM,J))'};
ff_graph_grid((tb_az_v{1:end, 4:end}), ar_row_grid, age_grid, mp_support_graph);
```





Graph Mean Consumption (***MPC: Share of Check Consumed***):

```
st_title = ['MEAN(MN\_MPC\_U\_GAIN\_CHECK(EM,J)), welf\_checks=' num2str(welf_checks) ', TR=' r
mp_support_graph('cl_st_graph_title') = {st_title};
mp_support_graph('cl_st_ytitle') = {'MEAN(MN\_MPC\_U\_GAIN\_CHECK(EM,J))'};
ff_graph_grid((tb_az_c{1:end, 4:end}), ar_row_grid, age_grid, mp_support_graph);
```


MEAN(MN_MPC_U_GAIN_CHECK(EM,J)), welf_checks=2, TR=0.0017225
E0M0
E1M0
E0M1
E1M1
MEAN(MN_MPC_U_GAIN_CHECK(EM,J))
Age


MEAN(MN_MPC_U_GAIN_CHECK(EM,J)), welf_checks=2, TR=0.0017225
E0M0
E1M0
E0M1
E1M1
MEAN(MN_MPC_U_GAIN_CHECK(EM,J))
LOG(Y)
Age
LOG(X)