Error Open

# Quik Dev REST API

Api de controle de usuários.

**Version** 1.0.0

# Security

Bearer (API Key)

Authenticate

Name Authorization

In header

# **Paths**

/users

#### GET /users

## Description

Obtém a lista de usuários cadastrados.

## Responses

Code	Description
------	-------------

**200** OK

**400** Bad Request

**401** Unauthorized

500 Internal Server Error

## Security

Security Schema Scopes

Bearer

## POST /users

# Description

Realiza o registro de um novo usuário.

#### **Parameters**

Name	Located in	Description	Required	Schema	<b>a</b>	
				•	{	
					name:	undefined
					username:	undefined
					birthdate:	undefined
obj	body		Yes	$\rightleftarrows$	address:	undefined
ODj	body		103	<b>—</b>	addressNumber:	undefined
					<pre>primaryPhone:</pre>	undefined
					description:	undefined
					password:	undefined
				}		

## Responses

400

Code Description 201 Created Bad Request

### PATCH /users

# Description

Atualiza o perfil do usuário logado.

#### **Parameters**

Name	Located in	Description	Required	Schem	a
				•	{
					name: undefined
					username: undefined
					birthdate: undefined
obj	body		Yes	$\rightleftarrows$	address: undefined
					addressNumber: undefined
					<pre>primaryPhone: undefined</pre>
					description: undefined
				}	

# Responses

Code	Description
200	OK
400	Bad Request
401	Unauthorized
500	Internal Server Error

## Security

Security Schema Scopes

Bearer

DELETE /user	rs	
Description		
Deleta o perfil do u	usuário logado.	
Responses		
Code	Description	
200	OK	
400	Bad Request	
401	Unauthorized	
500	Internal Server Error	
Security		
Security Schema		Scopes
Bearer		
Try this operation	n	

/users/{id}

#### GET /users/{id} Description Obtém o perfil de um usuário pelo ID. **Parameters** Located in Description Required Schema Name id path Yes ⇒ string Responses Description Code 200 OK 400 **Bad Request** Unauthorized 401 404 Not Found 500 Internal Server Error Security **Security Schema** Scopes Bearer Try this operation

/users/password

# PATCH /users/password

# Description

Altera a senha do usuário logado.

#### **Parameters**

Name	Located in	Description	Required	Schema
				▼ {
obj	body		Yes	
ODj	body		165	newPassword: undefined
				}

## Responses

Code	Description
200	OK
400	Bad Request
401	Unauthorized
500	Internal Server Error

# Security

Security Schema Scopes

Bearer

#### POST /login Description Fazer login. **Parameters** Located in Description Required Schema Name username: undefined obj body Yes password: undefined Responses Description Code 200 OK 400 **Bad Request** 401 Unauthorized Try this operation

/profile

0.
Description
OK
Bad Request
Unauthorized
Internal Server Error
Scopes
1

# Models