


Start here: your image toolbox




The screenshot shows the 'Prompt' section of the Chaessi Preset app. It has a dark theme. At the top right is a 'Preset' button. Below it is a 'Name' field with the text 'Summer outfit example'. Underneath is a 'Base prompt' field containing the text '1girl, solo, __tops__, __poses__, ||outdoors|indoors||, simple background'. To the right of this field is a 'Wildcard' button and the text 'Wildcard | counted after selection at Generate'. Below the 'Base prompt' field is an 'Undesired' field containing the text 'lowres, blurry'. To the right of this field is another 'Wildcard' button and the text 'Wildcard | counted after selection at Generate'.

Actual app screen. Match the button names in the steps below.

1. Chaessi Preset keeps the description and settings you send to NovelAI. A preset is a saved bundle you can use again.
2. This guide uses version 3.4.0. Button names match the app, so you can find them easily.
3. Start with API Settings, write a Base prompt, then click Generate One Image. The next pages show each step.


1. Connect to NovelAI



Actual app screen. Match the button names in the steps below.

1. Click API Settings at the top. Paste the API token from your NovelAI account into NovelAI Token.
2. Click Save Token. The desktop app encrypts the saved token. Keep it private.
3. Click Refresh Token Status. If you see 401 Unauthorized, check that your token is valid.
4. Generating can use your NovelAI Anlas or Stamina. Check the balance at the top.

2. Describe your picture




The screenshot shows the 'Prompt' section of the Chaessi Preset app. It has a dark theme. At the top right is a 'Preset' button. Below it is a 'Name' field with the text 'Summer outfit example'. Underneath is a 'Base prompt' field with the text '1girl, solo, __tops__, __poses__, ||outdoors[indoors]||, simple background'. To the right of this field is a 'Wildcard' button and the text 'Wildcard | counted after selection at Generate'. Below the 'Base prompt' field is an 'Undesired' field with the text 'lowres, blurry'. To the right of this field is another 'Wildcard' button and the text 'Wildcard | counted after selection at Generate'.

Actual app screen. Match the button names in the steps below.

1. Give Name a label you will recognize later, such as Blue shirt girl.
2. Write what you want in Base prompt. Try: 1girl, blue shirt, standing, simple background
3. Write things you want less of in Undesired. Try: blurry, text
4. Results can vary with the same prompt. Change one thing at a time and compare.

3. Choose image settings



The screenshot shows the 'Generation Settings' panel of the Chaessi Preset app. It features a dark theme with various input fields and dropdown menus. The settings are organized into two columns. The left column includes 'Model' (set to 'V4.5 Full'), 'Width' (832), 'Steps' (28), 'CFG rescale' (0), 'Seed' (empty), 'UC preset' (Heavy), and checkboxes for 'SM', 'Dynamic threshold', and 'Dynamic SM'. The right column includes a text box for 'V4.5 Full' settings, 'Height' (1216), 'Scale' (4), 'Sampler' (Euler Ancestral), 'Noise schedule' (karras), and a checked 'Quality tags' checkbox.

Generation Settings

Model: V4.5 Full (dropdown) V4.5 Full: existing Text to Image, Image to Image, Inpaint, and Precise Reference remain available.

Width: 832 Height: 1216

Steps: 28 Scale: 4

CFG rescale: 0 Sampler: Euler Ancestral (dropdown)

Seed: (empty) Noise schedule: karras

UC preset: Heavy (dropdown) ☒ Quality tags


☐ SM ☐ Dynamic SM

☐ Dynamic threshold

Actual app screen. Match the button names in the steps below.

1. Choose V4.5 Full or V5 Full in Model. The app remembers settings separately for each model.
2. Width is the image width; Height is its height. Start with the default size and Steps.
3. An empty Seed uses a new seed. A fixed number helps compare settings, but Wildcards still choose again.
4. Quality Tags add quality hints. UC preset adds common unwanted-content hints. Shorten your text if a token warning appears.


4. Make your first image



Actual app screen. Match the button names in the steps below.

1. Choose Text to Image and click Generate One Image once.
2. Wait for Generating to finish. The image and its settings appear when it succeeds.
3. Open Selected prompt for this request to see the prompt selected for that request.
4. Use Save to save the image. Successful results also appear in History. If it fails, read the error before trying again.


5. Save and load presets



Actual app screen. Match the button names in the steps below.

1. Save in Current Preset stores the current bundle. Save As creates another bundle. Load opens a saved full preset.
2. Preset beside Base prompt opens the Base and Undesired library. Click a card's Load to apply its content and real name.
3. Use category and subcategory filters to find entries. Male and female clothing subcategories use Korean alphabetical order.
4. Save __tops__ in a preset to keep using a Wildcard. Manage its candidate list separately in Wildcards.


6. Describe characters separately



Actual app screen. Match the button names in the steps below.

1. Click Add Character. Write that person's hair, clothes, or expression in Prompt.
2. Use Undesired Content for things to reduce for that character. On/Off chooses whether to include it.
3. Use Up/Down to reorder and Preset to save or load a character description. Delete removes that slot.
4. V4.5 supports up to 6 characters; V5 supports up to 32. Use Base for the shared scene and Character for each person.


7. Position characters in V5



Actual app screen. Match the button names in the steps below.

1. In V5 Full, change Character Position to Custom to show the Position Pad.
2. Drag a numbered marker to choose a character's location. The number follows Character order.
3. AI's Choice lets the model choose. Advanced X/Y values are coordinates between 0 and 1.
4. An overlap notice appears when markers are close. Reset selected to center moves the selected marker back. Image placement is a hint, not a guarantee.


8. Bring an image into the app



Actual app screen. Match the button names in the steps below.

1. Use Open Image for PNG, JPG, or WebP. You can also drop a file into the app or paste an image.
2. Image to Image makes a new image from a source. Inpaint redraws the painted area.
3. Precise Reference uses character or style references in V4.5. It is not supported in V5.
4. If the image has NovelAI metadata, use Import Selected Metadata to bring in text or settings. Choosing an image alone does not import them.



9. Redraw using a source image



Actual app screen. Match the button names in the steps below.

1. Choose Image to Image in image intake. A source preview appears.
2. Describe the new result in your prompt. Strength controls how much the image changes. Start with small changes.
3. Noise controls additional changes to the source. Start with the model's default value.
4. Click Generate One Image. Load another file or reuse a History result to change the source.


10. Fix one area and use references



Actual app screen. Match the button names in the steps below.

1. In Inpaint, load the source and paint the area you want to change. Unpainted areas are requested to stay.
2. Write the prompt and click Generate One Image. If you paint nothing, the app asks for a mask first.
3. For V4.5 Precise Reference, click Add Reference. Choose character/style, Strength, and Fidelity.
4. References and settings can change the cost. Read the cost notice before generating.


11. Find results and help



Actual app screen. Match the button names in the steps below.

1. Click View or a History image to enlarge it. Use previous/next buttons or Left/Right keys to browse.
2. Use Reuse to load the final prompt and settings, or use the image as an I2I/Inpaint source. Wildcards load as the values used for that image.
3. Select to delete lets you choose several records. Confirmed deletion removes images and related files. Save images you want first.
4. Click v3.4.0 at the top for App info & Manuals. Open the app and Wildcard guides in Korean or English directly.

12. Reopen the guides



Actual app screen. Match the button names in the steps below.

1. Click v3.4.0 at the top to open App info & Manuals.
2. App guide explains the whole app. Wildcard guide focuses on candidate lists.
3. Click 한국어 PDF or English PDF. The bundled guide opens in a new window; you do not need to find a file online.
4. Zoom or save from the PDF viewer. Close the guide window to continue in the app.