Examiner only

8. Ammonia is manufactured from hydrogen and nitrogen in the Haber process.

(a) The equation shows the bonds which are broken and the bonds which are formed in the production of ammonia.



hydrogen nitrogen ammonia

The bond energy of a H—H bond is 436 kJ. The energy needed to break **all** the bonds in the **reactants** is 2253 kJ.

(i) Calculate the energy needed to break a N≡N bond. [2]

Energy = ... kJ

(ii) The diagram below is the energy profile for the reaction.



Calculate the energy released when **all** the bonds in the ammonia molecules are formed. [1]

Energy = ... kJ

© WJEC CBAC Ltd.

Examiner only

(b) The table below shows the percentage yield of ammonia under different pressure and temperature conditions.

Pressure (atm)	Temperature (°C)			
	200	300	400	500
	Percentage yield of ammonia			
100	81.7	52.5	25.2	10.6
200	89.0	66.7		18.3
400	94.6	79.7	55.4	31.9
1000	98.3	92.6	79.8	57.5

(i) Describe the relationship between the percentage yield of ammonia and the temperature. [1]

....

(ii) **Circle** the most likely percentage yield of ammonia if the process were carried out at 200 atm and 400 °C. [1]

20 % **30 %** **40 %** **50 %**

© WJEC CBAC Ltd.

Examiner only

(c) A student carries out a series of chemical tests on solutions of three unknown compounds, **A**, **B** and **C**. Her results are recorded in the table.

Compound	Flame test	Add NaOH(aq)	Add HCl(aq)	Add $BaCl_2$(aq)	Add $AgNO_3$(aq)
A	no colour	pungent gas given off turns damp red litmus paper blue	no reaction	no reaction	white precipitate forms
B	green flame	blue precipitate forms	no reaction	white precipitate forms	no reaction
C	lilac flame	no reaction	gas given off turns limewater milky	no reaction	no reaction

Use the information provided to identify compounds **A**, **B** and **C**. [3]

A ....

B ....

C ....

8

END OF PAPER

© WJEC CBAC Ltd.

FORMULAE FOR SOME COMMON IONS

POSITIVE IONS		NEGATIVE IONS	
Name	**Formula**	**Name**	**Formula**
aluminium	Al^{3+}	bromide	Br^{-}
ammonium	NH_4^{+}	carbonate	CO_3^{2-}
barium	Ba^{2+}	chloride	Cl^{-}
calcium	Ca^{2+}	fluoride	F^{-}
copper(II)	Cu^{2+}	hydroxide	OH^{-}
hydrogen	H^{+}	iodide	I^{-}
iron(II)	Fe^{2+}	nitrate	NO_3^{-}
iron(III)	Fe^{3+}	oxide	O^{2-}
lithium	Li^{+}	sulfate	SO_4^{2-}
magnesium	Mg^{2+}		
nickel	Ni^{2+}		
potassium	K^{+}		
silver	Ag^{+}		
sodium	Na^{+}		
zinc	Zn^{2+}		

© WJEC CBAC Ltd.

THE PERIODIC TABLE

1	2	Group										3	4	5	6	7	0
						1 H Hydrogen 1											4 He Helium 2
7 Li Lithium 3	9 Be Beryllium 4											11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon 10
23 Na Sodium 11	24 Mg Magnesium 12											27 Al Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 S Sulfur 16	35.5 Cl Chlorine 17	40 Ar Argon 18
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	63.5 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36
86 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	99 Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54
133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57	179 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	210 Po Polonium 84	210 At Astatine 85	222 Rn Radon 86
223 Fr Francium 87	226 Ra Radium 88	227 Ac Actinium 89															

Key

A_r — relative atomic mass Symbol Name Z — atomic number

© WJEC CBAC Ltd.