Examiner only

8. (a) Crude oil is separated into mixtures of hydrocarbon compounds in the process of fractional distillation. Many of these fractions are used as fuels.



(i) Name the changes of state happening at **X** and at **Y**. [1]

X ....

Y ....

(ii) Explain why different fractions are formed at different levels. [2]

....

....

....

....

Examiner only

(iii) A hydrocarbon fuel was burned and used to heat 100 g of water. The water temperature rose from 18.5 °C to 38.2 °C.

Use the equation below to calculate the amount of energy released by this fuel. Give your answer to **two** significant figures. [3]

energy (J) = mass of water (g) × 4.2 × temperature rise (°C)

Energy = ... J

(b) The products of fractional distillation can undergo a process called cracking to produce smaller, more useful hydrocarbons.

(i) Complete the equation for the cracking of $C_{16}H_{34}$. [1]

$$C_{16}H_{34} \longrightarrow C_8H_{18} + \ldots\ldots\ldots\ldots\ldots\ldots + C_2H_4$$

(ii) State the **two** conditions used for cracking. [1]

....

(iii) The molecule with the formula C_2H_4 is an unsaturated hydrocarbon.

Give the meaning of the term unsaturated. [1]

....

....

(iv) State why there is a high demand for each of the following products of the cracking reaction. [2]

octane / C_8H_{18} ....

ethene / C_2H_4 ....

11

END OF PAPER

FORMULAE FOR SOME COMMON IONS

POSITIVE IONS		NEGATIVE IONS	
Name	**Formula**	**Name**	**Formula**
aluminium	Al^{3+}	bromide	Br^{-}
ammonium	NH_4^{+}	carbonate	CO_3^{2-}
barium	Ba^{2+}	chloride	Cl^{-}
calcium	Ca^{2+}	fluoride	F^{-}
copper(II)	Cu^{2+}	hydroxide	OH^{-}
hydrogen	H^{+}	iodide	I^{-}
iron(II)	Fe^{2+}	nitrate	NO_3^{-}
iron(III)	Fe^{3+}	oxide	O^{2-}
lithium	Li^{+}	sulfate	SO_4^{2-}
magnesium	Mg^{2+}		
nickel	Ni^{2+}		
potassium	K^{+}		
silver	Ag^{+}		
sodium	Na^{+}		
zinc	Zn^{2+}		

THE PERIODIC TABLE

1	2				Group							3	4	5	6	7	0
						1 H Hydrogen 1											4 He Helium 2
7 Li Lithium 3	9 Be Beryllium 4											11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon 10
23 Na Sodium 11	24 Mg Magnesium 12											27 Al Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 S Sulfur 16	35.5 Cl Chlorine 17	40 Ar Argon 18
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	63.5 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36
86 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	99 Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54
133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57	179 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	210 Po Polonium 84	210 At Astatine 85	222 Rn Radon 86
223 Fr Francium 87	226 Ra Radium 88	227 Ac Actinium 89															

Key

A_r — relative atomic mass
Symbol
Name
Z — atomic number