


8. P and S waves are produced during an earthquake. They travel at different speeds. The graph shows how the speed of P and S waves change with depth below the Earth's surface.



(a) P waves are longitudinal waves. Explain what is meant by a longitudinal wave. [2]

.....

.....

(b) Use the graph to calculate the difference in speed between the P wave and the S wave at a depth of **100 km**. [2]

Speed difference = km/s



- (c) (i) Bob claims that the maximum speed of P waves is greater in solids than in liquids. Explain, using data from the graph, whether Bob's claim is correct. [2]


.....

.....

.....

- (ii) A P wave (shown in Diagram 1) travels a distance of 6 300 km in a straight line to the centre of the Earth in a time of 550 s.

Diagram 1



Bob states that the mean speed of the P wave over this distance is equal to its actual speed only at the depth of 3 500 km. Use an equation from page 2 to show whether Bob's statement is correct. [3]
Space for calculations.


.....

.....



(d) Diagram 2 shows waves passing through the Earth following an earthquake at point X.

Diagram 2




Monitoring stations at A, B and C detect the earthquake by signals that they receive.

- (i) Use the time given in part (c)(ii) to state the time taken for the P wave to travel from **X to C** (ignore the Earth's crust in this). [1]

Time = s

- (ii) The signals received at monitoring stations A and B are shown in Diagram 3. **Add to Diagram 3** the signal that you would expect to be received at station C. [3]

Diagram 3



END OF PAPER

