

Question				Marking details	Marks Available					
					AO1	AO2	AO3	Total	Maths	Prac
4	(a)	(i)		Glycosidic (bond) (1)	1			1		
		(ii)		Similarity: both made of alpha glucose/ both have (alpha)1,4 glycosidic bonds (1) Difference: Amylose straight chain and amylopectin branched/ amylose coiled and amylopectin branched/ amylopectin branched amylose is not / amylopectin has 1,6 glycosidic bonds amylose does not/ owtte (1)		1 1		2		
	(b)	(i)		the {(chemical) insertion/ addition} of water to break the bond (1)	1			1		
		(ii)		{Starch/ amylopectin/ amylose} is digested to maltose by amylase (1) Maltose is digested to glucose by {maltase/ an enzyme} (1) Isomaltase {debranches/ hydrolyses/ breaks} the amylopectin at the {branch points/ 1-6 glycosidic bonds/ bond Y} (1)		2	1	3		
		(iii)		Any two (×1) from More amylopectin present (1) It has more {ends/ sites} {to be digested / for the enzyme act on} (1) It is less tightly packed so easier {to digest/ for enzyme to access} (1) Accept reverse argument for all mark points.			1 1	2		
		(iv)		Iodine solution (1) would stay brown (1)	1	1		2		2
				Question 4 total	3	5	3	11	0	2