


4. (a) Cigarettes contain chemicals which cause cancer.

The graph below shows the mean number of cigarettes smoked per person per year and the table shows the number of deaths caused by lung cancer in the UK over a period of 80 years.



Year	Deaths per year from lung cancer
1911	600
1931	1 500
1951	14 000
1971	22 000
1991	19 000

Describe what the data in the graph and the table show about the link between the mean number of cigarettes smoked per year and the deaths from lung cancer over the time period 1911-1991. [3]

.....

.....

.....


.....

.....

.....



(b) The graph shows the effect of giving up smoking on deaths from lung cancer.



Use the graph above to complete the sentences. Choose the correct answer.

(i) If a person gives up smoking, the risk of dying from lung cancer will be: [1]

- A the same as a non-smoker after 10 years.
- B twice the risk of a non-smoker after 15 years.
- C removed completely after 25 years.
- D unchanged even after 20 years.

Answer

(ii) The data in the graph show that: [1]

- A Cigarettes cause lung cancer.
- B Over 1200 smokers die from lung cancer every year.
- C It is possible for a non-smoker to die from lung cancer.
- D The number of people who do not smoke has increased in recent years.

Answer



(c) In an investigation of 600 cigarette smokers, almost half said they wanted to give up. At the end of one year only 42 had actually succeeded.

Explain why many people find it very difficult to give up smoking cigarettes. [2]

.....

.....

.....

Examiner
only

7

