

9. (a) A student carries out a series of chemical tests on solutions of three unknown compounds, **A**, **B** and **C**. Her results are recorded in the table.

	A	B	C
Add dilute HCl	no reaction	fizzes	no reaction
Add $\text{BaCl}_2(\text{aq})$	white precipitate forms	no reaction	no reaction
Add $\text{NaOH}(\text{aq})$	green precipitate forms	pungent smelling gas given off, turns damp red litmus paper blue	no reaction
Add $\text{AgNO}_3(\text{aq})$	no reaction	no reaction	cream precipitate forms
Flame test	no colour	no colour	apple-green flame

Use the information provided to give the **chemical name** for each of the compounds. [3]

Compound **A**

Compound **B**

Compound **C**



(b) A technician wants to prepare 250 cm^3 of a 0.25 mol/dm^3 solution of lead nitrate, $\text{Pb}(\text{NO}_3)_2$.

(i) Calculate the number of moles of lead nitrate required to make the solution. [2]

Number of moles = mol

(ii) Calculate the mass of solid lead nitrate that should be dissolved to make the solution. [2]

$A_r(\text{Pb}) = 207$

$A_r(\text{O}) = 16$

$A_r(\text{N}) = 14$

Mass = g

(iii) The only electronic balance available to the technician has a precision of $\pm 0.01\text{ g}$.

Exactly how much lead nitrate should the technician weigh out to ensure that the concentration of the solution is as close as possible to 0.25 mol/dm^3 ? [1]

Mass g

END OF PAPER



FORMULAE FOR SOME COMMON IONS

POSITIVE IONS		NEGATIVE IONS	
Name	Formula	Name	Formula
aluminium	Al^{3+}	bromide	Br^-
ammonium	NH_4^+	carbonate	CO_3^{2-}
barium	Ba^{2+}	chloride	Cl^-
calcium	Ca^{2+}	fluoride	F^-
copper(II)	Cu^{2+}	hydroxide	OH^-
hydrogen	H^+	iodide	I^-
iron(II)	Fe^{2+}	nitrate	NO_3^-
iron(III)	Fe^{3+}	oxide	O^{2-}
lithium	Li^+	sulfate	SO_4^{2-}
magnesium	Mg^{2+}		
nickel	Ni^{2+}		
potassium	K^+		
silver	Ag^+		
sodium	Na^+		
zinc	Zn^{2+}		



Group	3	4	5	6	7	0
1						
2						

1 H Hydrogen 1 4 He Helium 2																																			
7 Li Lithium 3		9 Be Beryllium 4																		11 B Boron 5		12 C Carbon 6		14 N Nitrogen 7		16 O Oxygen 8		19 F Fluorine 9		20 Ne Neon 10					
23 Na Sodium 11		24 Mg Magnesium 12																		27 Al Aluminium 13		28 Si Silicon 14		31 P Phosphorus 15		32 S Sulfur 16		35.5 Cl Chlorine 17		40 Ar Argon 18					
39 K Potassium 19		40 Ca Calcium 20		45 Sc Scandium 21		48 Ti Titanium 22		51 V Vanadium 23		52 Cr Chromium 24		55 Mn Manganese 25		56 Fe Iron 26		59 Co Cobalt 27		59 Ni Nickel 28		63.5 Cu Copper 29		65 Zn Zinc 30		70 Ga Gallium 31		73 Ge Germanium 32		75 As Arsenic 33		79 Se Selenium 34		80 Br Bromine 35		84 Kr Krypton 36	
86 Rb Rubidium 37		88 Sr Strontium 38		89 Y Yttrium 39		91 Zr Zirconium 40		93 Nb Niobium 41		96 Mo Molybdenum 42		99 Tc Technetium 43		101 Ru Ruthenium 44		103 Rh Rhodium 45		106 Pd Palladium 46		108 Ag Silver 47		112 Cd Cadmium 48		115 In Indium 49		119 Sn Tin 50		122 Sb Antimony 51		128 Te Tellurium 52		127 I Iodine 53		131 Xe Xenon 54	
133 Cs Caesium 55		137 Ba Barium 56		139 La Lanthanum 57		179 Hf Hafnium 72		181 Ta Tantalum 73		184 W Tungsten 74		186 Re Rhenium 75		190 Os Osmium 76		192 Ir Iridium 77		195 Pt Platinum 78		197 Au Gold 79		201 Hg Mercury 80		204 Tl Thallium 81		207 Pb Lead 82		209 Bi Bismuth 83		210 Po Polonium 84		210 At Astatine 85		222 Rn Radon 86	
223 Fr Francium 87		226 Ra Radium 88		227 Ac Actinium 89																															

Key

Key

relative atomic mass

atomic number