

Question				Marking details	Marks Available					
					AO1	AO2	AO3	Total	Maths	Prac
2	(a)			Any two (x1) from: A. {Arranged vertically / tall cells / elongated cells / thinner cell walls} so light can reach chloroplasts (1) B. Cells closely packed to get {maximum / more} light (1) C. {Many / full of} chloroplasts for (maximum) light absorption (1) D. Chloroplasts contain {chlorophyll / photosynthetic pigments} to absorb light (energy) (1) E. Chloroplasts change orientation for (maximum) light absorption (1)	2			2		
	(b)	(i)		G / stomata. Accept E / spongy mesophyll and D / xylem Both correct for 1 mark (either order)		1		1		
		(ii)		C / phloem and G / stomata. Accept E / spongy mesophyll Both correct for 1 mark (either order)		1		1		
	(c)	(i)		Any one (x1) from Relatively {small / few} air spaces (1) stomata on lower epidermis (1) (well developed) xylem (1) Accept reverse answers referring to hydrophyte (ignore references to cuticle)		1		1		

Question				Marking details	Marks Available					
					AO1	AO2	AO3	Total	Maths	Prac
		(ii)		Any one (x1) from Lack of sunken stomata (1) lack of (stiff) interlocking hairs (1) leaf not rolled (1) (relatively) thin waxy cuticle (1) Accept reverse answers referring to xerophyte		1		1		
	(d)			A. the % of stomata that are open increases to 2pm and then decreases (1) B. {all stomata / 100% of stomata} are open at 2pm (1) C. This allows (for more) CO ₂ to enter the leaf for photosynthesis during the day / increases transpiration rate to {provide water for photosynthesis / cool the plant} (1) D. Reduces water loss at night. (1) reject prevent or eq		3	1	4		
				Question 2 total	2	7	1	10	0	0