

Question				Marking details	Marks Available					
					AO1	AO2	AO3	Total	Maths	Prac
2.	(a)			Any two (x1) from No hCG {prior to pregnancy/ present before week 4} (1) Rapid rise in levels (if pregnancy is present) (1) Easy to detect/not likely to get false positives (1)		2		2		
	(b)	(i)		A (is positive for pregnancy) (1) has a control (line)/ or description of (1) other line shows hCG is present/ ref to antibody sandwich (1) Ignore reference to position of lines			3	3		
		(ii)		Neither has the control line (1) The unattached enzyme linked antibodies have not bound to the immobilised antibodies (1)			2	2		
	(c)			Maintains the corpus luteum (1) Any two (x1) from (if hCG levels fall) then Corpus luteum degenerates/ is not maintained (1) Levels of progesterone would fall/ corpus luteum does not produce enough progesterone (1) Ignore other hormones The {endometrium/uterus lining} {breaks down/ is shed} (1) Embryo would be shed/ cause miscarriage (1)	3			3		
	(d)			Mutations causing {small shape change/ no change in amino acids} (resulting in a functional/normal pregnancy) (1) (Big) differences in {shape/ polypeptides/ protein} would mean {infertility/ miscarriage/ an effect on the pregnancy} (1)		2		2		

Question				Marking details	Marks Available					
					AO1	AO2	AO3	Total	Maths	Prac
	(e)			Any four (x1) from A. (Placenta secretes) progesterone and oestrogen {rise/ increase} (to high levels) (1) B. FSH and LH secretion are inhibited (1) C. Progesterone {suppresses the {uterine (wall's)/ myometrium} ability to contract/ <u>maintains</u> {endometrium/ uterus lining}} (1) D. Oestrogen stimulates the growth of the uterus (to accommodate the growing foetus) (1) E. Oestrogen stimulates the {growth / development} of the mammary glands (1)	4			4		
				Question 2 total	7	4	5	16	0	0