


Examiner
only

2. (a) Blood consists of plasma, red blood cells, platelets and white blood cells. Each part has a different function.

(i) Label the diagram of the blood below. [3]



(ii) Complete the table below. [3]

Part of the blood	Function
plasma	transports carbon dioxide, soluble food and urea
red blood cells	
platelets	
white blood cells	



Examiner
only

(b) Gareth has blood samples taken before a cycle race. His results are shown in the table below together with normal ranges.

	Red blood cell count (million / cm ³)	White blood cell count (thousand / cm ³)	Platelets (thousand / cm ³)
<i>Normal range</i>	4.4 - 5.8	3.9 - 10.8	130 - 400
Gareth	2.2	6.6	105

(i) Describe how Gareth’s blood sample results compare with the normal range. [2]

.....

.....

.....

(ii) State **one** health problem shown by Gareth’s results. [1]

.....

3445U201
05

(c) Gareth completed a training ride around a cycle track.

- (i) Gareth accelerates from rest to a velocity of 15 m/s in 2.5 seconds.
Use the equation:

$$\text{acceleration} = \frac{\text{change in velocity}}{\text{time}}$$

to calculate his acceleration.

[2]

$$\text{Acceleration} = \dots\dots\dots \text{m/s}^2$$

- (ii) Later in the ride he travels 192 m in 12 s at a constant speed.
Use the equation:

$$\text{speed} = \frac{\text{distance}}{\text{time}}$$

to calculate his speed.

[2]

$$\text{Speed} = \dots\dots\dots \text{m/s}$$

- (iii) Gareth cycles 5 laps at this constant speed. Each lap is 500 m.

I. Calculate the distance he travels.

[1]

$$\text{Distance} = \dots\dots\dots \text{m}$$

II. Use the equation:

$$\text{time} = \frac{\text{distance}}{\text{speed}}$$

to calculate the time taken to travel this distance.

[2]

$$\text{Time} = \dots\dots\dots \text{s}$$