

7. Criminals will try to hide their activities but forensic scientists, using biological and chemical testing, are able to find evidence that reveals what happened.


(a) DNA profiling is commonly used to identify criminals.

(i) State where DNA is found in the cell.

[1]

.....

(ii) There were three suspects in a crime. Suspect 1 did not have an alibi but suspects 2 and 3 did. Initially it was thought that suspect 1 was the criminal. DNA samples were collected from the crime scene.



Compare the DNA samples above to explain whether having an alibi or not is sufficient to decide on guilt.

[2]

.....

.....

.....


(iii) State **one other** use of DNA profiling.

[1]

.....



- (b) It is suspected that supplies of vinegar have been tampered with by adding a strong acid. White vinegar usually contains ethanoic acid at a concentration of 0.01 mol/dm^3 . Samples of the vinegar are taken and tested by titrating against 0.5 mol/dm^3 sodium hydroxide solution using the apparatus below.




A pH meter is used to monitor the pH of the solution in the flask. The results are shown in the table below.

Volume of sodium hydroxide solution (cm^3)	pH reading
0	1.5
5	1.6
10	1.7
15	1.9
20	2.2
25	3.0
30	13.7
35	14.0
40	14.0



- (i) Use the data in the table to complete the graph on the grid below.

[3]



- (ii) Use the graph to find the volume of sodium hydroxide solution required to neutralise the white vinegar.

[1]

volume = cm³

(iii) Use the information on pages 16 and 17 and the equation

$$\text{concentration of white vinegar} = \frac{\text{concentration of sodium hydroxide} \times \text{volume of sodium hydroxide}}{\text{volume of white vinegar}}$$

to determine whether or not the samples had been tampered with. [3]

.....
.....

(iv) Complete the word equation for the reaction between an acid and a base. [2]

acid + base →

(v) Explain why taking multiple readings will increase the accuracy of the result. [2]


.....
.....
.....



- (c) Powders **A** and **B** are collected at a crime scene. The following tests are used to identify them.

Test	Action
1	Flame test
2	Add silver nitrate solution
3	Add sodium hydroxide solution
4	Add dilute hydrochloric acid and bubble gas through limewater

The results are given below.



Identify powders **A** and **B**.

[4]

Powder **A**:

Powder **B**:

END OF PAPER



Group

2

3

4

LO

9

1

0

1 H Hydrogen 1																				4 He Helium 2																							
7 Li Lithium 3		9 Be Beryllium 4		23 Na Sodium 11		24 Mg Magnesium 12		39 K Potassium 19		40 Ca Calcium 20		45 Sc Scandium 21		48 Ti Titanium 22		51 V Vanadium 23		52 Cr Chromium 24		55 Mn Manganese 25		56 Fe Iron 26		59 Co Cobalt 27		59 Ni Nickel 28		63.5 Cu Copper 29		65 Zn Zinc 30		70 Ga Gallium 31		73 Ge Germanium 32		75 As Arsenic 33		79 Se Selenium 34		80 Br Bromine 35		84 Kr Krypton 36	
86 Rb Rubidium 37		88 Sr Strontium 38		89 Y Yttrium 39		91 Zr Zirconium 40		93 Nb Niobium 41		96 Mo Molybdenum 42		99 Tc Technetium 43		101 Ru Ruthenium 44		103 Rh Rhodium 45		106 Pd Palladium 46		108 Ag Silver 47		112 Cd Cadmium 48		115 In Indium 49		119 Sn Tin 50		122 Sb Antimony 51		128 Te Tellurium 52		127 I Iodine 53		131 Xe Xenon 54									
133 Cs Caesium 55		137 Ba Barium 56		139 La Lanthanum 57		179 Hf Hafnium 72		181 Ta Tantalum 73		184 W Tungsten 74		186 Re Rhenium 75		190 Os Osmium 76		192 Ir Iridium 77		195 Pt Platinum 78		197 Au Gold 79		201 Hg Mercury 80		204 Tl Thallium 81		207 Pb Lead 82		209 Bi Bismuth 83		210 Po Polonium 84		210 At Astatine 85		222 Rn Radon 86									
223 Fr Francium 87		226 Ra Radium 88		227 Ac Actinium 89																																							

Key

Key

relative atomic mass

A_r	Symbol	Name	Z
-------	--------	------	---