

Surname	Centre Number	Candidate Number
First name(s)		0



GCSE
3445U30-1



FRIDAY, 10 MAY 2024 – MORNING

APPLIED SCIENCE (Double Award)
UNIT 3: Food, Materials and Processes
FOUNDATION TIER

1 hour 30 minutes

For Examiner's use only		
Question	Maximum Mark	Mark Awarded
1.	5	
2.	10	
3.	11	
4.	12	
5.	12	
6.	6	
7.	9	
8.	10	
Total	75	

ADDITIONAL MATERIALS

In addition to this examination paper, you will require a calculator, a pencil and a ruler.

INSTRUCTIONS TO CANDIDATES

Use black ink or black ball-point pen. Do not use gel pen or correction fluid.
You may use a pencil for graphs and diagrams only.
Write your name, centre number and candidate number in the spaces at the top of this page.
Answer **all** questions.
Write your answers in the spaces provided in this booklet.

INFORMATION FOR CANDIDATES

The number of marks is given in brackets at the end of each question or part-question.
Question **6** is a quality of extended response (QER) question where your writing skills will be assessed.
You are reminded to show all your workings. Credit is given for correct workings even when the final answer given is incorrect.
The Periodic Table is printed on the back cover of the examination paper.



JUN243445U30101

Answer **all** questions.

1. Supermarkets need to ensure that food products are safe to eat after purchase. They use different treatments for different foods.

(a) (i) Join each treatment below to the way it works with a straight line. [2]

Treatment	How it works
pickling	lowers the temperature to stop bacteria multiplying
freezing	lowers the pH to stop bacteria multiplying
drying	removes water so bacteria cannot digest and absorb the food source

(ii) Circle **one** other treatment method used to preserve food. [1]

adding oxygen adding salt adding water

(b) Tick (✓) the boxes next to the **two** correct statements about precautions supermarkets take when dealing with raw and cooked meat. [2]

- Keep raw and cooked meat apart.

☐
- Use the same weighing scales for raw and cooked meat.

☐
- Wash hands after handling raw meat.

☐
- Keep raw and cooked meat at room temperature.

☐

3445U301
03

5



2. Brewing is an important industry in the UK.

- (a) Complete the word equation for the fermentation of beer by underlining the correct word(s) in the brackets. [1]




- (b) The main stages of the beer making process are shown below. However, the stages are not in the correct order. [2]

A	starch in the barley is converted to sugar, and water is added to make a brewing mixture
B	fermentation stops when all the sugar runs out
C	mixture is cooled and yeast is added
D	mixture is boiled
E	the beer is pasteurised, then stored in bottles or cans
F	hops are added for flavour

Put the statements in the correct order.

A	F				E
----------	----------	--	--	--	----------

- (c) A brewery tested different types of sugar in the fermentation process. These were glucose, maltose and fructose. The results are shown in the graph below.



Use information from the graph and the numbers in the box to answer the following questions.

2	3	6	40	50	70
---	---	---	----	----	----

(i) State the concentration of ethanol formed from **glucose** at **30 hours**. [1]
..... units

(ii) State the time at which the concentration of the **ethanol** was the same for all the sugars. [1]
time = hours

(iii) State the time at which fermentation stops for **glucose**. [1]
time = hours

(iv) Calculate the difference in ethanol concentration between 20 and 50 hours for maltose. [1]
concentration difference = units

(d) (i) Use your answer in (c)(iv) above and the equation:

$$\text{mean rate} = \frac{\text{concentration difference}}{\text{time difference}}$$

to calculate the mean rate of ethanol formation for **maltose** between 20 and 50 hours. [2]

mean rate = units/hour

(ii) Charlie says that all sugars produce beer with the same ethanol concentration. State whether you agree **and** give **one** reason for your answer. [1]

.....
.....

3445U301
05

10



3. Magnesium alloys are used in the casings of tablet computers and mobile phones.


- (a) Complete the sentence below by underlining the correct word in the brackets. [2]

An alloy is a (**mixture** / **compound** / **solution**) of two or more elements. One of these must be a (**gas** / **metal** / **liquid**).


- (b) Magnesium reacts with hydrochloric acid producing hydrogen gas.



A student investigated this reaction using the apparatus below.



A graph of the student's results is shown below.



Draw a line on the graph above to show the results that you would expect if the experiment was repeated with a lower concentration of hydrochloric acid. [1]



- (c) The student also investigated the reaction of hydrochloric acid and magnesium at different initial temperatures.

Initial temperature (°C)	Time taken for magnesium to disappear (s)
10	80
20	40
30	20
40	10
50	5

- (i) State **three** variables that need to be controlled in this experiment. [3]

1.
2.
3.

- (ii) I. The student thinks that every time the temperature doubles, the time taken halves. Explain whether you agree. [2]

.....

.....

.....

.....

- II. Predict the time it would take for the magnesium to disappear at 60 °C. [1]

time = s

- (iii) Complete the following sentences by underlining the correct words in the brackets. [2]

As the temperature increases, particles move
(**faster** / **slower** / **at the same speed**).

The particles collide (**more often** / **as often** / **less often**) in a given time.



4. A laboratory technician tests **three** different food samples taken from a local restaurant by an Environmental Health Officer.

The samples were spread onto sterile agar plates which were then incubated at 37 °C.

After 3 days the agar plates were examined. The results are shown below.

It is assumed that each colony was formed from one bacterium.

Plate 1




Plate 2





Plate 3



colonies of bacteria

- (a) (i) The technician concludes that the food that produced Plate 1 was stored in the restaurant at 15 °C, the food that produced Plate 2 was stored at 25 °C, and the food that produced Plate 3 was stored at 5 °C. Explain whether you agree. [3]

.....

.....

.....

.....

.....

- (ii) State why it is not possible to make a conclusion on the reproducibility of this analysis. [1]

.....

.....



(b) Agar plates can also be used in a school laboratory to investigate bacterial growth.

(i) State why the agar plate needs to be sterile. [1]

.....

(ii) State what should be done to the inoculating loop before it is used to transfer the food sample to the agar plate. [1]

.....

(iii) Give a reason why the students are only allowed to incubate their plates at 25 °C. [1]


.....

(iv) State why it is important the lid remains on the agar plate during incubation. [1]

.....



- (c) Two types of bacteria, **A** and **B**, were found on one of the plates. The plate has an area of 52 cm². Each square in the grid is 1 cm².



The results for four squares numbered **1** to **4** are shown in the table below. The students have completed the table for Bacteria **A**.

Grid number	Number of bacteria in 1 cm ²	
	Bacteria A	Bacteria B
1	1	0
2	2	1
3	1	0
4	1	
Mean colonies per cm ²	1.25	
Mean colonies per 52 cm² plate	65	26
Total number of colonies in squares 1–4	5	


- (i) Complete the table for Bacteria **B**. [3]
- (ii) State how the results would be improved by counting the number of bacteria in 12 squares. [1]

.....



5. Hydrogen could be used to produce hydrogen chloride gas.

- (a) The diagram represents the bonding in hydrogen. Complete the dot and cross diagram for a molecule of hydrogen. [1]



- (b) The reaction between hydrogen and chlorine can be represented by the following equation.



The bond energy values are shown in the table.

Bond	Energy needed to break or form the bond (kJ)
H-H	436
Cl-Cl	242
H-Cl	431

Use the information in the table to answer the following questions.

- (i) Calculate the energy needed to break all the bonds in the reactants. [2]





energy = kJ

- (ii) Calculate the energy given out when all the bonds in the product are formed. [2]

energy = kJ



(iii) Possible energy diagrams for this reaction are shown below.



I. Select the correct energy diagram for this reaction. [1]

II. Explain your choice. [2]

.....

.....



- (c) Use words from the box to complete the sentences below about an **endothermic** reaction. [4]

more less taken in given out increase decrease thermal runaway

In an endothermic reaction energy is stored in the bonds **after** the reaction than before. This means energy is from the surroundings.


This will cause the temperature to during the reaction.

This cannot lead to a reaction.




6. Solutions can be acidic, alkaline or neutral. Analytical chemists use titrations to find the concentrations of solutions.

The concentration of solution A can be found by titrating against a standard solution B of known concentration.



The titration curve is shown below.



Examiner
only

Explain the **pH** changes during the titration.

Include in your answer:

- what can be deduced from the curve about solutions A and B
- the point at which the solution becomes neutral
- which solution is acid and which solution is alkaline.

[6 QER]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

6



7. Students are investigating how the stiffness of a wooden metre ruler depends on its length. They use the apparatus shown below. The weight, **W**, on the end of the ruler remains constant at 5 N.



The length, **L**, is varied. For each length, **L**, the depression, **D**, of the end of the ruler is measured.


Their results are shown in the table below.

Length L (cm)	Depression D (cm)
0	0.0
30	1.0
40	3.0
50	6.0
60	10.0
70	15.0
80	22.0



Examiner
only

(a) Plot the data on the grid below and draw a smooth curve. The point (0,0) has already been plotted for you. [4]



(b) It was expected that depression, **D**, would be directly proportional to length, **L**. Explain whether the graph shows a proportional relationship. [2]

.....

.....

.....

(c) Use information in the table and the equation:

$$\text{stiffness} = \frac{\text{weight}}{\text{depression}}$$

to calculate the stiffness of the ruler at a length of 50 cm. [3]

stiffness = N/cm

9




8. Photosynthesis is the process by which plants make food from water and carbon dioxide.

- (a) Stomata are an important part of the leaf. In many plants, stomata remain open during the day and closed at night.


- (i) Label the diagram below.

[2]

Open by day



Closed by night



.....

.....

- (ii) State **two** functions of stomata.


[2]

1.
2.



- (b) Healthy plants require a supply of nutrients. Many farmers use artificial fertilisers to supply these nutrients to the soil.

The graph shows the mass of different nutrients applied to agricultural land between 1983 and 2017.



Use the data from the graph to answer the following questions.

- (i) It is claimed that the use of nitrate fertilisers halved between 1983 and 2017. Use the graph to explain whether you agree.

[3]

.....

.....

.....



- (ii) The total land area of Wales is approximately 2 100 000 hectares.
60% of this land is used for farming.

I. Calculate the area of land used for farming in Wales. [1]

area = hectares

II. Calculate the total mass of phosphates used in farming in Wales in 1983. [2]

mass = kg

END OF PAPER

10





THE PERIODIC TABLE

Group

1

2

3

4

5

6

7

0

1	H	Hydrogen	1
---	---	----------	---

7 Li Lithium 3		9 Be Beryllium 4		Key																20 Ne Neon 10															
23 Na Sodium 11		24 Mg Magnesium 12																		40 Ar Argon 18															
39 K Potassium 19		40 Ca Calcium 20		45 Sc Scandium 21		48 Ti Titanium 22		51 V Vanadium 23		52 Cr Chromium 24		55 Mn Manganese 25		56 Fe Iron 26		59 Co Cobalt 27		59 Ni Nickel 28		63.5 Cu Copper 29		65 Zn Zinc 30		70 Ga Gallium 31		73 Ge Germanium 32		75 As Arsenic 33		79 Se Selenium 34		80 Br Bromine 35		84 Kr Krypton 36	
86 Rb Rubidium 37		88 Sr Strontium 38		89 Y Yttrium 39		91 Zr Zirconium 40		93 Nb Niobium 41		96 Mo Molybdenum 42		99 Tc Technetium 43		101 Ru Ruthenium 44		103 Rh Rhodium 45		106 Pd Palladium 46		108 Ag Silver 47		112 Cd Cadmium 48		115 In Indium 49		119 Sn Tin 50		122 Sb Antimony 51		128 Te Tellurium 52		127 I Iodine 53		131 Xe Xenon 54	
133 Cs Caesium 55		137 Ba Barium 56		139 La Lanthanum 57		179 Hf Hafnium 72		181 Ta Tantalum 73		184 W Tungsten 74		186 Re Rhenium 75		190 Os Osmium 76		192 Ir Iridium 77		195 Pt Platinum 78		197 Au Gold 79		201 Hg Mercury 80		204 Tl Thallium 81		207 Pb Lead 82		209 Bi Bismuth 83		210 Po Polonium 84		210 At Astatine 85		222 Rn Radon 86	
223 Fr Francium 87		226 Ra Radium 88		227 Ac Actinium 89																															

Key

Ar	Symbol	Name	Z
relative atomic mass		atomic number	