

Surname	Centre Number	Candidate Number
First name(s)		0



GCSE
3430U50-1



MONDAY, 22 MAY 2023 – MORNING

SCIENCE (Double Award)
Unit 5 – CHEMISTRY 2
FOUNDATION TIER

1 hour 15 minutes

ADDITIONAL MATERIALS

In addition to this examination paper you will need a calculator and a ruler.

INSTRUCTIONS TO CANDIDATES

Use black ink or black ball-point pen. Do not use gel pen or correction fluid.

You may use a pencil for graphs and diagrams only.

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer **all** questions.

Write your answers in the spaces provided in this booklet. If you run out of space, use the additional page at the back of the booklet, taking care to number the question(s) correctly.

INFORMATION FOR CANDIDATES

The number of marks is given in brackets at the end of each question or part-question.

Question **6** is a quality of extended response (QER) question where your writing skills will be assessed.

The Periodic Table is printed on the back cover of this paper and the formulae for some common ions on the inside of the back cover.

For Examiner's use only		
Question	Maximum Mark	Mark Awarded
1.	9	
2.	6	
3.	12	
4.	6	
5.	6	
6.	6	
7.	15	
Total	60	



JUN233430U50101

Answer **all** questions.

1. (a) (i) The box below contains the names of some common types of smart material.

photochromic pigment	hydrogel	shape memory alloy
shape memory polymer	thermochromic pigment	

Choose from the box the type of smart material that is used in:

- I. disposable nappies, [1]

.....

- II. lenses for sunglasses. [1]

.....

- (ii) What must be done to a thermochromic pigment for it to change colour? [1]

Tick (✓) the box next to the correct answer.

heat it

☐


add water

☐

place it in sunlight

☐


- (b) (i) The following diagram shows a giant ionic structure.



Giant ionic structures have high melting points and conduct electricity when dissolved or molten.

Use the diagram and your knowledge to draw **one** line from each property to its correct explanation. [2]

Property

Explanation

high melting point

conducts electricity when
dissolved or molten

ions are regularly arranged

strong bonds between ions


ions are free to move

ions cannot move

weak bonds between ions



(ii) The following diagram shows a simple covalent structure.



Simple covalent structures have low melting points and do not conduct electricity.

Use the diagram and your knowledge to draw **one** line from each property to its correct explanation. [2]

Property

Explanation

low melting point

does not conduct electricity

strong forces between molecules

molecules cannot move

weak forces between molecules

molecules are not charged


molecules are tightly packed



- (c) Diamond and graphite have giant covalent structures. Diamond is commonly used in drill tips, whereas graphite is used in pencils.



drill tips



pencils

Use your knowledge of the properties of diamond and graphite to underline the correct word in the brackets to complete each sentence. [2]

Diamond is used in drill tips because it is (**hard** / soft / malleable) and has a high melting point.

Graphite is used in pencils because the layers of atoms are held together weakly and are able to slide (**through** / into / over) each other.



2. Iron is extracted from iron oxide inside the blast furnace.



(a)

iron ore

steel

limestone

hot air

slag

iron

coke

waste gases

Choose substances from the box to complete the following sentences.

[2]

Iron oxide, coke and are the materials fed in at the **top** of the furnace.

The furnace is heated by burning the coke in

(b) Balance the symbol equation that represents the main reaction taking place inside the furnace.

[1]



- (c) Some of the impurities are removed from the furnace as slag. Slag contains calcium silicate which has the chemical formula CaSiO_3 .

Tick (✓) the box next to the calculation used to find the correct relative formula mass of calcium silicate, CaSiO_3 . [1]

$$A_r(\text{Ca}) = 40$$

$$A_r(\text{Si}) = 28$$

$$A_r(\text{O}) = 16$$

$$40 + 28 + 16$$

☐

$$40 + 40 + 40 + 28 + 28 + 28 + 16 + 16 + 16$$

☐

$$40 + 28 + 16 + 16 + 16$$

☐

$$40 + 16 + 16 + 16$$

☐

$$40 + 28 + 28 + 28 + 16 + 16 + 16$$

☐

- (d) 820 tonnes of iron was extracted from 1 750 tonnes of iron ore. Calculate the percentage of iron in the ore. Give your answer to **one** decimal place. [2]


Percentage = %



3. Nathan and Simon were investigating the reactivity of metals.

- (a) In one experiment, they investigated the effect of adding dilute hydrochloric acid to four different metals, **A**, **B**, **C** and **D**.

The diagram shows the observations made.



- (i) They used the same **volume** of acid in each tube. Give **two other** ways they controlled the dilute hydrochloric acid to ensure a fair test. [2]

1.
2.

- (ii) Use the observations to list the metals in order of their reactivity. Give the reason for your choice. [2]

Most reactive

.....

.....


Least reactive

Reason

.....



- (b) In a second experiment, Nathan and Simon used the following apparatus to investigate the temperature rise when metals **A**, **B**, **C** and **D** were added to hydrochloric acid.



- (i) Identify the error in the way the apparatus is set up and state how this would affect the results collected. [2]

Error

Effect

.....



(ii) Once they had set up their apparatus correctly, they obtained the following results.

Metal	Temperature rise (°C)			
	Test 1	Test 2	Test 3	Mean
A	22	21		22
B	40	38	36	38
C	0	0	0	0
D	15	9	13	14

I. Identify the anomalous result from metals **B**, **C** and **D**. [1]

Metal Test

II. Calculate the missing result for metal **A**. [1]

Temperature rise for test 3 = °C

III. Zinc is more reactive than metals **C** and **D** but less reactive than metals **A** and **B**. Use this information to predict the temperature rise that would be expected for zinc. [1]

Temperature rise for zinc °C



- (c) The reaction of a metal with an acid is summarised by the following equation.



- (i) Complete the equation for the reaction between magnesium and hydrochloric acid by

- giving the formula of the salt magnesium chloride,
- balancing the equation.

[2]



- (ii) Give the name of the salt formed when magnesium reacts with nitric acid.

[1]


.....



4. The Transition Metals

The elements in the Periodic Table can be divided into three blocks: the *s*-block, the *d*-block and the *p*-block.

The *s*-block and *d*-block contain only metallic elements. The *p*-block contains both metallic and non-metallic elements.



The transition metals are found within the *d*-block and are the metallic elements that serve as a bridge or 'transition' between the two sides of the table. They include the elements iron, silver, gold, vanadium and titanium.

The transition metals have similar properties to each other. These include high melting point, high density, good conductivity and malleability. The transition metals also have unique properties, making them different from the main group metals, including the ability to form compounds with different colours and different oxidation states.

Table 1 gives the properties of some transition metals and some Group 1 metals.

Element	Melting point (°C)	Boiling point (°C)	Oxidation states	Colours of compounds formed
iron	1536	2861	+2, +3	green and brown
lithium	180	1342	+1	white
potassium	63	760	+1	white
sodium	98	883	+1	white
titanium	1660	3287	+3, +4	violet and white
vanadium	1910	3407	+3, +4, +5	green, blue and yellow

Table 1



- (a) Tick (✓) the statement that **best** describes where metals are positioned within the Periodic Table. [1]

the s-block, *p*-block and *d*-block

☐

the s-block and *p*-block only

☐

the s-block only

☐

the *d*-block and *p*-block only

☐

the *p*-block only

☐

- (b) Name the element in **Table 1** that is a liquid over the biggest temperature range. [1]

.....

- (c) Tick (✓) the **two** statements that correctly describe the oxidation states of the metals listed in **Table 1**. [2]

the Group 1 metals and transition metals all have a +1 oxidation state

☐

the transition metals all have a +3 oxidation state

☐

the Group 1 metals all have a +1 oxidation state

☐

iron and lithium have the same oxidation states

☐

the Group 1 metals and transition metals all have a +4 oxidation state

☐

(d) Consider the following statement.

‘It is possible to tell the Group 1 and transition metals apart by the colour of the compounds they form.’

Use the information in **Table 1** to give **one** reason to agree and **one** reason to disagree with this statement. [2]

Reason to agree

.....

.....

Reason to disagree

.....

.....



BLANK PAGE

**PLEASE DO NOT WRITE
ON THIS PAGE**




5. (a) The first stage in the preparation of a salt from an acid and an alkali often involves carrying out a titration.



A-F below are the steps of the method that can be used to prepare a salt from an acid and an alkali. However, these steps are **not** in the correct order.

- A** Repeat without the indicator using the same volumes of alkali and acid
- B** Add 2-3 drops of indicator
- C** Allow the solution to cool and crystallise naturally
- D** Place the salt solution into an evaporating dish and heat until half the volume of solution remains
- E** Add the acid to the alkali until the indicator changes colour
- F** Measure 25.0 cm^3 of alkali into a conical flask

- (i) Place the steps of the method into the correct order. The first and last steps have already been added. [2]



- (ii) Give the **letter** of the step where error is **most** likely to occur. Give the reason for your choice. [2]

Step

Reason

.....



- (b) The reaction between an acid and an alkali produces a salt and water. The following equation shows how potassium sulfate is produced from an acid and an alkali.

potassium hydroxide +[?]..... $\longrightarrow$ potassium sulfate + water

- (i) Give the name of the missing acid.

[1]

.....

- (ii) Give the chemical formula of potassium sulfate.

[1]

.....



Examiner
only

6. The table shows some properties of aluminium, copper and titanium.

Metal	Melting point	Electrical conductivity	Thermal conductivity	Density	Resistance to corrosion
aluminium	high	good	good	low	good
copper	high	good	good	high	good
titanium	high	good	good	low	good

Describe how **these** properties are linked to the uses of aluminium, copper and titanium.

You should **not** give more than two uses for any one metal. [6 QER]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....




BLANK PAGE

**PLEASE DO NOT WRITE
ON THIS PAGE**



7. (a) The molecular formulae of five carbon compounds, **A**, **B**, **C**, **D** and **E** are shown below.

**A****B****C****D****E**

- (i) Alkanes are compounds with the general formula $\text{C}_n\text{H}_{2n+2}$.

Give the **letters** of the **two** compounds that are alkanes.

[1]

..... and

- (ii) Give the **name** for compound **A**.

[1]


.....

- (iii) Draw the structural formula of compound **E**.

[1]



(b) The following diagram shows two reactions of ethene.



(i) **Complete the structural formulae** for molecule **X** and repeating unit **Y**. [2]

(ii) Describe the change that would be seen in the orange bromine water when molecule **X** is formed. [1]

.....

(iii) Name the type of reaction that takes place to form repeating unit **Y**. [1]

.....



(c) Paper and plastic are both used to make disposable shopping bags.



The table compares the percentages of disposable paper and plastic bags used by consumers in a Welsh town between 1988 and 2018.

Type of bag	Percentage of disposable bags used (%)						
	1988	1993	1998	2003	2008	2013	2018
paper	73	63	31	12	8	13	21
plastic	27	37	69	88	92	87	79

(i) In 2003, the consumers of the town used a total of 1.25 million disposable bags.


Use the information in the table to calculate the number of **paper** bags used. [2]

Number of paper bags = million



- (ii) The graph below shows the percentage of **paper** bags used between 1988 and 2018.

Plot on the **same grid** the percentage of **plastic** bags used between 1988 and 2018. Draw a suitable line. [3]



Examiner
only

(iii) Use the graph to answer the following questions.

I. Give the year when **equal** numbers of plastic bags and paper bags were used. [1]

Year

II. Circle the **simplest** ratio that compares the use of paper bags to plastic bags in 2000. [1]

2 : 8 1 : 4 4 : 1 8 : 2 20 : 80

(iv) Give **one** reason that explains the change seen in plastic bag usage in Wales between 2008 and 2018. [1]

.....

.....

15

END OF PAPER



[illegible]

BLANK PAGE

**PLEASE DO NOT WRITE
ON THIS PAGE**



FORMULAE FOR SOME COMMON IONS

POSITIVE IONS		NEGATIVE IONS	
Name	Formula	Name	Formula
aluminium	Al^{3+}	bromide	Br^-
ammonium	NH_4^+	carbonate	CO_3^{2-}
barium	Ba^{2+}	chloride	Cl^-
calcium	Ca^{2+}	fluoride	F^-
copper(II)	Cu^{2+}	hydroxide	OH^-
hydrogen	H^+	iodide	I^-
iron(II)	Fe^{2+}	nitrate	NO_3^-
iron(III)	Fe^{3+}	oxide	O^{2-}
lithium	Li^+	sulfate	SO_4^{2-}
magnesium	Mg^{2+}		
nickel	Ni^{2+}		
potassium	K^+		
silver	Ag^+		
sodium	Na^+		
zinc	Zn^{2+}		



THE PERIODIC TABLE

Group 1 2 3 4 5 6 7 0



28

1	H
Hydrogen	1

7	Li	9	Be
Lithium	3	Beryllium	4
23	Na	24	Mg
Sodium	11	Magnesium	12
39	K	40	Ca
Potassium	19	Calcium	20
86	Rb	88	Sr
Rubidium	37	Strontium	38
133	Cs	137	Ba
Caesium	55	Barium	56
223	Fr	226	Ra
Francium	87	Radium	88
		227	Ac
		Actinium	89

11	B	12	C	14	N	16	O	19	F	20	Ne
Boron	5	Carbon	6	Nitrogen	7	Oxygen	8	Fluorine	9	Neon	10
27	Al	28	Si	31	P	32	S	35.5	Cl	40	Ar
Aluminium	13	Silicon	14	Phosphorus	15	Sulfur	16	Chlorine	17	Argon	18
70	Ga	73	Ge	75	As	79	Se	80	Br	84	Kr
Gallium	31	Germanium	32	Arsenic	33	Selenium	34	Bromine	35	Krypton	36
115	In	119	Sn	122	Sb	128	Te	127	I	131	Xe
Indium	49	Tin	50	Antimony	51	Tellurium	52	Iodine	53	Xenon	54
204	Tl	207	Pb	209	Bi	210	Po	210	At	222	Rn
Thallium	81	Lead	82	Bismuth	83	Polonium	84	Astatine	85	Radon	86
59	Co	59	Ni	63.5	Cu	65	Zn				
Cobalt	27	Nickel	28	Copper	29	Zinc	30				
103	Rh	106	Pd	108	Ag	112	Cd				
Rhodium	45	Palladium	46	Silver	47	Cadmium	48				
192	Ir	195	Pt	197	Au	201	Hg				
Iridium	77	Platinum	78	Gold	79	Mercury	80				
186	Re	190	Os								
Rhenium	75	Osmium	76								
184	W	190	Ta								
Tungsten	74	Tantalum	73								
91	Zr	93	Nb	96	Mo	101	Ru	103	Rh	106	Pd
Zirconium	40	Niobium	41	Molybdenum	42	Ruthenium	44	Rhodium	45	Palladium	46
45	Sc	48	Ti	51	V	55	Mn	56	Fe	59	Co
Scandium	21	Titanium	22	Vanadium	23	Manganese	25	Iron	26	Cobalt	27
89	Y	91	Zr	93	Nb	96	Mo	101	Ru	103	Rh
Yttrium	39	Zirconium	40	Niobium	41	Molybdenum	42	Ruthenium	44	Rhodium	45
139	La	179	Hf	181	Ta	186	Re	190	Os	195	Pt
Lanthanum	57	Hafnium	72	Tantalum	73	Rhenium	75	Osmium	76	Platinum	78
227	Ac	226	Ra	227	Fr	226	Ra	227	Ac	227	Fr
Actinium	89	Radium	88	Francium	87	Actinium	89	Francium	87	Actinium	89

Key

Ar	relative atomic mass
Symbol	
Name	
Z	atomic number