


| Modelo Equilibrador | Peso soportado kg. | Longitud cable | Peso equilibr. kg. | |
|---------------------|--------------------|--------------------|--------------------|--|
| HEAVY 15 | 10÷15 | 2000 | 8.73 | |
| HEAVY 20 | 15÷20 | 2000 | 9.01 | |
| HEAVY 25 | 20÷25 | 2000 | 9.29 | |
| HEAVY 30 | 25÷30 | 2000 | 10.14 | |
| HEAVY 35 | 30÷35 | 2000 | 10.14 | |
| HEAVY 45 | 35÷45 | 2000 | 11.03 | |
| HEAVY 55 | 45÷55 | 2000 | 11.03 | |
| HEAVY 65 | 55÷65 | 2000 | 11.87 | |
| HEAVY 75 | 65÷75 | 2000 | 12.67 | |
| | DIMENSIONI SCATOL | A DIMENSIONS BOX | | |



| Modelo Equilibrador | Peso soportado kg. | Longitud cable | Peso equilibr. kg. |
|---------------------|--------------------|----------------|--------------------|
| X-HEAVY 20 | 15÷20 | 3000 | 19.67 |
| X-HEAVY 25 | 20÷25 | 3000 | 19.67 |
| X-HEAVY 35 | 25÷35 | 3000 | 21.11 |

| | DIMENS | IONI SCATOLA DIMENSIONS BOX | |
|----|-----------------|-------------------------------|-----------------|
| | X-HEAVY 20 | X-HEAVY 25 | X-HEAVY 35 |
| kg | 22.70 | 22.70 | 24.10 |
| mm | 60 0x 32 0x 330 | 600 x320 x330 | 600 x3 20 x3 30 |



| Modelo Equilibrador | Peso soportado kg. | Longitud cable | Peso equilibr. kg. | |
|---------------------|--------------------|----------------|--------------------|--|
| X-HEAVY 45 | 35÷45 | 3000 | 24.46 | |
| X-HEAVY 50 | 40÷50 | 3000 | 23.65 | |
| X-HEAVY 60 | 50÷60 | 3000 | 24.69 | |
| X-HEAVY 70 | 60÷70 | 3000 | 25.56 | |
| X-HEAVY 80 | 70÷80 | 3000 | 26.75 | |
| X-HEAVY 90 | 80÷90 | 3000 | 27.90 | |
| X-HEAVY 100 | 90÷100 | 3000 | 28.46 | |

X-HEAVY 70

28.50

600x320x330

X-HEAVY 80

29.70

600x320x330

X-HEAVY 100

31,40

600x320x330

X-HEAVY 90

30.80

600x320x330

X-HEAVY 60

27,60

600x320x330

X-HEAVY 45

27.50


600x320x330

kg

X-HEAVY 50

26,60

600x320x330



| Modelo Equilibrador | Peso soportado kg. | Longitud cable | Peso equilibr. kg. | | | |
|--------------------------------|--------------------------|----------------|--------------------|--|--|--|
| X-HEAVY 115 | 100÷115 | 3000 | 36.61 | | | |
| X-HEAVY 130 | X-HEAVY 130 115÷130 3000 | | | | | |
| X-HEAVY 140 130÷140 | | 3000 | 38.51 | | | |
| X-HEAVY 150 | 140÷150 | 3000 | 38.83 | | | |
| X-HEAVY 160 150÷160 3000 40.90 | | | | | | |
| X-HEAVY 180 | 160÷180 | 3000 | 43.20 | | | |

| | DIMENSIONI SCATOLA DIMENSIONS BOX | | | | | |
|-------|-------------------------------------|-------------|-------------|-------------|-------------|--------------|
| 1, 11 | X-HEAVY 115 | X-HEAVY 130 | X-HEAVY 140 | X-HEAVY 150 | X-HEAVY 160 | X-HEAVY 180 |
| kg | 40.00 | 40.10 | 41.90 | 42.20 | 44.30 | 46.60 |
| mm | 600x320x420 | 600x320x420 | 600x320x420 | 600x320x420 | 600x320x420 | 600 x320x420 |