E-commerce: Use Cases

1.	User Manage:	3
•	[1.1] Use case: Connect to system	3
•	[1.2] Use case: Disconnect to system	3
•	[1.3] Use case: Register to system	3
•	[1.4] Use case: Login	4
•	[1.5] Use case: Logout	4
•	[1.6] Use case: Review purchase history	5
•	[1.7] Use case: Appoint user to be store co-owner	5
•	[1.8] Use case: Appoint Manager	6
•	[1.9] Use case: Update management permission for sub-manger	7
•	[1.10] Use case: Remove management permission for sub-manger	8
•	[1.11] Use case: Review store's stakeholders	9
•	[1.12] Use case: Admin requests for all users history	9
•	[1.13] Use case: Admin requests for store history	10
2.	Items and stores:	11
•	[2.1] Use case: Gather information about store/product	11
•	[2.2] Use case: Search for products	11
3.	User buying from stores:	12
•	[3.1] Use case: Save items in a shopping cart	12
•	[3.2] Use case: View shopping cart	12
•	[3.3] Use case: Edit shopping cart	13
•	[3.4] Use case: Purchase the whole cart	13
•	[3.5] Use case: Calculate total price for basket	15
4.	Store Manage:	16
•	[4.1] Use case: Open a store	16
•	[4.2] Use case: Add new product to store	16
•	[4.3] Use case: Remove product from store	17
•	[4.4] Use case: Update product stock- add items	18
	[4 5] Use case: Undate product stock- subtract items	10

•	[4.6] Use case: Update existing product's details	. 20
•	[4.7] Use case: Add buying strategy to store's policy	. 21
•	[4.8] Use case: Update buying strategy to store's policy	. 22
•	[4.9] Use case: Add allowed discounts to store's policy	. 23
•	[4.10] Use case: Update allowed discounts in store's policy	. 24
•	[4.11] Use case: View store's policy	. 25
•	[4.12] Use case: Add buying strategy to store's product	. 25
•	[4.13] Use case: Update buying strategy to store's product	. 26
•	[4.14] Use case: View product's buying strategies	. 27
•	[4.15] Use case: Add discount to product	. 28
•	[4.16] Use case: Update product's discount	. 29
•	[4.17] Use case: View product's discount	. 30
•	[4.19] Use case: Store Owner get purchase history of a store	. 31

1. User Manage:

- **↓** [1.1] Use case: Connect to system
 - [Req: 2.1, Class: User Manager, CNAME: Connect]
 - **Actor: Guest User**
 - Precondition: System is disconnected
 - Parameter:
 - **Actions:**
 - 1. System presents the option to connect
 - **2.** Guest chooses to connect
 - 3. System connects the user to use the system's options

Action	Expected Result
User chooses to connect	System connects user to the system



[1.2] Use case: Disconnect to system

- [Req: 2.2, Class: User Manager, CNAME: Disconnect]
- **Actor: Guest User**
- Precondition: Guest is connected to the user
- Parameter:
- Actions:
 - 1. System presents the option to disconnect
 - 2. Guest chooses to disconnect from the system
 - 3. System disconnects user from the system, and the user can perform actions in the system.

Action	Expected Result
User chooses to disconnect	System disconnects the user
User is in the middle of a process- buying the cart, and asks to disconnect	System disconnects the user and keeps performs the action in the background



- [Req: 2.3, Class: User Manager, CNAME: Register]
- **Actor: Guest User**
- **Precondition:** Guest is not already registered to the system
- Parameter: Member information
- Actions:
 - 1. System presents the option to signup
 - 2. The User Guest provides the Member information
 - 3. User enters his chosen password
 - 4.3. System returns indication that the user is now a member

עיצב:גופן: מודגש, גופן עבור עברית ושפות אחרות:

Action **Expected Result**

Provide valid member information that isn't currently in the system.	A new member has been added to the system with the provided member information.
Provide member information that is currently in the system.	Error message
Provide invalid member information.	Error message

[1.4] Use case: Login

[Req: 2.4, Class: User manager, CNAME: Login]

Actor: Guest User

• **Precondition:** User is a member of the system.

Parameter: Username and password

Actions:

1. Guest enters the system

- System presents the option to enter username and password to login
- 3. Guest User enters his username and password
- If provided Guest User's information is in the system and his password is valid
 - a) System identifies the Guest User as member
 - b) System informs that the member successfully logged in
- **5.** Else
 - a) System informs the user that the provided information is incorrect

Action	Expected Result
Provide valid login information that is currently in the system.	The user is being logged in the system.
Provide login information that isn't currently in the system.	Error message
Provide invalid login information.	Error message

4 [1.5] Use case: Logout

■ [Req: 3.1, Class: User Manager, CNAME: Logout]

Actor: Member

■ Precondition: Member is logged in to the system

Parameter:

Actions:

1. Member asks to logout from the system

2. System changes user status from logged in to guest

3. Member can keep use the **system** as a guest(not logged in member)

Action Expected Result

The user logging out from the system

The user status changed to guest status, and he can use the system as a guest

3.3 עם הערות: דרישה **3**.3

↓ [1.6] Use case: Review purchase history

- [Req: 3.7, Class: User, CNAME: PersonalPurchaseHisotry]
- **Actor: Member**
- Precondition: Member-is logged in to the system
- Parameter:
- Actions:
 - 1. System presents the option to view personal purchase history
 - 2. Member asks to view the history
 - 3. System presents purchase history information about every previous purchase the user performed in the past

Action	Expected Result
The user is logged to the system and asks to watch his personal purchase history	A list of all the user's previous purchases.



[1.7] Use case: Appoint user to be store co-owner

- [Req: 4.3, Class: User, CNAME:AppointCoOwner]
- Actor: Store owner
- Precondition:
 - 1. Store owner is logged in to the system
 - 2. Store owner is an owner of an existing store
- Parameter: store id, user id, permissions
- Actions:
 - 1. User asks to appoint an existing user to be manager of the store
 - **2.** System requests the store id and user id
 - **3.** User provides required information
 - 4. System locates store and user
 - 5. If all valid
 - a) System assigns requested user to be store manager
 - b) System adds permissions to user
 - c) System sets user permission as new manager
 - d) System sets user to be appointed by the user that asked for this nomination
 - e) Requested user informs that he got the new nomination and by who

Action	Expected Result
Store owner is logged to the system and	The system adds the user as manager of
provides an identification of an existing store	the store, updates his permissions and set
that he owns, and id of a user of the system,	his nominator to be the user that
that is not already a store manager	nominated him

Store owner is logged to the system and provides identification of a store that doesn't exist	System informs Store owner that the store doesn't exist in his owned store repository
The Store owner is logged to the system and provides identification of a store that he doesn't own	System informs Store owner that the store doesn't exist in his owned store repository
The Store owner is logged to the system and provides identification of a store he owns and an unknown user	System informs the Store owner that the user is unknown to the system
The Store owner is not logged to the system	Message indicates that managing stock is only allowed to logged in existing members
The Store owner is logged to the system and provides identification of a store he owns and a known user that is already a manager of that store	Message indicates that user can't be nominated twice to be store owner of the same store
The Store owner is logged to the system and provides identification of a store he owns and doesn't have permissions to nominate new manager	Message indicates that user can't nominate new owner to store because of permissions issues



[1.8] Use case: Appoint Manager

- [Req: 4.5, Class: User, CNAME: AppointManager]
- Actor: Store owner
- Precondition:
 - 1. Store owner is logged in to the system
 - 2. Store owner is an owner of an existing store
- **Parameter:** store id, user id, permissions
- Actions:
 - 1. User asks to appoint an existing user to be manager of the store
 - 2. System requests the store id and user id
 - **3.** User provides required information
 - 4. System locates store and user
 - 5. If all valid
 - a) System assigns requested user to be store manager
 - b) System adds permissions to user
 - c) System sets user permission as new manager
 - d) System sets user to be nominated by the user that asked for this nomination
 - e) Requested user informs that he got the new nomination and by who

Action	Expected Result
Store owner is logged to the system and	The system adds the user as manager of
provides an identification of an existing store	the store, updates his permissions and set

that he owns, and id of a user of the system, that is not already a store manager	his nominator to be the user that nominated him
Store owner is logged to the system and provides identification of a store that doesn't exist	System informs Store that the store doesn't exist in his owned store repository
The Store owner is logged to the system and provides identification of a store that he doesn't own	System informs Store owner that the store doesn't exist in his owned store repository
The Store owner is logged to the system and provides identification of a store he owns and an unknown user	System informs the Store owner that the user is unknown to the system
The Store owner is not logged to the system	Message indicates that managing stock is only allowed to logged in existing members
The Store owner is logged to the system and provides identification of a store he owns and a known user that is already a manager of that store	Message indicates that user can't be nominated twice to be store manager of the same store
The Store owner is logged to the system and provides identification of a store he owns and doesn't have permissions to nominate new manager	Message indicates that user can't nominate new manager to store because of permissions issues



[1.9] Use case: Update management permission for sub-manger

- [Req: 4.6, Class: User, CNAME: UpdateManagerPermissions]
- **Actor: Store Owner**
- **Precondition:** The user is owner of the store the sub mangers set is manages and the set is not empty.
- Parameter: Set of permissions
- Actions:
 - 1. Store Owner chooses sub-manger from an non empty sub mangers set for specific store.
 - 2. The Store's Owner sets a set of permissions for the selected sub manager.
 - **3.** The set of permissions is valid:
 - a) The sub manager gets the new permissions.
 - 4. Else
 - a) The sub manager stays with the former permissions.

Action	Expected Result
The user is owner of the store the sub	All the operations succeeded,
mangers set is manages and the sub mangers	management permissions were updated
set is not empty the Store's owner selects	for the requested manager.
sub manager and give him valid set of	
permissions, the sub manager does	

operations required each of the permissions from the set of permissions.	
The user is owner of the store the sub mangers set is manages and the sub mangers set is not empty the Store's owner selects sub manager and give him valid set of permissions, the sub manager does operation that required permission that doesn't belongs to the provided set of permissions	Message indicates the sub manger doesn't have the permissions shown to the sub manager.
The user is owner of the store the sub mangers set is manages and the sub mangers set is not empty the Store's owner selects sub manager and give him non valid set of permissions, the sub manager does operations required each of the permissions from the set of permissions.	Message indicates the set of permissions is not valid will be shown the Store's Owner.



4 [1.10] Use case: Remove management permission for sub-manger

- [Req: 4.6, Class: User, CNAME: RemoveManagerPermissions]
- **Actor: Store Owner**
- **Precondition:** The user owns the given store and sub manager is actual sub manager of the store.
- Parameter: Store and sub manager, and list of permissions to remove
- Actions:
 - $\textbf{1.} \quad \text{The Store's Owner asks to remove the list of permissions from the} \\$ manager's permissions in the store
 - 2. The right management permissions removed from the former manager permissions for the specific store

Action	Expected Result
The user owns the store and the Store's Owner removes permissions from manager's permission for specific store, the sub manager tries to do operation that requires management permission for the specific store	The operation aborted and the sub manager get appropriate message.
The user owns the store and the Store's Owner removes management permission for sub manager which is not sub manager of the specific store	Message indicates that the sub manager is not manager of the specific store will be shown the Store's Owner.
The user owns the store and the Store's Owner removes sub manager's permission for specific store, the sub manager tries to do operation that not requires management permission for the specific store	the operation succeeded and former sub manager get approval message for the operation.

[1.11] Use case: Review store's stakeholders

[Req: 4.9, Class: Store, CNAME: GetStoreStaff]

Actor: Store Owner

• **Precondition:** The user is owner of the store

Parameter: store id

Actions:

1. Store Owner asks to get information about staff working in the store

2. System checks that the user is an owner of the store

3. System checks with the store for each user connected to the store with any role

4. System returns list of user ids and list of each user's permissions

Action	Expected Result
Store owner asks for information about store's staff	All correct information is provided
Store owner asks for information about a store he doesn't own	System informs that the user doesn't have the permissions to check this information
Store owner asks for information about a store that doesn't exist	System informs that there is no such store in the system

[1.12] Use case: Admin requests for all users history

■ [Req: 6.4, Class: UserManager, User, CNAME: AdminGetAllUserHistory]

Actor: AdminPrecondition:

Parameter:

Actions:

1. The admin requests to print the history of all user's purchase

2. If The admin has ecommerce management permissions:

a) The admin get the requested information

3. Else:

a) The admin get a message for inappropriate permissions.

Action	Expected Result
Admin asks to view all purchase history	The history is provided successfully.
Admin asks to view information about purchases of items that their prices are different now	The prices shown by the history are that same as they were in the actual transaction
Admin asks to view information about purchases of users that are no longer users in the system	System provides and preserves the information for all purchases

Admin asks to view information about purchases of items that were deleted from the system, or of stores that were closed and removed from the system

The transaction's information is preserved and saved as they were, and presented properly.



[1.13] Use case: Admin requests for store history

[Req: 6.4, Class: User Manager, User, CNAME: AdminGetStoreHistory]

Actor: Admin

Precondition: Store exists Parameter: Store id

Actions:

1. The admin requests to print the history of a requested store id

2. If the admin has ecommerce management permissions:

a) The admin get the requested information

3. Else:

a) The admin get a message for inappropriate permissions.

Action	Expected Result
Admin asks to view information of store's history	The history is provided successfully.
Admin asks to view information about purchases of items that their prices are different now	The prices shown by the history are that same as they were in the actual transaction
Admin asks to view information about purchases of users that are no longer users in the system	System provides and preserves the information for all purchases
Admin asks to view information about purchases of items that were deleted from the system	The transaction's information is preserved and saved as they were, and presented properly.
Admins asks to view information about purchases from store that doesn't exist	System informs the admin the store doesn't exist

2. Items and stores:

[2.1] Use case: Gather information about store/product

- [Req: 2.5, Class: StoreRepository, Store, CNAME: SearchForProduct, SearchForStore]
- Actor: User
- **Precondition:** User opened the system
- Parameter: String (presenting a product or a store)
- - 1. User can choose to search for product or store, by entering a string query to search
 - 2. System searches through all it's system database for:
 - a) Products that its name matches the provided information
 - b) Stores that its name matches the provided information.
 - 3. System presents all the matching stores/products

Action	Expected Result
User Provides information about product that is currently in the system.	The system shows the relevant products matching to the provided information
Provide information that isn't currently in the system.	Message that indicates there are no matching products.
User Provides information about a store that is currently in the system.	The system shows the relevant stores matching to the provided information.



[2.2] Use case: Search for products

- [Req: 2.6, Class: StoreRepository, Store, CNAME: SearchForProduct]
- Actor: User
- **Precondition:** There are products in the system
- Parameter: search term
- Actions:
 - 1. User types in a string representing what he looks for
 - 2. System searches through all the products in the data base-in all stores- by its name and description
 - 3. System presents all the best matching results in a list
 - 4. Buyer (optional) chooses Parameters to filter the products list : price, category
 - 5. System filters the products and presents the new results.

Action	Expected Result
User enters valid string of product name to	The system shows the relevant products
search in the system, and such product	matching to the provided string
exists in the system	
User enters valid string of product name to	Message that indicates there are no
search in the system, and no such product	matching products.
exists in the system	
User enters invalid string	Error message

3. User buying from stores:

[Req: 2.7, Class: User,Cart,Basket CNAME: AddItemToCart]

Precondition: There are available items to buy

Parameter: Items

Actions:

1. User can choose a item to buy

2. If the item already exists in the shopping cart

a) System updates the amount of the item appearances in the shopping cart

3. Else

a) System adds item representation of the real store item to the shopping cart

Action	Expected Result
User chooses item to buy	The system adds this item to the user's shopping cart.
User chooses item to buy and the owner just removed the item	The system shows message indicates that the item is no longer available
User enters a negative amount of the item	The system shows message indicates that the amount is no valid



[3.2] Use case: View shopping cart

[Req: 2.8, Class: User, Cart, Basket , CNAME: GetCart]

Actor: User Precondition:

Parameter:

Actions:

1. User asks to present the shopping cart

2. System presets all the products in the shopping cart, their amount and total amount and price in the cart

Action	Expected Result
User request to present shopping cart- when the shopping cart isn't empty.	The system presents the requested shopping cart.
User request to present shopping cart- when the shopping cart is empty.	The system presents the requested shopping cart.
User request to present shopping cart- when the shopping cart is empty.	The system shows an empty list of products and the total price will be 0.

[3.3] Use case: Edit shopping cart-

[Req: 2.8, Class: User, Cart, Basket, CNAME: EditCart]

Actor: User

Precondition: Shopping cart not empty

■ Parameter: Item to update and chosen change to make

Actions:

1. System presents the existing shopping cart

2. User chooses an item from the cart

3. User chooses changing the amount

a) If the new requested amount is 0, the **product** I removed from the **cart**

b) Else the amount is updated as requested

Action	Expected Result
User adds a valid amount of a product (i.e less then what the Store is offering)	The system adds the required products and presents the requested shopping cart.
User reduces the amount of a product to a number above 0	The system the reduces the amount in the cart as requested
User reduces the amount of a product to 0	The system removes the product from the user's cart
User reduces the amount of a product to a negative number	The system removes the product from the user's cart

[3.4] Use case: Purchase the whole cart

[Req: 2.9, Class: User, Cart, Transaction, CNAME: BuyWholeCart]

Actor: User

Precondition: Cart is not emptyParameter: Payment Info

Actions:

1. User chooses to buy all the products in the cart

2. System asks for Payment info

3. User provides Payment info

4. System starts to perform new transaction

a) For each Basket in the Cart, system uses Calculate total price for basket use case

 b) If all the calculation performed correctly system informs all the store to update item's stock as needed to buy all the items

> System summarizes all the prices and perform payment request to the external payment system

2. System waits for respond from the payment system

3. If the payment was ok

 System sends a supply request with the user's details to the external supply system

2. System waits for the positive respond from the supply system

- 3. If the respond from the supply system is ok
 - System notifies the user that the purchase performed successfully
 - System updates the transaction of both user and all the stores involved, adding a new purchase history record to the history records
 - 3. System clears user's cart an all baskets
- 4. Else if supply system responds fail with supply
 - 1. System responds that the supply cannot be performed
 - 2. System asks the payment system to perform money refund
 - 3. System informs the user that the money was refunded
 - 4. System informs all the stores to perform items restore, with all the amounts that were taken from all the stores
- 4. Else if the payment system responds fail with payment
 - 1. System informs the user about fail with payment
 - System informs all the stores to perform item restore, with all the amounts that were taken from all the stores
- c) Else if one of the items is missing or one of the calculation went wrong- **Calculate total price for basket** use case failed
 - System informs the user that the purchase of the item cannot be performed

Action	Expected Result
All products in cart are in stock in all	System updates the total price according to
stores, payment info is valid,	discount strategies in store, sends payment
payment system and supply system	request to the payment system, sends supply
reply good respond	request to the supply system, informs the user
	and adds the purchase record to the history
Not all products in cart are in stock	System informs the user that one of the items in store are not in stock- not enough of it in store, and cancels the purchase
All products in cart are in stock, but payment system responds with fail respond	System informs the user, and restores all items to the stores

All products are in cart are in stock, payment system responds ok but supply system responds fail

System informs user, sends refund request to payment system and restores all items to stores



[3.5] Use case: Calculate total price for basket

[Req: 2.9, Class: User, Cart, Transaction, CNAME: BuyWholeCart]

Actor: User

Precondition: Basket is not empty Parameter: Basket with items, User

1. System runs check for every item in basket

- a) System checks that there is enough items for the requested amount in the store
- b) System checks that all items in basket correspond with the stores policy
- c) System runs all stores discount strategies for all items in basket and returns the minimum price of all of them
- d) System updates the basket's total price

Action	Expected Result
All products are in stock and valid with policies	System informs that all products are ok and updates basket's total price
Not all products are in stock	System informs that not all product are in stock and can't perform purchase
Items in basket don't comply with store's policy	System informs that purchase cannot be made because of store's policy, and cancels

3.2 עם **הערות:** דרישה

4. Store Manage:

4 [4.1] Use case: Open a store

[Req: 3.2, Class: User, Store, CNAME: OpenStore]

Actor: Member

Precondition: Member is logged in to the system

Parameter: New store information

Actions:

1. Member asks to open a new store in the system

2. System asks for information about the store from the user

3. Member provides information

4. System adds the store to the system

a) System signs the Member as the founder of the store

Action	Expected Result
The user is logged to the system and provides valid information while opening the store	The store is added to the system with the provided information and the user is signed as co-founder of the store
The user is logged to the system and provides non valid information while opening the store	Message indicates the information provided for creating a store is invalid showed to the user.
The user is not logged to the system and provides valid information while opening the store	Message indicates that creating a store required the user to be logged in.

4.1 **עם הערות:** דרישה **(דכ3**

נו כם עב חלים היה היה היה היה מנהל את המלאי: מוסיף מוצר חדש לחנות מעדכן מלאי של מוצר לחיוב- אספקה מעדכן מלאי של מוצר לשלילה- מכירה, סיבה אחרת מסיר מוצר מהחנות מעדכן פרטים של מוצר

[4.2] Use case: Add new product to store

- [Req: 4.1, Class: Store, CNAME:ItemsToStore]
- Actor: Store owner
- Precondition:
 - 1. Store owner is logged in to the system
 - 2. Store owner is an owner of an existing store
 - 3. Same product does not already exist in the store
- Parameter: Store identification and new product
- Actions:
 - 1. Store owner asks to add a new product to a store he owns
 - 2. The system asks for store identification
 - 3. Store owner enters store id
 - **4.** System asks for product's details
 - 5. Store owner provides required details- product details
 - **6.** System checks if such a program already exist in the system
 - **7.** If the product with the same product id exists already in the store
 - a) System informs Store owner and seller that a product already exists
 - 8. Else

- a) System adds the product to the store's products resource
- b) System updates product's current stock to 0
- c) System informs the Store owner and seller that the product was added successfully

Action	Expected Result
Store owner and seller is logged to the system and provides an identification of an existing store that he owns and valid new product details	 The system added the new product to the store The product can be found when searching for products in the store The product can be found when searching for products in all the system The product's stock is 0
Store owner and seller is logged to the system and provides identification of a store that doesn't exist	System informs Store owner and seller that the store doesn't exist in his owned store repository
The Store owner and seller is logged to the system and provides identification of a store that he doesn't own	System informs Store owner and seller that the store doesn't exist in his owned store repository
The Store owner and seller is logged to the system and provides identification of a store he owns, and of a product that already exists in the store	System informs the Store owner and seller that the products he asks to add already exits in the store
The Store owner and seller is not logged to the system	Message indicates that managing stock is only allowed to logged in existing members
The Store owner and seller is logged to the system and provides identification of a store he owns, and of a product that doesn't exists, and with invalid product details	System informs the Store owner and seller that the product's details are invalid

4.1 **עם הערות:** דרישה **[דכ4**]

מנהל את המלאי: מוסיף מוצר חדש לחנות מעדכן מלאי של מוצר לחיוב- אספקה מעדכן מלאי של מוצר לשלילה- מכירה, סיבה אחרת מסיר מוצר מהחנות מעדכן פרטים של מוצר

4 [4.3] Use case: Remove product from store

- [Req: 4.1, Class: Store, CNAME: ItemsToStore]
- **Actor: Store owner**
- Precondition:
 - 1. Store owner is logged in to the system
 - 2. Store owner is an owner of an existing store
- Parameter: Store identification and product id
- Actions:
 - 1. Store owner asks to remove a product from a store he owns
 - 2. The system asks for store identification
 - 3. Store owner and seller enters store id
 - 4. System asks for product's id
 - 5. Store owner provides required details- product id
 - **6.** System checks if such a program already exist in the system

- 7. If the product with the same product id exists in the store
 - a) System deletes product from the store resources
 - b) System informs Store owner and seller that a product was deleted successfully from the store
- 8. Else
 - a) System informs the Store owner that the product doesn't exists in the store

Action	Expected Result
Action: Store owner and seller is logged to the system and provides an identification of an existing store that he owns and an a product id that exists in the store	 The system deleted the product from the store The product can't be found when searching for products in the store
Store owner and seller is logged to the system and provides identification of a store that doesn't exist	System informs Store owner and seller that the store doesn't exist in his owned store repository
The Store owner and seller is logged to the system and provides identification of a store that he doesn't own	System informs Store owner and seller that the store doesn't exist in his owned store repository
The Store owner and seller is logged to the system and provides identification of a store he owns, and of a product that doesn't exists in the store	System informs the Store owner and seller that the products he asks to add doesn't exists in the store
The Store owner and seller is not logged to the system	Message indicates that managing stock is only allowed to logged in existing members

4.1 עם הערות: דרישה **4**.1

מנהל את המלאי: מוסיף מוצר חדש לחנות מעדכן מלאי של מוצר לחיוב- אספקה מעדכן מלאי של מוצר לשלילה- מכירה, סיבה אחרת מסיר מוצר מהחנות מעדכן פרטים של מוצר

[4.4] Use case: Update product stock- add items

- [Req: 4.1, Class: Store, CNAME: UpdateItemStock]
- Actor: Store owner
- Precondition:
 - 1. Store owner is logged in to the system
 - 2. Store owner is an owner of an existing store
 - Parameter: Store identification, product id, amount
- Actions:
 - 1. Store owner and seller asks to add product items to store's stock
 - 2. The system asks for store identification, product id and amount
 - 3. Store owner enters store id
 - 4. Store owner provides required details- store id, product id, amount
 - 5. System checks if such a store exists in user's store repository
 - **6.** If exists
 - a) System checks if such product exists in the store

- b) If exists
 - System updates the product's current stock to the new amount
- c) Else
 - 1. Store asks if the **Store owner** wants to add the new product to the store
 - 2. If **Store owner** choose to add the product
 - 1. Store owner start Add new product to store use case
 - 2. System updates product's stock to the new amount

Action	Expected Result
Store owner and seller is logged to the system and provides an identification of an existing store that he owns and an a product id that exists in the store, and a valid amount	The system updated the product's stock in the store
Action: Store owner and seller is logged to the system and provides identification of a store that doesn't exist	System informs Store owner and seller that the store doesn't exist in his owned store repository
The Store owner and seller is logged to the system and provides identification of a store that he doesn't own	System informs Store owner and seller that the store doesn't exist in his owned store repository
The Store owner and seller is logged to the system and provides identification of a store he owns, and of a product that doesn't exists in the store	System informs the Store owner and seller that the products he asks to add doesn't exists in the store
The Store owner and seller is not logged to the system	Message indicates that managing stock is only allowed to logged in existing members
The Store owner and seller is logged to the system and provides a store id of an existing store he owns and a product id that exits in that store, and an invalid amount	Message indicates that requested amount is invalid

4.1 עם הערות: דרישה

מנהל את המלאי: מוסיף מוצר חדש לחנות מעדכן מלאי של מוצר לחיוב- אספקה מעדכן מלאי של מוצר לחיוב- אספקה מעדכן מלאי של מוצר לשלילה- מכירה, סיבה אחרת מסיר מוצר מהחנות מעדכן פרטים של מוצר

↓ [4.5] Use case: Update product stock- subtract items

- Req: 4.1, Class: Store, CNAME: UpdateItemStock]
- Actor: Store owner
- Precondition:
 - 1. Store owner is logged in to the system
 - 2. Store owner is an owner of an existing store
 - Parameter: Store identification, product id, amount
- Actions:

- 1. Store owner and seller asks to subtract product items from store's
- 2. The system asks for store identification, product id and amount
- 3. Store owner provides required details- store id, product id, amount
- 4. System checks if such a store exists in user's store repository
- **5.** If exists
 - a) System checks if such product exists in the store
 - b) If exists
 - 1. System updates the product's current stock to the new amount
 - c) Else
 - 1. System informs the **Store owner** that such product doesn't exist in the system

Action	Expected Result
Store owner and seller is logged to the system and provides an identification of an existing store that he owns and an a product id that exists in the store, and a valid amount to subtract	The system updated the product's stock in the store
Store owner and seller is logged to the system and	System informs Store owner and seller that the store
provides identification of a store that doesn't exist	doesn't exist in his owned store repository
The Store owner and seller is logged to the system	System informs Store owner and seller that the store
and provides identification of a store that he doesn't own	doesn't exist in his owned store repository
The Store owner and seller is logged to the system	System informs the Store owner and seller that the
and provides identification of a store he owns, and of	products he asks to add doesn't exists in the store
a product that doesn't exists in the store	
The Store owner and seller is not logged to the	Message indicates that managing stock is only allowed
system	to logged in existing members
The Store owner and seller is logged to the system and provides a store id of an existing store he owns and a product id that exits in that store, and an invalid amount	Message indicates that requested amount is invalid

4.1 **עם הערות:** דרישה

מנהל את המלאי: מוסיף מוצר חדש לחנות מעדכן מלאי של מוצר לחיוב- אספקה מעדכן מלאי של מוצר לשלילה- מכירה, סיבה אחרת מסיר מוצר מהחנות מעדכן פרטים של מוצר



↓ [4.6] Use case: Update existing product's details

[Req: 4.1, Class: MarketFacade, CNAME: EditItemToStore]

- Actor: Store owner and seller
- **Precondition:**
 - 1. Store owner and seller is logged in to the system
 - 2. Store owner and seller is an owner of an existing store
- Parameter: ItemInfo
- Actions:
 - 1. Store owner and seller asks to update product's details

- 2. The system asks for store identification, product id and new details
- 3. Store owner and seller provides required details-ItemInfo
- **4.** System checks if such a store exists in user's store repository
- **5.** If exists
 - a) System checks if such product exists in the store
 - b) If exists
 - 0. System updates the product's details as required

Action	Expected Result
Store owner and seller is logged to the system and provides an identification of an existing store that he owns and an a product id that exists in the store, and a valid new details	The system updated the product's details
Store owner and seller is logged to the system and provides identification of a store that doesn't exist	System informs Store owner and seller that the store doesn't exist in his owned store repository
The Store owner and seller is logged to the system and provides identification of a store that he doesn't own	System informs Store owner and seller that the store doesn't exist in his owned store repository
The Store owner and seller is logged to the system and provides identification of a store he owns, and of a product that doesn't exists in the store	System informs the Store owner and seller that the products he asks to add doesn't exists in the store
The Store owner and seller is not logged to the system	Message indicates that managing stock is only allowed to logged in existing members
The Store owner and seller is logged to the system and provides a store id of an existing store he owns and a product id that exits in that store, and invalid new details	Message indicates that requested details are invalid

4.1 **עם הערות:** דרישה

נדכאן עם הערות: דרישה 4.1 מנהל את המלאי: מוסיף מוצר חדש לחנות מעדכן מלאי של מוצר לחיוב- אספקה מעדכן מלאי של מוצר לשלילה- מכירה, סיבה אחרת מסיר מוצר מהחנות מעדכן פרטים של מוצר

- Actor: Store owner
- Precondition:
 - 1. Store owner is logged in to the system
 - 2. Store owner is an owner of an existing store
 - Parameter: store id and buying strategy
- Actions:
 - 1. User asks to add buying strategy to store
 - 2. System requests the store id and strategy
 - 3. User provides required information
 - 4. If strategy already exists
 - a) System doesn't change it

5. Else

a) System adds new strategy to store's policy

Action	Expected Result
Store owner and seller is logged to the system and provides an identification of an existing store that he owns and an a new buying strategy to store's policy	The system updated the store's policy
Store owner and seller is logged to the system and provides identification of a store that doesn't exist	System informs Store owner and seller that the store doesn't exist in his owned store repository
The Store owner and seller is logged to the system and provides identification of a store that he doesn't own	System informs Store owner and seller that the store doesn't exist in his owned store repository
The Store owner and seller is logged to the system and provides identification of a store he owns and an unknown buying strategy	System informs the Store owner and seller that the buying strategy is unknown
The Store owner and seller is not logged to the system	Message indicates that managing stock is only allowed to logged in existing members

4.1 **עם הערות:** דרישה **[דכ9]**

מנהל את המלאי: מוסיף מוצר חדש לחנות מעדכן מלאי של מוצר לחיוב- אספקה מעדכן מלאי של מוצר לשלילה- מכירה, סיבה אחרת . מסיר מוצר מהחנות מעדכן פרטים של מוצר



4 [4.8] Use case: Update buying strategy to store's policy

- Actor: Store owner and seller
- Precondition:
 - 1. Store owner and seller is logged in to the system
 - 2. Store owner and seller is an owner of an existing store
- Parameter: store id and buying strategy
- Actions:
 - 1. User asks to update buying strategy to store
 - 2. System requests the store id and strategy
 - 3. User provides required information
 - 4. System locates store and check if strategy exists in the store's
 - 5. System asks whether to delete or update existing strategy
 - a) If user chooses to update
 - 0. System update the strategy in the store with the new strategy provided
 - b) If user chooses to delete
 - 0. System removes strategy from store's policy

Action	Expected Result
Store owner and seller is logged to the system and provides an identification of an existing store that he owns and an existing buying strategy in store's policy	The system updated the store's policy as required

Store owner and seller is logged to the system and provides identification of a store that doesn't exist	System informs Store owner and seller that the store doesn't exist in his owned store repository
The Store owner and seller is logged to the system and provides identification of a store that he doesn't own	System informs Store owner and seller that the store doesn't exist in his owned store repository
The Store owner and seller is logged to the system and provides identification of a store he owns and an unknown buying strategy	System informs the Store owner and seller that the buying strategy is unknown
The Store owner and seller is not logged to the system	Message indicates that managing stock is only allowed to logged in existing members
The Store owner and seller is logged to the system and provides identification of a store he owns and a strategy that doesn't exist	System informs the Store owner and seller that the buying strategy doesn' exist and encourages him to use Add new strategy to store's policy use case

4.1 עם הערות: דרישה **1.1**

נו כסדן עם ולמיני ולמיני ולמיני ולמיני מנהל את המלאי: מוסיף מוצר חדש לחנות מעדכן מלאי של מוצר לחיוב- אספקה מעדכן מלאי של מוצר לשלילה- מכירה, סיבה אחרת מסיר מוצר מהחנות מעדכן פרטים של מוצר

↓ [4.9] Use case: Add allowed discounts to store's policy

- Actor: Store owner and seller
- Precondition:
 - 1. Store owner and seller is logged in to the system
 - 2. Store owner and seller is an owner of an existing store
- Parameter: store id and discount type
- Actions:
 - 1. User asks to add allowed discount type to store
 - 2. System requests the store id and discount type
 - 3. User provides required information
 - 4. If strategy discount type exists
 - a) System doesn't change it
 - 5. Else
 - a) System adds new discount type to store's policy

Action	Expected Result
Store owner and seller is logged to the system and provides an identification of an existing store that he owns and an a new discount type to store's policy	The system updated the store's policy
Store owner and seller is logged to the system and provides identification of a store that doesn't exist	System informs Store owner and seller that the store doesn't exist in his owned store repository
The Store owner and seller is logged to the system and provides identification of a store that he doesn't own	System informs Store owner and seller that the store doesn't exist in his owned store repository

The Store owner and seller is logged to the system and provides identification of a store he owns and an unknown discount type	System informs the Store owner and seller that the discount type is unknown
The Store owner and seller is not logged to the system	Message indicates that managing stock is only allowed to logged in existing members

4.1 **עם הערות:** דרישה **111]**

נו בדבן עם יוען ווני ודי שחדים. מנהל את המלאי: מוסיף מוצר חדש לחנות מעדכן מלאי של מוצר לחיוב- אספקה מעדכן מלאי של מוצר לשלילה- מכירה, סיבה אחרת מסיר מוצר מהחנות מעדכן פרטים של מוצר

4 [4.10] Use case: Update allowed discounts in store's policy

- Actor: Store owner and seller
- Precondition:
 - 1. Store owner and seller is logged in to the system
 - 2. Store owner and seller is an owner of an existing store
- Parameter: store id and discount type
- Actions:
 - 1. User asks to update discount type to store
 - 2. System requests the store id and discount type
 - 3. User provides required information
 - 4. System locates store and check if discount type exists in the store's policy
 - 5. System asks whether to delete or update existing discount type
 - a) If user chooses to update
 - 0. System update the discount type in the store's policy with the new discount type provided
 - b) If user chooses to delete
 - 0. System removes discount type from store's policy

Action	Expected Result
Store owner and seller is logged to the system and provides an identification of an existing store that he owns and an existing discount type in store's policy	The system updated the store's policy as required
Store owner and seller is logged to the system and provides identification of a store that doesn't exist	System informs Store owner and seller that the store doesn't exist in his owned store repository
: The Store owner and seller is logged to	System informs Store owner and
the system and provides identification of	seller that the store doesn't exist in
a store that he doesn't own	his owned store repository
The Store owner and seller is logged to	System informs the Store owner and
the system and provides identification of	seller that the discount type is
a store he owns and an unknown	unknown
discount type	

The Store owner and seller is not logged to the system	Message indicates that managing stock is only allowed to logged in existing members
The Store owner and seller is logged to the system and provides identification of a store he owns and a discount type that doesn't exist	System informs the Store owner and seller that the discount type doesn't exist and encourages him to use Add new discount type to store's policy use case

4.1 עם הערות: דרישה 1.1]

מנהל את המלאי: מוסיף מוצר חדש לחנות מעדכן מלאי של מוצר לחיוב- אספקה מעדכן מלאי של מוצר לשלילה- מכירה, סיבה אחרת מסיר מוצר מהחנות מעדכן פרטים של מוצר

↓ [4.11] Use case: View store's policy

[Req: 4.2, Class: Store, CNAME: EditItemToStore]

- Actor: Store owner and seller
- Precondition:
 - 1. Store owner and seller is logged in to the system
 - 2. Store owner and seller is an owner of an existing store
- Parameter: store id and discount type
- Actions:
 - 1. User asks to view store's policy
 - 2. System asks for store's id
 - 3. User provides store id
 - 4. System presents store policy

Action	Expected Result
Store owner and seller is logged to the system and provides an identification of an existing store that	The system presents store's policy- buying strategies and discount types
he owns	
Store owner and seller is logged to the system and	System informs Store owner and seller that the
provides identification of a store that doesn't exist	store doesn't exist in his owned store repository
The Store owner and seller is logged to the system	System informs Store owner and seller that the
and provides identification of a store that he	store doesn't exist in his owned store repository
doesn't own	
The Store owner and seller is not logged to the	Message indicates that managing store's policy is
system	only allowed to logged in existing members

4.1 **עם הערות:** דרישה **[135]**

מנהל את המלאי: מוסיף מוצר חדש לחנות מעדכן מלאי של מוצר לחיוב- אספקה מעדכן מלאי של מוצר לשלילה- מכירה, סיבה אחרת מסיר מוצר מהחנות מעדכן פרטים של מוצר

[4.12] Use case: Add buying strategy to store's product

- Actor: Store owner and seller
- Precondition:
 - 1. Store owner and seller is logged in to the system
 - 2. Store owner and seller is an owner of an existing store
- Parameter: store id, product id and buying strategy
- Actions:
 - 1. User asks to add buying strategy to product
 - 2. System requests the store id, buying strategy and product id
 - 3. User provides required information

- 4. If store exists, buying strategy valid and product exists in store
 - a) System check if requested buying strategy exists in store's
 - b) If exits in policy System adds buying strategy to product
- 5. Else
 - a) System informs user

Action	Expected Result
Store owner and seller is logged to the system and provides an identification of an existing store that he owns, valid buying strategy that exists in store's policy and an id of a product exists in the store	The system add buying strategy to the product in the store
Store owner and seller is logged to the system and provides identification of a store that doesn't exist	System informs Store owner and seller that the store doesn't exist in his owned store repository
The Store owner and seller is logged to the system and provides identification of a store that he doesn't own	System informs Store owner and seller that the store doesn't exist in his owned store repository
The Store owner and seller is logged to the system and provides identification of a store he owns and an unknown buying strategy	System informs the Store owner and seller that the buying strategy is unknown
The Store owner and seller is not logged to the system	Message indicates that managing stock is only allowed to logged in existing members
The Store owner and seller is logged to the system and provides identification of a store he owns and a known buying strategy and a product id that doesn't exist in store	Message indicates that managing product doesn't exist in store
The Store owner and seller is logged to the system and provides identification of a store he owns and a known buying strategy that doesn't exist in store's policy and a product id that exists in store	Message indicates that strategy isn't allowed in store

4.1 עם הערות: דרישה **4.1**

מנהל את המלאי: מוסיף מוצר חדש לחנות מעדכן מלאי של מוצר לחיוב- אספקה מעדכן מלאי של מוצר לשלילה- מכירה, סיבה אחרת מסיר מוצר מהחנות מעדכן פרטים של מוצר



↓ [4.13] Use case: Update buying strategy to store's product

- Actor: Store owner and seller
- Precondition:
 - 1. Store owner and seller is logged in to the system
 - 2. Store owner and seller is an owner of an existing store
 - Parameter: store id, product id and buying strategy
- Actions:
 - 1. User asks to update buying strategy to product
 - 2. System requests the store id, buying strategy and product id
 - 3. User provides required information
 - 4. If store exists, buying strategy valid and exists and product exists in store

- a) System asks whether to delete or update
 - 0. If update, System check if requested buying strategy exists in store's policy
 - 0. If exits in policy- system update existing buying strategy of product in store
 - 1. If delete- System removes buying strategy from product in store

Action	Expected Result
Store owner and seller is logged to the system and provides an identification of an existing store that he owns, buying strategy that exist for the product in the store and an id of a	The system update buying strategy to the product in the store
product exists in the store	
Store owner and seller is logged to the system and provides identification of a store that doesn't exist	System informs Store owner and seller that the store doesn't exist in his owned store repository
The Store owner and seller is logged to the system and provides identification of a store that he doesn't own	System informs Store owner and seller that the store doesn't exist in his owned store repository
The Store owner and seller is logged to the system and provides identification of a store he owns and an unknown buying strategy	System informs the Store owner and seller that the buying strategy is unknown
The Store owner and seller is not logged to the system	Message indicates that managing stock is only allowed to logged in existing members
The Store owner and seller is logged to the system and provides identification of a store he owns and a known buying strategy and a product id that doesn't exist in store	Message indicates that managing product doesn't exist in store
The Store owner and seller is logged to the system and provides identification of a store he owns and a known buying strategy that doesn't exist in store's policy and a product id that exists in store	Message indicates that strategy isn't allowed in store

4.1 **עם הערות:** דרישה **1.1**

[4.14] Use case: View product's buying strategies

- Actor: Store owner and seller
- Precondition:
 - 1. Store owner and seller is logged in to the system
 - 2. Store owner and seller is an owner of an existing store
- Parameter: store id, product id
- Actions:
 - 1. User asks to view buying strategy of product in store
 - 2. System requests the store id and product id
 - 3. User provides required information

4. If store exists and product exists in store

0. System provides all exiting buying strategies of the product in the store

Action	Expected Result
Store owner and seller is logged to the system and	The system provides all existing buying strategies
provides an identification of an existing store that he	of the product in the store
owns and an id of a product exists in the store	
·	
Store owner and seller is logged to the system and	System informs Store owner and seller that the
provides identification of a store that doesn't exist	store doesn't exist in his owned store repository
The Store owner and seller is logged to the system	System informs Store owner and seller that the
and provides identification of a store that he doesn't	store doesn't exist in his owned store repository
own	
The Store owner and seller is logged to the system	System informs the Store owner and seller that
and provides identification of a store he owns and a	the product doesn't exist in the store
product id that doesn't exist in the store	
The Store owner and seller is not logged to the	Message indicates that managing stock is only
system	allowed to logged in existing members



[4.15] Use case: Add discount to product

- Actor: Store owner and seller
- Precondition:
 - 1. Store owner and seller is logged in to the system
 - 2. Store owner and seller is an owner of an existing store
- Parameter: store id, product id and discount
- Actions:
 - 1. User asks to add discounts to product
 - 2. System requests the store id, discount type and discount details and product id
 - 3. User provides required information
 - 4. If store exists, discount type and details valid and exists and product exists in store
 - a) System checks if discount is valid in store's policy
 - b) If valid-System adds discount to product in store

Action	Expected Result
Store owner and seller is logged to the system and	The system adds the discount to the product int
provides an identification of an existing store that he owns, valid discount type and details that valid with system in general and with store's policy, and an id of a product exists in the store	the store
Store owner and seller is logged to the system and	System informs Store owner and seller that the
provides identification of a store that doesn't exist	store doesn't exist in his owned store repository
The Store owner and seller is logged to the system	System informs Store owner and seller that the
and provides identification of a store that he doesn't	store doesn't exist in his owned store repository
own	

The Store owner and seller is logged to the system and provides identification of a store he owns and an unknown discount type	System informs the Store owner and seller that the discount type is unknown
The Store owner and seller is not logged to the system	Message indicates that managing stock is only allowed to logged in existing members
The Store owner and seller is logged to the system and provides identification of a store he owns and a valid discount and a product id that doesn't exist in store	Message indicates that managing product doesn't exist in store
The Store owner and seller is logged to the system and provides identification of a store he owns and a valid discount that is not valid with store policy, and a product id that exists in store	Message indicates that discount isn't allowed in store



[4.16] Use case: Update product's discount

- Actor: Store owner and seller
- Precondition:
 - 1. Store owner and seller is logged in to the system
 - 2. Store owner and seller is an owner of an existing store
- Parameter: store id, product id and discount
- Actions:
 - 1. User asks to update discounts to product
 - 2. System requests the store id, discount type and discount details and product id
 - 3. User provides required information
 - 4. If store exists, discount type and details valid and exists and product exists in store
 - a) System checks if discount is valid in store's policy
 - b) If valid- System adds discount to product in store

Action	Expected Result
Store owner and seller is logged to the system and provides an identification of an existing store that he owns, valid discount type and details that valid with system in general and with store's policy, and an id of a product exists in the store	The system adds the discount to the product int the store
Store owner and seller is logged to the system and	System informs Store owner and seller that the
provides identification of a store that doesn't exist	store doesn't exist in his owned store repository
The Store owner and seller is logged to the system	System informs Store owner and seller that the
and provides identification of a store that he doesn't own	store doesn't exist in his owned store repository
The Store owner and seller is logged to the system	System informs the Store owner and seller that
and provides identification of a store he owns and an unknown discount type	the discount type is unknown

The Store owner and seller is not logged to the system	Message indicates that managing stock is only allowed to logged in existing members
The Store owner and seller is logged to the system and provides identification of a store he owns and a valid discount and a product id that doesn't exist in store	Message indicates that managing product doesn't exist in store
The Store owner and seller is logged to the system and provides identification of a store he owns and a valid discount that is not valid with store policy, and a product id that exists in store	Message indicates that discount isn't allowed in store



4 [4.17] Use case: View product's discount

- Actor: Store owner and seller
- Precondition:
 - 1. Store owner and seller is logged in to the system
 - 2. Store owner and seller is an owner of an existing store
- Parameter: store id, product id
- Actions:
 - 1. User asks to view buying strategy of product in store
 - 2. System requests the store id and product id
 - 3. User provides required information
 - 4. If store exists and product exists in store
 - 0. System provides all exiting buying strategies of the product in the store

Action	Expected Result
Store owner and seller is logged to the system and	The system provides all existing buying
provides an identification of an existing store that he	strategies of the product in the store
owns and an id of a product exists in the store	
Store owner and seller is logged to the system and	System informs Store owner and seller that the
provides identification of a store that doesn't exist	store doesn't exist in his owned store repository
The Store owner and seller is logged to the system and provides identification of a store that he doesn't own	System informs Store owner and seller that the store doesn't exist in his owned store repository
The Store owner and seller is logged to the system and provides identification of a store he owns and a product id that doesn't exist in the store	System informs the Store owner and seller that the product doesn't exist in the store
The Store owner and seller is not logged to the system	Message indicates that managing stock is only allowed to logged in existing members

4 [4.19] Use case: Store Owner get purchase history of a store

[Req: 4.11, Class: MarketFacade, CNAME: GetStoreHistory]

Actor: Store Owner

■ Precondition: User is owner of the store

Parameter: StoreID

Actions:

1. The User requests to print the history of purchase for specific sore

2. If The User is logged, the storeID belongs to existing store in the system ownership permissions for the specific store

a) The user get the requested information

3. Else

a) The user get a message for the specific problem.

Action	Expected Result
The user owns the store and the Store's Owner management permission for the specific store, the owner changes price of a product that belongs to the purchase history	The history printed successfully with the right price of the changed product
The user doesn't owns the store and the Store's Owner management permission for the specific store, the user changes price of a product that belongs to the purchase history	Message indicates that user is not owner of the specific store will be shown the Store's Owner
The user owns the store and the Store's Owner management permission for the specific store, the owner changes details of a product that belongs to the purchase history	The history printed successfully with the right price of the changed product