




Hematology


Date: Aug 11, 2025 1:41 PM
(0.91)
Analyzer SN: 362155
(0.93)
RESULT LOW NORMAL HIGH
(0.93) (0.86) (0.93) (0.85)

WBC	8.47			
White Blood Cells	(0.92)			
(0.96)	10 ⁹ /l	3.5	20.7	(0.92)
LYM Lymphocyte	1.53			
(0.95)	10 ⁹ /l	0.83	9.1	(0.96)
MON	0.70			
Monocyte	(0.98)			
(0.98)	10 ⁹ /l	0.09	1.21	(0.70)
NEU	6.20			
Neutrophil	(0.63)			
(0.63)	10 ⁹ /l	1.63	13.37	(0.89)
EOS	0.03			
Eosinophil	(0.95)			
(0.66)	10 ⁹ /l	0.02	0.49	(0.98)
BAS	0.00			
Basophil	(0.90)			
(0.90)	10 ⁹ /l	0.0	0.2	(0.88)
LYM%	18.1			
Lymphocyte (%)	(0.90)			
(0.90)				
MON%	8.3			
Monocyte (%)	(0.63)			
(0.63)				
NEU%	73.2			
Neutrophil (%)	(0.73)			
(0.73)				
EOS%	0.3			
Eosinophil (%)	(0.82)			
(0.82)				
BAS%	0.0			
Basophil (%)	(0.67)			
(0.67)				
RBC	9.22			
Red Blood Cells	(0.95)			
(0.95)	10 ¹² /l	7.7	12.8	(0.97)

WBC Histogram



PLT Histogram



HGB	13.4			
Hemoglobin	(0.85)			
(0.85)	g/dl	10.0	17.0	(0.95)
HCT	45.02			
Hematocrit	(0.83)			
(0.83)	%	33.7	55.4	(0.94)
MCV	49			
Mean Corpuscular Volume	(0.99)			
(0.91)	fl	35.0	52.0	(0.81)
MCH	14.5			
Mean Corpuscular Hemoglobin pg	(0.99)			
(0.99)		10.0	16.9	(0.98)
MCHC	29.7			
Mean Corpuscular Hemoglobin Concentration	(0.85)			
(0.85)	g/dl	27.0	35.0	(0.97)
RDW	24.4			
Red Blood Cell Distribution Width, Coefficient of Variation	(0.84)			
(0.84)	%	18.3	24.1	(0.85)
RDWs	46.9			
Red Blood Cell Distribution Width, Standard Deviation	(0.87)			
(0.87)	fl			
PLT Platelet	446			
(0.94)	10 ⁹ /l	125.0	618.0	(0.96)
MPV	10.8			
Mean Platelet Volume	(0.95)			
(0.92)	fl	8.6	14.9	(0.69)
PCT Plateletcrit	0.48			
(0.90)	%			
(0.90)				
PDWc	37.4			
Platelet Distribution Width, Coefficient of Variation	(0.89)			
(0.89)	%			
PDWs	15.9			
Platelet Distribution Width, Standard Deviation	(0.91)			
(0.91)	fl			

RBC Histogram



EOS Histogram

