

CEN4025C Module 1 Project

This is a partial implementation of the Chapter 10 setup steps; I haven't complete the entire project yet but wanted to let you get a head start. Feel free to go past what I present here for the project, **minimally** you should be able to get your Angular environment set up.

I will add to these instructions soon.

Install angular using npm. Note that the latest version is 17.x, versus our textbook which is using 13, so some commands will change.

```
D:\fscj\CEN4025C-SoftwareDevII\cen4025c-Summer24>npm install -g @angular/cli
added 236 packages in 15s
```

```
44 packages are looking for funding
```

```
  run `npm fund` for details
```

```
npm notice
```

```
npm notice New minor version of npm available! 10.5.0 -> 10.7.0
```

```
npm notice Changelog: https://github.com/npm/cli/releases/tag/v10.7.0
```

```
npm notice Run npm install -g npm@10.7.0 to update!
```

```
npm notice
```


```
D:\fscj\CEN4025C-SoftwareDevII\cen4025c-Summer24>ng version
```

```
? Would you like to share pseudonymous usage data about this project with the
Angular Team at Google under Google's Privacy Policy at
https://policies.google.com/privacy. For more details and how to change this
setting, see https://angular.io/analytics. No
```

```
Global setting: disabled
```

```
Local setting: No local workspace configuration file.
```

```
Effective status: disabled
```



```
Angular CLI: 17.3.6
```

```
Node: 20.12.0
```

```
Package Manager: npm 10.5.0
```

```
OS: win32 x64
```

```
Angular:
```

```
...
```

```
Package
```

```
Version
```

```
-----
@angular-devkit/architect    0.1703.6 (cli-only)
@angular-devkit/core        17.3.6 (cli-only)
@angular-devkit/schematics   17.3.6 (cli-only)
@schematics/angular         17.3.6 (cli-only)
```

Change your folder to the GitHub repo and create the Angular project (note that this is residing side-by-side with the Spring Boot project)

```
D:\fscj\CEN4025C-SoftwareDevII\cen4025c-Summer24>cd M1ProjectSolution
D:\fscj\CEN4025C-SoftwareDevII\cen4025c-Summer24\M1ProjectSolution>dir
Volume in drive D is Data
Volume Serial Number is FEA9-B58E
```

Directory of D:\fscj\CEN4025C-SoftwareDevII\cen4025c-Summer24\M1ProjectSolution

```
05/07/2024  08:19 PM    <DIR>          .
05/07/2024  06:43 PM    <DIR>          ..
05/07/2024  06:43 PM    <DIR>          .github
05/07/2024  08:35 PM    <DIR>          PizzaRestaurant
05/07/2024  08:04 PM                21 README.md
               1 File(s)                21 bytes
               4 Dir(s)  354,634,104,832 bytes free
```

Create the new project using the Angular CLI command "ng":

```
D:\fscj\CEN4025C-SoftwareDevII\cen4025c-Summer24\M1ProjectSolution>ng new
PizzaRestaurantFrontend
```

```
? Which stylesheet format would you like to use? Sass (SCSS)    [
https://sass-lang.com/documentation/syntax#scss
]
```

```
? Do you want to enable Server-Side Rendering (SSR) and Static Site
Generation (SSG/Prerendering)? No
```


```
CREATE PizzaRestaurantFrontend/angular.json (2954 bytes)
CREATE PizzaRestaurantFrontend/package.json (1094 bytes)
CREATE PizzaRestaurantFrontend/README.md (1104 bytes)
CREATE PizzaRestaurantFrontend/tsconfig.json (889 bytes)
CREATE PizzaRestaurantFrontend/.editorconfig (290 bytes)
CREATE PizzaRestaurantFrontend/.gitignore (590 bytes)
CREATE PizzaRestaurantFrontend/tsconfig.app.json (277 bytes)
CREATE PizzaRestaurantFrontend/tsconfig.spec.json (287 bytes)
CREATE PizzaRestaurantFrontend/.vscode/extensions.json (134 bytes)
CREATE PizzaRestaurantFrontend/.vscode/launch.json (490 bytes)
CREATE PizzaRestaurantFrontend/.vscode/tasks.json (980 bytes)
CREATE PizzaRestaurantFrontend/src/main.ts (256 bytes)
CREATE PizzaRestaurantFrontend/src/favicon.ico (15086 bytes)
```

```
CREATE PizzaRestaurantFrontend/src/index.html (322 bytes)
CREATE PizzaRestaurantFrontend/src/styles.scss (81 bytes)
CREATE PizzaRestaurantFrontend/src/app/app.component.html (20239 bytes)
CREATE PizzaRestaurantFrontend/src/app/app.component.spec.ts (996 bytes)
CREATE PizzaRestaurantFrontend/src/app/app.component.ts (333 bytes)
CREATE PizzaRestaurantFrontend/src/app/app.component.scss (0 bytes)
CREATE PizzaRestaurantFrontend/src/app/app.config.ts (235 bytes)
CREATE PizzaRestaurantFrontend/src/app/app.routes.ts (80 bytes)
CREATE PizzaRestaurantFrontend/src/assets/.gitkeep (0 bytes)
✓ Packages installed successfully.
  Successfully initialized git.
```

Move to the project folder and start VSCode

```
D:\fscj\CEN4025C-SoftwareDevII\cen4025c-Summer24\M1ProjectSolution>cd
PizzaRestaurantFrontend
```

```
D:\fscj\CEN4025C-SoftwareDevII\cen4025c-
Summer24\M1ProjectSolution\PizzaRestaurantFrontend>code .
```



Start a terminal and run ng serve

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL


polyfills.js      | polyfills      | 85.81 kB |
main.js           | main           | 21.99 kB |
styles.css        | styles        | 96 bytes |

                | Initial total | 107.89 kB

Application bundle generation complete. [1.574 seconds]

Watch mode enabled. Watching for file changes...
  → Local:  http://localhost:4200/
  → press h + enter to show help
```

Use the link provided to test the install



Ctrl-C to break out of the server in the VS Code Terminal