

DSM-5 Classification

Before each disorder name, ICD-9-CM codes are provided, followed by ICD-10-CM codes in parentheses. Blank lines indicate that either the ICD-9-CM or the ICD-10-CM code is not applicable. For some disorders, the code can be indicated only according to the subtype or specifier.

ICD-9-CM codes are to be used for coding purposes in the United States through September 30, 2014. ICD-10-CM codes are to be used starting October 1, 2014.

Following chapter titles and disorder names, page numbers for the corresponding text or criteria are included in parentheses.

Note for all mental disorders due to another medical condition: Indicate the name of the other medical condition in the name of the mental disorder due to [the medical condition]. The code and name for the other medical condition should be listed first immediately before the mental disorder due to the medical condition.

Neurodevelopmental Disorders (31)

Intellectual Disabilities (33)

- 319** (____) Intellectual Disability (Intellectual Developmental Disorder) (33)
Specify current severity:
- (F70) Mild
 - (F71) Moderate
 - (F72) Severe
 - (F73) Profound
- 315.8** (F88) Global Developmental Delay (41)
- 319** (F79) Unspecified Intellectual Disability (Intellectual Developmental Disorder) (41)

Communication Disorders (41)

- 315.39** (F80.9) Language Disorder (42)
- 315.39** (F80.0) Speech Sound Disorder (44)
- 315.35** (F80.81) Childhood-Onset Fluency Disorder (Stuttering) (45)
Note: Later-onset cases are diagnosed as 307.0 (F98.5) adult-onset fluency disorder.
- 315.39** (F80.89) Social (Pragmatic) Communication Disorder (47)
- 307.9** (F80.9) Unspecified Communication Disorder (49)

Autism Spectrum Disorder (50)

- 299.00 (F84.0)** Autism Spectrum Disorder (50)
Specify if: Associated with a known medical or genetic condition or environmental factor; Associated with another neurodevelopmental, mental, or behavioral disorder
Specify current severity for Criterion A and Criterion B: Requiring very substantial support, Requiring substantial support, Requiring support
Specify if: With or without accompanying intellectual impairment, With or without accompanying language impairment, With catatonia (use additional code 293.89 [F06.1])

Attention-Deficit/Hyperactivity Disorder (59)

- ____ (____) Attention-Deficit/Hyperactivity Disorder (59)
Specify whether:
- 314.01 (F90.2)** Combined presentation
- 314.00 (F90.0)** Predominantly inattentive presentation
- 314.01 (F90.1)** Predominantly hyperactive/impulsive presentation
Specify if: In partial remission
Specify current severity: Mild, Moderate, Severe
- 314.01 (F90.8)** Other Specified Attention-Deficit/Hyperactivity Disorder (65)
- 314.01 (F90.9)** Unspecified Attention-Deficit/Hyperactivity Disorder (66)

Specific Learning Disorder (66)

- ____ (____) Specific Learning Disorder (66)
Specify if:
- 315.00 (F81.0)** With impairment in reading (*specify if with word reading accuracy, reading rate or fluency, reading comprehension*)
- 315.2 (F81.81)** With impairment in written expression (*specify if with spelling accuracy, grammar and punctuation accuracy, clarity or organization of written expression*)
- 315.1 (F81.2)** With impairment in mathematics (*specify if with number sense, memorization of arithmetic facts, accurate or fluent calculation, accurate math reasoning*)
Specify current severity: Mild, Moderate, Severe

Motor Disorders (74)

- 315.4 (F82)** Developmental Coordination Disorder (74)
- 307.3 (F98.4)** Stereotypic Movement Disorder (77)
Specify if: With self-injurious behavior, Without self-injurious behavior
Specify if: Associated with a known medical or genetic condition, neurodevelopmental disorder, or environmental factor
Specify current severity: Mild, Moderate, Severe

Tic Disorders

- 307.23 (F95.2)** Tourette's Disorder (81)
- 307.22 (F95.1)** Persistent (Chronic) Motor or Vocal Tic Disorder (81)
Specify if: With motor tics only, With vocal tics only

- 307.21 (F95.0)** Provisional Tic Disorder (81)
- 307.20 (F95.8)** Other Specified Tic Disorder (85)
- 307.20 (F95.9)** Unspecified Tic Disorder (85)

Other Neurodevelopmental Disorders (86)

- 315.8 (F88)** Other Specified Neurodevelopmental Disorder (86)
- 315.9 (F89)** Unspecified Neurodevelopmental Disorder (86)

**Schizophrenia Spectrum
and Other Psychotic Disorders (87)**

The following specifiers apply to Schizophrenia Spectrum and Other Psychotic Disorders where indicated:

^a*Specify* if: The following course specifiers are only to be used after a 1-year duration of the disorder: First episode, currently in acute episode; First episode, currently in partial remission; First episode, currently in full remission; Multiple episodes, currently in acute episode; Multiple episodes, currently in partial remission; Multiple episodes, currently in full remission; Continuous; Unspecified

^b*Specify* if: With catatonia (use additional code 293.89 [F06.1])

^c*Specify* current severity of delusions, hallucinations, disorganized speech, abnormal psychomotor behavior, negative symptoms, impaired cognition, depression, and mania symptoms

- 301.22 (F21)** Schizotypal (Personality) Disorder (90)
- 297.1 (F22)** Delusional Disorder^{a, c} (90)
 Specify whether: Erotomantic type, Grandiose type, Jealous type, Persecutory type, Somatic type, Mixed type, Unspecified type
 Specify if: With bizarre content
- 298.8 (F23)** Brief Psychotic Disorder^{b, c} (94)
 Specify if: With marked stressor(s), Without marked stressor(s), With postpartum onset
- 295.40 (F20.81)** Schizophreniform Disorder^{b, c} (96)
 Specify if: With good prognostic features, Without good prognostic features
- 295.90 (F20.9)** Schizophrenia^{a, b, c} (99)
- ____ (____)** Schizoaffective Disorder^{a, b, c} (105)
 Specify whether:
- 295.70 (F25.0)** Bipolar type
- 295.70 (F25.1)** Depressive type
- ____ (____)** Substance/Medication-Induced Psychotic Disorder^c (110)
 Note: See the criteria set and corresponding recording procedures for substance-specific codes and ICD-9-CM and ICD-10-CM coding.
 Specify if: With onset during intoxication, With onset during withdrawal
- ____ (____)** Psychotic Disorder Due to Another Medical Condition^c (115)
 Specify whether:
- 293.81 (F06.2)** With delusions
- 293.82 (F06.0)** With hallucinations

293.89 (F06.1)	Catatonia Associated With Another Mental Disorder (Catatonia Specifier) (119)
293.89 (F06.1)	Catatonic Disorder Due to Another Medical Condition (120)
293.89 (F06.1)	Unspecified Catatonia (121) Note: Code first 781.99 (R29.818) other symptoms involving nervous and musculoskeletal systems.
298.8 (F28)	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder (122)
298.9 (F29)	Unspecified Schizophrenia Spectrum and Other Psychotic Disorder (122)

Bipolar and Related Disorders (123)

The following specifiers apply to Bipolar and Related Disorders where indicated:
^a*Specify:* With anxious distress (*specify* current severity: mild, moderate, moderate-severe, severe);
With mixed features; With rapid cycling; With melancholic features; With atypical features;
With mood-congruent psychotic features; With mood-incongruent psychotic features; With
catatonia (use additional code 293.89 [F06.1]); With peripartum onset; With seasonal pattern

___ (___)	Bipolar I Disorder ^a (123)
___ (___)	Current or most recent episode manic
296.41 (F31.11)	Mild
296.42 (F31.12)	Moderate
296.43 (F31.13)	Severe
296.44 (F31.2)	With psychotic features
296.45 (F31.73)	In partial remission
296.46 (F31.74)	In full remission
296.40 (F31.9)	Unspecified
296.40 (F31.0)	Current or most recent episode hypomanic
296.45 (F31.73)	In partial remission
296.46 (F31.74)	In full remission
296.40 (F31.9)	Unspecified
___ (___)	Current or most recent episode depressed
296.51 (F31.31)	Mild
296.52 (F31.32)	Moderate
296.53 (F31.4)	Severe
296.54 (F31.5)	With psychotic features
296.55 (F31.75)	In partial remission
296.56 (F31.76)	In full remission
296.50 (F31.9)	Unspecified
296.7 (F31.9)	Current or most recent episode unspecified
296.89 (F31.81)	Bipolar II Disorder ^a (132) <i>Specify</i> current or most recent episode: Hypomanic, Depressed <i>Specify</i> course if full criteria for a mood episode are not currently met: In partial remission, In full remission <i>Specify</i> severity if full criteria for a mood episode are not currently met: Mild, Moderate, Severe

301.13 (F34.0)	Cyclothymic Disorder (139) <i>Specify if:</i> With anxious distress
____ (____)	Substance/Medication-Induced Bipolar and Related Disorder (142) Note: See the criteria set and corresponding recording procedures for substance-specific codes and ICD-9-CM and ICD-10-CM coding. <i>Specify if:</i> With onset during intoxication, With onset during withdrawal
293.83 (____)	Bipolar and Related Disorder Due to Another Medical Condition (145) <i>Specify if:</i>
(F06.33)	With manic features
(F06.33)	With manic- or hypomanic-like episode
(F06.34)	With mixed features
296.89 (F31.89)	Other Specified Bipolar and Related Disorder (148)
296.80 (F31.9)	Unspecified Bipolar and Related Disorder (149)

Depressive Disorders (155)

The following specifiers apply to Depressive Disorders where indicated:

^a*Specify:* With anxious distress (*specify* current severity: mild, moderate, moderate-severe, severe); With mixed features; With melancholic features; With atypical features; With mood-congruent psychotic features; With mood-incongruent psychotic features; With catatonia (use additional code 293.89 [F06.1]); With peripartum onset; With seasonal pattern

296.99 (F34.8)	Disruptive Mood Dysregulation Disorder (156)
____ (____)	Major Depressive Disorder ^a (160)
____ (____)	Single episode
296.21 (F32.0)	Mild
296.22 (F32.1)	Moderate
296.23 (F32.2)	Severe
296.24 (F32.3)	With psychotic features
296.25 (F32.4)	In partial remission
296.26 (F32.5)	In full remission
296.20 (F32.9)	Unspecified
____ (____)	Recurrent episode
296.31 (F33.0)	Mild
296.32 (F33.1)	Moderate
296.33 (F33.2)	Severe
296.34 (F33.3)	With psychotic features
296.35 (F33.41)	In partial remission
296.36 (F33.42)	In full remission
296.30 (F33.9)	Unspecified
300.4 (F34.1)	Persistent Depressive Disorder (Dysthymia) ^a (168) <i>Specify if:</i> In partial remission, In full remission <i>Specify if:</i> Early onset, Late onset <i>Specify if:</i> With pure dysthymic syndrome; With persistent major depressive episode; With intermittent major depressive episodes, with current

		episode; With intermittent major depressive episodes, without current episode
		<i>Specify</i> current severity: Mild, Moderate, Severe
625.4	(N94.3)	Premenstrual Dysphoric Disorder (171)
___.	(___.)	Substance/Medication-Induced Depressive Disorder (175)
		Note: See the criteria set and corresponding recording procedures for substance-specific codes and ICD-9-CM and ICD-10-CM coding.
		<i>Specify</i> if: With onset during intoxication, With onset during withdrawal
293.83	(___.)	Depressive Disorder Due to Another Medical Condition (180)
		<i>Specify</i> if:
	(F06.31)	With depressive features
	(F06.32)	With major depressive-like episode
	(F06.34)	With mixed features
311	(F32.8)	Other Specified Depressive Disorder (183)
311	(F32.9)	Unspecified Depressive Disorder (184)

Anxiety Disorders (189)

309.21	(F93.0)	Separation Anxiety Disorder (190)
312.23	(F94.0)	Selective Mutism (195)
300.29	(___.)	Specific Phobia (197)
		<i>Specify</i> if:
	(F40.218)	Animal
	(F40.228)	Natural environment
	(___.)	Blood-injection-injury
	(F40.230)	Fear of blood
	(F40.231)	Fear of injections and transfusions
	(F40.232)	Fear of other medical care
	(F40.233)	Fear of injury
	(F40.248)	Situational
	(F40.298)	Other
300.23	(F40.10)	Social Anxiety Disorder (Social Phobia) (202)
		<i>Specify</i> if: Performance only
300.01	(F41.0)	Panic Disorder (208)
___.	(___.)	Panic Attack Specifier (214)
300.22	(F40.00)	Agoraphobia (217)
300.02	(F41.1)	Generalized Anxiety Disorder (222)
___.	(___.)	Substance/Medication-Induced Anxiety Disorder (226)
		Note: See the criteria set and corresponding recording procedures for substance-specific codes and ICD-9-CM and ICD-10-CM coding.
		<i>Specify</i> if: With onset during intoxication, With onset during withdrawal, With onset after medication use

- 293.84 (F06.4)** Anxiety Disorder Due to Another Medical Condition (230)
- 300.09 (F41.8)** Other Specified Anxiety Disorder (233)
- 300.00 (F41.9)** Unspecified Anxiety Disorder (233)

Obsessive-Compulsive and Related Disorders (235)

The following specifier applies to Obsessive-Compulsive and Related Disorders where indicated:
^a*Specify* if: With good or fair insight, With poor insight, With absent insight/delusional beliefs

- 300.3 (F42)** Obsessive-Compulsive Disorder^a (237)
 Specify if: Tic-related
- 300.7 (F45.22)** Body Dysmorphic Disorder^a (242)
 Specify if: With muscle dysmorphia
- 300.3 (F42)** Hoarding Disorder^a (247)
 Specify if: With excessive acquisition
- 312.39 (F63.2)** Trichotillomania (Hair-Pulling Disorder) (251)
- 698.4 (L98.1)** Excoriation (Skin-Picking) Disorder (254)
- ___ (___)** Substance/Medication-Induced Obsessive-Compulsive and
 Related Disorder (257)
 Note: See the criteria set and corresponding recording procedures for
 substance-specific codes and ICD-9-CM and ICD-10-CM coding.
 Specify if: With onset during intoxication, With onset during withdrawal,
 With onset after medication use
- 294.8 (F06.8)** Obsessive-Compulsive and Related Disorder Due to Another
 Medical Condition (260)
 Specify if: With obsessive-compulsive disorder-like symptoms, With
 appearance preoccupations, With hoarding symptoms, With hair-
 pulling symptoms, With skin-picking symptoms
- 300.3 (F42)** Other Specified Obsessive-Compulsive and Related Disorder
 (263)
- 300.3 (F42)** Unspecified Obsessive-Compulsive and Related Disorder (264)

Trauma- and Stressor-Related Disorders (265)

- 313.89 (F94.1)** Reactive Attachment Disorder (265)
 Specify if: Persistent
 Specify current severity: Severe
- 313.89 (F94.2)** Disinhibited Social Engagement Disorder (268)
 Specify if: Persistent
 Specify current severity: Severe
- 309.81 (F43.10)** Posttraumatic Stress Disorder (includes Posttraumatic Stress
 Disorder for Children 6 Years and Younger) (271)
 Specify whether: With dissociative symptoms
 Specify if: With delayed expression
- 308.3 (F43.0)** Acute Stress Disorder (280)

____ (____)	Adjustment Disorders (286)
	<i>Specify whether:</i>
309.0 (F43.21)	With depressed mood
309.24 (F43.22)	With anxiety
309.28 (F43.23)	With mixed anxiety and depressed mood
309.3 (F43.24)	With disturbance of conduct
309.4 (F43.25)	With mixed disturbance of emotions and conduct
309.9 (F43.20)	Unspecified
309.89 (F43.8)	Other Specified Trauma- and Stressor-Related Disorder (289)
309.9 (F43.9)	Unspecified Trauma- and Stressor-Related Disorder (290)

Dissociative Disorders (291)

300.14 (F44.81)	Dissociative Identity Disorder (292)
300.12 (F44.0)	Dissociative Amnesia (298)
	<i>Specify if:</i>
300.13 (F44.1)	With dissociative fugue
300.6 (F48.1)	Depersonalization/Derealization Disorder (302)
300.15 (F44.89)	Other Specified Dissociative Disorder (306)
300.15 (F44.9)	Unspecified Dissociative Disorder (307)

Somatic Symptom and Related Disorders (309)

300.82 (F45.1)	Somatic Symptom Disorder (311)
	<i>Specify if:</i> With predominant pain
	<i>Specify if:</i> Persistent
	<i>Specify current severity:</i> Mild, Moderate, Severe
300.7 (F45.21)	Illness Anxiety Disorder (315)
	<i>Specify whether:</i> Care seeking type, Care avoidant type
300.11 (____)	Conversion Disorder (Functional Neurological Symptom Disorder) (318)
	<i>Specify symptom type:</i>
(F44.4)	With weakness or paralysis
(F44.4)	With abnormal movement
(F44.4)	With swallowing symptoms
(F44.4)	With speech symptom
(F44.5)	With attacks or seizures
(F44.6)	With anesthesia or sensory loss
(F44.6)	With special sensory symptom
(F44.7)	With mixed symptoms
	<i>Specify if:</i> Acute episode, Persistent
	<i>Specify if:</i> With psychological stressor (specify stressor), Without psychological stressor

316 (F54)	Psychological Factors Affecting Other Medical Conditions (322) <i>Specify</i> current severity: Mild, Moderate, Severe, Extreme
300.19 (F68.10)	Factitious Disorder (includes Factitious Disorder Imposed on Self, Factitious Disorder Imposed on Another) (324) <i>Specify</i> Single episode, Recurrent episodes
300.89 (F45.8)	Other Specified Somatic Symptom and Related Disorder (327)
300.82 (F45.9)	Unspecified Somatic Symptom and Related Disorder (327)

Feeding and Eating Disorders (329)

The following specifiers apply to Feeding and Eating Disorders where indicated:

^a*Specify* if: In remission

^b*Specify* if: In partial remission, In full remission

^c*Specify* current severity: Mild, Moderate, Severe, Extreme

307.52 (___.)	Pica ^a (329)
(F98.3)	In children
(F50.8)	In adults
307.53 (F98.21)	Rumination Disorder ^a (332)
307.59 (F50.8)	Avoidant/Restrictive Food Intake Disorder ^a (334)
307.1 (___.)	Anorexia Nervosa ^{b, c} (338) <i>Specify</i> whether:
(F50.01)	Restricting type
(F50.02)	Binge-eating/purging type
307.51 (F50.2)	Bulimia Nervosa ^{b, c} (345)
307.51 (F50.8)	Binge-Eating Disorder ^{b, c} (350)
307.59 (F50.8)	Other Specified Feeding or Eating Disorder (353)
307.50 (F50.9)	Unspecified Feeding or Eating Disorder (354)

Elimination Disorders (355)

307.6 (F98.0)	Enuresis (355) <i>Specify</i> whether: Nocturnal only, Diurnal only, Nocturnal and diurnal
307.7 (F98.1)	Encopresis (357) <i>Specify</i> whether: With constipation and overflow incontinence, Without constipation and overflow incontinence
___ (___.)	Other Specified Elimination Disorder (359)
788.39 (N39.498)	With urinary symptoms
787.60 (R15.9)	With fecal symptoms
___ (___.)	Unspecified Elimination Disorder (360)
788.30 (R32)	With urinary symptoms
787.60 (R15.9)	With fecal symptoms

Sleep-Wake Disorders (361)

The following specifiers apply to Sleep-Wake Disorders where indicated:

^a*Specify* if: Episodic, Persistent, Recurrent

^b*Specify* if: Acute, Subacute, Persistent

^c*Specify* current severity: Mild, Moderate, Severe

- 780.52 (G47.00)** Insomnia Disorder^a (362)
Specify if: With non-sleep disorder mental comorbidity, With other medical comorbidity, With other sleep disorder
- 780.54 (G47.10)** Hypersomnolence Disorder^{b, c} (368)
Specify if: With mental disorder, With medical condition, With another sleep disorder
- ___.__ (___.__)** Narcolepsy^c (372)
Specify whether:
 - 347.00 (G47.419)** Narcolepsy without cataplexy but with hypocretin deficiency
 - 347.01 (G47.411)** Narcolepsy with cataplexy but without hypocretin deficiency
 - 347.00 (G47.419)** Autosomal dominant cerebellar ataxia, deafness, and narcolepsy
 - 347.00 (G47.419)** Autosomal dominant narcolepsy, obesity, and type 2 diabetes
 - 347.10 (G47.429)** Narcolepsy secondary to another medical condition

Breathing-Related Sleep Disorders (378)

- 327.23 (G47.33)** Obstructive Sleep Apnea Hypopnea^c (378)
- ___.__ (___.__)** Central Sleep Apnea (383)
Specify whether:
 - 327.21 (G47.31)** Idiopathic central sleep apnea
 - 786.04 (R06.3)** Cheyne-Stokes breathing
 - 780.57 (G47.37)** Central sleep apnea comorbid with opioid use
Note: First code opioid use disorder, if present.
Specify current severity
- ___.__ (___.__)** Sleep-Related Hypoventilation (387)
Specify whether:
 - 327.24 (G47.34)** Idiopathic hypoventilation
 - 327.25 (G47.35)** Congenital central alveolar hypoventilation
 - 327.26 (G47.36)** Comorbid sleep-related hypoventilation
Specify current severity
- ___.__ (___.__)** Circadian Rhythm Sleep-Wake Disorders^a (390)
Specify whether:
 - 307.45 (G47.21)** Delayed sleep phase type (391)
Specify if: Familial, Overlapping with non-24-hour sleep-wake type
 - 307.45 (G47.22)** Advanced sleep phase type (393)
Specify if: Familial
 - 307.45 (G47.23)** Irregular sleep-wake type (394)
 - 307.45 (G47.24)** Non-24-hour sleep-wake type (396)

- 307.45 (G47.26) Shift work type (397)
- 307.45 (G47.20) Unspecified type

Parasomnias (399)

- ___.__ (___.__) Non-Rapid Eye Movement Sleep Arousal Disorders (399)
Specify whether:
 - 307.46 (F51.3) Sleepwalking type
Specify if: With sleep-related eating, With sleep-related sexual behavior (sexsomnia)
 - 307.46 (F51.4) Sleep terror type
 - 307.47 (F51.5) Nightmare Disorder^{b, c} (404)
Specify if: During sleep onset
Specify if: With associated non-sleep disorder, With associated other medical condition, With associated other sleep disorder
- 327.42 (G47.52) Rapid Eye Movement Sleep Behavior Disorder (407)
- 333.94 (G25.81) Restless Legs Syndrome (410)
- ___.__ (___.__) Substance/Medication-Induced Sleep Disorder (413)
Note: See the criteria set and corresponding recording procedures for substance-specific codes and ICD-9-CM and ICD-10-CM coding.
Specify whether: Insomnia type, Daytime sleepiness type, Parasomnia type, Mixed type
Specify if: With onset during intoxication, With onset during discontinuation/withdrawal
- 780.52 (G47.09) Other Specified Insomnia Disorder (420)
- 780.52 (G47.00) Unspecified Insomnia Disorder (420)
- 780.54 (G47.19) Other Specified Hypersomnolence Disorder (421)
- 780.54 (G47.10) Unspecified Hypersomnolence Disorder (421)
- 780.59 (G47.8) Other Specified Sleep-Wake Disorder (421)
- 780.59 (G47.9) Unspecified Sleep-Wake Disorder (422)

Sexual Dysfunctions (423)

The following specifiers apply to Sexual Dysfunctions where indicated:

^a*Specify* whether: Lifelong, Acquired

^b*Specify* whether: Generalized, Situational

^c*Specify* current severity: Mild, Moderate, Severe

- 302.74 (F52.32) Delayed Ejaculation^{a, b, c} (424)
- 302.72 (F52.21) Erectile Disorder^{a, b, c} (426)
- 302.73 (F52.31) Female Orgasmic Disorder^{a, b, c} (429)
Specify if: Never experienced an orgasm under any situation
- 302.72 (F52.22) Female Sexual Interest/Arousal Disorder^{a, b, c} (433)
- 302.76 (F52.6) Genito-Pelvic Pain/Penetration Disorder^{a, c} (437)

302.71 (F52.0)	Male Hypoactive Sexual Desire Disorder ^{a, b, c} (440)
302.75 (F52.4)	Premature (Early) Ejaculation ^{a, b, c} (443)
____ (____)	Substance/Medication-Induced Sexual Dysfunction ^c (446) Note: See the criteria set and corresponding recording procedures for substance-specific codes and ICD-9-CM and ICD-10-CM coding. <i>Specify</i> if: With onset during intoxication, With onset during withdrawal, With onset after medication use
302.79 (F52.8)	Other Specified Sexual Dysfunction (450)
302.70 (F52.9)	Unspecified Sexual Dysfunction (450)

Gender Dysphoria (451)

____ (____)	Gender Dysphoria (452)
302.6 (F64.2)	Gender Dysphoria in Children <i>Specify</i> if: With a disorder of sex development
302.85 (F64.1)	Gender Dysphoria in Adolescents and Adults <i>Specify</i> if: With a disorder of sex development <i>Specify</i> if: Posttransition Note: Code the disorder of sex development if present, in addition to gender dysphoria.
302.6 (F64.8)	Other Specified Gender Dysphoria (459)
302.6 (F64.9)	Unspecified Gender Dysphoria (459)

Disruptive, Impulse-Control, and Conduct Disorders (461)

313.81 (F91.3)	Oppositional Defiant Disorder (462) <i>Specify</i> current severity: Mild, Moderate, Severe
312.34 (F63.81)	Intermittent Explosive Disorder (466)
____ (____)	Conduct Disorder (469) <i>Specify</i> whether:
312.81 (F91.1)	Childhood-onset type
312.32 (F91.2)	Adolescent-onset type
312.89 (F91.9)	Unspecified onset <i>Specify</i> if: With limited prosocial emotions <i>Specify</i> current severity: Mild, Moderate, Severe
301.7 (F60.2)	Antisocial Personality Disorder (476)
312.33 (F63.1)	Pyromania (476)
312.32 (F63.3)	Kleptomania (478)
312.89 (F91.8)	Other Specified Disruptive, Impulse-Control, and Conduct Disorder (479)
312.9 (F91.9)	Unspecified Disruptive, Impulse-Control, and Conduct Disorder (480)

Substance-Related and Addictive Disorders (481)

The following specifiers and note apply to Substance-Related and Addictive Disorders where indicated:

^a*Specify* if: In early remission, In sustained remission

^b*Specify* if: In a controlled environment

^c*Specify* if: With perceptual disturbances

^dThe ICD-10-CM code indicates the comorbid presence of a moderate or severe substance use disorder, which must be present in order to apply the code for substance withdrawal.

Substance-Related Disorders (483)

Alcohol-Related Disorders (490)

____ (____) Alcohol Use Disorder^{a, b} (490)

Specify current severity:

305.00 (F10.10) Mild

303.90 (F10.20) Moderate

303.90 (F10.20) Severe

303.00 (____) Alcohol Intoxication (497)

(F10.129) With use disorder, mild

(F10.229) With use disorder, moderate or severe

(F10.929) Without use disorder

291.81 (____) Alcohol Withdrawal^{c, d} (499)

(F10.239) Without perceptual disturbances

(F10.232) With perceptual disturbances

____ (____) Other Alcohol-Induced Disorders (502)

291.9 (F10.99) Unspecified Alcohol-Related Disorder (503)

Caffeine-Related Disorders (503)

305.90 (F15.929) Caffeine Intoxication (503)

292.0 (F15.93) Caffeine Withdrawal (506)

____ (____) Other Caffeine-Induced Disorders (508)

292.9 (F15.99) Unspecified Caffeine-Related Disorder (509)

Cannabis-Related Disorders (509)

____ (____) Cannabis Use Disorder^{a, b} (509)

Specify current severity:

305.20 (F12.10) Mild

304.30 (F12.20) Moderate

304.30 (F12.20) Severe

292.89	(__. __)	Cannabis Intoxication ^c (516)
		Without perceptual disturbances
	(F12.129)	With use disorder, mild
	(F12.229)	With use disorder, moderate or severe
	(F12.929)	Without use disorder
		With perceptual disturbances
	(F12.122)	With use disorder, mild
	(F12.222)	With use disorder, moderate or severe
	(F12.922)	Without use disorder
292.0	(F12.288)	Cannabis Withdrawal ^d (517)
___. __	(__. __)	Other Cannabis-Induced Disorders (519)
292.9	(F12.99)	Unspecified Cannabis-Related Disorder (519)
Hallucinogen-Related Disorders (520)		
___. __	(__. __)	Phencyclidine Use Disorder ^{a, b} (520)
		<i>Specify</i> current severity:
305.90	(F16.10)	Mild
304.60	(F16.20)	Moderate
304.60	(F16.20)	Severe
___. __	(__. __)	Other Hallucinogen Use Disorder ^{a, b} (523)
		<i>Specify</i> the particular hallucinogen
		<i>Specify</i> current severity:
305.30	(F16.10)	Mild
304.50	(F16.20)	Moderate
304.50	(F16.20)	Severe
292.89	(__. __)	Phencyclidine Intoxication (527)
	(F16.129)	With use disorder, mild
	(F16.229)	With use disorder, moderate or severe
	(F16.929)	Without use disorder
292.89	(__. __)	Other Hallucinogen Intoxication (529)
	(F16.129)	With use disorder, mild
	(F16.229)	With use disorder, moderate or severe
	(F16.929)	Without use disorder
292.89	(F16.983)	Hallucinogen Persisting Perception Disorder (531)
___. __	(__. __)	Other Phencyclidine-Induced Disorders (532)
___. __	(__. __)	Other Hallucinogen-Induced Disorders (532)
292.9	(F16.99)	Unspecified Phencyclidine-Related Disorder (533)
292.9	(F16.99)	Unspecified Hallucinogen-Related Disorder (533)
Inhalant-Related Disorders (533)		
___. __	(__. __)	Inhalant Use Disorder ^{a, b} (533)
		<i>Specify</i> the particular inhalant
		<i>Specify</i> current severity:
305.90	(F18.10)	Mild

DSM-5 Classification

304.60 (F18.20) Moderate

304.60 (F18.20) Severe

292.89 (___.) Inhalant Intoxication (538)

(F18.129) With use disorder, mild

(F18.229) With use disorder, moderate or severe

(F18.929) Without use disorder

___ (___.) Other Inhalant-Induced Disorders (540)

292.9 (F18.99) Unspecified Inhalant-Related Disorder (540)

Opioid-Related Disorders (540)

___ (___.) Opioid Use Disorder^a (541)

Specify if: On maintenance therapy, In a controlled environment

Specify current severity:

305.50 (F11.10) Mild

304.00 (F11.20) Moderate

304.00 (F11.20) Severe

292.89 (___.) Opioid Intoxication^c (546)

Without perceptual disturbances

(F11.129) With use disorder, mild

(F11.229) With use disorder, moderate or severe

(F11.929) Without use disorder

With perceptual disturbances

(F11.122) With use disorder, mild

(F11.222) With use disorder, moderate or severe

(F11.922) Without use disorder

292.0 (F11.23) Opioid Withdrawal^d (547)

___ (___.) Other Opioid-Induced Disorders (549)

292.9 (F11.99) Unspecified Opioid-Related Disorder (550)

Sedative-, Hypnotic-, or Anxiolytic-Related Disorders (550)

___ (___.) Sedative, Hypnotic, or Anxiolytic Use Disorder^{a, b} (550)

Specify current severity:

305.40 (F13.10) Mild

304.10 (F13.20) Moderate

304.10 (F13.20) Severe

292.89 (___.) Sedative, Hypnotic, or Anxiolytic Intoxication (556)

(F13.129) With use disorder, mild

(F13.229) With use disorder, moderate or severe

(F13.929) Without use disorder

292.0 (___.) Sedative, Hypnotic, or Anxiolytic Withdrawal^{c, d} (557)

(F13.239) Without perceptual disturbances

(F13.232) With perceptual disturbances

____ (____) Other Sedative-, Hypnotic-, or Anxiolytic-Induced Disorders
(560)

292.9 (F13.99) Unspecified Sedative-, Hypnotic-, or Anxiolytic-Related Disorder
(560)

Stimulant-Related Disorders (561)

____ (____) Stimulant Use Disorder^{a, b} (561)

Specify current severity:

____ (____) Mild

305.70 (F15.10) Amphetamine-type substance

305.60 (F14.10) Cocaine

305.70 (F15.10) Other or unspecified stimulant

____ (____) Moderate

304.40 (F15.20) Amphetamine-type substance

304.20 (F14.20) Cocaine

304.40 (F15.20) Other or unspecified stimulant

____ (____) Severe

304.40 (F15.20) Amphetamine-type substance

304.20 (F14.20) Cocaine

304.40 (F15.20) Other or unspecified stimulant

292.89 (____) Stimulant Intoxication^c (567)

Specify the specific intoxicant

292.89 (____) Amphetamine or other stimulant, Without perceptual
disturbances

(F15.129) With use disorder, mild

(F15.229) With use disorder, moderate or severe

(F15.929) Without use disorder

292.89 (____) Cocaine, Without perceptual disturbances

(F14.129) With use disorder, mild

(F14.229) With use disorder, moderate or severe

(F14.929) Without use disorder

292.89 (____) Amphetamine or other stimulant, With perceptual
disturbances

(F15.122) With use disorder, mild

(F15.222) With use disorder, moderate or severe

(F15.922) Without use disorder

292.89 (____) Cocaine, With perceptual disturbances

(F14.122) With use disorder, mild

(F14.222) With use disorder, moderate or severe

(F14.922) Without use disorder

292.0 (____) Stimulant Withdrawal^d (569)

Specify the specific substance causing the withdrawal syndrome

(F15.23) Amphetamine or other stimulant

(F14.23) Cocaine

____ (____) Other Stimulant-Induced Disorders (570)

- 292.9** (____) Unspecified Stimulant-Related Disorder (570)
 - (F15.99) Amphetamine or other stimulant
 - (F14.99) Cocaine

Tobacco-Related Disorders (571)

- ____ (____) Tobacco Use Disorder^a (571)
Specify if: On maintenance therapy, In a controlled environment
Specify current severity:
 - 305.1** (Z72.0) Mild
 - 305.1** (F17.200) Moderate
 - 305.1** (F17.200) Severe
- 292.0** (F17.203) Tobacco Withdrawal^d (575)
- ____ (____) Other Tobacco-Induced Disorders (576)
- 292.9** (F17.209) Unspecified Tobacco-Related Disorder (577)

Other (or Unknown) Substance-Related Disorders (577)

- ____ (____) Other (or Unknown) Substance Use Disorder^{a, b} (577)
Specify current severity:
 - 305.90** (F19.10) Mild
 - 304.90** (F19.20) Moderate
 - 304.90** (F19.20) Severe
- 292.89** (____) Other (or Unknown) Substance Intoxication (581)
 - (F19.129) With use disorder, mild
 - (F19.229) With use disorder, moderate or severe
 - (F19.929) Without use disorder
- 292.0** (F19.239) Other (or Unknown) Substance Withdrawal^d (583)
- ____ (____) Other (or Unknown) Substance-Induced Disorders (584)
- 292.9** (F19.99) Unspecified Other (or Unknown) Substance-Related Disorder (585)

Non-Substance-Related Disorders (585)

- 312.31** (F63.0) Gambling Disorder^a (585)
Specify if: Episodic, Persistent
Specify current severity: Mild, Moderate, Severe

Neurocognitive Disorders (591)

- ____ (____) Delirium (596)
^a**Note:** See the criteria set and corresponding recording procedures for substance-specific codes and ICD-9-CM and ICD-10-CM coding.
Specify whether:
 - ____ (____) Substance intoxication delirium^a
 - ____ (____) Substance withdrawal delirium^a
 - 292.81** (____) Medication-induced delirium^a
 - 293.0** (F05) Delirium due to another medical condition

- 293.0 (F05)** Delirium due to multiple etiologies
 - Specify if:* Acute, Persistent
 - Specify if:* Hyperactive, Hypoactive, Mixed level of activity
- 780.09 (R41.0)** Other Specified Delirium (602)
- 780.09 (R41.0)** Unspecified Delirium (602)

Major and Mild Neurocognitive Disorders (602)

Specify whether due to: Alzheimer’s disease, Frontotemporal lobar degeneration, Lewy body disease, Vascular disease, Traumatic brain injury, Substance/medication use, HIV infection, Prion disease, Parkinson’s disease, Huntington’s disease, Another medical condition, Multiple etiologies, Unspecified

^a*Specify* Without behavioral disturbance, With behavioral disturbance. *For possible major neurocognitive disorder and for mild neurocognitive disorder, behavioral disturbance cannot be coded but should still be indicated in writing.*

^b*Specify* current severity: Mild, Moderate, Severe. *This specifier applies only to major neurocognitive disorders (including probable and possible).*

Note: As indicated for each subtype, an additional medical code is needed for probable major neurocognitive disorder or major neurocognitive disorder. An additional medical code should *not* be used for possible major neurocognitive disorder or mild neurocognitive disorder.

Major or Mild Neurocognitive Disorder Due to Alzheimer’s Disease (611)

- ___.__ (___.__)** Probable Major Neurocognitive Disorder Due to Alzheimer’s Disease^b
 - Note:** Code first **331.0 (G30.9)** Alzheimer’s disease.
- 294.11 (F02.81)** With behavioral disturbance
- 294.10 (F02.80)** Without behavioral disturbance
- 331.9 (G31.9)** Possible Major Neurocognitive Disorder Due to Alzheimer’s Disease^{a, b}
- 331.83 (G31.84)** Mild Neurocognitive Disorder Due to Alzheimer’s Disease^a

Major or Mild Frontotemporal Neurocognitive Disorder (614)

- ___.__ (___.__)** Probable Major Neurocognitive Disorder Due to Frontotemporal Lobar Degeneration^b
 - Note:** Code first **331.19 (G31.09)** frontotemporal disease.
- 294.11 (F02.81)** With behavioral disturbance
- 294.10 (F02.80)** Without behavioral disturbance
- 331.9 (G31.9)** Possible Major Neurocognitive Disorder Due to Frontotemporal Lobar Degeneration^{a, b}
- 331.83 (G31.84)** Mild Neurocognitive Disorder Due to Frontotemporal Lobar Degeneration^a

Major or Mild Neurocognitive Disorder With Lewy Bodies (618)

- ___.__ (___.__)** Probable Major Neurocognitive Disorder With Lewy Bodies^b
 - Note:** Code first **331.82 (G31.83)** Lewy body disease.
- 294.11 (F02.81)** With behavioral disturbance
- 294.10 (F02.80)** Without behavioral disturbance

- 331.9 (G31.9)** Possible Major Neurocognitive Disorder With Lewy Bodies^{a, b}
- 331.83 (G31.84)** Mild Neurocognitive Disorder With Lewy Bodies^a

Major or Mild Vascular Neurocognitive Disorder (621)

- ___.__ (___.__)** Probable Major Vascular Neurocognitive Disorder^b
Note: No additional medical code for vascular disease.

- 290.40 (F01.51)** With behavioral disturbance
- 290.40 (F01.50)** Without behavioral disturbance

- 331.9 (G31.9)** Possible Major Vascular Neurocognitive Disorder^{a, b}
- 331.83 (G31.84)** Mild Vascular Neurocognitive Disorder^a

Major or Mild Neurocognitive Disorder Due to Traumatic Brain Injury (624)

- ___.__ (___.__)** Major Neurocognitive Disorder Due to Traumatic Brain Injury^b
Note: For ICD-9-CM, code first **907.0** late effect of intracranial injury without skull fracture. For ICD-10-CM, code first **S06.2X9S** diffuse traumatic brain injury with loss of consciousness of unspecified duration, sequela.

- 294.11 (F02.81)** With behavioral disturbance
- 294.10 (F02.80)** Without behavioral disturbance

- 331.83 (G31.84)** Mild Neurocognitive Disorder Due to Traumatic Brain Injury^a

Substance/Medication-Induced Major or Mild Neurocognitive Disorder^a (627)

Note: No additional medical code. See the criteria set and corresponding recording procedures for substance-specific codes and ICD-9-CM and ICD-10-CM coding.
Specify if: Persistent

Major or Mild Neurocognitive Disorder Due to HIV Infection (632)

- ___.__ (___.__)** Major Neurocognitive Disorder Due to HIV Infection^b
Note: Code first **042 (B20)** HIV infection.

- 294.11 (F02.81)** With behavioral disturbance
- 294.10 (F02.80)** Without behavioral disturbance

- 331.83 (G31.84)** Mild Neurocognitive Disorder Due to HIV Infection^a

Major or Mild Neurocognitive Disorder Due to Prion Disease (634)

- ___.__ (___.__)** Major Neurocognitive Disorder Due to Prion Disease^b
Note: Code first **046.79 (A81.9)** prion disease.

- 294.11 (F02.81)** With behavioral disturbance
- 294.10 (F02.80)** Without behavioral disturbance

- 331.83 (G31.84)** Mild Neurocognitive Disorder Due to Prion Disease^a

Major or Mild Neurocognitive Disorder Due to Parkinson's Disease (636)

- ___.__ (___.__)** Major Neurocognitive Disorder Probably Due to Parkinson's Disease^b
Note: Code first **332.0 (G20)** Parkinson's disease.

- 294.11 (F02.81)** With behavioral disturbance
- 294.10 (F02.80)** Without behavioral disturbance

331.9 (G31.9) Major Neurocognitive Disorder Possibly Due to Parkinson’s Disease^{a, b}

331.83 (G31.84) Mild Neurocognitive Disorder Due to Parkinson’s Disease^a

Major or Mild Neurocognitive Disorder Due to Huntington’s Disease (638)

___.__ (___.__) Major Neurocognitive Disorder Due to Huntington’s Disease^b
Note: Code first 333.4 (G10) Huntington’s disease.

294.11 (F02.81) With behavioral disturbance

294.10 (F02.80) Without behavioral disturbance

331.83 (G31.84) Mild Neurocognitive Disorder Due to Huntington’s Disease^a

Major or Mild Neurocognitive Disorder Due to Another Medical Condition (641)

___.__ (___.__) Major Neurocognitive Disorder Due to Another Medical Condition^b
Note: Code first the other medical condition.

294.11 (F02.81) With behavioral disturbance

294.10 (F02.80) Without behavioral disturbance

331.83 (G31.84) Mild Neurocognitive Disorder Due to Another Medical Condition^a

Major or Mild Neurocognitive Disorder Due to Multiple Etiologies (642)

___.__ (___.__) Major Neurocognitive Disorder Due to Multiple Etiologies^b
Note: Code first all the etiological medical conditions (with the exception of vascular disease).

294.11 (F02.81) With behavioral disturbance

294.10 (F02.80) Without behavioral disturbance

331.83 (G31.84) Mild Neurocognitive Disorder Due to Multiple Etiologies^a

Unspecified Neurocognitive Disorder (643)

799.59 (R41.9) Unspecified Neurocognitive Disorder^a

Personality Disorders (645)

Cluster A Personality Disorders

301.0 (F60.0) Paranoid Personality Disorder (649)

301.20 (F60.1) Schizoid Personality Disorder (652)

301.22 (F21) Schizotypal Personality Disorder (655)

Cluster B Personality Disorders

301.7 (F60.2) Antisocial Personality Disorder (659)

301.83 (F60.3) Borderline Personality Disorder (663)

301.50 (F60.4) Histrionic Personality Disorder (667)

301.81 (F60.81) Narcissistic Personality Disorder (669)

Cluster C Personality Disorders

- 301.82 (F60.6)** Avoidant Personality Disorder (672)
- 301.6 (F60.7)** Dependent Personality Disorder (675)
- 301.4 (F60.5)** Obsessive-Compulsive Personality Disorder (678)

Other Personality Disorders

- 310.1 (F07.0)** Personality Change Due to Another Medical Condition (682)
Specify whether: Labile type, Disinhibited type, Aggressive type, Apathetic type, Paranoid type, Other type, Combined type, Unspecified type
- 301.89 (F60.89)** Other Specified Personality Disorder (684)
- 301.9 (F60.9)** Unspecified Personality Disorder (684)

Paraphilic Disorders (685)

The following specifier applies to Paraphilic Disorders where indicated:

^a*Specify* if: In a controlled environment, In full remission

- 302.82 (F65.3)** Voyeuristic Disorder^a (686)
- 302.4 (F65.2)** Exhibitionistic Disorder^a (689)
Specify whether: Sexually aroused by exposing genitals to prepubertal children, Sexually aroused by exposing genitals to physically mature individuals, Sexually aroused by exposing genitals to prepubertal children and to physically mature individuals
- 302.89 (F65.81)** Frotteuristic Disorder^a (691)
- 302.83 (F65.51)** Sexual Masochism Disorder^a (694)
Specify if: With asphyxiophilia
- 302.84 (F65.52)** Sexual Sadism Disorder^a (695)
- 302.2 (F65.4)** Pedophilic Disorder (697)
Specify whether: Exclusive type, Nonexclusive type
Specify if: Sexually attracted to males, Sexually attracted to females, Sexually attracted to both
Specify if: Limited to incest
- 302.81 (F65.0)** Fetishistic Disorder^a (700)
Specify: Body part(s), Nonliving object(s), Other
- 302.3 (F65.1)** Transvestic Disorder^a (702)
Specify if: With fetishism, With autogynephilia
- 302.89 (F65.89)** Other Specified Paraphilic Disorder (705)
- 302.9 (F65.9)** Unspecified Paraphilic Disorder (705)

Other Mental Disorders (707)

- 294.8 (F06.8)** Other Specified Mental Disorder Due to Another Medical Condition (707)
- 294.9 (F09)** Unspecified Mental Disorder Due to Another Medical Condition (708)
- 300.9 (F99)** Other Specified Mental Disorder (708)
- 300.9 (F99)** Unspecified Mental Disorder (708)

**Medication-Induced Movement Disorders and
Other Adverse Effects of Medication (709)**

- 332.1 (G21.11)** Neuroleptic-Induced Parkinsonism (709)
- 332.1 (G21.19)** Other Medication-Induced Parkinsonism (709)
- 333.92 (G21.0)** Neuroleptic Malignant Syndrome (709)
- 333.72 (G24.02)** Medication-Induced Acute Dystonia (711)
- 333.99 (G25.71)** Medication-Induced Acute Akathisia (711)
- 333.85 (G24.01)** Tardive Dyskinesia (712)
- 333.72 (G24.09)** Tardive Dystonia (712)
- 333.99 (G25.71)** Tardive Akathisia (712)
- 333.1 (G25.1)** Medication-Induced Postural Tremor (712)
- 333.99 (G25.79)** Other Medication-Induced Movement Disorder (712)
- ___ (___)** Antidepressant Discontinuation Syndrome (712)
- 995.29 (T43.205A)** Initial encounter
- 995.29 (T43.205D)** Subsequent encounter
- 995.29 (T43.205S)** Sequelae
- ___ (___)** Other Adverse Effect of Medication (714)
- 995.20 (T50.905A)** Initial encounter
- 995.20 (T50.905D)** Subsequent encounter
- 995.20 (T50.905S)** Sequelae

**Other Conditions That May Be a Focus
of Clinical Attention (715)**

Relational Problems (715)

Problems Related to Family Upbringing (715)

- V61.20 (Z62.820)** Parent-Child Relational Problem (715)
- V61.8 (Z62.891)** Sibling Relational Problem (716)
- V61.8 (Z62.29)** Upbringing Away From Parents (716)
- V61.29 (Z62.898)** Child Affected by Parental Relationship Distress (716)

Other Problems Related to Primary Support Group (716)

- V61.10 (Z63.0)** Relationship Distress With Spouse or Intimate Partner (716)
- V61.03 (Z63.5)** Disruption of Family by Separation or Divorce (716)
- V61.8 (Z63.8)** High Expressed Emotion Level Within Family (716)
- V62.82 (Z63.4)** Uncomplicated Bereavement (716)

Abuse and Neglect (717)

Child Maltreatment and Neglect Problems (717)

Child Physical Abuse (717)

Child Physical Abuse, Confirmed (717)

995.54 (T74.12XA) Initial encounter

995.54 (T74.12XD) Subsequent encounter

Child Physical Abuse, Suspected (717)

995.54 (T76.12XA) Initial encounter

995.54 (T76.12XD) Subsequent encounter

Other Circumstances Related to Child Physical Abuse (718)

V61.21 (Z69.010) Encounter for mental health services for victim of child abuse by parent

V61.21 (Z69.020) Encounter for mental health services for victim of nonparental child abuse

V15.41 (Z62.810) Personal history (past history) of physical abuse in childhood

V61.22 (Z69.011) Encounter for mental health services for perpetrator of parental child abuse

V62.83 (Z69.021) Encounter for mental health services for perpetrator of nonparental child abuse

Child Sexual Abuse (718)

Child Sexual Abuse, Confirmed (718)

995.53 (T74.22XA) Initial encounter

995.53 (T74.22XD) Subsequent encounter

Child Sexual Abuse, Suspected (718)

995.53 (T76.22XA) Initial encounter

995.53 (T76.22XD) Subsequent encounter

Other Circumstances Related to Child Sexual Abuse (718)

V61.21 (Z69.010) Encounter for mental health services for victim of child sexual abuse by parent

V61.21 (Z69.020) Encounter for mental health services for victim of nonparental child sexual abuse

V15.41 (Z62.810) Personal history (past history) of sexual abuse in childhood

V61.22 (Z69.011) Encounter for mental health services for perpetrator of parental child sexual abuse

V62.83 (Z69.021) Encounter for mental health services for perpetrator of nonparental child sexual abuse

Child Neglect (718)

Child Neglect, Confirmed (718)

995.52 (T74.02XA) Initial encounter

995.52 (T74.02XD) Subsequent encounter

Child Neglect, Suspected (719)

995.52 (T76.02XA) Initial encounter**995.52 (T76.02XD)** Subsequent encounter

Other Circumstances Related to Child Neglect (719)

V61.21 (Z69.010) Encounter for mental health services for victim of child neglect by parent**V61.21 (Z69.020)** Encounter for mental health services for victim of nonparental child neglect**V15.42 (Z62.812)** Personal history (past history) of neglect in childhood**V61.22 (Z69.011)** Encounter for mental health services for perpetrator of parental child neglect**V62.83 (Z69.021)** Encounter for mental health services for perpetrator of nonparental child neglect

Child Psychological Abuse (719)

Child Psychological Abuse, Confirmed (719)

995.51 (T74.32XA) Initial encounter**995.51 (T74.32XD)** Subsequent encounter

Child Psychological Abuse, Suspected (719)

995.51 (T76.32XA) Initial encounter**995.51 (T76.32XD)** Subsequent encounter

Other Circumstances Related to Child Psychological Abuse (719)

V61.21 (Z69.010) Encounter for mental health services for victim of child psychological abuse by parent**V61.21 (Z69.020)** Encounter for mental health services for victim of nonparental child psychological abuse**V15.42 (Z62.811)** Personal history (past history) of psychological abuse in childhood**V61.22 (Z69.011)** Encounter for mental health services for perpetrator of parental child psychological abuse**V62.83 (Z69.021)** Encounter for mental health services for perpetrator of nonparental child psychological abuse

Adult Maltreatment and Neglect Problems (720)

Spouse or Partner Violence, Physical (720)

Spouse or Partner Violence, Physical, Confirmed (720)

995.81 (T74.11XA) Initial encounter**995.81 (T74.11XD)** Subsequent encounter

Spouse or Partner Violence, Physical, Suspected (720)

995.81 (T76.11XA) Initial encounter**995.81 (T76.11XD)** Subsequent encounter

Other Circumstances Related to Spouse or Partner Violence, Physical (720)

V61.11 (Z69.11) Encounter for mental health services for victim of spouse or partner violence, physical

V15.41 (Z91.410) Personal history (past history) of spouse or partner violence, physical

V61.12 (Z69.12) Encounter for mental health services for perpetrator of spouse or partner violence, physical

Spouse or Partner Violence, Sexual (720)

Spouse or Partner Violence, Sexual, Confirmed (720)

995.83 (T74.21XA) Initial encounter

995.83 (T74.21XD) Subsequent encounter

Spouse or Partner Violence, Sexual, Suspected (720)

995.83 (T76.21XA) Initial encounter

995.83 (T76.21XD) Subsequent encounter

Other Circumstances Related to Spouse or Partner Violence, Sexual (720)

V61.11 (Z69.81) Encounter for mental health services for victim of spouse or partner violence, sexual

V15.41 (Z91.410) Personal history (past history) of spouse or partner violence, sexual

V61.12 (Z69.12) Encounter for mental health services for perpetrator of spouse or partner violence, sexual

Spouse or Partner, Neglect (721)

Spouse or Partner Neglect, Confirmed (721)

995.85 (T74.01XA) Initial encounter

995.85 (T74.01XD) Subsequent encounter

Spouse or Partner Neglect, Suspected (721)

995.85 (T76.01XA) Initial encounter

995.85 (T76.01XD) Subsequent encounter

Other Circumstances Related to Spouse or Partner Neglect (721)

V61.11 (Z69.11) Encounter for mental health services for victim of spouse or partner neglect

V15.42 (Z91.412) Personal history (past history) of spouse or partner neglect

V61.12 (Z69.12) Encounter for mental health services for perpetrator of spouse or partner neglect

Spouse or Partner Abuse, Psychological (721)

Spouse or Partner Abuse, Psychological, Confirmed (721)

995.82 (T74.31XA) Initial encounter

995.82 (T74.31XD) Subsequent encounter

Spouse or Partner Abuse, Psychological, Suspected (721)

995.82 (T76.31XA) Initial encounter

995.82 (T76.31XD) Subsequent encounter

Other Circumstances Related to Spouse or Partner Abuse, Psychological (721)

V61.11 (Z69.11) Encounter for mental health services for victim of spouse or partner psychological abuse

- V15.42 (Z91.411)** Personal history (past history) of spouse or partner psychological abuse
- V61.12 (Z69.12)** Encounter for mental health services for perpetrator of spouse or partner psychological abuse

Adult Abuse by Nonspouse or Nonpartner (722)

Adult Physical Abuse by Nonspouse or Nonpartner, Confirmed (722)

- 995.81 (T74.11XA)** Initial encounter
- 995.81 (T74.11XD)** Subsequent encounter

Adult Physical Abuse by Nonspouse or Nonpartner, Suspected (722)

- 995.81 (T76.11XA)** Initial encounter
- 995.81 (T76.11XD)** Subsequent encounter

Adult Sexual Abuse by Nonspouse or Nonpartner, Confirmed (722)

- 995.83 (T74.21XA)** Initial encounter
- 995.83 (T74.21XD)** Subsequent encounter

Adult Sexual Abuse by Nonspouse or Nonpartner, Suspected (722)

- 995.83 (T76.21XA)** Initial encounter
- 995.83 (T76.21XD)** Subsequent encounter

Adult Psychological Abuse by Nonspouse or Nonpartner, Confirmed (722)

- 995.82 (T74.31XA)** Initial encounter
- 995.82 (T74.31XD)** Subsequent encounter

Adult Psychological Abuse by Nonspouse or Nonpartner, Suspected (722)

- 995.82 (T76.31XA)** Initial encounter
- 995.82 (T76.31XD)** Subsequent encounter

Other Circumstances Related to Adult Abuse by Nonspouse or Nonpartner (722)

- V65.49 (Z69.81)** Encounter for mental health services for victim of nonspousal adult abuse
- V62.83 (Z69.82)** Encounter for mental health services for perpetrator of nonspousal adult abuse

Educational and Occupational Problems (723)

Educational Problems (723)

- V62.3 (Z55.9)** Academic or Educational Problem (723)

Occupational Problems (723)

- V62.21 (Z56.82)** Problem Related to Current Military Deployment Status (723)
- V62.29 (Z56.9)** Other Problem Related to Employment (723)

Housing and Economic Problems (723)

Housing Problems (723)

- V60.0 (Z59.0)** Homelessness (723)
- V60.1 (Z59.1)** Inadequate Housing (723)

- V60.89 (Z59.2)** Discord With Neighbor, Lodger, or Landlord (723)
- V60.6 (Z59.3)** Problem Related to Living in a Residential Institution (724)

Economic Problems (724)

- V60.2 (Z59.4)** Lack of Adequate Food or Safe Drinking Water (724)
- V60.2 (Z59.5)** Extreme Poverty (724)
- V60.2 (Z59.6)** Low Income (724)
- V60.2 (Z59.7)** Insufficient Social Insurance or Welfare Support (724)
- V60.9 (Z59.9)** Unspecified Housing or Economic Problem (724)

Other Problems Related to the Social Environment (724)

- V62.89 (Z60.0)** Phase of Life Problem (724)
- V60.3 (Z60.2)** Problem Related to Living Alone (724)
- V62.4 (Z60.3)** Acculturation Difficulty (724)
- V62.4 (Z60.4)** Social Exclusion or Rejection (724)
- V62.4 (Z60.5)** Target of (Perceived) Adverse Discrimination or Persecution (724)
- V62.9 (Z60.9)** Unspecified Problem Related to Social Environment (725)

Problems Related to Crime or Interaction With the Legal System (725)

- V62.89 (Z65.4)** Victim of Crime (725)
- V62.5 (Z65.0)** Conviction in Civil or Criminal Proceedings Without Imprisonment (725)
- V62.5 (Z65.1)** Imprisonment or Other Incarceration (725)
- V62.5 (Z65.2)** Problems Related to Release From Prison (725)
- V62.5 (Z65.3)** Problems Related to Other Legal Circumstances (725)

Other Health Service Encounters for Counseling and Medical Advice (725)

- V65.49 (Z70.9)** Sex Counseling (725)
- V65.40 (Z71.9)** Other Counseling or Consultation (725)

Problems Related to Other Psychosocial, Personal, and Environmental Circumstances (725)

- V62.89 (Z65.8)** Religious or Spiritual Problem (725)
- V61.7 (Z64.0)** Problems Related to Unwanted Pregnancy (725)
- V61.5 (Z64.1)** Problems Related to Multiparity (725)
- V62.89 (Z64.4)** Discord With Social Service Provider, Including Probation Officer, Case Manager, or Social Services Worker (725)
- V62.89 (Z65.4)** Victim of Terrorism or Torture (725)
- V62.22 (Z65.5)** Exposure to Disaster, War, or Other Hostilities (725)
- V62.89 (Z65.8)** Other Problem Related to Psychosocial Circumstances (725)
- V62.9 (Z65.9)** Unspecified Problem Related to Unspecified Psychosocial Circumstances (725)

Other Circumstances of Personal History (726)

- V15.49 (Z91.49)** Other Personal History of Psychological Trauma (726)
- V15.59 (Z91.5)** Personal History of Self-Harm (726)
- V62.22 (Z91.82)** Personal History of Military Deployment (726)
- V15.89 (Z91.89)** Other Personal Risk Factors (726)
- V69.9 (Z72.9)** Problem Related to Lifestyle (726)
- V71.01 (Z72.811)** Adult Antisocial Behavior (726)
- V71.02 (Z72.810)** Child or Adolescent Antisocial Behavior (726)

Problems Related to Access to Medical and Other Health Care (726)

- V63.9 (Z75.3)** Unavailability or Inaccessibility of Health Care Facilities (726)
- V63.8 (Z75.4)** Unavailability or Inaccessibility of Other Helping Agencies (726)

Nonadherence to Medical Treatment (726)

- V15.81 (Z91.19)** Nonadherence to Medical Treatment (726)
- 278.00 (E66.9)** Overweight or Obesity (726)
- V65.2 (Z76.5)** Malingering (726)
- V40.31 (Z91.83)** Wandering Associated With a Mental Disorder (727)
- V62.89 (R41.83)** Borderline Intellectual Functioning (727)