

PARETO-OPTIMAL BUILDING DESIGNS

Design 1

X1 - Relative Compactness: 0.7261923411613385

X2 - Surface Area: 692.0993770351749

X3 - Wall Area: 245.37226262007707

X4 - Roof Area: 212.89785380122595

X5 - Overall Height: 4.9716532302468694

X6 - Orientation: 2.0

X7 - Glazing Area: 0.00011491489826786008

X8 - Glazing Distribution: 0.0

Heating Load: 6.0784000000000304

Cooling Load: 11.0297599999999959

Design 2

X1 - Relative Compactness: 0.7262984783148789

X2 - Surface Area: 695.7303823801882

X3 - Wall Area: 253.22224744177615

X4 - Roof Area: 202.04655585442094

X5 - Overall Height: 4.739904734559091

X6 - Orientation: 2.0

X7 - Glazing Area: 0.0012125406636606657

X8 - Glazing Distribution: 0.0

Heating Load: 6.0784000000000304

Cooling Load: 11.029759999999959

Design 3

X1 - Relative Compactness: 0.7348130797701447

X2 - Surface Area: 690.0827126554826

X3 - Wall Area: 250.6110573579914

X4 - Roof Area: 214.55821752648941

X5 - Overall Height: 3.728896063156576

X6 - Orientation: 4.0

X7 - Glazing Area: 0.014861149601919144

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 4

X1 - Relative Compactness: 0.7460703010742019

X2 - Surface Area: 689.444465388263

X3 - Wall Area: 252.68731826566747

X4 - Roof Area: 219.40501447788535

X5 - Overall Height: 4.8856603308811515

X6 - Orientation: 4.0

X7 - Glazing Area: 0.003168052751912828

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 5

X1 - Relative Compactness: 0.7312546086309628

X2 - Surface Area: 688.3434201095231

X3 - Wall Area: 254.40468097857556

X4 - Roof Area: 215.05725649786586

X5 - Overall Height: 3.509311213379596

X6 - Orientation: 4.0

X7 - Glazing Area: 0.0463449404460531

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 6

X1 - Relative Compactness: 0.7284658985090647

X2 - Surface Area: 689.7776384139736

X3 - Wall Area: 253.64716898454986

X4 - Roof Area: 200.47534207220792

X5 - Overall Height: 4.585565319860757

X6 - Orientation: 4.0

X7 - Glazing Area: 8.097554691339419e-05

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 7

X1 - Relative Compactness: 0.7348130797701447

X2 - Surface Area: 690.0827126554826

X3 - Wall Area: 250.33730702723446

X4 - Roof Area: 220.49589199624728

X5 - Overall Height: 5.007128148889612

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04515766439024844

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 8

X1 - Relative Compactness: 0.7391664635682175

X2 - Surface Area: 676.0610389451771

X3 - Wall Area: 248.71960246579968

X4 - Roof Area: 214.52026776787363

X5 - Overall Height: 4.79027405634051

X6 - Orientation: 4.0

X7 - Glazing Area: 0.035964808366251454

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 9

X1 - Relative Compactness: 0.7348887053596762

X2 - Surface Area: 688.2896515785362

X3 - Wall Area: 253.89035326053704

X4 - Roof Area: 219.27925392906272

X5 - Overall Height: 3.95172771199271

X6 - Orientation: 4.0

X7 - Glazing Area: 0.008830389362340558

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 10

X1 - Relative Compactness: 0.7348753527847575

X2 - Surface Area: 680.2590417201029

X3 - Wall Area: 250.7885120657101

X4 - Roof Area: 219.36875981381635

X5 - Overall Height: 4.842445856214232

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04920162724319914

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 11

X1 - Relative Compactness: 0.7294974046813169

X2 - Surface Area: 680.3928207917481

X3 - Wall Area: 250.1575770315604

X4 - Roof Area: 210.06090621482156

X5 - Overall Height: 4.62504159209525

X6 - Orientation: 4.0

X7 - Glazing Area: 0.041838658355384736

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 12

X1 - Relative Compactness: 0.7372291799193543

X2 - Surface Area: 689.395891925158

X3 - Wall Area: 252.09668715037688

X4 - Roof Area: 195.1288700679688

X5 - Overall Height: 3.8693790794696636

X6 - Orientation: 4.0

X7 - Glazing Area: 0.013840330128892204

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 13

X1 - Relative Compactness: 0.7349859560024057

X2 - Surface Area: 680.5158786483987

X3 - Wall Area: 249.5608176206318

X4 - Roof Area: 220.30119634954468

X5 - Overall Height: 4.7509994316062105

X6 - Orientation: 4.0

X7 - Glazing Area: 0.003750257013712766

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 14

X1 - Relative Compactness: 0.7289916229587561

X2 - Surface Area: 687.6305194513593

X3 - Wall Area: 245.33040766502774

X4 - Roof Area: 184.89133787355408

X5 - Overall Height: 4.749035302181235

X6 - Orientation: 4.0

X7 - Glazing Area: 0.013840330128892204

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 15

X1 - Relative Compactness: 0.7391664635682175

X2 - Surface Area: 681.4552771822541

X3 - Wall Area: 248.71960246579968

X4 - Roof Area: 218.87310932974881

X5 - Overall Height: 4.79027405634051

X6 - Orientation: 4.0

X7 - Glazing Area: 0.03614097423395651

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 16

X1 - Relative Compactness: 0.7335780683505149

X2 - Surface Area: 695.7216313567462

X3 - Wall Area: 249.08905288816584

X4 - Roof Area: 206.08885604525292

X5 - Overall Height: 3.9291579036154607

X6 - Orientation: 4.0

X7 - Glazing Area: 0.044973497290132086

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 17

X1 - Relative Compactness: 0.7333297142667181

X2 - Surface Area: 691.4352116234231

X3 - Wall Area: 250.722813447693

X4 - Roof Area: 219.3824013560877

X5 - Overall Height: 4.849690838197998

X6 - Orientation: 4.0

X7 - Glazing Area: 0.03953370640773609

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 18

X1 - Relative Compactness: 0.7294974046813169

X2 - Surface Area: 680.3928207917481

X3 - Wall Area: 250.1575770315604

X4 - Roof Area: 214.08428361812963

X5 - Overall Height: 4.62504159209525

X6 - Orientation: 4.0

X7 - Glazing Area: 0.041838658355384736

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.0508799999999946

Design 19

X1 - Relative Compactness: 0.7364893785287857

X2 - Surface Area: 689.3589452123821

X3 - Wall Area: 252.09668715037688

X4 - Roof Area: 201.07427732104645

X5 - Overall Height: 3.8693790794696636

X6 - Orientation: 4.0

X7 - Glazing Area: 0.013840330128892204

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.0508799999999946

Design 20

X1 - Relative Compactness: 0.7312546086309628

X2 - Surface Area: 690.2421461574236

X3 - Wall Area: 253.7319441240408

X4 - Roof Area: 214.1089064593168

X5 - Overall Height: 3.654237523317677

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04315325985599377

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 21

X1 - Relative Compactness: 0.733017554637656

X2 - Surface Area: 680.8357628402417

X3 - Wall Area: 253.8079684220714

X4 - Roof Area: 205.83180717694893

X5 - Overall Height: 4.825690513498859

X6 - Orientation: 4.0

X7 - Glazing Area: 0.042852514058459794

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 22

X1 - Relative Compactness: 0.7349859560024057

X2 - Surface Area: 677.362599430384
X3 - Wall Area: 249.5608176206318
X4 - Roof Area: 220.41912927636443
X5 - Overall Height: 4.905381831381038
X6 - Orientation: 4.0
X7 - Glazing Area: 0.014278446004975145
X8 - Glazing Distribution: 0.0
Heating Load: 6.034960000000046
Cooling Load: 11.050879999999946

Design 23

X1 - Relative Compactness: 0.7482339974893686
X2 - Surface Area: 691.4491237418473
X3 - Wall Area: 249.09998210317914
X4 - Roof Area: 205.55130895411492
X5 - Overall Height: 3.5453204110533565
X6 - Orientation: 4.0
X7 - Glazing Area: 0.001482782699142416
X8 - Glazing Distribution: 0.0
Heating Load: 6.034960000000046
Cooling Load: 11.050879999999946

Design 24

X1 - Relative Compactness: 0.7329501689187433

X2 - Surface Area: 684.9499978652755

X3 - Wall Area: 253.4485199305134

X4 - Roof Area: 219.83165383944763

X5 - Overall Height: 4.809557838181894

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04355159482863149

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 25

X1 - Relative Compactness: 0.747757515479412

X2 - Surface Area: 692.8727732307744

X3 - Wall Area: 253.4485199305134

X4 - Roof Area: 201.37681191941883

X5 - Overall Height: 3.6841715556606642

X6 - Orientation: 4.0

X7 - Glazing Area: 0.016427607559354265

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 26

X1 - Relative Compactness: 0.7380333256115391

X2 - Surface Area: 687.8163532545141

X3 - Wall Area: 245.3337720291269

X4 - Roof Area: 201.31982125509745

X5 - Overall Height: 4.764897672173656

X6 - Orientation: 4.0

X7 - Glazing Area: 0.0029903577301164837

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 27

X1 - Relative Compactness: 0.7357414565451391

X2 - Surface Area: 695.2934434231767

X3 - Wall Area: 254.6938754918202

X4 - Roof Area: 210.43608964611357

X5 - Overall Height: 4.651605179028373

X6 - Orientation: 4.0

X7 - Glazing Area: 0.040915214282424166

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 28

X1 - Relative Compactness: 0.7386604389644297

X2 - Surface Area: 688.4360139673945

X3 - Wall Area: 249.20201990796775

X4 - Roof Area: 215.1322666082688

X5 - Overall Height: 4.160395542130404

X6 - Orientation: 4.0

X7 - Glazing Area: 0.003390876617085637

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 29

X1 - Relative Compactness: 0.7274873714932958

X2 - Surface Area: 689.3836316545904

X3 - Wall Area: 248.84211600228707

X4 - Roof Area: 194.8297600804006

X5 - Overall Height: 3.8693790794696636

X6 - Orientation: 4.0

X7 - Glazing Area: 0.01516810370143777

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 30

X1 - Relative Compactness: 0.737195973707266

X2 - Surface Area: 689.7248112880518

X3 - Wall Area: 254.02279894400277

X4 - Roof Area: 189.93001105277907

X5 - Overall Height: 3.7577465712896023

X6 - Orientation: 4.0

X7 - Glazing Area: 0.0015763523808653424

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 31

X1 - Relative Compactness: 0.7484152177631277

X2 - Surface Area: 682.1770995931898

X3 - Wall Area: 247.65641196108714

X4 - Roof Area: 218.09740169595165

X5 - Overall Height: 4.310878291152495

X6 - Orientation: 4.0

X7 - Glazing Area: 0.0010316456319181086

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 32

X1 - Relative Compactness: 0.7304285343644464

X2 - Surface Area: 689.2382503769797

X3 - Wall Area: 254.0995122239033

X4 - Roof Area: 219.38960562785186

X5 - Overall Height: 3.9926493323246848

X6 - Orientation: 4.0

X7 - Glazing Area: 0.0012453267625027868

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 33

X1 - Relative Compactness: 0.7347271159873782

X2 - Surface Area: 681.3791657100429

X3 - Wall Area: 249.65700721781468

X4 - Roof Area: 213.19772095941198

X5 - Overall Height: 3.8183738058349173

X6 - Orientation: 4.0

X7 - Glazing Area: 0.029326169332053384

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 34

X1 - Relative Compactness: 0.7460703010742019

X2 - Surface Area: 677.7291912671062

X3 - Wall Area: 252.68731826566747

X4 - Roof Area: 220.4204098661447

X5 - Overall Height: 4.901322247082668

X6 - Orientation: 4.0

X7 - Glazing Area: 0.03724292561574056

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 35

X1 - Relative Compactness: 0.7327529831857194

X2 - Surface Area: 689.9740239102614

X3 - Wall Area: 248.14448488633366

X4 - Roof Area: 189.07191375421579

X5 - Overall Height: 4.822083743468417

X6 - Orientation: 4.0

X7 - Glazing Area: 0.024969710393287124

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 36

X1 - Relative Compactness: 0.7478400593905052

X2 - Surface Area: 688.1624145589062

X3 - Wall Area: 254.09028625219622

X4 - Roof Area: 203.45998315811238

X5 - Overall Height: 3.916993831669085

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04497333452697921

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 37

X1 - Relative Compactness: 0.7327529831857194

X2 - Surface Area: 692.6282631205422

X3 - Wall Area: 253.4485199305134

X4 - Roof Area: 189.10003031867637

X5 - Overall Height: 4.822083743468417

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04359547612849138

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 38

X1 - Relative Compactness: 0.7349364936075461

X2 - Surface Area: 680.5158786483987

X3 - Wall Area: 249.5608176206318

X4 - Roof Area: 220.32215327357758

X5 - Overall Height: 4.751082964745772

X6 - Orientation: 4.0

X7 - Glazing Area: 0.003750257013712766

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 39

X1 - Relative Compactness: 0.7346315086431394

X2 - Surface Area: 680.783600683024

X3 - Wall Area: 250.97794245941714

X4 - Roof Area: 219.23624706437622

X5 - Overall Height: 4.910881265389585

X6 - Orientation: 4.0

X7 - Glazing Area: 0.00026841285660203495

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 40

X1 - Relative Compactness: 0.7340188969662943

X2 - Surface Area: 689.7483215905103

X3 - Wall Area: 254.00056918080045

X4 - Roof Area: 217.9836484015877

X5 - Overall Height: 3.7419370928474742

X6 - Orientation: 4.0

X7 - Glazing Area: 0.0007852773840730954

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.0508799999999946

Design 41

X1 - Relative Compactness: 0.7266695086974566

X2 - Surface Area: 674.4929154365168

X3 - Wall Area: 249.10082486520815

X4 - Roof Area: 219.46828807228377

X5 - Overall Height: 4.1582664930646

X6 - Orientation: 4.0

X7 - Glazing Area: 0.042664855159080625

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.0508799999999946

Design 42

X1 - Relative Compactness: 0.7312607055249367

X2 - Surface Area: 679.7214413569669

X3 - Wall Area: 254.03640352218753

X4 - Roof Area: 214.1089064593168

X5 - Overall Height: 4.3000025921476235

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04331357372094198

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 43

X1 - Relative Compactness: 0.7402920910278289

X2 - Surface Area: 673.8966140026033

X3 - Wall Area: 252.61120126637013

X4 - Roof Area: 212.8629531690988

X5 - Overall Height: 4.657694873230999

X6 - Orientation: 4.0

X7 - Glazing Area: 0.003452172059475296

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.0508799999999946

Design 44

X1 - Relative Compactness: 0.7348842723634953

X2 - Surface Area: 688.2896515785362

X3 - Wall Area: 249.7004026986032

X4 - Roof Area: 218.70396591575482

X5 - Overall Height: 3.951510889965145

X6 - Orientation: 4.0

X7 - Glazing Area: 0.0450342035512528

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.0508799999999946

Design 45

X1 - Relative Compactness: 0.7327933939804856

X2 - Surface Area: 680.8540204640728

X3 - Wall Area: 254.04423574828508

X4 - Roof Area: 220.33968938529918

X5 - Overall Height: 3.9206591973447518

X6 - Orientation: 4.0

X7 - Glazing Area: 0.004757663620475996

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 46

X1 - Relative Compactness: 0.7348130797701447

X2 - Surface Area: 690.0798710003074

X3 - Wall Area: 252.5969694854646

X4 - Roof Area: 220.47109949197406

X5 - Overall Height: 4.826968243023779

X6 - Orientation: 4.0

X7 - Glazing Area: 0.0035836506228421744

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 47

X1 - Relative Compactness: 0.7474779186195357

X2 - Surface Area: 691.0930910381111

X3 - Wall Area: 248.67882701847054

X4 - Roof Area: 218.85336512058763

X5 - Overall Height: 4.829414737028726

X6 - Orientation: 4.0

X7 - Glazing Area: 0.03903091895393895

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 48

X1 - Relative Compactness: 0.7389927316795704

X2 - Surface Area: 687.4920157548092

X3 - Wall Area: 250.04227679490504

X4 - Roof Area: 210.0072954926369

X5 - Overall Height: 3.9717269195148392

X6 - Orientation: 4.0

X7 - Glazing Area: 0.01880429719689156

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 49

X1 - Relative Compactness: 0.7358627404280106

X2 - Surface Area: 687.7148232968789

X3 - Wall Area: 250.7885120657101

X4 - Roof Area: 209.69549402048193

X5 - Overall Height: 4.842445856214232

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04920162724319914

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 50

X1 - Relative Compactness: 0.7484152177631277

X2 - Surface Area: 682.1770995931898

X3 - Wall Area: 247.65641196108714

X4 - Roof Area: 218.49107915046946

X5 - Overall Height: 3.8911822696284153

X6 - Orientation: 4.0

X7 - Glazing Area: 0.0010316456319181086

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 51

X1 - Relative Compactness: 0.73251670286071

X2 - Surface Area: 690.9907402750677

X3 - Wall Area: 248.67882701847054

X4 - Roof Area: 218.34907545240267

X5 - Overall Height: 4.809195995669728

X6 - Orientation: 4.0

X7 - Glazing Area: 0.03903091895393895

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 52

X1 - Relative Compactness: 0.7340188969662943

X2 - Surface Area: 689.7483215905103

X3 - Wall Area: 254.00056918080045

X4 - Roof Area: 214.15654197923118

X5 - Overall Height: 3.7419370928474742

X6 - Orientation: 4.0

X7 - Glazing Area: 0.0007852773840730954

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 53

X1 - Relative Compactness: 0.7326421674542715

X2 - Surface Area: 695.4140744906036

X3 - Wall Area: 253.4485199305134

X4 - Roof Area: 201.43714233251384

X5 - Overall Height: 4.6610571683962405

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04359547612849138

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 54

X1 - Relative Compactness: 0.7327962997205864

X2 - Surface Area: 691.8561386725565

X3 - Wall Area: 253.4483576965927

X4 - Roof Area: 201.49937255400414
X5 - Overall Height: 3.6841715556606642
X6 - Orientation: 4.0
X7 - Glazing Area: 0.043125121908589484
X8 - Glazing Distribution: 0.0
Heating Load: 6.034960000000046
Cooling Load: 11.050879999999946

Design 55

X1 - Relative Compactness: 0.7391186116029549
X2 - Surface Area: 674.5435358647613
X3 - Wall Area: 253.4485199305134
X4 - Roof Area: 201.37681191941883
X5 - Overall Height: 3.6841715556606642
X6 - Orientation: 4.0
X7 - Glazing Area: 0.016427607559354265
X8 - Glazing Distribution: 0.0
Heating Load: 6.034960000000046
Cooling Load: 11.050879999999946

Design 56

X1 - Relative Compactness: 0.729433026647597

X2 - Surface Area: 694.5184704846745

X3 - Wall Area: 249.70583020384404

X4 - Roof Area: 184.9357773180223

X5 - Overall Height: 3.8829510504553393

X6 - Orientation: 4.0

X7 - Glazing Area: 0.008831577311631705

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 57

X1 - Relative Compactness: 0.7340695935123664

X2 - Surface Area: 692.7723156915205

X3 - Wall Area: 253.31358358219617

X4 - Roof Area: 189.10003031867637

X5 - Overall Height: 4.843897812489021

X6 - Orientation: 4.0

X7 - Glazing Area: 0.0024669469443762554

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 58

X1 - Relative Compactness: 0.737195973707266

X2 - Surface Area: 689.7241799907872

X3 - Wall Area: 249.34103007598486

X4 - Roof Area: 189.93001105277907

X5 - Overall Height: 3.9198264088757697

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04392803395622968

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 59

X1 - Relative Compactness: 0.7340889432612967

X2 - Surface Area: 677.1995500640493

X3 - Wall Area: 252.69721305258062

X4 - Roof Area: 220.3645474961175

X5 - Overall Height: 4.823300178150155

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04358249951137665

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 60

X1 - Relative Compactness: 0.7387460431268827

X2 - Surface Area: 687.7148232968789

X3 - Wall Area: 250.753857455878

X4 - Roof Area: 209.69549402048193

X5 - Overall Height: 4.843140300939955

X6 - Orientation: 4.0

X7 - Glazing Area: 0.01880429719689156

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 61

X1 - Relative Compactness: 0.7475655815296355

X2 - Surface Area: 680.5156793617812

X3 - Wall Area: 247.14988936867783

X4 - Roof Area: 202.57301779258586

X5 - Overall Height: 3.898690581534288

X6 - Orientation: 4.0

X7 - Glazing Area: 8.097554691339419e-05

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 62

X1 - Relative Compactness: 0.7359275691318503

X2 - Surface Area: 687.8163532545141

X3 - Wall Area: 250.7252262237576

X4 - Roof Area: 210.28090330537214

X5 - Overall Height: 4.774564048286289

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04525598909093412

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 63

X1 - Relative Compactness: 0.7334967095656496

X2 - Surface Area: 689.7096276579928

X3 - Wall Area: 249.01825601989646
X4 - Roof Area: 203.52060657310705
X5 - Overall Height: 4.29871345143919
X6 - Orientation: 4.0
X7 - Glazing Area: 0.020671668333925666
X8 - Glazing Distribution: 0.0
Heating Load: 6.034960000000046
Cooling Load: 11.050879999999946

Design 64

X1 - Relative Compactness: 0.7484152177631277
X2 - Surface Area: 682.1770995931898
X3 - Wall Area: 247.65641196108714
X4 - Roof Area: 219.31869090205657
X5 - Overall Height: 3.8911822696284153
X6 - Orientation: 4.0
X7 - Glazing Area: 0.0019004194419114176
X8 - Glazing Distribution: 0.0
Heating Load: 6.034960000000046
Cooling Load: 11.050879999999946

Design 65

X1 - Relative Compactness: 0.7340188969662943

X2 - Surface Area: 689.7483215905103

X3 - Wall Area: 254.00056918080045

X4 - Roof Area: 214.15654197923118

X5 - Overall Height: 3.6840545275229166

X6 - Orientation: 4.0

X7 - Glazing Area: 0.0007852773840730954

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.0508799999999946

Design 66

X1 - Relative Compactness: 0.7327361619811181

X2 - Surface Area: 694.5184704846745

X3 - Wall Area: 252.6965647102467

X4 - Roof Area: 219.06602532187105

X5 - Overall Height: 3.8186599318161245

X6 - Orientation: 4.0

X7 - Glazing Area: 0.00576656483626136

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.0508799999999946

Design 67

X1 - Relative Compactness: 0.7272631739928099

X2 - Surface Area: 691.259060028423

X3 - Wall Area: 249.47445478879695

X4 - Roof Area: 218.26297063259716

X5 - Overall Height: 4.421246427896167

X6 - Orientation: 4.0

X7 - Glazing Area: 0.03903091895393895

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 68

X1 - Relative Compactness: 0.7426670506091136

X2 - Surface Area: 689.2382503769797

X3 - Wall Area: 253.81069149631588

X4 - Roof Area: 219.38960562785186

X5 - Overall Height: 3.9926493323246848

X6 - Orientation: 4.0

X7 - Glazing Area: 0.001425283251534605

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.0508799999999946

Design 69

X1 - Relative Compactness: 0.733376419914233

X2 - Surface Area: 697.5369131034828

X3 - Wall Area: 245.4917867358292

X4 - Roof Area: 218.19278559390295

X5 - Overall Height: 5.211220483417973

X6 - Orientation: 4.0

X7 - Glazing Area: 0.047034331929912146

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.0508799999999946

Design 70

X1 - Relative Compactness: 0.7287332040201242

X2 - Surface Area: 681.2993040849055

X3 - Wall Area: 245.168247015193

X4 - Roof Area: 219.51131194527844

X5 - Overall Height: 4.7214399194448315

X6 - Orientation: 4.0

X7 - Glazing Area: 0.014451891311984974

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 71

X1 - Relative Compactness: 0.7358631326450061

X2 - Surface Area: 692.5193333267542

X3 - Wall Area: 251.6841019065644

X4 - Roof Area: 210.43608964611357

X5 - Overall Height: 4.997474321384065

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04525044177109178

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 72

X1 - Relative Compactness: 0.7348130797701447

X2 - Surface Area: 690.0827126554826

X3 - Wall Area: 250.33730702723446

X4 - Roof Area: 217.36281060399372

X5 - Overall Height: 5.007128148889612

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04515766439024844

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 73

X1 - Relative Compactness: 0.7348343496108618

X2 - Surface Area: 690.0827126554826

X3 - Wall Area: 250.6110573579914

X4 - Roof Area: 215.7388172405912

X5 - Overall Height: 3.728896063156576

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04283856184226591

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 74

X1 - Relative Compactness: 0.7312546086309628

X2 - Surface Area: 679.7214413569669

X3 - Wall Area: 254.47407964286725

X4 - Roof Area: 214.1089064593168

X5 - Overall Height: 4.3000025921476235

X6 - Orientation: 4.0

X7 - Glazing Area: 0.043147130710786394

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 75

X1 - Relative Compactness: 0.7288210990927986

X2 - Surface Area: 694.8504967902277

X3 - Wall Area: 248.51100080094002

X4 - Roof Area: 211.44473903165115

X5 - Overall Height: 4.973388608164391

X6 - Orientation: 4.0

X7 - Glazing Area: 0.00017198052910290674

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 76

X1 - Relative Compactness: 0.7327962997205864

X2 - Surface Area: 692.7704224677311

X3 - Wall Area: 253.4485199305134

X4 - Roof Area: 201.49937255400414

X5 - Overall Height: 3.6841715556606642

X6 - Orientation: 4.0

X7 - Glazing Area: 0.043125121908589484

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 77

X1 - Relative Compactness: 0.734922588278453

X2 - Surface Area: 680.5379768917862

X3 - Wall Area: 249.5608176206318

X4 - Roof Area: 219.3124424190607

X5 - Overall Height: 4.908322739758346

X6 - Orientation: 4.0

X7 - Glazing Area: 0.00026841285660203495

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 78

X1 - Relative Compactness: 0.7324725025512194

X2 - Surface Area: 693.9134221015416

X3 - Wall Area: 249.5023540296359

X4 - Roof Area: 219.3124424190607

X5 - Overall Height: 4.904415273461724

X6 - Orientation: 4.0

X7 - Glazing Area: 0.00026841285660203495

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 79

X1 - Relative Compactness: 0.7310007691744728

X2 - Surface Area: 695.3022617191048

X3 - Wall Area: 253.84846173487674

X4 - Roof Area: 202.17874011387994

X5 - Overall Height: 4.820551046662087

X6 - Orientation: 4.0

X7 - Glazing Area: 0.02324547104138772

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 80

X1 - Relative Compactness: 0.7346315086431394

X2 - Surface Area: 690.1910453063362

X3 - Wall Area: 253.84563622980122

X4 - Roof Area: 219.3124424190607

X5 - Overall Height: 4.904415273461724

X6 - Orientation: 4.0

X7 - Glazing Area: 0.00026841285660203495

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 81

X1 - Relative Compactness: 0.7346315086431394

X2 - Surface Area: 680.7741173269101

X3 - Wall Area: 249.5023540296359

X4 - Roof Area: 219.3124424190607

X5 - Overall Height: 4.904415273461724

X6 - Orientation: 4.0

X7 - Glazing Area: 0.00026841285660203495

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 82

X1 - Relative Compactness: 0.7371683043100502

X2 - Surface Area: 689.5535682444422

X3 - Wall Area: 248.54599521791067

X4 - Roof Area: 194.12807854516674

X5 - Overall Height: 4.796152381194545

X6 - Orientation: 4.0

X7 - Glazing Area: 0.004178567019220775

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 83

X1 - Relative Compactness: 0.7348130797701447

X2 - Surface Area: 694.3134407711469

X3 - Wall Area: 249.52106253706782

X4 - Roof Area: 220.47109949197406

X5 - Overall Height: 3.8173879613628814

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04353341263327899

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 84

X1 - Relative Compactness: 0.7480551733823951

X2 - Surface Area: 692.6282631205422

X3 - Wall Area: 253.48402044831676

X4 - Roof Area: 189.10003031867637

X5 - Overall Height: 4.809196748650947

X6 - Orientation: 4.0

X7 - Glazing Area: 0.03155501028319717

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 85

X1 - Relative Compactness: 0.7358137467739808

X2 - Surface Area: 687.7148232968789

X3 - Wall Area: 250.7885120657101

X4 - Roof Area: 209.69549402048193

X5 - Overall Height: 4.842445856214232

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04920162724319914

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 86

X1 - Relative Compactness: 0.7340188969662943

X2 - Surface Area: 689.7483215905103

X3 - Wall Area: 254.00056918080045

X4 - Roof Area: 217.9836484015877

X5 - Overall Height: 3.7419370928474742

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04351277709746566

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 87

X1 - Relative Compactness: 0.7330906480315917

X2 - Surface Area: 694.2651733496433

X3 - Wall Area: 247.50812143475443

X4 - Roof Area: 209.78444793401675

X5 - Overall Height: 3.659044001428184

X6 - Orientation: 4.0

X7 - Glazing Area: 0.002774340670275565

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 88

X1 - Relative Compactness: 0.7456469849466878

X2 - Surface Area: 688.2454983603116

X3 - Wall Area: 249.70583020384404

X4 - Roof Area: 186.05835312845866

X5 - Overall Height: 3.8829510504553393

X6 - Orientation: 4.0

X7 - Glazing Area: 0.008831577311631705

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 89

X1 - Relative Compactness: 0.7299447141294281

X2 - Surface Area: 691.1795292213476

X3 - Wall Area: 253.4485199305134

X4 - Roof Area: 201.43714233251384

X5 - Overall Height: 5.035769499773328

X6 - Orientation: 4.0

X7 - Glazing Area: 0.032032363077577335

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 90

X1 - Relative Compactness: 0.7482339974893686

X2 - Surface Area: 690.9785149528828

X3 - Wall Area: 249.06581397998252

X4 - Roof Area: 220.0419480218484

X5 - Overall Height: 4.6430454683958144

X6 - Orientation: 4.0

X7 - Glazing Area: 0.0016532799768217467

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 91

X1 - Relative Compactness: 0.7330845511376178

X2 - Surface Area: 681.4758870281846

X3 - Wall Area: 247.94581375882993

X4 - Roof Area: 220.246799075724

X5 - Overall Height: 3.659044001428184

X6 - Orientation: 4.0

X7 - Glazing Area: 0.0019717955214096083

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 92

X1 - Relative Compactness: 0.7460703010742019

X2 - Surface Area: 689.4473070434382

X3 - Wall Area: 250.7014061381943

X4 - Roof Area: 219.40501447788535

X5 - Overall Height: 3.7876665213809155

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04248109993963312

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 93

X1 - Relative Compactness: 0.7474779186195357

X2 - Surface Area: 691.0930910381111

X3 - Wall Area: 248.67882701847054

X4 - Roof Area: 218.23519468506709

X5 - Overall Height: 4.809195995669728

X6 - Orientation: 4.0

X7 - Glazing Area: 0.03903091895393895

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.0508799999999946

Design 94

X1 - Relative Compactness: 0.7251038172970552

X2 - Surface Area: 692.9420792787155

X3 - Wall Area: 253.45166808969532

X4 - Roof Area: 219.73368134545032

X5 - Overall Height: 4.671298521883138

X6 - Orientation: 4.0

X7 - Glazing Area: 0.003559485265180043

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.0508799999999946

Design 95

X1 - Relative Compactness: 0.7345349161478913

X2 - Surface Area: 677.1995500640493

X3 - Wall Area: 254.03094325940617

X4 - Roof Area: 220.3645474961175

X5 - Overall Height: 4.823300178150155

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04358249951137665

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 96

X1 - Relative Compactness: 0.7327542675805391

X2 - Surface Area: 692.6728392541872

X3 - Wall Area: 250.01123278672

X4 - Roof Area: 219.70854226576878

X5 - Overall Height: 3.9782773153497377

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04489476998885006

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 97

X1 - Relative Compactness: 0.7372291799193543

X2 - Surface Area: 680.7358990413361

X3 - Wall Area: 245.30304977046708

X4 - Roof Area: 197.8082857946196

X5 - Overall Height: 4.888291522688908

X6 - Orientation: 4.0

X7 - Glazing Area: 0.00029913509991882534

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 98

X1 - Relative Compactness: 0.7330906480315917

X2 - Surface Area: 681.4758870281846

X3 - Wall Area: 247.50812143475443

X4 - Roof Area: 215.412364877139

X5 - Overall Height: 3.659044001428184

X6 - Orientation: 4.0

X7 - Glazing Area: 0.002790491686884243

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 99

X1 - Relative Compactness: 0.7482339974893686

X2 - Surface Area: 690.6849935069389

X3 - Wall Area: 249.53158841973533

X4 - Roof Area: 220.0419480218484

X5 - Overall Height: 4.6430454683958144

X6 - Orientation: 4.0

X7 - Glazing Area: 0.0038321146496184738

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

Design 100

X1 - Relative Compactness: 0.737195973707266

X2 - Surface Area: 689.7241799907872

X3 - Wall Area: 249.34103007598486

X4 - Roof Area: 189.93001105277907

X5 - Overall Height: 3.9198264088757697

X6 - Orientation: 4.0

X7 - Glazing Area: 0.04392803395622968

X8 - Glazing Distribution: 0.0

Heating Load: 6.034960000000046

Cooling Load: 11.050879999999946

