UNIVERSITY OF GREENWICH

Alliance with FPT Education

Name : Phạm Thái Nam

MSSV: GCS220749


127.0.0.1:5500/vue-3-Doris-kun/L8/index.html
L8 Socks
Cart(0)
L8 Socks is on sale.
In Stock
50% cotton
30% wool
20% polyester
Add to Cart
More det


127.0.0.1:5500/vue-3-Doris-kun/L10/index.html
Vue Mastery Socks
Cart(5)
In Stock
Shipping: Free
50% cotton
30% wool
20% polyester
Add to Cart
Remove Item



In Lessons 8 to 10 of the Vue Mastery Vue 3 course, the application is improved by introducing component communication and better state handling. Instead of directly modifying the cart value inside the product component, events are emitted from the child component and handled by the parent app instance. This follows Vue's recommended one-way data flow pattern. The product-display component uses $emit('add-to-cart') and $emit('remove-from-cart') to notify the parent when the user clicks buttons. The parent listens using @add-to-cart and updates the cart count, which keeps the component reusable and clean.

Props are also used more clearly to pass data such as the premium status from the parent to the child component. Computed properties are used to dynamically calculate values like shipping cost and stock status based on the selected variant. Conditional rendering and dynamic class binding improve the UI, such as disabling buttons when items are out of stock.

Additionally, components are separated into smaller files like ProductDisplay and ProductDetails, making the project more modular and easier to maintain. Overall, these lessons focus on proper Vue architecture, reusable components, and clean communication between parent and child components.